

**Wiley Series in Adaptive
and Cognitive Dynamic Systems**

Simon Haykin, Series Editor

Bayesian Signal Processing

Classical, Modern, and Particle Filtering Methods

Second Edition

James V. Candy


IEEE PRESS

WILEY

BAYESIAN SIGNAL PROCESSING

**Wiley Series on
Adaptive and Cognitive Dynamic Systems**

Editor: Simon Haykin

A complete list of titles in this series appears at the end of this volume.

BAYESIAN SIGNAL PROCESSING

Classical, Modern, and
Particle Filtering Methods

SECOND EDITION

James V. Candy

Lawrence Livermore National Laboratory
University of California, Santa Barbara

 **IEEE**
IEEE PRESS

WILEY

Copyright © 2016 by John Wiley & Sons, Inc. All rights reserved.

Published by John Wiley & Sons, Inc., Hoboken, New Jersey.
Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470, or on the web at www.copyright.com. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008, or online at <http://www.wiley.com/go/permission>.

Limit of Liability/Disclaimer of Warranty: While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

For general information on our other products and services or for technical support, please contact our Customer Care Department within the United States at (800) 762-2974, outside the United States at (317) 572-3993 or fax (317) 572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic formats. For more information about Wiley products, visit our web site at www.wiley.com.

Library of Congress Cataloging-in-Publication Data

Names: Candy, James V., author.

Title: Bayesian signal processing : classical, modern, and particle filtering methods / James V. Candy.

Description: Second edition. | Hoboken, New Jersey : John Wiley & Sons Inc., [2016] | Includes index.

Identifiers: LCCN 2016019012 | ISBN 9781119125457 (cloth) | ISBN 9781119125488 (epub)

Subjects: LCSH: Signal processing--Mathematics. | Bayesian statistical decision theory.

Classification: LCC TK5102.9 .C3187 2016 | DDC 621.382/201519542--dc23

LC record available at <https://lccn.loc.gov/2016019012>

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

“...no mere man has ever seen, heard or even
imagined what wonderful things God has ready for
those who love the Lord” (1 Cor. 2:9)

CONTENTS

Preface to Second Edition	xiii
References	xv
Preface to First Edition	xvii
References	xxiii
Acknowledgments	xxvii
List of Abbreviations	xxix
1 Introduction	1
1.1 Introduction	1
1.2 Bayesian Signal Processing	1
1.3 Simulation-Based Approach to Bayesian Processing	4
1.3.1 Bayesian Particle Filter	8
1.4 Bayesian Model-Based Signal Processing	9
1.5 Notation and Terminology	13
References	15
Problems	16
2 Bayesian Estimation	20
2.1 Introduction	20
2.2 Batch Bayesian Estimation	20
2.3 Batch Maximum Likelihood Estimation	23
2.3.1 Expectation–Maximization Approach to Maximum Likelihood	27
2.3.2 EM for Exponential Family of Distributions	30
2.4 Batch Minimum Variance Estimation	34
	vii

2.5	Sequential Bayesian Estimation	37
2.5.1	Joint Posterior Estimation	41
2.5.2	Filtering Posterior Estimation	42
2.5.3	Likelihood Estimation	45
2.6	Summary	45
	References	46
	Problems	47
3	Simulation-Based Bayesian Methods	52
3.1	Introduction	52
3.2	Probability Density Function Estimation	54
3.3	Sampling Theory	58
3.3.1	Uniform Sampling Method	60
3.3.2	Rejection Sampling Method	64
3.4	Monte Carlo Approach	66
3.4.1	Markov Chains	71
3.4.2	Metropolis–Hastings Sampling	74
3.4.3	Random Walk Metropolis–Hastings Sampling	75
3.4.4	Gibbs Sampling	79
3.4.5	Slice Sampling	81
3.5	Importance Sampling	83
3.6	Sequential Importance Sampling	87
3.7	Summary	90
	References	91
	Problems	94
4	State–Space Models for Bayesian Processing	98
4.1	Introduction	98
4.2	Continuous-Time State–Space Models	99
4.3	Sampled-Data State–Space Models	103
4.4	Discrete-Time State–Space Models	107
4.4.1	Discrete Systems Theory	109
4.5	Gauss–Markov State–Space Models	115
4.5.1	Continuous-Time/Sampled-Data Gauss–Markov Models	115
4.5.2	Discrete-Time Gauss–Markov Models	117
4.6	Innovations Model	123
4.7	State–Space Model Structures	124
4.7.1	Time Series Models	124
4.7.2	State–Space and Time Series Equivalence Models	131
4.8	Nonlinear (Approximate) Gauss–Markov State–Space Models	137
4.9	Summary	142
	References	142
	Problems	143

5	Classical Bayesian State–Space Processors	150
5.1	Introduction	150
5.2	Bayesian Approach to the State–Space	151
5.3	Linear Bayesian Processor (Linear Kalman Filter)	153
5.4	Linearized Bayesian Processor (Linearized Kalman Filter)	162
5.5	Extended Bayesian Processor (Extended Kalman Filter)	170
5.6	Iterated-Extended Bayesian Processor (Iterated-Extended Kalman Filter)	179
5.7	Practical Aspects of Classical Bayesian Processors	185
5.8	Case Study: <i>RLC</i> Circuit Problem	190
5.9	Summary	194
	References	195
	Problems	196
6	Modern Bayesian State–Space Processors	201
6.1	Introduction	201
6.2	Sigma-Point (Unscented) Transformations	202
6.2.1	Statistical Linearization	202
6.2.2	Sigma-Point Approach	205
6.2.3	SPT for Gaussian Prior Distributions	210
6.3	Sigma-Point Bayesian Processor (Unscented Kalman Filter)	213
6.3.1	Extensions of the Sigma-Point Processor	222
6.4	Quadrature Bayesian Processors	223
6.5	Gaussian Sum (Mixture) Bayesian Processors	224
6.6	Case Study: 2D-Tracking Problem	228
6.7	Ensemble Bayesian Processors (Ensemble Kalman Filter)	234
6.8	Summary	245
	References	247
	Problems	249
7	Particle-Based Bayesian State–Space Processors	253
7.1	Introduction	253
7.2	Bayesian State–Space Particle Filters	253
7.3	Importance Proposal Distributions	258
7.3.1	Minimum Variance Importance Distribution	258
7.3.2	Transition Prior Importance Distribution	261
7.4	Resampling	262
7.4.1	Multinomial Resampling	267
7.4.2	Systematic Resampling	268
7.4.3	Residual Resampling	269
7.5	State–Space Particle Filtering Techniques	270
7.5.1	Bootstrap Particle Filter	270
7.5.2	Auxiliary Particle Filter	274

7.5.3	Regularized Particle Filter	281
7.5.4	MCMC Particle Filter	283
7.5.5	Linearized Particle Filter	286
7.6	Practical Aspects of Particle Filter Design	290
7.6.1	Sanity Testing	290
7.6.2	Ensemble Estimation	291
7.6.3	Posterior Probability Validation	293
7.6.4	Model Validation Testing	304
7.7	Case Study: Population Growth Problem	311
7.8	Summary	317
	References	318
	Problems	321
8	Joint Bayesian State/Parametric Processors	327
8.1	Introduction	327
8.2	Bayesian Approach to Joint State/Parameter Estimation	328
8.3	Classical/Modern Joint Bayesian State/Parametric Processors	330
8.3.1	Classical Joint Bayesian Processor	331
8.3.2	Modern Joint Bayesian Processor	338
8.4	Particle-Based Joint Bayesian State/Parametric Processors	341
8.4.1	Parametric Models	342
8.4.2	Joint Bayesian State/Parameter Estimation	344
8.5	Case Study: Random Target Tracking Using a Synthetic Aperture Towed Array	349
8.6	Summary	359
	References	360
	Problems	362
9	Discrete Hidden Markov Model Bayesian Processors	367
9.1	Introduction	367
9.2	Hidden Markov Models	367
9.2.1	Discrete-Time Markov Chains	368
9.2.2	Hidden Markov Chains	369
9.3	Properties of the Hidden Markov Model	372
9.4	HMM Observation Probability: Evaluation Problem	373
9.5	State Estimation in HMM: The Viterbi Technique	376
9.5.1	Individual Hidden State Estimation	377
9.5.2	Entire Hidden State Sequence Estimation	380
9.6	Parameter Estimation in HMM: The EM/Baum–Welch Technique	384
9.6.1	Parameter Estimation with State Sequence Known	385
9.6.2	Parameter Estimation with State Sequence Unknown	387
9.7	Case Study: Time-Reversal Decoding	390

9.8	Summary	395
	References	396
	Problems	398
10	Sequential Bayesian Detection	401
10.1	Introduction	401
10.2	Binary Detection Problem	402
10.2.1	Classical Detection	403
10.2.2	Bayesian Detection	407
10.2.3	Composite Binary Detection	408
10.3	Decision Criteria	411
10.3.1	Probability-of-Error Criterion	411
10.3.2	Bayes Risk Criterion	412
10.3.3	Neyman–Pearson Criterion	414
10.3.4	Multiple (Batch) Measurements	416
10.3.5	Multichannel Measurements	418
10.3.6	Multiple Hypotheses	420
10.4	Performance Metrics	423
10.4.1	Receiver Operating Characteristic (ROC) Curves	424
10.5	Sequential Detection	440
10.5.1	Sequential Decision Theory	442
10.6	Model-Based Sequential Detection	447
10.6.1	Linear Gaussian Model-Based Processor	447
10.6.2	Nonlinear Gaussian Model-Based Processor	451
10.6.3	Non-Gaussian Model-Based Processor	454
10.7	Model-Based Change (Anomaly) Detection	459
10.7.1	Model-Based Detection	460
10.7.2	Optimal Innovations Detection	461
10.7.3	Practical Model-Based Change Detection	463
10.8	Case Study: Reentry Vehicle Change Detection	468
10.8.1	Simulation Results	471
10.9	Summary	472
	References	475
	Problems	477
11	Bayesian Processors for Physics-Based Applications	484
11.1	Optimal Position Estimation for the Automatic Alignment	484
11.1.1	Background	485
11.1.2	Stochastic Modeling of Position Measurements	487
11.1.3	Bayesian Position Estimation and Detection	489
11.1.4	Application: Beam Line Data	490
11.1.5	Results: Beam Line (KDP Deviation) Data	492
11.1.6	Results: Anomaly Detection	494

11.2	Sequential Detection of Broadband Ocean Acoustic Sources	497
11.2.1	Background	498
11.2.2	Broadband State–Space Ocean Acoustic Propagators	500
11.2.3	Discrete Normal-Mode State–Space Representation	504
11.2.4	Broadband Bayesian Processor	504
11.2.5	Broadband Particle Filters	505
11.2.6	Broadband Bootstrap Particle Filter	507
11.2.7	Bayesian Performance Metrics	509
11.2.8	Sequential Detection	509
11.2.9	Broadband BSP Design	512
11.2.10	Summary	520
11.3	Bayesian Processing for Biothreats	520
11.3.1	Background	521
11.3.2	Parameter Estimation	524
11.3.3	Bayesian Processor Design	525
11.3.4	Results	526
11.4	Bayesian Processing for the Detection of Radioactive Sources	528
11.4.1	Physics-Based Processing Model	528
11.4.2	Radionuclide Detection	531
11.4.3	Implementation	535
11.4.4	Detection	539
11.4.5	Data	540
11.4.6	Radionuclide Detection	540
11.4.7	Summary	541
11.5	Sequential Threat Detection: An X-ray Physics-Based Approach	541
11.5.1	Physics-Based Models	543
11.5.2	X-ray State–Space Simulation	547
11.5.3	Sequential Threat Detection	549
11.5.4	Summary	554
11.6	Adaptive Processing for Shallow Ocean Applications	554
11.6.1	State–Space Propagator	555
11.6.2	Processors	562
11.6.3	Model-Based Ocean Acoustic Processing	565
11.6.4	Summary	572
	References	572

Appendix: Probability and Statistics Overview **576**

A.1	Probability Theory	576
A.2	Gaussian Random Vectors	582
A.3	Uncorrelated Transformation: Gaussian Random Vectors	583
	References	584

Index **585**

PREFACE TO SECOND EDITION

The second edition of *Bayesian Signal Processing* incorporates a chapter on “Sequential Bayesian Detection” (Chapter 10) and a section on “Ensemble Kalman Filters” (Section 6.7), as well as an expansion of case studies in the final chapter (Chapter 11). These new “physics-based” studies detail Bayesian approaches to problem solving in real-world applications incorporating detailed particle filter designs, adaptive particle filters, and sequential Bayesian detection. In addition to these major developments, a variety of sections are expanded to “fill in the gaps” of the first edition. Here, metrics for particle filter (PF) designs with emphasis on classical “sanity tests,” introduced earlier in model-based processors, led to *ensemble techniques* as a basic requirement for performance analysis. Next, the expansion of *information theory metrics* (Kullback–Leibler divergence (KD), Hellinger distance (HD)) and their application to PF designs is discussed. These “fill-in-the-gap” expansions provide a more cohesive discussion with examples and applications enabling the comprehension of these alternative approaches to solving estimation/detection problems.

Detection theory, and more specifically sequential detection theory, is closely coupled to sequential estimation techniques presented in this text and is often the primary reason for constructing the estimators in the first place [1]–[14]. Sequential techniques find application in many technical application areas such as radar, sonar (detection/tracking), biomedical (anomaly detection/localization), speech (recognition/tracking), communications (real-time/obstructed environments), the sciences (e.g., seismology (earthquakes), structures (vibrations), materials (additive manufacturing/threat detection), radiation (threat detection, etc.), and of course, a huge variety of military applications [3], [7]. By incorporating a new chapter on sequential detection techniques primarily aimed at the binary decision problem, we enable the extension of these estimation methods to an entire class of problems especially when a physical model is available that can be incorporated into the algorithm [4], [6]. This new chapter, in itself, will provide wider application, since sequential detection is such a natural extension to sequential estimation and vice versa.

The ensemble Kalman Filter (EnKF) addition to the second edition is an area that has been neglected in most non-specialized texts. The EnKF is basically a little known hybrid in the engineering area, but well-known in the sciences. It is a hybrid of a regression-based processor (e.g., unscented Kalman filter (UKF)) and a particle-like (PF) “sampling” filter. The EnKF is well known in science areas where large-scale computations are required such as seismology, energy systems (wind, ocean waves, etc.), weather prediction, climatology (global warming), computational biology, large structures (vibrations), and more because of its computational efficiency for very large-scale computational problems (super-computer applications). Here, the coupling of model-based Bayesian techniques to these large-scale problems is unique.

With this in mind, let us consider the construct of the new chapter entitled “Sequential Bayesian Detection.” Here, we develop the Bayesian approach to decision theory primarily aimed at a coupling of sequential Bayesian estimation to sequential decision-making. We start with the binary decision problem for multi-channel measurements and develop the usual Bayesian solutions based on probability-of-error minimization leading to the well-known Bayes’ risk criterion. Next, the Neyman–Pearson detection approach (maximize detection probability for fixed false-alarm probability) is developed and compared to the classical Bayesian schemes illustrating their similarity and differences. Once these “batch schemes” are developed, we introduce the Wald sequential approach to solving these problems in pseudo real time [3], [7]. Once developed, we then investigate a variety of performance criteria based on the receiver operating characteristic (ROC) curve and its variants that provide the foundations for classical analysis [9], [10]. Other metrics (e.g., area-under-curve, and so on) associated with the ROC curve are introduced and applied as well. With the sequential detection theory developed, we investigate the basic linear Gaussian case and demonstrate that a sequential scheme easily follows when coupled to the model-based (Kalman) processor. Next, we generalize this approach to nonlinear models and again under Gaussian-like approximations develop the sequential detection scheme [7]. Finally, we remove the Gaussian assumptions and show how, using an MCMC (particle filter), sequential detection schemes can be developed and applied. A variety of applications are included in case studies on anomaly/change detection.

Finally, sequential detection enables the inclusion of more relevant case studies (Chapter 11) in ocean acoustics and physics-based radiation detection as well as X-ray threat material detection offering a completely different perspective on classical problem solving incorporating these physics-based approaches from the sequential Bayesian framework.

JAMES V. CANDY

Danville, CA

REFERENCES

1. S. Kay, *Fundamentals of Statistical Signal Processing: Detection Theory* (Englewood Cliffs, NJ: Prentice-Hall, 1998).
2. C. Therrien, *Decision, Estimation, and Classification: An Introduction to Pattern Recognition and Related Topics* (New York: John Wiley & Sons, 1989).
3. J. Melsa and D. Cohn, *Detection and Estimation Theory* (New York: McGraw-Hill, 1978).
4. M. Basseville and I. Nikiforov, *Detection of Abrupt Changes: Theory and Application* (Englewood Cliffs, NJ: Prentice-Hall, 1993).
5. F. Gustafsson, *Adaptive Filtering and Change Detection* (Hoboken, NJ: John Wiley & Sons, 2000).
6. K. Burnham and D. Anderson, *Model Selection and Multimodal Inference* (New York: Springer, 1998).
7. A. Sage and J. Melsa, *Estimation Theory with Applications to Communications and Control* (New York: McGraw-Hill, 1971).
8. L. Scharf, *Statistical Signal Processing: Detection, Estimation, and Time Series Analysis* (Reading, MA: Addison-Wesley, 1990).
9. H. Van Trees, *Detection, Estimation and Modulation Theory, Part I* (New York: John Wiley & Sons, 1968).
10. R. Duda, P. Hart, and D. Stork, *Pattern Classification*, 2nd Ed. (Hoboken, NJ: John Wiley & Sons, 2001).
11. A. Gelman, J. Carlin, H. Stern, and D. Rubin, *Bayesian Data Analysis* (New York: Chapman & Hall, 2004).
12. J. Hancock and P. Wintz, *Signal Detection Theory* (New York: McGraw-Hill, 1966).
13. D. Middleton, *Introduction to Statistical Communication Theory* (New York: McGraw-Hill, 1960).
14. S. Kassam, *Signal Detection in Non-Gaussian Noise* (New York: Springer-Verlag, 1988).

PREFACE TO FIRST EDITION

In the real world, systems designed to extract signals from noisy measurements are plagued by errors evolving from constraints of the sensors employed, random disturbances and noise, and probably, most common, the lack of precise knowledge of the underlying physical phenomenology generating the process in the first place! Methods capable of extracting the desired signal from hostile environments require approaches that capture all of the a priori information available and incorporate them into a processing scheme. This approach is typically model-based [1], employing mathematical representations of the component processes involved. However, the actual implementation providing the algorithm evolves from the realm of statistical signal processing using a Bayesian approach based on Bayes' rule. Statistical signal processing is focused on the development of processors capable of extracting the desired information from noisy, uncertain measurement data. This is a text that develops the "Bayesian approach" to statistical signal processing for a variety of useful model sets. It features the next generation of processors which have recently been enabled with the advent of high-speed/high-throughput computers. The emphasis is on nonlinear/non-Gaussian problems, but classical techniques are included as special cases to enable the reader familiar with such methods to draw a parallel between the approaches. The common ground is the model sets. Here, the state-space approach is emphasized because of its inherent applicability to a wide variety of problems both linear and nonlinear as well as time invariant and time-varying problems including what has become popularly termed "physics-based" models. This text brings the reader from the classical methods of model-based signal processing including Kalman filtering for linear, linearized and approximate nonlinear processors as well as the recently developed unscented or sigma-point filters to the next generation of processors that will clearly dominate the future of model-based signal processing for years to come. It presents a unique viewpoint of signal processing from the Bayesian perspective in contrast to the pure statistical approach found in many textbooks. Although designed primarily as a graduate textbook, it will prove very useful to the practicing signal processing professional or scientist, since a wide variety of applications are included to demonstrate the applicability of the Bayesian approach to real-world problems. The prerequisites for such a text is a melding of undergraduate

work in linear algebra, random processes, linear systems, and digital signal processing as well as a minimal background in model-based signal processing illustrated in the recent text [1]. It is unique in the sense that few texts cover the breadth of its topics, whereas, the underlying theme of this text is the Bayesian approach that is uniformly developed and followed throughout in the algorithms, examples, applications, and case studies. It is this theme coupled with the hierarchy of physics-based models developed that contribute to its uniqueness. This text has evolved from three previous texts, Candy [1–3] coupled with a wealth of practical applications to real-world Bayesian problems.

The Bayesian approach has existed in statistical physics for a long time and can be traced back to the 1940s with the evolution of the Manhattan project and the work of such prominent scientists as Ulam, von Neumann, Metropolis, Fermi, Feynman, and Teller. Here the idea of Monte Carlo (MC) techniques to solve complex integrals evolved [4]. Since its birth, Monte Carlo related methods have been the mainstay of many complex statistical computations. Many applications have evolved from this method in such areas as physics, biology, chemistry, computer science, economics/finance, material science, statistics and more recently in engineering. Thus, statisticians have known for a long time about these methods, but their practicalities have not really evolved as a working tool until the advent of high-speed super computers around the 1980s. In signal processing, it is hard to pinpoint the actual initial starting point but clearly the work of Handschin and Mayne in the late 1960s and early 1970s [5, 6] was the initial evolution of Monte Carlo techniques for signal processing and control. However, from the real-time perspective, it is probably the development of the sequential Bayesian processor made practical by the work of Gordon, Salmond, and Smith in 1993 [7] enabling the evolution and the explosion of the Bayesian sequential processor that is currently being researched today. To put this text in perspective, we must discuss the current signal processing texts available on Bayesian processing. Since its evolution much has been published in the statistical literature on Bayesian techniques for statistical estimation; however, the earliest texts are probably those of Harvey [8], Kitigawa and Gersch [9], and West [10] which emphasize the Bayesian model-based approach incorporating dynamic linear or non-linear models into the processing scheme for additive Gaussian noise sources leading to the classical approximate (Kalman) filtering solutions. These works extend those results to nonGaussian problems using Monte Carlo techniques for eventual solution laying the foundation for works to follow. Statistical MC techniques were also available, but not as accessible to the signal processor due to statistical jargon and abstractness of the discussions. Many of these texts have evolved during the 1990s such as Gilks [11], Robert [12], Tanner [13], Tanizaki [14], with the more up-to-date expositions evolving in the late 1990s and currently such as Liu [4], Ruanaidh [15], Haykin [16], Doucet [17], Ristic [18], and Cappe [19]. Also during the last period a sequence of tutorials and special IEEE issues evolved exposing the MC methods to the signal processing community such as Godsill [20], Arulampalam [21], Djuric [22], Haykin [23], Doucet [24], Candy [25], as well as a wealth of signal processing papers (see references for details). Perhaps the most complete textbook from the statistical

researcher's perspective is that of Cappe [19]. In this text, much of the statistical MC sampling theory is developed along with all of the detailed mathematics—ideal for an evolving researcher. But what about the entry level person—the engineer, the experimentalist, and the practitioner? This is what is lacking in all of this literature. Questions like, how do the MC methods relate to the usual approximate Kalman methods? How does one incorporate models (model-based methods) into a Bayesian processor? How does one judge performance compared with classical methods? These are all basically pragmatic questions that the proposed text will answer in a lucid manner through coupling the theory to real-world examples and applications. Thus, the goal of this text is to provide a bridge for the practitioners with enough theory and applications to provide the basic background to comprehend the Bayesian framework and enable the application of these powerful techniques to real-world problem solving. Next, let us discuss the structure of the proposed text in more detail to understand its composition and approach.

We first introduce the basic ideas and motivate the need for such processing while showing that they clearly represent the next generation of processors. We discuss potential application areas and motivate the requirement for such a generalization. That is, we discuss how the simulation-based approach to Bayesian processor design provides a much needed capability, while well known in the statistical community, not very well known (until recently) in the signal processing community. After introducing the basic concepts in Chapter 1, we begin with the basic Bayesian processors in Chapter 2. We start with the Bayesian “batch” processor and establish its construction by developing the fundamental mathematics required. Next we discuss the well-known maximum likelihood (ML) and minimum (error) variance (MV) or equivalently minimum mean-squared error (MMSE) processors. We illustrate the similarity and differences between the schemes. Next, we launch into sequential Bayesian processing schemes which forms the foundation of the text. By examining the “full” posterior distribution in both dynamic variables of interest as well as the full data set, we are able to construct the sequential Bayesian approach and focus on the usual *filtered* or *filtering* distribution case of highest interest demonstrating the fundamental prediction/update recursions inherent in the sequential Bayesian structure. Once establishing the general Bayesian sequential processor (BSP), the schemes that follow are detailed depending on the assumed distribution with a variety of model sets.

We briefly review simulation-based methods starting with sampling methods, progressing to Monte Carlo approaches leading to the basic iterative methods of sampling using the Metropolis, Metropolis-Hastings, Gibb's, and slice samplers. Since one of the major motivations of recursive or sequential Bayesian processing is to provide a real-time or pseudo real-time processor, we investigate the idea of *importance sampling* as well as *sequential importance sampling* techniques leading to the generic Bayesian sequential importance sampling algorithm. Here we show the solution can be applied, once the importance sampling distribution is defined.

In order to be useful, Bayesian processing techniques must be specified through a set of models that represent the underlying phenomenology driving the particular

application. For example, in radar processing, we must investigate the propagation models, tracking models, geometric models, and so forth. In Chapter 4, we develop the state–space approach to signal modeling which forms the basis of many applications such as speech, radar, sonar, acoustics, geophysics, communications, control, etc. Here, we investigate continuous, sampled-data and discrete state–space signals and systems. We also discuss the underlying systems theory and extend the model-set to include the stochastic case with noise driving both process and measurements leading the well-known Gauss–Markov (GM) representation which forms the starting point for the *classical* Bayesian processors to follow. We also discuss the equivalence of the state–space model to a variety of time series (ARMA, AR, MA, etc.) representations as well as the common engineering model sets (transfer functions, all-pole, all-zero, pole-zero, etc.). This discussion clearly demonstrates why the state–space model with its inherent generality is capable of capturing the essence of a broad variety of signal processing representations. Finally, we extend these ideas to *nonlinear* state–space models leading to “approximate” Gauss–Markov representation evolving from nonlinear, perturbed and linearized systems.

In the next chapter, we develop *classical* Bayesian processors by first motivating the Bayesian approach to the state–space where the required conditional distributions use the embedded state–space representation. Starting with the linear, time-varying, state–space models, we show that the “optimum” classical Bayesian processor under multivariate Gaussian assumptions leads to minimum (error) variance (MV) or equivalently minimum mean-squared error (MMSE), which is the much heralded *Kalman filter* of control theory [1]. That is, simply substituting the underlying Gauss–Markov model into the required conditional distributions leads directly to the BSP or Kalman filter in this case. These results are then extended to the *nonlinear* state–space representation which are linearized using a known reference trajectory through perturbation theory and Taylor-series expansions. Starting with the linearized or approximate GM model of Chapter 4, we again calculate the required Bayesian sequential processor from the conditionals which lead to the “linearized” BSP (or linearized Kalman filter) algorithm. Once this processor is developed, it is shown that the “extended” Bayesian processor follows directly by linearizing about the most currently available estimate rather than the reference trajectory. The extended Bayesian processor (XBP) or equivalently extended Kalman filter (EKF) of nonlinear processing theory evolves quite naturally from the Bayesian perspective, again following the usual development by defining the required conditionals, making nonlinear approximations and developing the posterior distributions under multivariate Gaussian assumptions. Next, we briefly investigate an iterative version of the XBP processor, again from the Bayesian perspective which leads directly to the iterative version of the extended Bayesian processor (IX-BP) algorithm—an effective tool when nonlinear measurements dominate the uncertain measurements required.

Chapter 6 focuses on *statistical linearization* methods leading to the *modern* unscented Bayesian processor (UBP) or equivalently sigma-point Bayesian processor (SPBP). Here we show how statistical linearization techniques can be used to transform the underlying probability distribution using the sigma-point or unscented nonlinear transformation technique (linear regression) leading to the *unscented* Bayesian

processor or equivalently the unscented Kalman filter (UKF). Besides developing the fundamental theory and algorithm, we demonstrate its performance on a variety of example problems. We also briefly discuss the Gaussian–Hermite quadrature (G-H) and Gaussian sum (G-S) techniques for completeness.

We reach the heart of the *particle filtering* methods in Chapter 7, where we discuss the Bayesian approach to the state–space. Here the ideas of Bayesian and model-based processors are combined through the development of Bayesian state–space particle filters. Initially, it is shown how the state–space models of Chapter 4 are incorporated into the conditional probability distributions required to construct the sequential Bayesian processors through importance sampling constructs. After investigating a variety of importance proposal distributions, the basic set of state-space particle filters (SSPF) are developed and illustrated through a set of example problems and simulations. The techniques including the Bootstrap, auxiliary, regularized MCMC and linearized particle filters are developed and investigated when applied to the set of example problems used to evaluate algorithm performance.

In Chapter 8, the important joint Bayesian SSPF are investigated by first developing the joint filter popularly known as the parametrically adaptive processor [1]. Here both states and static as well as dynamic parameters are developed as solutions to this joint estimation problem. The performance of these processors are compared to classical and modern processors through example problems.

In Chapter 9, the hidden Markov models (HMM) are developed for event-related problems (e.g., Poisson point processes). This chapter is important in order to place purely discrete processes into perspective. HMM evolve for any type of memoryless, counting processes and become important in financial applications, communications, biometrics, as well as radiation detection. Here we briefly develop the fundamental ideas and discuss them in depth to develop a set of techniques used by the practitioner while applying them to engineering problems of interest.

In the final chapter, we investigate a set of physics-based applications focusing on the Bayesian approach to solving real-world problems. By progressing through a step-by-step development of the processors, we see explicitly how to develop and analyze the performance of such Bayesian processors. We start with a practical laser alignment problem followed by a broadband estimation problem in ocean acoustics. Next, the solid-state microelectromechanical (MEM) sensor problem for biothreat detection is investigated followed by a discrete radiation detection problem based on counting statistics. All of these methods invoke Bayesian techniques to solve the particular problems of interest enabling the practitioner the opportunity to track “real-world” Bayesian model-based solutions.

The place of such a text in the signal processing textbook community can best be explained by tracing the technical ingredients that comprise its contents. It can be argued that it evolves from the digital signal processing area primarily from those texts that deal with random or statistical signal processing or possibly more succinctly “signals contaminated with noise.” The texts by Kay [26–28], Therrien [29], and Brown [30] all provide the basic background information in much more detail than this text, so there is little overlap at the detailed level with them.

This text, however, possesses enough theory for the graduate or advanced graduate student to develop a fundamental basis to go onto more rigorous texts like Jazwinski [31], Sage [32], Gelb [33], Anderson [34], Maybeck [35], Bozic [36], Kailath [37, 38], and more recently, Mendel [39], Grewel [40], Bar-Shalom [41], and Simon [42]. These texts are rigorous and tend to focus on Kalman filtering techniques ranging from continuous to discrete with a wealth of detail on all of their variations. The Bayesian approach discussed in this text certainly includes the state–space models as one of its model classes (probably the most versatile), but the emphasis is on various classes of models and how they may be used to solve a wide variety of signal processing problems. Some of the more recent texts about the same technical level, but again, with a different focus are Widrow [43], Orfanidis [44], Sharf [45], Haykin [46], Hayes [47], Brown [30], and Stoica [48]. Again, the focus of these texts is not the Bayesian approach but the narrow set of specific models and the development of a variety of algorithms to estimate these sets. The system identification literature and texts therein also provide some overlap with this text, but again the approach is focused on estimating a model from noisy data sets and not really aimed at developing a Bayesian solution to a particular signal processing problem. The texts in this area are Ljung [49, 50], Goodwin [51], Norton [52], and Soderstrom [53].

The recent particle filtering texts of Ristic [18] and Cappe [19] are useful as references to accompany this text, especially if more details are required on the tracking problem and the fundamental theorems governing statistical properties and convergence proofs. That is, Ristic’s text provides an introduction that closely follows the 2002 tutorial paper by Arulampalam [21] but provides little of the foundational material necessary to comprehend this approach. It focuses primarily on the tracking problem. Cappe’s text is at a much more detailed technical level and is written for researchers in this area not specifically aimed at the practitioner’s viewpoint. The proposed text combines the foundational material, some theory along with the practice and application of PF to real-world applications and examples.

The approach we take is to introduce the basic idea of Bayesian signal processing and show where it fits in terms of signal processing. It is argued that BSP is a natural way to solve basic processing problems. The more a priori information we know about data and its evolution, the more information we can incorporate into the processor in the form of mathematical models to improve its overall performance. This is the theme and structure that echoes throughout the text. Current applications (e.g., structures, tracking, equalization, biomedical) and simple examples are incorporated to motivate the signal processor. Examples are discussed to motivate all of the models and prepare the reader for further developments in subsequent chapters. In each case, the processor, along with accompanying simulations, is discussed and applied to various data sets demonstrating the applicability and power of the Bayesian approach. The proposed text is linked to the MATLAB (signal processing standard software) software package providing notes at the end of each chapter.

In summary, this Bayesian signal processing text will provide a much needed “down-to-earth” exposition of modern MC techniques. It is coupled with well-known signal processing model sets along with examples and problems that can be used to solve many real-world problems by practicing engineers and scientists along

with entry-level graduate students as well as advanced undergraduates and post-doctorates requiring a solid introduction to the “next generation” of model-based signal processing techniques.

JAMES V. CANDY

Danville, CA

REFERENCES

1. J. Candy, *Model-Based Signal Processing* (Hoboken, NJ: John Wiley & Sons/IEEE Press, 2006).
2. J. Candy, *Signal Processing: The Model-Based Approach* (New York: McGraw-Hill, 1986).
3. J. Candy, *Signal Processing: The Modern Approach* (New York: McGraw-Hill, 1988).
4. J. Liu, *Monte Carlo Strategies in Scientific Computing* (New York: Springer-Verlag, 2001).
5. J. Handschin and D. Mayne, “Monte Carlo techniques to estimate the conditional expectation in multi-stage nonlinear filtering,” *Intl. J. Control*, **9**, 547–559, 1969.
6. J. Handschin, “Monte Carlo techniques for prediction and filtering of nonlinear stochastic processes,” *Automatica*, **6**, 555–563, 1970.
7. N. Gordon, D. Salmond, and A. F. M. Smith, “Novel approach to nonlinear/non-Gaussian Bayesian state estimation,” *IEEE Proc. F*, **140**, 107–113, 1993.
8. A. Harvey, *Forecasting, Structural Time Series Models and the Kalman Filter* (Cambridge, UK: Cambridge University Press, 1989).
9. G. Kitagawa and W. Gersch, *Smoothness Priors Analysis of Time Series* (New York: Springer-Verlag, 1996).
10. M. West and J. Harrison, *Bayesian Forecasting and Dynamic Models*, 2nd Ed. (New York: Springer-Verlag, 1997).
11. W. Gilks, S. Richardson, and D. Spiegelhalter, *Markov Chain Monte Carlo in Practice* (New York: Chapman & Hall/CRC Press, 1996).
12. C. Robert and G. Casella, *Monte Carlo Statistical Methods* (New York: Springer, 1999).
13. M. Tanner, *Tools for Statistical Inference: Methods for the Exploration of Posterior Distributions and Likelihood Functions*, 2nd Ed. (New York: Springer-Verlag, 1993).
14. H. Tanizaki, “Nonlinear filters: estimation and applications,” in *Lecture Notes in Economics and Mathematical Systems*, No. 400, (New York: Springer, 1993).
15. J. Ruanaidh and W. Fitzgerald, *Numerical Bayesian Methods Applied to Signal Processing* (New York: Springer-Verlag, 1996).
16. S. Haykin, *Kalman Filtering and Neural Networks* (Hoboken, NJ: John Wiley & Sons: 2001).
17. A. Doucet, N. de Freitas, and N. Gordon, *Sequential Monte Carlo Methods in Practice* (New York: Springer-Verlag, 2001).
18. B. Ristic, S. Arulampalam, and N. Gordon, *Beyond the Kalman Filter: Particle Filters for Tracking Applications* (Boston, MA: Artech House, 2004).

19. O. Cappe, E. Moulines, and T. Ryden, *Inference in Hidden Markov Models* (New York: Springer-Verlag, 2005).
20. S. Godsill and P. Djuric, "Special Issue: Monte Carlo methods for statistical signal processing," *IEEE Trans. Signal Proc.*, **50**, 173–499, 2002.
21. M. Arulampalam, S. Maskell, N. Gordon, and T. Clapp "A tutorial on particle filters for online nonlinear/non-gaussian Bayesian tracking," *IEEE Trans. Signal Proc.*, **50**, 2, 174–188, 2002.
22. P. Djuric, J. Kotecha, J. Zhang, Y. Huang, T. Ghirmai, M. Bugallo, and J. Miguez, "Particle filtering," *IEEE Signal Proc. Mag.*, **20**, 5, 19–38, 2003.
23. S. Haykin and N. de Freitas, "Special Issue: sequential state estimation: from Kalman filters to particle filters," *Proc. IEEE*, **92**, 3, 399–574, 2004.
24. A. Doucet and X. Wang, "Monte Carlo methods for signal processing," *IEEE Signal Proc. Mag.*, **24**, 5, 152–170, 2005.
25. J. Candy, "Bootstrap particle filtering for passive synthetic aperture in an uncertain ocean environment," *IEEE Signal Proc. Mag.*, **24**, 4, 63–75, 2007.
26. S. Kay, *Modern Spectral Estimation: Theory and Applications* (Englewood Cliffs, NJ: Prentice-Hall, 1988).
27. S. Kay, *Fundamentals of Statistical Signal Processing: Estimation Theory* (Englewood Cliffs, NJ: Prentice-Hall, 1993).
28. S. Kay, *Fundamentals of Statistical Signal Processing: Detection Theory* (Englewood Cliffs, NJ: Prentice-Hall, 1998).
29. C. Therrian, *Random Signal Processing: Detection Theory* (Englewood Cliffs, NJ: Prentice-Hall, 1991).
30. R. Brown and P. Hwang, *Introduction to Random Signals and Applied Kalman Filtering* (New York: John Wiley & Sons, 1997).
31. A. Jazwinski, *Stochastic Processes and Filtering Theory* (New York: Academic Press, 1970).
32. A. Sage and J. Melsa, *Estimation Theory with Applications to Communications and Control* (New York: McGraw-Hill, 1971).
33. A. Gelb, *Applied Optimal Estimation* (Cambridge, MA: MIT Press, 1974).
34. B. Anderson and J. Moore, *Optimum Filtering* (Englewood Cliffs, NJ: Prentice-Hall, 1979).
35. P. Maybeck, *Stochastic Models, Estimation and Control* (New York: Academic Press, 1979).
36. M. S. Bozic, *Linear Estimation Theory* (Englewood Cliffs, NJ: Prentice-Hall, 1979).
37. T. Kailath, *Lectures on Kalman and Wiener Filtering Theory* (New York: Springer-Verlag, 1981).
38. T. Kailath, A. Sayed, and B. Hassibi, *Linear Estimation* (Englewood Cliffs, NJ: Prentice-Hall, 2000).
39. J. Mendel, *Lessons in Estimation Theory for Signal Processing, Communications, and Control* (Englewood Cliffs, NJ: Prentice-Hall, 1995).
40. M. Grewal and A. Andrews, *Kalman Filtering: Theory and Practice* (Englewood Cliffs, NJ: Prentice-Hall, 1993).
41. Y. Bar-Shalom and X. Li, *Estimation and Tracking: Principles, Techniques and Software* (Boston, MA: Artech House, 1993).

- sonar, 175
- sound-speed profile, 497, 501, 512, 560
- source detection problem, 498, 509
- space–time processing problem, 349
- spatiotemporal channel, 390
- spatiotemporal matched filter, 390
- specificity, 437
- spectral factorization, 124
- spectrogram, 468, 469, 471
- square-root matrices, 114
- squared-error, 343
- stability, 102, 197
- stable realization, 114
- standard Gauss–Markov model, 123
- standard Gaussian, 309
- standard uniform, 304
- state, 98, 99
- state covariance, 119
- state delay, 197
- state ensemble, 239
- state ensemble estimate, 292
- state equations, 100, 101, 103
- state error, 240
- state error covariance, 154
- state error covariance update, 219
- state error prediction, 217
- state estimate, 170, 292, 379, 382
- state estimation, 327, 328, 346, 377, 379
- state estimation error, 154, 155, 189
- state estimation problem, 153, 345, 366, 376, 378, 381, 395
- state mean vector, 118
- state perturbation, 165
- state posterior distribution, 328, 398
- state prediction, 215, 237
- state prediction probability, 398
- state sequence, 385, 387, 391, 394
- state sequence estimation, 383
- state transition, 104, 344, 376, 387, 456
- state transition distribution, 353
- state transition matrix, 102–104, 109, 196, 368, 373, 400
- state transition mechanism, 48
- state transition model, 345
- state transition probability, 152, 312, 370
- state variable, 99, 213
- state variance, 117, 118
- state vector, 99, 101
- state–input transfer matrix, 101
- state–space, 2, 99, 160, 194, 224, 229, 323, 556
- state–space ensemble, 235, 236
- state–space form, 138, 147, 148, 162, 324
- state–space formulation, 342
- state–space forward propagator, 500, 512, 565, 566
- state–space model, 98, 99, 107, 124, 142, 150, 151, 185, 352
- state–space particle algorithm, 255
- state–space representation, 98, 99, 108, 115, 124, 152, 253–255, 500
- state–space representations, 124, 371
- state–space structures, 124
- state–space transition, 270
- state–space transmission model, 544
- state–transition probability matrix, 368, 376
- state/parameter estimation, 27, 329, 331
- state information, 215
- static parameter, 348
- stationary, 73, 119
- stationary chain, 375
- stationary distribution, 67
- stationary processes, 121
- statistical approximation, 202
- statistical changes, 461
- statistical estimation, 70
- statistical hypothesis test, 187, 423, 466
- statistical indexes, 310
- statistical inference, 2, 3, 39, 53, 262
- statistical linearization, 288
- statistical measure, 67
- statistical mechanics, 66
- statistical model, 533
- statistical sampling techniques, 59
- statistical signal processing, 5, 37, 45, 150, 513
- statistical simulation-based techniques, 53
- statistical testing, 253, 305
- statistical tests, 185, 253, 290, 304, 305, 311, 317, 470
- statistically white sequence, 162
- statistics, 255
- steady state, 119, 189, 362
- stochastic linearization, 245
- stochastic process, 171, 367, 578, 580
- stochastic realization, 371
- stochastic sampling, 68
- stochastic system, 4
- stopping rule, 180
- strong Law of Large Numbers, 67
- structural model, 363
- Student T distribution, 77
- suboptimal, 337
- sufficient statistic, 25, 33, 430
- sum-squared error criterion, 37
- superposition integral, 103
- survival of the fittest, 271
- switching model, 399

- symmetric distribution, 74
- synthetic aperture, 324, 349, 352, 354, 359
- system identification, 295, 342, 384
- system model, 107
- systematic resampling, 266, 268
- systems theory, 99, 101, 109, 115, 384

- T/R, 390, 391
- T/R processor, 391, 395
- tail index, 311
- tank, 324
- target, 199, 250
- target distribution, 65, 73, 77, 80, 81, 84, 85, 96
- target posterior distribution, 53, 54, 74, 255, 262
- target tracking, 359
- Taylor series, 53, 98, 104, 106, 107, 117, 139, 140
 - 173, 180, 191, 196, 201, 213, 364, 452
- test statistic, 187, 188, 307, 308, 464–466
- thermal deflection, 524
- threat detection, 543
- threshold, 403, 415, 428, 437, 449, 450, 453, 463,
 - 511, 532, 540, 550
- threshold align, 429
- threshold averaging method, 429, 438
- threshold value, 427
- time delay, 199, 250, 325
- time domain representation, 125
- time reversed, 391
- time reversible, 73
- time-frequency, 468
- time-invariant systems, 109
- time-reversed Green's function, 391
- time-varying, 104, 153, 170, 364
- time-varying volatility, 323
- total observation probability, 373, 375, 376, 379
- total observation sequence, 378
- total probability-of-error, 404, 411, 433
- towed array, 359
- tracking problem, 175, 228, 233, 245, 271, 371
- tracking speed, 343
- tracking telescope, 19
- training sequence, 199, 251, 387, 388, 390
- training sets, 384
- trajectory estimation, 293, 302, 348
- transfer function, 100, 108, 109, 112, 125, 136
- transfer function matrix, 101
- transformed residual, 306, 307, 310
- transformed statistics, 213
- transition distribution, 79, 80
- transition kernel, 73, 74, 284
- transition matrix, 101, 367, 399
- transition mechanism, 402
- transition posterior, 346

- transition prior, 261, 271, 286, 305, 306, 317
- transition probability, 4, 73, 80, 151, 152, 280,
 - 353, 368, 375, 376, 384, 507, 528
- transition probability matrix, 398
- transport physics, 541, 544
- true distribution, 298
- true negative rate, 436
- true positive rate, 436
- true posterior, 282, 290, 298
- truncated Gaussian, 66
- truncation error, 106
- truth model, 291, 298, 299, 301, 302
- tuned processor, 186, 189, 274, 344

- UD-factorized form, 335
- unbiased, 67, 69
- unbiased estimator, 47, 84
- uncertainty bound, 547
- unconditionally unbiased, 36
- uncorrelated noise, 123
- unequally sampled data, 104
- uniform convergence, 227
- uniform distribution, 58, 60, 290
- uniform intervals, 82
- uniform proposal, 96
- uniform random samples, 5, 267
- uniform random variable, 58
- uniform sampling, 64, 69, 70, 90, 266
- uniform transformation theorem, 60, 61, 304
- uniform variate, 58, 63
- uniform weighting, 266, 270
- uniformity property, 307
- uniformly distributed, 58, 59, 81, 308, 309
- uniformly sampling, 266
- unimodal, 253, 274, 304, 563
- unit step function, 62
- unnormalized weight, 87
- unobservable, 110
- unscented, 288
- unscented Kalman filter, 202, 235, 245, 354, 451,
 - 555, 563, 572
- unscented transformation, 205, 288
- update equation, 43, 165, 185
- update step, 224, 388
- updated error covariance, 157
- updated estimate, 27, 170, 171, 179, 241

- validation problem, 293
- validity, 290, 304
- variance, 128, 579
- variance equations, 121
- vector calculus, 22
- vertical wave number, 501

- vertical averaging, 429
- Viterbi algorithm, 382, 383, 388, 390, 393, 395
- volatility, 322, 323

- Wald, 462, 511, 532
- wavefront curvature, 325
- wavenumber, 555, 558
- weight variance, 258, 317
- weighted particles, 254
- weighted quadrature points, 224
- weighted sum-squared residual, 292, 465, 514
- weighting function, 42, 54, 85–87, 563
- weighting matrix, 186
- weights, 254, 261
- white, 117, 123, 148, 162, 177, 185, 232, 290, 527
- white noise, 98, 145
- whiteness, 185, 293, 472

- whiteness test, 162, 187–189, 290, 307, 311, 465, 466, 567, 569
- whitening transformation, 283
- Wiener solution, 37
- Wiener–Kalman filtering, 124
- Wold decomposition, 125

- X-ray propagation, 541, 543, 546
- X-ray transport physics, 541, 554

- Z-transform, 108, 111, 120, 121
- zero state, 101
- zero-mean, 144, 148, 162, 199, 232, 251, 290, 293, 513, 527, 567, 569
- zero-mean and white, 461
- zero-mean test, 185, 187, 470
- zero-mean/whiteness, 292, 348, 493
- zero-mean/whiteness detector, 490
- zero-mean/whiteness test, 304, 307, 337, 340, 468

Wiley Series on Adaptive and Cognitive Dynamic Systems

Editor: Simon Haykin

- Adali and Haykin · Adaptive Signal Processing: Next Generation Solutions
- Beckerman · Adaptive Cooperative Systems
- Candy · Model-Based Signal Processing
- Candy · Bayesian Signal Processing: Classical, Modern, and Particle Filtering Methods, Second Edition
- Chen, Haykin, Eggermont, and Becker · Correlative Learning: A Basis for Brain and Adaptive Systems
- Chen and Gu · Control-Oriented System Identification: An H_∞ Approach
- Cherkassky and Mulier · Learning from Data: Concepts, Theory, and Methods
- Cirrincone and Cirrincone · Neural-Based Orthogonal Data Fitting: The EXIN Neural Networks
- Costa and Haykin · Multiple-Input Multiple-Output Channel Models: Theory and Practice
- Diamantaras and Kung · Principal Component Neural Networks: Theory and Applications
- Haykin · Unsupervised Adaptive Filtering: Blind Source Separation
- Haykin · Unsupervised Adaptive Filtering: Blind Deconvolution
- Haykin and Liu · Handbook on Array Processing and Sensor Networks
- Haykin and Puthussarypady · Chaotic Dynamics of Sea Clutter
- Haykin and Widrow · Least Mean-Square Adaptive Filters
- Hossain, Le, and Niyato · Radio Resource Management in Multi-Tier Cellular Wireless Networks
- Hrycej · Neurocontrol: Towards an Industrial Control Methodology
- Hyvärinen, Karhunen, and Oja · Independent Component Analysis
- Krstić, Kanellakopoulos, and Kokotović · Nonlinear and Adaptive Control Design
- Mann · Intelligent Image Processing
- Nikias and Shao · Signal Processing with Alpha-Stable Distributions and Applications
- Passino and Burgess · Stability Analysis of Discrete Event Systems
- Sánchez-Peña and Sznajder · Robust Systems: Theory and Applications
- Sandberg, Lo, Fancourt, Principe, Katagiri, and Haykin · Nonlinear Dynamical Systems: Feedforward Neural Network Perspectives
- Sellathurai and Haykin · Space-Time Layered Information Processing for Wireless Communications
- Spooner, Maggiore, Ordóñez, and Passino · Stable Adaptive Control and Estimation for Nonlinear Systems: Neural and Fuzzy Approximator Techniques
- Tao · Adaptive Control Design and Analysis
- Tao and Kokotović · Adaptive Control of Systems with Actuator and Sensor Nonlinearities
- Tsoukalas and Uhrig · Fuzzy and Neural Approaches in Engineering
- Van Hulle · Faithful Representations and Topographic Maps: From Distortion- to Information-Based Self-Organization
- Vapnik · Statistical Learning Theory
- Werbos · The Roots of Backpropagation: From Ordered Derivatives to Neural Networks and Political Forecasting
- Yee and Haykin · Regularized Radial Bias Function Networks: Theory and Applications