WILEY-VCH

James S. Bogard, Darryl J. Downing, Robert L. Coleman, Keith F. Eckerman, and James E. Turner

Atoms, Radiation, and Radiation Protection

Fourth Edition



Atoms, Radiation, and Radiation Protection

Atoms, Radiation, and Radiation Protection

Fourth Edition

James S. Bogard Darryl J. Downing Robert L. Coleman Keith F. Eckerman James E. Turner[†]

WILEY-VCH

Authors

Dr. James S. Bogard Oak Ridge, TN USA

Dr. Darryl J. Downing Oak Ridge, TN USA

Dr. Robert L. Coleman Oak Ridge, TN USA

Dr. Keith F. Eckerman Oak Ridge, TN USA

Dr. James E. Turner[†]

All books published by **WILEY-VCH** are carefully produced. Nevertheless, authors, editors, and publisher do not warrant the information contained in these books, including this book, to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

Library of Congress Card No.: applied for

British Library Cataloguing-in-Publication Data A catalogue record for this book is available from the British Library.

Bibliographic information published by the Deutsche Nationalbibliothek

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available on the Internet at <http://dnb.d-nb.de>.

© 2023 WILEY-VCH GmbH, Boschstr. 12, 69469 Weinheim, Germany

All rights reserved (including those of translation into other languages). No part of this book may be reproduced in any form – by photoprinting, microfilm, or any other means – nor transmitted or translated into a machine language without written permission from the publishers. Registered names, trademarks, etc. used in this book, even when not specifically marked as such, are not to be considered unprotected by law.

Print ISBN: 978-3-527-41352-2 ePDF ISBN: 978-3-527-80557-0 ePub ISBN: 978-3-527-80558-7 oBook ISBN: 978-3-527-80560-0

Cover Design: ADAM DESIGN, Weinheim, Germany

Typesetting Straive, Chennai, India

This revised edition of Atoms, Radiation, and Radiation Protection *is dedicated to the memory of James E. Turner, author of the original textbook, and our good friend and esteemed colleague.*

Contents

Preface to the First EditionxiiiPreface to the Second EditionxvPreface to the Third EditionxviiPreface to the Fourth Editionxix

- **1** About Atomic Physics and Radiation *1*
- 1.1 Classical Physics 1
- 1.2 Discovery of X Rays 1
- 1.3 Some Important Dates in Atomic and Radiation Physics 2
- 1.4 Important Dates in Radiation Protection 6
- 1.5 Sources and Levels of Radiation Exposure *10* Suggested Reading *12*

2 Atomic Structure and Atomic Radiation 15

- 2.1 The Atomic Nature of Matter (ca. 1900) 15
- 2.2 The Rutherford Nuclear Atom 17
- 2.3 Bohr's Theory of the Hydrogen Atom 19
- 2.4 Semiclassical Mechanics, 1913–1925 24
- 2.5 Quantum Mechanics 27
- 2.6 The Pauli Exclusion Principle 32
- 2.7 Atomic Theory of the Periodic System 33
- 2.8 Molecules 35
- 2.9 Solids and Energy Bands 38
- 2.10 Continuous and Characteristic X Rays 39
- 2.11 Auger Electrons 43
- 2.12 Suggested Reading 45
- 2.13 Problems 47
- 2.14 Answers 52

3 The Nucleus and Nuclear Radiation 55

- 3.1 Nuclear Structure 55
- 3.2 Nuclear Binding Energies 58
- 3.3 Alpha Decay 61
- 3.4 Beta Decay (β^{-}) 64

viii Contents

- 3.5 Gamma-Ray Emission 67
- 3.6 Internal Conversion 70
- 3.7 Orbital Electron Capture 72
- 3.8 Positron Decay (β^+) 74
- 3.9 Suggested Reading 78
- 3.10 Problems 78
- 3.11 Answers 81

4 Radioactive Decay 83

- 4.1 Activity 83
- 4.2 Exponential Decay 83
- 4.3 Specific Activity 87
- 4.4 Serial Radioactive Decay 89
- 4.5 Natural Radioactivity 94
- 4.6 Radon and Radon Daughters 96
- 4.7 Suggested Reading 100
- 4.8 Problems 101
- 4.9 Answers 106

5 Interaction of Heavy Charged Particles with Matter 109

- 5.1 Energy-Loss Mechanisms 109
- 5.2 Maximum Energy Transfer in a Single Collision 111
- 5.3 Single-Collision Energy-Loss Spectra 113
- 5.4 Stopping Power 115
- 5.5 Semiclassical Calculation of Stopping Power 116
- 5.6 The Bethe Formula for Stopping Power 120
- 5.7 Mean Excitation Energies 121
- 5.8 Table for Computation of Stopping Powers 122
- 5.9 Stopping Power of Water for Protons 124
- 5.10 Range 125
- 5.11 Slowing-Down Time 130
- 5.12 Limitations of Bethe's Stopping-Power Formula 131
- 5.13 Suggested Reading 132
- 5.14 Problems 133
- 5.15 Answers 136

6 Interaction of Electrons with Matter 139

- 6.1 Energy-Loss Mechanisms 139
- 6.2 Collisional Stopping Power 139
- 6.3 Radiative Stopping Power 144
- 6.4 Radiation Yield 145
- 6.5 Range 147
- 6.6 Slowing-Down Time 149
- 6.7 Examples of Electron Tracks in Water 150
- 6.8 Suggested Reading 154

- 6.9 Problems 154
- 6.10 Answers 157
- 7 Phenomena Associated with Charged-Particle Tracks 159
- 7.1 Delta Rays 159
- 7.2 Restricted Stopping Power 159
- 7.3 Linear Energy Transfer (LET) 162
- 7.4 Specific Ionization 163
- 7.5 Energy Straggling 163
- 7.6 Range Straggling 166
- 7.7 Multiple Coulomb Scattering 168
- 7.8 Suggested Reading 169
- 7.9 Problems 170
- 7.10 Answers 172

8 Interaction of Photons with Matter 173

- 8.1 Interaction Mechanisms 173
- 8.2 Photoelectric Effect 173
- 8.3 Energy–Momentum Requirements for Photon Absorption by an Electron *176*
- 8.4 Compton Effect 176
- 8.5 Pair Production 185
- 8.6 Photonuclear Reactions 185
- 8.7 Attenuation Coefficients 186
- 8.8 Energy-Transfer and Energy-Absorption Coefficients 191
- 8.9 Calculation of Energy Absorption and Energy Transfer *196*
- 8.10 Suggested Reading 199
- 8.11 Problems 200
- 8.12 Answers 206
- 9 Neutrons, Fission, and Criticality 209
- 9.1 Introduction 209
- 9.2 Neutron Sources 209
- 9.3 Classification of Neutrons 213
- 9.4 Interactions with Matter 214
- 9.5 Elastic Scattering 215
- 9.6 Neutron–Proton Scattering Energy-Loss Spectrum 218
- 9.7 Reactions 222
- 9.8 Energetics of Threshold Reactions 225
- 9.9 Neutron Activation 228
- 9.10 Fission 230
- 9.11 Criticality 231
- 9.12 Suggested Reading 234
- 9.13 Problems 234
- 9.14 Answers 238

x Contents

10 Methods of Radiation Detection 241

- 10.1 Ionization in Gases 241
- 10.2 Ionization in Semiconductors 253
- 10.3 Scintillation 266
- 10.4 Photographic Film 274
- 10.5 Thermoluminescence 278
- 10.6 Other Methods 280
- 10.7 Neutron Detection 285
- 10.8 Suggested Reading 295
- 10.9 Problems 295
- 10.10 Answers 300

11 Statistics 303

- 11.1 The Statistical World of Atoms and Radiation 303
- 11.2 Radioactive Disintegration—Exponential Decay 303
- 11.3 Radioactive Disintegration—a Bernoulli Process 304
- 11.4 The Binomial Distribution 307
- 11.5 The Poisson Distribution *311*
- 11.6 The Normal Distribution *314*
- 11.7 Population and Sample Parameters 319
- 11.8 Central Limit Theorem 321
- 11.9 Error and Error Propagation *323*
- 11.10 Counting Radioactive Samples 324
- 11.11 Minimum Significant Measured Activity—Type-I Errors 330
- 11.12 Minimum Detectable True Activity—Type-II Errors 334
- 11.13 Criteria for Radiobioassay, HPS Nl3.30-1996 338
- 11.14 Instrument Response 339
- 11.15 Monte Carlo Simulation of Radiation Transport 344
- 11.16 Suggested Reading 350
- 11.17 Problems 351
- 11.18 Answers 361

12 Radiation Dosimetry 365

- 12.1 Introduction 365
- 12.2 Quantities and Units 366
- 12.3 Measurement of Exposure 369
- 12.4 Measurement of Absorbed Dose 372
- 12.5 Measurement of X- and Gamma-Ray Dose 374
- 12.6 Neutron Dosimetry 375
- 12.7 Dose Measurements for Charged-Particle Beams 380
- 12.8 Determination of LET 381
- 12.9 Other Dosimetric Concepts and Quantities 389
- 12.10 Suggested Reading 392
- 12.11 Problems 393
- 12.12 Answers 401

- **13** Chemical and Biological Effects of Radiation 403
- 13.1 Time Frame for Radiation Effects 403
- 13.2 Physical and Prechemical Chances in Irradiated Water 403
- 13.3 Chemical Stage 405
- 13.4 Examples of Calculated Charged-Particle Tracks in Water 406
- 13.5 Chemical Yields in Water 409
- 13.6 Biological Effects 411
- 13.7 Sources of Human Data 414
- 13.8 The Acute Radiation Syndrome 422
- 13.9 Delayed Somatic Effects 424
- 13.10 Irradiation of Mammalian Embryo and Fetus 427
- 13.11 Genetic Effects 428
- 13.12 Radiation Biology 431
- 13.13 Dose–Response Relationships 433
- 13.14 Factors Affecting Dose Response 438
- 13.15 Suggested Reading 443
- 13.16 Problems 445
- 13.17 Answers 450

14 Radiation-Protection Criteria and Exposure Limits 451

- 14.1 Objective of Radiation Protection 451
- 14.2 Elements of Radiation-Protection Programs 451
- 14.3 The NCRP and ICRP 453
- 14.4 NCRP/ICRP Dosimetric Quantities 454
- 14.5 Risk Estimates for Radiation Protection 458
- 14.6 Current Exposure Limits of the NCRP and ICRP 459
- 14.7 Occupational Limits in the Dose-Equivalent System 463
- 14.8 The "2007 ICRP Recommendations" 466
- 14.9 ICRU Operational Quantities 467
- 14.10 Probability of Causation 468
- 14.11 Suggested Reading 469
 - Other Suggested Reading 470
- 14.12 Problems 470
- 14.13 Answers 473

15 External Radiation Protection 475

- 15.1 Distance, Time, and Shielding 475
- 15.2 Gamma-Ray Shielding 475
- 15.3 Shielding in X-Ray Installations 482
- 15.4 Protection from Beta Radiation 494
- 15.5 Neutron Shielding 496
- 15.6 Suggested Reading 499
- 15.7 Problems 500
- 15.8 Answers 508

xii Contents

16 Internal Dosimetry and Radiation Protection 511

- 16.1 Objectives 511
- 16.2 ICRP Publication 89 512
- 16.3 Methodology 513
- 16.4 ICRP Publication 100 Human Alimentary Tract Model 518
- 16.5 ICRP Publication 66 Human Respiratory Tract Model 521
- 16.6 Organ Activities as Functions of Time 525
- 16.7 Specific Absorbed Fraction, *S* coefficient, and Committed Quantities *529*
- 16.8 Number of Transformations in Source Organs over 50 years 532
- 16.9 Explicit Consideration of Cells at Risk 533
- 16.10 Dosimetric Coefficients for Submersion in a Radioactive Gas Cloud 535
- 16.11 Effective Dose Coefficients for Occupational Intakes of Radionuclides *538*
- 16.12 Suggested Reading 538
- 16.13 Problems 544
- 16.14 Answers 545
- Appendix A Physical Constants 547
- Appendix B Units and Conversion Factors 549

Appendix C Some Basic Formulas of Physics (MKS and CGS Units) 551

Classical Mechanics 551 Relativistic Mechanics (units same as in classical mechanics) 551 Electromagnetic Theory 552

Appendix D Selected Data on Nuclides 553

Appendix E Statistical Derivations 565

Binomial Distribution 565 Mean 565 Standard Deviation 565 Poisson Distribution 566 Normalization 567 Mean 567 Standard Deviation 567 Normal Distribution 568 Error Propagation 569

Index 571

Preface to the First Edition

Atoms, Radiation, and Radiation Protection was written from material developed by the author over a number of years of teaching courses in the Oak Ridge Resident Graduate Program of the University of Tennessee's Evening School. The courses dealt with introductory health physics, preparation for the American Board of Health Physics certification examinations, and related specialized subjects such as microdosimetry and the application of Monte Carlo techniques to radiation protection. As the title of the book is meant to imply, atomic and nuclear physics and the interaction of ionizing radiation with matter are central themes. These subjects are presented in their own right at the level of basic physics, and the discussions are developed further into the areas of applied radiation protection. Radiation dosimetry, instrumentation, and external and internal radiation protection are extensively treated. The chemical and biological effects of radiation are not dealt with at length, but are presented in a summary chapter preceding the discussion of radiationprotection criteria and standards. Non-ionizing radiation is not included. The book is written at the senior or beginning graduate level as a text for a one-year course in a curriculum of physics, nuclear engineering, environmental engineering, or an allied discipline. A large number of examples are worked in the text. The traditional units of radiation dosimetry are used in much of the book; SI units are employed in discussing newer subjects, such as ICRP Publications 26 and 30. SI abbreviations are used throughout. With the inclusion of formulas, tables, and specific physical data, Atoms, Radiation, and Radiation Protection is also intended as a reference for professionals in radiation protection.

I have tried to include some important material not readily available in textbooks on radiation protection. For example, the description of the electronic structure of isolated atoms, fundamental to understanding so much of radiation physics, is further developed to explain the basic physics of "collective" electron behavior in semiconductors and their special properties as radiation detectors. In another area, under active research today, the details of charged-particle tracks in water are described from the time of the initial physical, energy-depositing events through the subsequent chemical changes that take place within a track. Such concepts are basic for relating the biological effects of radiation to particle-track structure.

xiv Preface to the First Edition

I am indebted to my students and a number of colleagues and organizations, who contributed substantially to this book. Many individual contributions are acknowledged in figure captions. In addition, I would like to thank J. H. Corbin and W. N. Drewery of Martin Marietta Energy Systems, Inc.; Joseph D. Eddleman of Pulcir, Inc.; Michael D. Shepherd of Eberline; and Morgan Cox of Victoreen for their interest and help. I am especially indebted to my former teacher, Myron F. Fair, from whom I learned many of the things found in this book in countless discussions since we first met at Vanderbilt University in 1952.

It has been a pleasure to work with the professional staff of Pergamon Press, to whom I expressmy gratitude for their untiring patience and efforts throughout the production of this volume.

The last, but greatest, thanks are reserved for my wife, Renate, to whom this book is dedicated. She typed the entire manuscript and the correspondence that went with it. Her constant encouragement, support, and work made the book a reality.

November 20, 1985

Oak Ridge, Tennessee James E. Turner

Preface to the Second Edition

The second edition of Atoms. Radiation, and Radiation Protection has several important new features. SI units are employed throughout, the older units being defined but used sparingly. There are two new chapters. One is on statistics for health physics. It starts with the description of radioactive decay as a Bernoulli process and treats sample counting, propagation of error, limits of detection, type-I and type-II errors, instrument response, and Monte Carlo radiation-transport computations. The other new chapter resulted from the addition of material on environmental radioactivity, particularly concerning radon and radon daughters (not much in vogue when the first edition was prepared in the early 1980s). New material has also been added to several earlier chapters: a derivation of the stopping-power formula for heavy charged particles in the impulse approximation, a more detailed discussion of beta-particle track structure and penetration in matter, and a fuller description of the various interaction coefficients for photons. The chapter on chemical and biological effects of radiation from the first edition has been considerably expanded. New material is also included there, and the earlier topics are generally dealt with in greater depth than before (e.g., the discussion of data on human exposures). The radiation exposure limits from ICRP Publications 60 and 61 and NCRP Report No. 116 are presented and discussed. Annotated bibliographies have been added at the end of each chapter. A number of new worked examples are presented in the text, and additional problems are included at the ends of the chapters. These have been tested in the classroom since the 1986 first edition. Answers are now provided to about half of the problems. In summary, in its new edition, Atoms, Radiation, and Radiation Protection has been updated and expanded both in breadth and in depth of coverage. Most of the new material is written at a somewhat more advanced level than the original.

I am very fortunate in having students, colleagues, and teachers who care about the subjects in this book and who have shared their enthusiasm, knowledge, and talents. I would like to thank especially the following persons for help I have received in many ways: James S. Bogard, Wesley E. Bolch, Allen B. Brodsky, Darryl J. Downing, R. J. Michael Fry, Robert N. Hamm, Jerry B. Hunt, Patrick J. Papin, Herwig G. Paretzke, Tony A. Rhea, Robert W. Wood, Harvel A. Wright, and Jacquelyn Yanch. The continuing help and encouragement of my wife, Renate,

xvi Preface to the Second Edition

are gratefully acknowledged. I would also like to thank the staff of JohnWiley & Sons, with whom I have enjoyed working, particularly Gregory T. Franklin, John P. Falcone, and Angioline Loredo.

January 15, 1995

Oak Ridge, Tennessee James E. Turner

Preface to the Third Edition

Since the preparation of the second edition (1995) of Atoms, Radiation, and Radiation Protection, many important developments have taken place that affect the profession of radiological health protection. The International Commission on Radiological Protection (ICRP) has issued new documents in a number of areas that are addressed in this third edition. These include updated and greatly expanded anatomical and physiological data that replace "reference man" and revised models of the human respiratory tract, alimentary tract, and skeleton. At this writing, the Main Commission has just adopted the Recommendations 2007, thus laying the foundation and framework for continuing work from an expanded contemporary agenda into future practice. Dose constraints, dose limits, and optimization are given roles as core concepts.Medical exposures, exclusion levels, and radiation protection of nonhuman species are encompassed. The National Council on Radiation Protection and Measurements (NCRP) in the United States has introduced new limiting criteria and provided extensive data for the design of structural shielding for medical X-ray imaging facilities. Kerma replaces the traditional exposure as the shielding design parameter. The Council also completed its shielding report for megavoltage X- and gamma-ray radiotherapy installations. In other areas, the National Research Council's Committee on the Biological Effects of Ionizing Radiation published the BEIR VI and BEIR VII Reports, respectively dealing with indoor radon and with health risks from low levels of radiation. The very successful completion of the DS02 dosimetry system and the continuing Life Span Study of the Japanese atomic-bomb survivors represent additional major accomplishments discussed here.

Rapid advances since the last edition of this text have been made in instrumentation for the detection, monitoring, and measurement of ionizing radiation. These have been driven by improvements in computers, computer interfacing, and, in no small part, by heightened concern for nuclear safeguards and home security. Chapter 10 on Methods of Radiation Detection required extensive revision and the addition of considerable new material.

As in the previous edition, the primary regulatory criteria used here for discussions and working problems follow those given in ICRP Publication 60 with limits on *effective dose* to an individual. These recommendations are the principal ones employed throughout the world today, except in the United States. The ICRP-60

xviii Preface to the Third Edition

limits for individual effective dose, with which current NCRP recommendations are consistent, are also generally encompassed within the new ICRP Recommendations 2007. The earlier version of the protection system, limiting *effective dose equivalent* to an individual, is generally employed in the U.S. Some discussion and comparison of the two systems, which both adhere to the ALARA principle ("as low as reasonable achievable"), has been added in the present text. As a practical matter, both maintain a comparable degree of protection in operating experience.

It will be some time until the new model revisions and other recent work of the ICRP become fully integrated into unified general protocols for internal dosimetry. While there has been partial updating at this time, much of the formalism of ICRP Publication 30 remains in current use at the operating levels of health physics in many places. After some thought, this formalism continues to be the primary focus in Chapter 16 on Internal Dosimetry and Radiation Protection. To a considerable extent, the newer ICRP Publications follow the established format. They are described here in the text where appropriate, and their relationships to Publication 30 are discussed.

As evident from acknowledgements made throughout the book, I am indebted to many sources for material used in this third edition. I would like to express my gratitude particularly to the following persons for help during its preparation: M. I. Al-Jarallah, James S. Bogard, Rhonda S. Bogard, Wesley. E. Bolch, Roger J. Cloutier, Darryl J. Downing, Keith F. Eckerman, Joseph D. Eddlemon, Paul W. Frame, Peter Jacob, Cynthia G. Jones, Herwig G. Paretzke, Charles A. Potter, Robert C. Ricks, Joseph Rotunda, Richard E. Toohey, and Vaclav Vylet. Their interest and contributions are much appreciated. I would also like to thank the staff of JohnWiley & Sons, particularly Esther Dörring, Anja Tschörtner, and Dagmar Kleemann, for their patience, understanding, and superb work during the production of this volume.

March 21, 2007

Oak Ridge, Tennessee James E. Turner

Preface to the Fourth Edition

The fourth edition of Atoms, Radiation, and Radiation Protection addresses significant revisions and improvements since publication of the third edition in methodologies used by the International Commission on Radiological Protection (ICRP) for describing the distribution of radionuclides residing within the human body and for assigning radiation dose from their emissions. These improvements provide a framework for assessing occupational dose consistent with that of the Medical Internal Radiation Dose (MIRD) Committee of the Society of Nuclear Medicine. The mathematical model of the adult human described in ICRP Publication 89 has been superseded in ICRP Publication 110 by male and female voxel phantoms constructed from CT scans. Radiation and tissue weighting factors in ICRP Publication 60, used in determining equivalent and effective dose, were updated in ICRP Publication 103. ICRP provided a new biokinetic and dosimetric model of the human alimentary tract in ICRP Publication 100 to replace the Publication 30 model and to be used with the human respiratory tract model of Publication 66 in subsequent ICRP publications on doses from ingested and inhaled radionuclides. Finally, nuclear decay data of ICRP Publication 38 were updated and provided in an electronic database in Publication 107 for calculations of radionuclide-specific protection and operational quantities. Chapter 16 addresses the methodologies supported by these latest ICRP recommendations and includes worked examples and problems.

Some content from a separate textbook co-authored by James E. Turner, Darryl J. Downing, and James S. Bogard, titled *Statistical Methods in Radiation Physics*, has been incorporated into this book. *Statistical Methods* was published in 2012 after the third edition of *Atoms, Radiation, and Radiation Protection* and used more rigorous terminology and methodology in developing statistical concepts used by radiation physicists and health physicists.

Some of the figures showing instruments and facilities in use when the third edition was published have been replaced herein with their more modern counterparts.

Atoms, Radiation, and Radiation Protection has become a standard teaching text for health physics students at all levels. Two of the fourth edition authors (Bogard, Coleman) used the text as students of James E. Turner, author of the first three editions, in courses he taught through the University of Tennessee Resident Graduate Program, and later as colleagues at the Oak Ridge National Laboratory. Having

xx Preface to the Fourth Edition

been recipients of Dr. Turner's highly effective approach in explaining concepts of radiation physics and dosimetry, we have endeavored only to update time-dependent information in the text and to provide some additional rigor to the statistical concepts, leaving the teaching approach so characteristic of Jim Turner throughout the book unchanged.

The authors wish to thank the family of James E. Turner and the staff of Wiley-VCH for entrusting us with the revision of this classic text. We are particularly grateful to Wiley-VCH Associate Publisher Martin Preuss, Managing Editor Daniela Bez, and Sr. Managing Editor Judy Howarth for their patience and encouragement.

Oak Ridge, Tennessee May 25, 2022 James S. Bogard Darryl J. Downing Robert L. Coleman Keith F. Eckerman

About Atomic Physics and Radiation

1.1 Classical Physics

As the nineteenth century drew to a close, man's physical understanding of the world appeared to rest on firm foundations. Newton's three laws accounted for the motion of objects as they exerted forces on one another, exchanging energy and momentum. The movements of the moon, planets, and other celestial bodies were explained by Newton's gravitation law. Classical mechanics was then over 200 years old, and experience showed that it worked well.

Early in the century Dalton's ideas revealed the atomic nature of matter, and in the 1860s Mendeleev proposed the periodic system of the chemical elements. The seemingly endless variety of matter in the world was reduced conceptually to the existence of a finite number of chemical elements, each consisting of identical smallest units, called atoms. Each element emitted and absorbed its own characteristic light, which could be analyzed in a spectrometer as a precise signature of the element.

Maxwell proposed a set of differential equations that explained known electric and magnetic phenomena and also predicted that an accelerated electric charge would radiate energy. In 1888 such radiated electromagnetic waves were generated and detected by Hertz, beautifully confirming Maxwell's theory.

In short, near the end of the nineteenth century man's insight into the nature of space, time, matter, and energy seemed to be fundamentally correct. While much exciting research in physics continued, the basic laws of the universe were generally considered to be known. Not many voices forecasted the complete upheaval in physics that would transform our perception of the universe into something undreamed of as the twentieth century began to unfold.

1.2 Discovery of X Rays

The totally unexpected discovery of X rays by Roentgen on November 8, 1895 in Wuerzburg, Germany, is a convenient point to regard as marking the beginning of the story of ionizing radiation in modern physics. Roentgen was conducting experiments with a Crooke's tube—an evacuated glass enclosure, similar to a television picture tube, in which an electric current can be passed from one electrode to another

Atoms, Radiation, and Radiation Protection, Fourth Edition.

James S. Bogard, Darryl J. Downing, Robert L. Coleman, Keith F. Eckerman, and James E. Turner. © 2023 WILEY-VCH GmbH. Published 2023 by WILEY-VCH GmbH.

2 1 About Atomic Physics and Radiation



Figure 1.1 Schematic diagram of an early Crooke's, or cathode-ray, tube. A Maltese cross of mica placed in the path of the rays casts a shadow on the phosphorescent end of the tube.

through a high vacuum (Fig. 1.1). The current, which emanated from the cathode and was given the name cathode rays, was regarded by Crooke as a fourth state of matter. When the Crooke's tube was operated, fluorescence was excited in the residual gas inside and in the glass walls of the tube itself.

It was this fluorescence that Roentgen was studying when he made his discovery. By chance, he noticed in a darkened room that a small screen he was using fluoresced when the tube was turned on, even though it was some distance away. He soon recognized that he had discovered some previously unknown agent, to which he gave the name X rays.¹ Within a few days of intense work, Roentgen had observed the basic properties of X rays—their penetrating power in light materials such as paper and wood, their stronger absorption by aluminum and tin foil, and their differential absorption in equal thicknesses of glass that contained different amounts of lead. Figure 1.2 shows a picture that Roentgen made of a hand on December 22, 1895, contrasting the different degrees of absorption in soft tissue and bone. Roentgen demonstrated that, unlike cathode rays, X rays are not deflected by a magnetic field. He also found that the rays affect photographic plates and cause a charged electroscope to lose its charge. Unexplained by Roentgen, the latter phenomenon is due to the ability of X rays to ionize air molecules, leading to the neutralization of the electroscope's charge. He had discovered the first example of ionizing radiation.

1.3 Some Important Dates in Atomic and Radiation Physics

Events moved rapidly following Roentgen's communication of his discovery and subsequent findings to the Physical–Medical Society at Wuerzburg in December 1895. In France, Becquerel studied a number of fluorescent and phosphorescent materials to see whether they might give rise to Roentgen's radiation, but to no avail. Using photographic plates and examining salts of uranium among other substances, he found that a strong penetrating radiation was given off, independently of whether

¹ That discovery favors the prepared mind is exemplified in the case of X rays. Several persons who noticed the fading of photographic film in the vicinity of a Crooke's tube either considered the film to be defective or sought other storage areas. An interesting account of the discovery and near-discoveries of X rays as well as the early history of radiation is given in the article by R. L. Kathren cited under "Suggested Reading" in Section 1.6.

Figure 1.2 X-ray picture of the hand of Frau Roentgen made by Roentgen on December 22, 1895, and now on display at the Deutsches Museum. (Figure courtesy of Deutsches Museum, Munich, Germany.)



the salt phosphoresced. The source of the radiation was the uranium metal itself. The radiation was emitted spontaneously in apparently undiminishing intensity and, like X rays, could also discharge an electroscope. Becquerel announced the discovery of radioactivity to the Academy of Sciences at Paris in February 1896.

The following tabulation highlights some of the important historical markers in the development of modern atomic and radiation physics.

- 1810 Dalton's atomic theory.
- 1859 Bunsen and Kirchhoff originate spectroscopy.
- 1869 Mendeleev's periodic system of the elements.
- 1873 Maxwell's theory of electromagnetic radiation.
- 1888 Hertz generates and detects electromagnetic waves.
- 1895 Lorentz theory of the electron.
- 1895 Roentgen discovers X rays.
- 1896 Becquerel discovers radioactivity.
- 1897 Thomson measures charge-to-mass ratio of cathode rays (electrons).

4 1 About Atomic Physics and Radiation

1898	Curies isolate polonium and radium.
1899	Rutherford finds two kinds of radiation, which he names "alpha" and "beta," emitted from uranium.
1900	Villard discovers gamma rays, emitted from radium.
1900	Thomson's "plum pudding" model of the atom.
1900	Planck's constant, $h = 6.63 \times 10^{-34}$ J s.
1901	First Nobel prize in physics awarded to Roentgen.
1902	Curies obtain 0.1 g pure RaCl_2 from several tons of pitchblend.
1905	Einstein's special theory of relativity ($E = mc^2$).
1905	Einstein's explanation of photoelectric effect, introducing light quanta (photons of energy $E = hv$).
1909	Millikan's oil drop experiment, yielding precise value of electronic charge, $e = 1.60 \times 10^{-19}$ C.
1910	Soddy establishes existence of isotopes.
1911	Rutherford discovers atomic nucleus.
1911	Wilson cloud chamber.
1912	von Laue demonstrates interference (wave nature) of X rays.
1912	Hess discovers cosmic rays.
1913	Bohr's theory of the H atom.
1913	Coolidge X-ray tube.
1914	Franck–Hertz experiment demonstrates discrete atomic energy levels in collisions with electrons.
1917	Rutherford produces first artificial nuclear transformation.
1922	Compton effect.
1924	de Broglie particle wavelength, $\lambda = h/momentum$.
1925	Uhlenbeck and Goudsmit ascribe electron with intrinsic spin $\hbar/2$.
1925	Pauli exclusion principle.
1925	Heisenberg's first paper on quantum mechanics.
1926	Schroedinger's wave mechanics.
1927	Heisenberg uncertainty principle.
1927	Mueller discovers that ionizing radiation produces genetic mutations.
1927	Birth of quantum electrodynamics, Dirac's paper on "The Quantum Theory of the Emission and Absorption of Radiation."
1928	Dirac's relativistic wave equation of the electron.
1930	Bethe quantum-mechanical stopping-power theory.
1930	Lawrence invents cyclotron.
1932	Anderson discovers positron.
1932	Chadwick discovers neutron.
1934	Joliot-Curie and Joliot produce artificial radioisotopes.
1935	Yukawa predicts the existence of mesons, responsible for short-range nuclear force.

- 1936 Gray's formalization of Bragg-Gray principle.
- 1937 Mesons found in cosmic radiation.
- 1938 Hahn and Strassmann observe nuclear fission.
- 1942 First man-made nuclear chain reaction, under Fermi's direction at University of Chicago.
- 1945 First atomic bomb.
- 1948 Transistor invented by Shockley, Bardeen, and Brattain.
- 1952 Explosion of first fusion device (hydrogen bomb).
- 1956 Discovery of nonconservation of parity by Lee and Yang.
- 1956 Reines and Cowen experimentally detect the neutrino.
- 1958 Discovery of Van Allen radiation belts.
- 1960 First successful laser.
- 1964 Gell-Mann and Zweig independently introduce quark model.
- 1965 Tomonaga, Schwinger, and Feynman receive Nobel Prize for fundamental work on quantum electrodynamics.
- 1967 Salam and Weinberg independently propose theories that unify weak and electromagnetic interactions.
- 1972 First beam of 200-GeV protons at Fermilab.
- 1978 Penzias and Wilson awarded Nobel Prize for 1965 discovery of 2.7 K microwave radiation permeating space, presumably remnant of "big bang" some 10–20 billion years ago.
- 1981 270 GeV proton–antiproton colliding-beam experiment at European Organization for Nuclear Research (CERN); 540 GeV center-of-mass energy equivalent to laboratory energy of 150,000 GeV.
- 1983 Electron–positron collisions show continuing validity of radiation theory up to energy exchanges of 100 GeV and more.
- 1984 Rubbia and van der Meer share Nobel Prize for discovery of field quanta for weak interaction.
- 1994Brockhouse and Shull receive Nobel Prize for development of neutron
spectroscopy and neutron diffraction.
- 2001 Cornell, Ketterle, and Wieman awarded Nobel Prize for Bose-Einstein condensation in dilute gases for alkali atoms.
- 2002 Antihydrogen atoms produced and measured at CERN.
- 2004 Nobel Prize presented to Gross, Politzer, and Wilczek for discovery of asymptotic freedom in development of quantum chromodynamics as the theory of the strong nuclear force.
- 2005 World Year of Physics 2005, commemorates Einstein's pioneering contributions of 1905 to relativity, Brownian motion, and the photoelectric effect (for which he won the Nobel Prize).

Figures 1.3 through 1.5 show how the complexity and size of particle accelerators have grown. Lawrence's first cyclotron (1930) measured just 4 in. in diameter with which he produced an 80-keV beam of protons. The Fermi National Accelerator Laboratory (Fermilab) is large enough to accommodate a herd of buffalo and other wildlife on its grounds. The LEP (large electron–positron) storage ring at



Figure 1.3 E. O. Lawrence with his first cyclotron. (Photo by Watson Davis, Science Service; figure courtesy of American Institute of Physics Niels Bohr Library. Reprinted with permission from *Physics Today*, November 1981, p. 15. Copyright 1981 by the American Institute of Physics.)

the European Organization for Nuclear Research (CERN) on the border between Switzerland and France, near Geneva, had a diameter of 8.6 km. The ring allowed electrons and positrons, circulating in opposite directions, to collide at very high energies for the study of elementary particles and forces in nature. The large size of the ring was needed to reduce the energy emitted as synchrotron radiation by the charged particles as they followed the circular trajectory. The energy loss per turn was made up by an accelerator system in the ring structure. The LEP was retired in 2000 to make way for the Large Hadron Collider (LHC) in its place, which began operation in 2008. The LHC is primarily used to collide two beams of nearly 7-TeV protons head-on but also supports Pb ions. The LHC is used to investigate properties of sub-atomic matter and, by extension, our understanding of the universe.

1.4 Important Dates in Radiation Protection

X rays quickly came into widespread medical use following their discovery. Although it was not immediately clear that large or repeated exposures might be harmful, mounting evidence during the first few years showed unequivocally that they could be. Reports of skin burns among X-ray dispensers and patients, for example, became common. Recognition of the need for measures and devices to protect patients and operators from unnecessary exposure represented the beginning of radiation health protection.

Early criteria for limiting exposures both to X rays and to radiation from radioactive sources were proposed by a number of individuals and groups. In



Figure 1.4 Fermi National Accelerator Laboratory, Batavia, Illinois. Buffalo and other wildlife live on the 6800 acre site. The 1000 GeV proton synchrotron (Tevatron) began operation in the late 1980s. (Figure courtesy of Fermi National Accelerator Laboratory. Reprinted with permission from *Physics Today*, November 1981, p. 23. Copyright 1981 by the American Institute of Physics.)

time, organizations were founded to consider radiation problems and issue formal recommendations. Today, on the international scene, this role is fulfilled by the International Commission on Radiological Protection (ICRP) and, in the United States, by the National Council on Radiation Protection and Measurements (NCRP). The International Commission on Radiation Units and Measurements (ICRU) recommends radiation quantities and units, suitable measuring procedures,

8 1 About Atomic Physics and Radiation



Figure 1.5 Photograph showing location of underground LEP ring with its 27 km circumference. The SPS (super proton synchrotron) is comparable to Fermilab. Geneva airport is in foreground. [Figure courtesy of the European Organization for Nuclear Research (CERN).]

and numerical values for the physical data required. These organizations act as independent bodies composed of specialists in a number of disciplines—physics, medicine, biology, dosimetry, instrumentation, administration, and so forth. They are not government affiliated and they have no legal authority to impose their recommendations. The NCRP today is a nonprofit corporation chartered by the United States Congress.

Some important dates and events in the history of radiation protection follow.

- 1895 Roentgen discovers ionizing radiation.
- 1900 American Roentgen Ray Society (ARRS) founded.
- 1915 British Roentgen Society adopts X-ray protection resolution; believed to be the first organized step toward radiation protection.
- 1920 ARRS establishes standing committee for radiation protection.
- 1921 British X-Ray and Radium Protection Committee presents its first radiation protection rules.
- 1922 ARRS adopts British rules.
- 1922 American Registry of X-Ray Technicians founded.
- 1925 Mutscheller's "tolerance dose" for X rays.