

Editors

William J. Evans • Timothy P. Hanusa

The Heaviest Metals

Science and Technology of the Actinides and Beyond



Encyclopedia of
Inorganic and
Bioinorganic
Chemistry




Visit the online Encyclopedia of Inorganic and Bioinorganic
Chemistry at www.wileyonlinelibrary.com/ref/eibc

WILEY

THE HEAVIEST METALS:
Science and Technology of the Actinides
and Beyond

EIBC Books



Application of Physical Methods to Inorganic and Bioinorganic Chemistry

Edited by Robert A. Scott and Charles M. Lukehart

ISBN 978-0-470-03217-6

Nanomaterials: Inorganic and Bioinorganic Perspectives

Edited by Charles M. Lukehart and Robert A. Scott

ISBN 978-0-470-51644-7

Computational Inorganic and Bioinorganic Chemistry

Edited by Edward I. Solomon, R. Bruce King and Robert A. Scott

ISBN 978-0-470-69997-3

Radionuclides in the Environment

Edited by David A. Atwood

ISBN 978-0-470-71434-8

Energy Production and Storage: Inorganic Chemical Strategies for a Warming World

Edited by Robert H. Crabtree

ISBN 978-0-470-74986-9

The Rare Earth Elements: Fundamentals and Applications

Edited by David A. Atwood

ISBN 978-1-119-95097-4

Metals in Cells

Edited by Valeria Culotta and Robert A. Scott

ISBN 978-1-119-95323-4

Metal-Organic Framework Materials

Edited by Leonard R. MacGillivray and Charles M. Lukehart

ISBN 978-1-119-95289-3

The Lightest Metals: Science and Technology from Lithium to Calcium

Edited by Timothy P. Hanusa

ISBN 978-1-118-70328-1

Sustainable Inorganic Chemistry

Edited by David A. Atwood

ISBN 978-1-118-70342-7

Metalloprotein Active Site Assembly

Edited by Michael K. Johnson and Robert A. Scott

ISBN 978-1-11915983-4

The Heaviest Metals: Science and Technology of the Actinides and Beyond

Edited by William J. Evans and Timothy P. Hanusa

ISBN 978-1-11930409-8

Forthcoming

Inorganic Battery Materials

Edited by Hailiang Wang and Boniface P.T. Fokwa

ISBN 978-1-11943199-2

Encyclopedia of Inorganic and Bioinorganic Chemistry

The Encyclopedia of Inorganic and Bioinorganic Chemistry (EIBC) was created as an online reference in 2012 by merging the Encyclopedia of Inorganic Chemistry and the Handbook of Metalloproteins. The resulting combination proves to be the defining reference work in the field of inorganic and bioinorganic chemistry. The online edition is regularly updated and expanded. For information see:

www.wileyonlinelibrary.com/ref/eibc

THE HEAVIEST METALS:
Science and Technology of the Actinides
and Beyond

Editors

William J. Evans

University of California, Irvine, CA, USA

Timothy P. Hanusa

Vanderbilt University, Nashville, TN, USA

WILEY

This edition first published 2019
© 2019 John Wiley & Sons, Ltd

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by law. Advice on how to obtain permission to reuse material from this title is available at <http://www.wiley.com/go/permissions>.

The right of the authors to be identified as the authors of this work has been asserted in accordance with law.

Registered Office

John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

Editorial Office

The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

For details of our global editorial offices, customer services, and more information about Wiley products visit us at www.wiley.com.

Wiley also publishes its books in a variety of electronic formats and by print-on-demand. Some content that appears in standard print versions of this book may not be available in other formats.

Limit of Liability/Disclaimer of Warranty

In view of ongoing research, equipment modifications, changes in governmental regulations, and the constant flow of information relating to the use of experimental reagents, equipment, and devices, the reader is urged to review and evaluate the information provided in the package insert or instructions for each chemical, piece of equipment, reagent, or device for, among other things, any changes in the instructions or indication of usage and for added warnings and precautions. While the publisher and authors have used their best efforts in preparing this work, they make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives, written sales materials or promotional statements for this work. The fact that an organization, website, or product is referred to in this work as a citation and/or potential source of further information does not mean that the publisher and authors endorse the information or services the organization, website, or product may provide or recommendations it may make. This work is sold with the understanding that the publisher is not engaged in rendering professional services. The advice and strategies contained herein may not be suitable for your situation. You should consult with a specialist where appropriate. Further, readers should be aware that websites listed in this work may have changed or disappeared between when this work was written and when it is read. Neither the publisher nor authors shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

Library of Congress Cataloging-in-Publication Data is available for this title.

978-1-119-30409-8 (hardback)

A catalogue record for this book is available from the British Library.

Cover Design: Wiley

Cover Images: Periodic table © 2018 International Union of Pure Applied Chemistry: <https://iupac.org/what-we-do/periodic-table-of-elements/>; Front image © Los Alamos National Laboratory; Back image © Wiley

Set in 10/12pt TimesNewRomanMTStd by SPi-Global, Chennai, India

10 9 8 7 6 5 4 3 2 1

Encyclopedia of Inorganic and Bioinorganic Chemistry

Editorial Board

Editor-in-Chief

Robert A. Scott
University of Georgia, Athens, GA, USA

Section Editors

David A. Atwood
University of Kentucky, Lexington, KY, USA

Timothy P. Hanusa
Vanderbilt University, Nashville, TN, USA

Albrecht Messerschmidt
Max-Planck-Institute für Biochemie, Martinsried, Germany

Boniface Fokwa
University of California, Riverside, CA, USA

Robert. A. Scott
University of Georgia, Athens, GA, USA

Associate Editors

Rebecca L. Melen
Cardiff University, Cardiff, UK

Yvain Nicolet
Institut de Biologie Structurale, Grenoble, France

Tim Storr
Simon Fraser University, Burnaby, BC, Canada

Nilay Hazari
Yale University, New Haven, CT, USA

Holger Helten
RWTH Aachen University, Aachen, Germany

Editor-in-Chief Emeritus & Senior Advisors

Robert H. Crabtree
Yale University, New Haven, CT, USA

R. Bruce King
University of Georgia, Athens, GA, USA

International Advisory Board

Michael Bruce
Adelaide, Australia

Tristram Chivers
Calgary, Canada

Valeria Culotta
MD, USA

Mirek Cygler
Saskatchewan, Canada

Marcetta Darensbourg
TX, USA

Michel Ephritikhine
Gif-sur-Yvette, France

Robert Huber
Martinsried, Germany

Susumu Kitagawa
Kyoto, Japan

Charles M. Lukehart
Vanderbilt University, Nashville, TN, USA

Leonard R. MacGillivray
IA, USA

Thomas Poulos
CA, USA

David Schubert
CO, USA

Edward I. Solomon
CA, USA

Katherine Thompson
Vancouver, Canada

T. Don Tilley
CA, USA

Karl E. Wieghardt
Mülheim an der Ruhr, Germany

Vivian Yam
Hong Kong

Contents

Contributors	XI
Series Preface	XV
Volume Preface	XVII
PART 1: BACKGROUND	1
Discovery of the Actinide and Transactinide Elements	3
<i>Mary V. Orna and Marco Fontani</i>	
Production of Plutonium	31
<i>David L. Clark and Franz J. Freibert</i>	
Controlling Actinide Extraction Chemistry (Separation of Actinides from Lanthanides as Part of Nuclear Fuel Recycling)	39
<i>James Westwood and Laurence M. Harwood</i>	
PART 2: FUNDAMENTALS	57
Electronic Structure of the Actinide Elements	59
<i>Frédéric Gendron and Jochen Autschbach</i>	
Electronic Structure of the Transactinide Atoms	77
<i>Ephraim Eliav, Anastasia Borschevsky and Uzi Kaldor</i>	
Chemical Properties of the Transactinide Elements	93
<i>Christoph E. Düllmann</i>	
Multiple Bonding in Actinide Chemistry	105
<i>Michael A. Boreen and John Arnold</i>	
Electronic Structure of Actinide Oxides	123
<i>Lindsay E. Roy</i>	
PART 3: CHARACTERIZATION METHODS	143
Crystallography of Actinide Complexes	145
<i>Brian L. Scott, Samantha K. Cary and Justin N. Cross</i>	

Solid State NMR of Actinide-Containing Compounds	177
<i>G. Koutroulakis and H. Yasuoka</i>	
Mössbauer Spectroscopy of Actinide Compounds	185
<i>Piotr Gaczyński</i>	
Photoelectron Spectroscopy of Actinide Materials	193
<i>Thomas Gouder and Rachel Eloirdi</i>	
Laser-Based Spectroscopic Studies of Actinide Complexes	209
<i>Euo C. Jung, Hye-Ryun Cho, Hee-Kyung Kim and Wansik Cha</i>	
Ab Initio Electronic Structure Calculations for Actinide and Transactinide Atoms and Molecules	223
<i>Michael Dolg and Xiaoyan Cao</i>	
PART 4: DISTINCTIVE CHEMISTRY	247
Divalent Actinides and Transactinides: Inorganic and Organometallic Complexes	249
<i>Leonor Maria, Joaquim Marçalo and John K. Gibson</i>	
Organometallic Chemistry of Pentavalent Uranium	263
<i>Jesse Murillo and Skye Fortier</i>	
Amido Complexes of the Actinides	283
<i>David J.H. Emslie</i>	
Actinide Pnictogen Complexes	301
<i>Sean P. Vilanova and Justin R. Walensky</i>	
Actinide Borohydrides	319
<i>Scott R. Daly</i>	
Supramolecular and Macrocyclic Chemistry of the Actinides	335
<i>Lei Mei, Jianhui Lan, Kongqiu Hu and Weiqun Shi</i>	
Actinide Polyoxometalates	355
<i>Peter C. Burns</i>	
PART 5: ENVIRONMENTAL AND HEALTH ISSUES	365
Actinide Speciation and Bioavailability in Fresh and Marine Surface Waters	367
<i>Scott J. Markich and Paul L. Brown</i>	
Transuranic Biogeochemistry	401
<i>Hakim Boukhalfa and Mary Neu</i>	

Sustainable Remediation in Complex Geologic Systems	415
<i>Haruko Wainwright, Bhavna Arora, Susan Hubbard, Konstantin Lipnikov, Greg Flach, David Moulton, Carol Eddy-Dilek and Miles Denham</i>	
Nuclear Forensics	427
<i>Maria Wallenius, Klaus Lützenkirchen, Klaus Mayer and Zsolt Varga</i>	
Actinides in Medicine	445
<i>Eva R. Birnbaum, Michael E. Fassbender, Maryline G. Ferrier, Kevin D. John and Tara Mastren</i>	
PART 6: SPECIAL APPLICATIONS	467
Actinide Elements in Catalysis	469
<i>Rami J. Batrice, Isabell S.R. Karmel, Guy Yardeni and Moris S. Eisen</i>	
Superconductivity of the Heaviest Metals and Their Compounds	493
<i>Hans R. Ott and Zachary Fisk</i>	
Index	507

Contributors

- John Arnold** *University of California, Berkeley, CA, USA;
Lawrence Berkeley Laboratory, Berkeley, CA, USA*
- Multiple Bonding in Actinide Chemistry
- Bhavna Arora** *Lawrence Berkeley National Laboratory, Berkeley, CA, USA*
- Sustainable Remediation in Complex Geologic Systems
- Jochen Autschbach** *University at Buffalo, State University of New York, Buffalo, NY, USA*
- Electronic Structure of the Actinide Elements
- Rami J. Batrice** *Technion—Israel Institute of Technology, Haifa, Israel*
- Actinide Elements in Catalysis
- Eva R. Birnbaum** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Actinides in Medicine
- Anastasia Borschevsky** *Van Swinderen Institute for Particle Physics and Gravity;
University of Groningen, Groningen, The Netherlands*
- Electronic Structure of the Transactinide Atoms
- Hakim Boukhalfa** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Transuranic Biogeochemistry
- Paul L. Brown** *Geochem Australia, Kiama, NSW, Australia*
- Actinide Speciation and Bioavailability in Fresh and Marine Surface Waters
- Michael A. Boreen** *University of California, Berkeley, CA, USA*
- Multiple Bonding in Actinide Chemistry
- Peter C. Burns** *University of Notre Dame, Notre Dame, IN, USA*
- Actinide Polyoxometalates
- Xiaoyan Cao** *University of Cologne, Cologne, Germany*
- Ab Initio Electronic Structure Calculations for Actinide and Transactinide Atoms and Molecules
- Samantha K. Cary** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Crystallography of Actinide Complexes
- Wansik Cha** *Korea Atomic Energy Research Institute, Daejeon, Republic of Korea*
- Laser-Based Spectroscopic Studies of Actinide Complexes
- Hye-Ryun Cho** *Korea Atomic Energy Research Institute, Daejeon, Republic of Korea*
- Laser-Based Spectroscopic Studies of Actinide Complexes
- David L. Clark** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Production of Plutonium
- Justin N. Cross** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Crystallography of Actinide Complexes

- Scott R. Daly** *University of Iowa, Iowa City, IA, USA*
- Actinide Borohydrides
- Miles Denham** *Savannah River National Laboratory, Aiken, SC, USA*
- Sustainable Remediation in Complex Geologic Systems
- Michael Dolg** *University of Cologne, Cologne, Germany*
- Ab Initio Electronic Structure Calculations for Actinide and Transactinide Atoms and Molecules
- Christoph E. Düllmann** *Johannes Gutenberg University Mainz, Mainz, Germany; GSI Helmholtzzentrum für Schwerionenforschung GmbH, Darmstadt, Germany; Helmholtz Institute Mainz, Mainz, Germany*
- Chemical Properties of the Transactinide Elements
- Carol Eddy-Dilek** *Savannah River National Laboratory, Aiken, SC, USA*
- Sustainable Remediation in Complex Geologic Systems
- Moris S. Eisen** *Technion—Israel Institute of Technology, Haifa, Israel*
- Actinide Elements in Catalysis
- Ephraim Eliav** *Tel Aviv University, Tel Aviv, Israel*
- Electronic Structure of the Transactinide Atoms
- Rachel Eloirdi** *European Commission, Joint Research Centre, Directorate G, Nuclear Safety & Security, Karlsruhe, Germany*
- Photoelectron Spectroscopy of Actinide Materials
- David J.H. Emslie** *McMaster University, Hamilton, ON, Canada*
- Amido Complexes of the Actinides
- Michael E. Fassbender** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Actinides in Medicine
- Maryline G. Ferrier** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Actinides in Medicine
- Greg Flach** *Savannah River National Laboratory, Aiken, SC, USA*
- Sustainable Remediation in Complex Geologic Systems
- Zachary Fisk** *University of California, Irvine, CA, USA*
- Superconductivity of the Heaviest Metals and Their Compounds
- Franz J. Freibert** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Production of Plutonium
- Marco Fontani** *Università degli Studi di Firenze, Sesto Fiorentino, Italy*
- Discovery of the Actinide and Transactinide Elements
- Skye Fortier** *University of Texas, El Paso, TX, USA*
- Organometallic Chemistry of Pentavalent Uranium
- Piotr Gaczyński** *Institut für Physikalische und Theoretische Chemie, Braunschweig, Germany*
- Mössbauer Spectroscopy of Actinide Compounds
- Frédéric Gendron** *University at Buffalo, State University of New York, Buffalo, NY, USA*
- Electronic Structure of the Actinide Elements
- John K. Gibson** *Lawrence Berkeley National Laboratory, Berkeley, CA, USA*
- Divalent Actinides and Transactinides: Inorganic and Organometallic Complexes

- Thomas Gouder** *European Commission, Joint Research Centre, Directorate G, Nuclear Safety & Security, Karlsruhe, Germany*
- Photoelectron Spectroscopy of Actinide Materials
- Laurence M. Harwood** *University of Reading, Reading, UK*
- Controlling Actinide Extraction Chemistry (Separation of Actinides from Lanthanides as Part of Nuclear Fuel Recycling)
- Kongqiu Hu** *Chinese Academy of Sciences, Beijing, China*
- Supramolecular and Macrocyclic Chemistry of the Actinides
- Susan Hubbard** *Lawrence Berkeley National Laboratory, Berkeley, CA, USA*
- Sustainable Remediation in Complex Geologic Systems
- Kevin D. John** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Actinides in Medicine
- Euo C. Jung** *Korea Atomic Energy Research Institute, Daejeon, Republic of Korea*
- Laser-Based Spectroscopic Studies of Actinide Complexes
- Uzi Kaldor** *Tel Aviv University, Tel Aviv, Israel*
- Electronic Structure of the Transactinide Atoms
- Isabell S.R. Karmel** *Technion—Israel Institute of Technology, Haifa, Israel*
- Actinide Elements in Catalysis
- Hee-Kyung Kim** *Korea Atomic Energy Research Institute, Daejeon, Republic of Korea*
- Laser-Based Spectroscopic Studies of Actinide Complexes
- G. Koutroulakis** *University of California, Santa Barbara, Santa Barbara, CA, USA*
- Solid State NMR of Actinide-Containing Compounds
- Jianhui Lan** *Chinese Academy of Sciences, Beijing, China*
- Supramolecular and Macrocyclic Chemistry of the Actinides
- Konstantin Lipnikov** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Sustainable Remediation in Complex Geologic Systems
- Klaus Lützenkirchen** *European Commission, Joint Research Centre, Karlsruhe, Germany*
- Nuclear Forensics
- Joaquim Marçalo** *Universidade de Lisboa, Bobadela, Portugal*
- Divalent Actinides and Transactinides: Inorganic and Organometallic Complexes
- Leonor Maria** *Universidade de Lisboa, Bobadela, Portugal*
- Divalent Actinides and Transactinides: Inorganic and Organometallic Complexes
- Scott J. Markich** *Aquatic Solutions International, Collaroy, NSW, Australia*
- Actinide Speciation and Bioavailability in Fresh and Marine Surface Waters
- Klaus Mayer** *European Commission, Joint Research Centre, Karlsruhe, Germany*
- Nuclear Forensics
- Tara Mastren** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Actinides in Medicine
- Lei Mei** *Chinese Academy of Sciences, Beijing, China*
- Supramolecular and Macrocyclic Chemistry of the Actinides
- Jesse Murillo** *University of Texas, El Paso, TX, USA*
- Organometallic Chemistry of Pentavalent Uranium

- David Moulton** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Sustainable Remediation in Complex Geologic Systems
- Mary Neu** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Transuranic Biogeochemistry
- Mary V. Orna** *The College of New Rochelle, New Rochelle, NY, USA*
- Discovery of the Actinide and Transactinide Elements
- Hans R. Ott** *ETH Zürich, Hönggerberg, Zürich, Switzerland*
- Superconductivity of the Heaviest Metals and Their Compounds
- Lindsay E. Roy** *Savannah River National Laboratory, Aiken, SC, USA*
- Electronic Structure of Actinide Oxides
- Brian L. Scott** *Los Alamos National Laboratory, Los Alamos, NM, USA*
- Crystallography of Actinide Complexes
- Weiqun Shi** *Chinese Academy of Sciences, Beijing, China*
- Supramolecular and Macrocyclic Chemistry of the Actinides
- Zsolt Varga** *European Commission, Joint Research Centre, Karlsruhe, Germany*
- Nuclear Forensics
- Sean P. Vilanova** *University of Missouri, Columbia, MO, USA*
- Actinide Pnictogen Complexes
- Justin R. Walensky** *University of Missouri, Columbia, MO, USA*
- Actinide Pnictogen Complexes
- Haruko Wainwright** *Lawrence Berkeley National Laboratory, Berkeley, CA, USA*
- Sustainable Remediation in Complex Geologic Systems
- Maria Wallenius** *European Commission, Joint Research Centre, Karlsruhe, Germany*
- Nuclear Forensics
- James Westwood** *University of Reading, Reading, UK*
- Controlling Actinide Extraction Chemistry (Separation of Actinides from Lanthanides as Part of Nuclear Fuel Recycling)
- Guy Yardeni** *Nuclear Research Centre Negev, Beer Sheva, Israel*
- Actinide Elements in Catalysis
- H. Yasuoka** *Max Planck Institute for Chemical Physics of Solids, Dresden, Germany*
- Solid State NMR of Actinide-Containing Compounds

Series Preface

The success of the *Encyclopedia of Inorganic Chemistry* (EIC), pioneered by Bruce King, the founding Editor in Chief, led to the 2012 integration of articles from the *Handbook of Metalloproteins* to create the newly launched *Encyclopedia of Inorganic and Bioinorganic Chemistry* (EIBC). This has been accompanied by a significant expansion of our Editorial Advisory Board with international representation in all areas of inorganic chemistry. It was under Bruce's successor, Bob Crabtree, that it was recognized that not everyone would necessarily need access to the full extent of EIBC. All EIBC articles are online and are searchable, but we still recognized value in more concise thematic volumes targeted to a specific area of interest. This idea encouraged us to produce a series of EIC (now EIBC) Books, focusing on topics of current interest. These will continue to appear on an approximately annual basis and will feature the leading scholars in their fields, often being guest coedited by one of these leaders. Like the Encyclopedia, we hope that EIBC Books continue to provide both the starting research student and the confirmed research worker a critical distillation of the leading concepts and provide a structured entry into the fields covered.

The EIBC Books are referred to as *spin-on* books, recognizing that all the articles in these thematic volumes are destined to become part of the online content of EIBC, usually forming a new category of articles in the EIBC topical structure. We find that this provides multiple routes to find the latest summaries of current research.

I fully recognize that this latest transformation of EIBC is built on the efforts of my predecessors, Bruce King and Bob Crabtree, my fellow editors, as well as the Wiley personnel, and, most particularly, the numerous authors of EIBC articles. It is the dedication and commitment of all these people that are responsible for the creation and production of this series and the "parent" EIBC.

Robert A. Scott
University of Georgia
Department of Chemistry

January 2019

Volume Preface

The Heaviest Metals: Science and Technology of the Actinides and Beyond is focused on the elements of highest atomic number—the actinides (Ac–Lr) and transactinides (Rf–Og). Their history spans virtually the entire era of modern chemistry, from the discovery of uranium by Klaproth in 1789 to the confirmation of the names of nihonium, moscovium, tennessine, and oganesson in 2016. Their importance is hard to overstate: collectively, they comprise a quarter of all known elements, and the names of several of them (uranium and plutonium) are widely known to the general public owing to the centrality of their roles in nuclear power generation and weaponry. Radioactivity and nuclear fission were first recognized in an actinide metal (uranium), key discoveries that altered our understanding of the very nature of a chemical element. Of course, many of these metals, including the late actinides and all of the transactinides, are charitably classified as exotics, unlikely ever to appear outside a research laboratory. Nevertheless, their study has refined our knowledge of the effects of relativity on chemical properties in general, and stimulated the development of methods for conducting experiments on an ultratrace scale, with elements that are produced only a few atoms at a time.

An area as extensive as this cannot be covered with justice in a single volume, so we have attempted to strike a balance between broad overviews and more focused topics. *The Heaviest Metals* begins with a recounting of the fascinating (and convoluted) discovery of the actinides and transactinides, and then moves on to describe issues with the production of plutonium, the actinide synthesized in greatest quantity, and the complex problems involved in extracting and separating individual actinides. The next section looks at the electronic structure of the actinides and transactinides, chemical properties of the transactinides, and then the question of multiple bonding with these metals. Following this, the challenges in actinide crystallography are detailed, and the application of various spectroscopic techniques (solid-state NMR, Mössbauer,

photoelectron, and laser-based spectroscopies) and computational investigations to characterize compounds of these elements are reviewed. The next section examines compounds with metals in the divalent (Th, U, Np, Pu) and pentavalent (U) oxidation states, areas of intense current research activity. The distinctive chemistries of actinide/group 15 complexes, metal borohydrides, supramolecular complexes, and polyoxometalates are also examined. Environmental and health issues are the focus of the next section, where questions of actinide speciation in freshwater and oceans, the biological transformations of actinide ions, and the movement of actinides in subsurface plumes are addressed. Separate chapters describe the emerging field of nuclear forensics, which tracks actinides to prevent theft or illegal disposal, and the multiple benefits provided by actinide radiotherapy. The volume closes with a look at two novel applications: actinide-based catalysis and the superconducting properties of actinide materials.

The Heaviest Metals was intended not only to inform, but also to inspire the reader to imagine new ways in which the elements at the frontier of the periodic table can advance multiple areas of chemistry. If it accomplishes that, our goal for the volume will have been reached.

Finally, we wish to thank the editorial staff at Wiley for their expert shepherding of the project from its earliest conception. Without their steadfast help, it could not have been completed.

Bill Evans
University of California,
Irvine, CA, USA

Tim Hanusa
Vanderbilt University,
Nashville, TN, USA

January 2019

IUPAC Periodic Table of the Elements

1 H hydrogen 1.008 (1.0078, 1.0082)																	18 He helium 4.0026
3 Li lithium 6.94 (6.938, 6.997)	4 Be beryllium 9.0122	Key: atomic number Symbol name conventional atomic weight standard atomic weight										5 B boron 10.81 (10.806, 10.821)	6 C carbon 12.01 (12.009, 12.012)	7 N nitrogen 14.007 (14.006, 14.008)	8 O oxygen 15.999 (15.999, 16.003)	9 F fluorine 18.998	10 Ne neon 20.180
11 Na sodium 22.990	12 Mg magnesium 24.305 (24.304, 24.307)	3	4	5	6	7	8	9	10	11	12	13 Al aluminum 26.982	14 Si silicon 28.086 (28.084, 28.088)	15 P phosphorus 30.974	16 S sulfur 32.06 (32.059, 32.078)	17 Cl chlorine 35.45 (35.446, 35.457)	18 Ar argon 39.948
19 K potassium 39.098	20 Ca calcium 40.078(4)	21 Sc scandium 44.956	22 Ti titanium 47.867	23 V vanadium 50.942	24 Cr chromium 51.996	25 Mn manganese 54.938	26 Fe iron 55.845(2)	27 Co cobalt 58.933	28 Ni nickel 58.693	29 Cu copper 63.546(3)	30 Zn zinc 65.38(2)	31 Ga gallium 69.723	32 Ge germanium 72.630(8)	33 As arsenic 74.922	34 Se selenium 78.971(8)	35 Br bromine 79.904 (79.901, 79.907)	36 Kr krypton 83.796(2)
37 Rb rubidium 85.468	38 Sr strontium 87.62	39 Y yttrium 88.906	40 Zr zirconium 91.224(2)	41 Nb niobium 92.906	42 Mo molybdenum 95.95	43 Tc technetium 98	44 Ru ruthenium 101.07(2)	45 Rh rhodium 102.91	46 Pd palladium 106.42	47 Ag silver 107.87	48 Cd cadmium 112.41	49 In indium 114.82	50 Sn tin 118.71	51 Sb antimony 121.76	52 Te tellurium 127.6(3)	53 I iodine 126.90	54 Xe xenon 131.29
55 Cs caesium 132.91	56 Ba barium 137.33	57-71 lanthanoids	72 Hf hafnium 178.49(2)	73 Ta tantalum 180.95	74 W tungsten 183.84	75 Re rhenium 186.21	76 Os osmium 190.23(3)	77 Ir iridium 192.22	78 Pt platinum 195.08	79 Au gold 196.97	80 Hg mercury 200.59	81 Tl thallium 204.38 (204.38, 204.39)	82 Pb lead 207.2	83 Bi bismuth 208.98	84 Po polonium 209	85 At astatine 210	86 Rn radon 222
87 Fr francium 223	88 Ra radium 226	89-103 actinoids	104 Rf rutherfordium 261	105 Db dubnium 262	106 Sg seaborgium 263	107 Bh bohrium 264	108 Hs hassium 265	109 Mt meitnerium 266	110 Ds darmstadtium 267	111 Rg roentgenium 268	112 Cn copernicium 269	113 Nh nihonium 270	114 Fl flerovium 271	115 Mc moscovium 272	116 Lv livermorium 273	117 Ts tennessine 274	118 Og oganeson 275



57 La lanthanum 138.91	58 Ce cerium 140.12	59 Pr praseodymium 140.91	60 Nd neodymium 144.24	61 Pm promethium 145	62 Sm samarium 150.36(2)	63 Eu europium 151.96	64 Gd gadolinium 157.25(3)	65 Tb terbium 158.93	66 Dy dysprosium 162.50	67 Ho holmium 164.93	68 Er erbium 167.26	69 Tm thulium 168.93	70 Yb ytterbium 173.05	71 Lu lutetium 174.97
89 Ac actinium 227	90 Th thorium 232.04	91 Pa protactinium 231.04	92 U uranium 238.03	93 Np neptunium 237	94 Pu plutonium 244	95 Am americium 243	96 Cm curium 247	97 Bk berkelium 247	98 Cf californium 251	99 Es einsteinium 252	100 Fm fermium 257	101 Md mendelevium 258	102 No nobelium 259	103 Lr lawrencium 260

For notes and updates to this table, see www.iupac.org. This version is dated 28 November 2016.
Copyright © 2016 IUPAC, the International Union of Pure and Applied Chemistry.

PART 1

Background

Discovery of the Actinide and Transactinide Elements

Mary V. Orna

The College of New Rochelle, New Rochelle, NY, USA

and

Marco Fontani

Università degli Studi di Firenze, Sesto Fiorentino, Italy

1	Introduction	3
2	What Are the Actinides and the Transactinides?	4
3	The Place of the Actinides and Transactinides in the Periodic Table	4
4	The Pre-uranium Actinides: Actinium, Protactinium, and Thorium	7
5	Discovery of Uranium Fission	8
6	The Berkeley Hegemony	9
7	The First Transuranides: Neptunium, Plutonium, Americium, Curium, Berkelium, and Californium	11
8	Einsteinium and Fermium: Children of a Blast	14
9	The First Transfermium Elements or the Last of the Actinides: Mendelevium, Nobelium, and Lawrencium	15
10	The First Transactinides	16
11	The Uncontested GSI Elemental Discoveries	19
12	The Last Tenants in the Periodic Table	21
13	Period 8: The Superactinides and Beyond	23
14	Conclusion	25
15	Acknowledgments	26
16	Endnotes	26
17	Related Articles	27
18	Abbreviations and Acronyms	27
19	Further Reading	27
20	References	27

1 INTRODUCTION

“Discovery is new beginning. It is the origin of new rules that supplement, or even supplant, the old ... Were there rules for discovery, then discoveries would be mere conclusions.”¹ The history of the discovery of the actinides and the transactinides, the 30 elements that comprise the

very last part of the present periodic table of the elements, is peppered with rules: new rules, old rules transformed, new rules broken and remade—not necessarily by those doing the research, but often by Nature itself. Furthermore, if we consider the ways in which discoveries are made, they often fall into the categories of planned research, trial and error, or accidental discovery. Add to this a creative and

observing mind² and you can encompass virtually all of the discoveries, and the methods used to further understand and gain more information about how the discovery can be exploited. It would be useful to analyze the following story for these characteristics, for this is the discovery that set in motion the train of events that would expand and change the periodic table forever.

In 1896, Henri Becquerel (1852–1908) reported that the double sulfate of potassium and uranium, formulated by him as $[\text{SO}_4(\text{UO})\text{K}\cdot\text{H}_2\text{O}]$ using the superscript notation common at the time, emitted radiation capable of penetrating light-opaque paper to expose silver salts. He realized that the so-called phosphorescent material was emitting this radiation by its very nature and not by becoming phosphorescent owing to exposure to light.³ Subsequent work showed that the radiation could also penetrate thin sheets of aluminum and copper. Becquerel realized at this stage that the radiation was analogous to the newly discovered Roentgen rays.⁴ Five additional notes in the same volume of the journal follow the course of his further experiments to show, beyond a doubt, that the radiation was spontaneous and owing to the uranium component of the salt. It was Marie Curie (1867–1934) who eventually named the new phenomenon “radioactivity.”

Radioactivity, as evinced by the first actinide to be discovered, was to dominate the scientific, political, economic, and social scenes of the first half of the twentieth century. And during that century, all the rest of the actinides, and most of the transactinides, were to be discovered.

Using radioactivity as the signature by which radioactive atoms could be detected, scientists began to bombard targets with particles such as α -particles and neutrons as they became available, and then to identify the products of these reactions. They gradually surpassed the known limit of atomic number 92 to venture onto an unknown sea, not knowing where it would lead. So far, the journey has led to the discovery of 26 elements beyond uranium, completing the seventh row of the periodic table. This has involved massive amounts of funding, dedicated and persevering work on the part of genius-level individuals, and a surprising degree of international cooperation even during the Cold War. It has led to spectacular discoveries, overturned assumptions and theories, and glimpses of a Nature full of unexpected surprises.

2 WHAT ARE THE ACTINIDES AND THE TRANSACTINIDES?

A simple definition of the groups in question is: the elements beginning with actinium, with atomic number 89, and ending with the last element to be discovered and that completes period 7 of the periodic table, oganesson,

with atomic number 118. None of these elements possesses a stable isotope; every actinide and transactinide is radioactive with half-lives that vary from billions of years, such as thorium, ^{232}Th , with a half-life of 1.41×10^{10} years, to μs , such as darmstadtium, ^{267}Ds , with a half-life of 3×10^{-6} s. Table 1 lists these 30 elements (occupying about 25% of the periodic table) in order of the atomic number. However, discovery chronology does not follow from this order.

The first actinide to be discovered, in 1789 by Martin Heinrich Klaproth (1743–1817), was uranium; a century later it was, as well, the first element recognized to be radioactive. Klaproth’s alertness to detail accompanied by his pure love of science⁵ no doubt prepared him to recognize a new substance when he dissolved the mineral pitchblende in nitric acid, and then neutralized the solution with strong base and observed the formation of a yellow precipitate. Using the tried and true method of heating the precipitate in the presence of a reducing agent, he obtained a black powder that he took for the element, which he named uranium in honor of the newly discovered planet, Uranus.⁶

A glance at Table 1 is quite informative regarding discovery. The first three actinides to be discovered were “lone wolf” affairs: a single discoverer is named, and that brings us to the end of the nineteenth century. It is an entirely different matter for the entire twentieth century: discovery is a team affair, often with long lists of multiple authors: we have entered the age of “big chemistry,” characterized by specialized and expensive equipment in a national laboratory. It is easy to see that the Lawrence Berkeley National Laboratory, California, USA (LBNL) exercised a monopoly on actinide discoveries, completing the list with element number 103, lawrencium. Discoveries of the transactinides exhibit more international collaboration but, as we shall see, cooperation during the Cold War was never all sweetness and light.

3 THE PLACE OF THE ACTINIDES AND TRANSACTINIDES IN THE PERIODIC TABLE

The modern periodic table is a grid consisting of 7 rows (periods) and 18 columns (groups). Periods 6 and 7 exceed the 18-column model with 32 groups each in the long form, and two offset rows of 15 elements each in the traditional, or medium-long, configuration, used for convenience so that the table will fit on a normal printed page, as shown in Figure 1.

The grid, originally arranged in order of increasing atomic weights of the elements, is now arranged in order of increasing atomic number (the number of protons in the nucleus of an atom, often abbreviated Z) in one dimension, and in order of similar chemical properties in the second dimension to form the groups. This grid actually defines the way electrons arrange themselves in atoms in terms of

Table 1 Discovery of the actinides and transactinides

Atomic number	Symbol	Name/symbol	Discoverer	Date of discovery	Place of discovery
89	Ac	Actinium	Debiere	1899	Paris, France
90	Th	Thorium	J. J. Berzelius	1829	Stockholm, Sweden
91	Pa	Protactinium	Hahn, Meitner Fajans Soddy, Cranston, Fleck	1917	Berlin, Germany Karlsruhe Glasgow, Scotland
92	U	Uranium	Martin Klaproth	1789	Berlin, Germany
93	Np	Neptunium	McMillan, Abelson	1940	LBNL, USA
94	Pu	Plutonium	Seaborg, Wahl, Kennedy	1940	LBNL, USA
95	Am	Americium	Seaborg, Morgan, James, Ghiorso	1944	LBNL, USA
96	Cm	Curium	Seaborg, James, Ghiorso	1944	LBNL, USA
97	Bk	Berkelium	Thompson, Ghiorso, Seaborg	1949	LBNL, USA
98	Cf	Californium	Thompson, Street, Ghiorso, Seaborg	1950	LBNL, USA
99	Es	Einsteinium	Choppin, Thompson, Ghiorso, Harvey	1952	LBNL, USA
100	Fm	Fermium	Choppin, Thompson, Ghiorso, Harvey	1952	LBNL, USA
101	Md	Mendelevium	Choppin, Thompson, Ghiorso, Harvey, Seaborg	1955	LBNL, USA
102	No	Nobelium	Flerov and others	1958	JINR, Russia
103	Lr	Lawrencium	Ghiorso, Larsh, Sikkeland, Latimer	1961	LBNL, USA; JINR, Russia
104	Rf	Rutherfordium	Ghiorso, Flerov	1964	LBNL, USA; JINR, Russia
105	Db	Dubnium	Various	1968	LBNL, USA; JINR, Russia
106	Sg	Seaborgium	Ghiorso and others	1974	LBNL, USA
107	Bh	Bohrium	Armbruster, Münzenberg, Hofmann, others	1981	GSI, Germany
108	Hs	Hassium	Armbruster, Münzenberg, Hofmann, others	1984	GSI, Germany
109	Mt	Meitnerium	Armbruster, Hofmann, Münzenberg, others	1982	GSI, Germany
110	Ds	Darmstadtium	Armbruster, Hofmann, others	1994	GSI, Germany
111	Rg	Roentgenium	Armbruster, Hofmann, others	1994	GSI, Germany
112	Cn	Copernicium	Hofmann, others	1996	GSI, Germany
113	Nh	Nihonium	Various	2004	RIKEN, Japan
114	Fl	Flerovium	Various	1999	LLNL, USA; JINR, Russia
115	Mc	Moscovium	Various	2010	LLNL, ORNL, USA; JINR, Russia
116	Lv	Livermorium	Various	2000	LLNL, USA; JINR, Russia
117	Ts	Tennesse	Various	2010	LLNL, ORNL, USA; JINR, Russia
118	Og	Oganesson	Various	2006	LLNL, USA; JINR, Russia

Periodic table of the elements

Group	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Period	1																	2
Atomic number	1																	2
Atomic weight	1.0079																	4.0026
	3	4											5	6	7	8	9	10
	Li	Be											B	C	N	O	F	Ne
	6.941	9.0122											10.811	12.0107	14.0067	15.994	18.9984	20.179
	11	12											13	14	15	16	17	18
	Na	Mg											Al	Si	P	S	Cl	Ar
	22.9898	24.305											26.9815	28.0855	30.9738	32.066	35.453	39.948
	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
	K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
	39.0983	40.078	44.9559	47.867	50.9415	51.996	54.9380	55.845	58.933	58.693	63.546	65.409	69.723	72.64	74.9216	78.96	79.904	83.798
	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
	Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
	85.4678	87.62	88.9059	91.224	92.9064	95.94	98.9062	101.07	102.9055	106.42	107.8682	112.41	114.818	118.710	121.760	127.60	126.9045	131.29
	55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
	Cs	Ba	lanthanides	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
	132.9054	137.327		178.49	180.9479	183.84	186.207	190.2	192.22	195.08	196.9665	200.59	204.3833	207.2	208.9804	(209)	(210)	(222)
	87	88	89–103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118
	Fr	Ra	actinides	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn	Nh	Fl	Mc	Lv	Ts	Og
	(223)	(226.0254)		(261.1088)	(262.1141)	(266.1219)	(264.12)	(277)	(268.1388)	(271)	(272)	copernicium	nihonium	flerovium	moscovium	tennessine	oganesson	
	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71			
	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu			
	lanthanum	140.12	140.9077	144.24	(147)	150.36	151.96	157.25	158.9254	162.50	164.9304	167.26	168.9342	173.04	174.967			
	138.9																	
	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103			
	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr			
	actinium	232.0381	231.0359	238.0289	237.0482	(244)	(243)	(247)	(247)	(251)	(252)	(257)	(260)	(259)	(262)			

Figure 1 The standard medium-long form of the periodic table

principal energy levels and sublevels that they occupy, the so-called s, p, d, and f blocks. Not only has it brought order out of the chaos of so many elements with so many different properties, but it also functions as a theoretical tool, a “marvelous map of the whole geography of the elements.”⁷

The two rows offset as “footnotes” from the main body of the periodic table, each consisting of 15 elements. The top row, from lanthanum ($Z = 57$) to lutetium ($Z = 71$), along with two elements in the main body of the table, scandium and yttrium, are termed the “rare earths.” The 15 rare earths in the offset sit below yttrium with properties so similar to one another that the Czech chemist, Bohuslav Brauner (1855–1935), once proposed that they should all occupy the same space.⁸

Today, we take the placement of the actinides in the table for granted. However, initially, the first-discovered members of this group were placed in the main body of the table with actinium in the yttrium group, thorium under hafnium, protactinium under tantalum, and uranium under tungsten. Any transuranium elements to be yet discovered were expected to fall into place to complete period 6, with the last element in the row, $Z = 104$, fitting under radon.

The differences in chemical properties between some of these supposed homologs soon made this assumption untenable. In 1893, Henry Bassett (ca. 1837–1920),⁹ followed by Alfred Werner (1866–1919), who is often given the credit, first suggested that the heavier elements beyond uranium might need an intergroup accommodation similar to that of the rare earths.¹⁰ Decades later, in 1940, when Edwin McMillan (1907–1991) and Philip Abelson (1913–2004) discovered element 93, and shortly afterward, Glenn Seaborg (1912–1999) and his team discovered element 94, they had a surprise waiting. Chemical tests revealed that the properties of both new elements were more similar to those of uranium than to their supposed homologs, rhenium and osmium.¹¹ At this point in the group’s struggle to place the new elements in the periodic table, its extreme utility became spectacularly evident as both a flexible and a predictive theoretical tool. Seaborg took up the Bassett-Werner idea and made it his own:

I began to believe it was correct to propose a second lanthanide-style series of elements ... [starting] ... with element number 89, actinium, the element directly below lanthanum in the periodic table. Perhaps there was another inner electron shell being filled. This would make the series directly analogous to the lanthanides, which would make sense, but it would require a radical change in the periodic

table... [I was told] that such an outlandish proposal would ruin my scientific reputation. Fortunately, that was no deterrent because at the time I had no scientific reputation to lose.¹²

So, the initial stages of discovery of the transuranium elements gave rise to a reconfiguration of the periodic table. The two new elements were appropriately named neptunium and plutonium after the two planets that lay beyond Uranus in the solar system. The rest of the actinides, as they were discovered, fell right into place under their rare earth homologs, and the transactinides, from atomic numbers 104 to 118 populated period 7 to its completion. It remains to be seen how the future treats the superactinides beginning with atomic number 119.^a

4 THE PRE-URANIUM ACTINIDES: ACTINIUM, PROTACTINIUM, AND THORIUM

4.1 The Discovery of Thorium

Element number 90, thorium, was the first of this trio to be discovered in 1829. One of the most famous chemists of the time, Jöns Jacob Berzelius (1779–1848), Professor at the Karolinska University, Stockholm, in examining a curious mineral sent to him by Jens Esmark (1763–1839), a Norwegian mineralogist, thought that he could discern the presence of a new element. He isolated the impure metal by reducing its fluoride salt with elemental potassium, and named it thorium, after the Scandinavian god, Thor. The mineral was subsequently called thorite.¹⁴ In 1898, working independently, Marie Curie and Gerhard C. Schmidt (1865–1949) reported almost simultaneously that thorium, such as uranium, was radioactive.^{15,16}

4.2 The Discovery of Actinium


Seventy years were to pass before the announcement of the discovery of actinium ($Z=89$), the element that gives its name to the entire actinide series.¹⁷ Parisian André-Louis Debierne (1874–1949) began his studies at the École de Physique et de Chimie and began to study mineral chemistry following the death of his mentor, Charles Friedel (1832–1899). Welcomed into the Curies' laboratory, he began to treat the enormous quantities of pitchblende they supplied to him until he soon discovered a new element; he was one of the youngest chemists ever to do so.¹⁸ He called it actinium from the Ancient Greek word, *aktinos*, meaning beam or ray.

The year 1913 was a landmark one for science: in that year H. G. J. Moseley (1887–1915) conferred a number and identity on every atom by reason of its number of nuclear protons, and Frederick Soddy (1877–1956)


discovered isotopes, atoms with differing neutron numbers in atoms with like atomic numbers. He also formulated the law of chemical displacement: α -emitters produce a daughter product two atomic numbers lower and β -emitters one atomic number higher. Moseley's work defined the list of elements still missing in the periodic table, namely elements 43, 61, 72, 75, 85, 87, and 91.¹⁹ Soddy's work solved the puzzle of the myriad of new "elements" spawned by radioactive decay and his chemical displacement law had predictive properties. All of these facts figured weightily in the discovery of protactinium over the period from 1913 to 1917.

4.3 The Discovery of Protactinium

The hunt was now on for the missing element 91. Kasimir Fajans (1887–1975) and Ostwald Helmuth Göhring (b. 1889) took up the challenge. Fajans was the first to succeed in deciphering the radioactive decay cascade of ^{238}U as the following:



which translates in modern terminology to:



They found that the substance UX_2 , a β -emitter with a very short half-life of about 1 min, did not correspond to any radioisotope already known, realizing that it should occupy a vacant space in the periodic table. Owing to its short half-life, they named this new element *brevium*.

Soon after Fajans's announcement, Otto Hahn (1879–1968) and Lise Meitner (1878–1968), working in Berlin, began to search for longer-lived isotopes of the same element. Hampered by the outbreak of World War I, especially by Hahn's conscription, Meitner carried on alone with a minuscule sample (21 g) of pitchblende, doing preliminary separations. It was only a year later that she received a kilogram sample of radioactive salts from which she was able to isolate an isotope of element $^{231}\text{91}$ with a half-life of about 32 700 years.²⁰ They named it protoactinium (later changed to protactinium by IUPAC (International Union of Pure and Applied Chemistry) in 1949), recognizing it as the mother substance of actinium.^b

In June of that same year, Frederick Soddy and his young student, John Arnold Cranston (1891–1972), published the results²² of their heat treatments of pitchblende that yielded small sublimated amounts of protactinium for which they were unable to characterize the decay scheme. Obviously, the case of protactinium, tangled by a publication that appeared 5 years before that of Hahn and Meitner, as well as a new claim in the same year, became even more so. Eventually, the priority was awarded to the team that had discovered the longest-lived isotope,

Hahn and Meitner, but not without dealing delicately with the aggressive character and imperious temperament of Kasimir Fajans. Cranston and Soddy, having published their papers 3 months after those of Hahn and Meitner, immediately recognized their priority.^{23,24}

This little protactinium story was told at some length because it presages the multiple contentious priority disputes to follow: who gets the recognition for the discovery, and who gets to name the new element? The naming, in the end, came to be the most controversial issue, for as paleobotanist Hope Jahren (b. 1969) observes:

The scientific rights to naming a new species, a new mineral, a new atomic particle, a new compound, or a new galaxy are considered the highest honor and the grandest task to which any scientist may aspire.²⁵


5 DISCOVERY OF URANIUM FISSION

5.1 Enrico Fermi's Neutron Bombardment Experiments

The facts that uranium was discovered in 1789 and its radioactivity was recognized in 1896 seem to be almost trivial in light of the shattering discovery of its most important, and most all-encompassing property: its ability to undergo nuclear fission with the consequent release of immense amounts of energy. This property was undreamed of, and in fact dismissed, when, in April of 1934, Enrico Fermi (1901–1954) and his team, the legendary “Ragazzi di via Panisperna,” began to bombard uranium with neutrons. Fermi, convinced that knowledge of the atom was in large part complete, decided to investigate the properties of the atomic nucleus. He was one of the first to recognize the tremendous importance of artificial radioactivity, discovered by Frédéric Joliot (1900–1958) and Irène Joliot-Curie (1897–1956), and for which they received the Nobel Prize in Chemistry in 1935.²⁶ Not possessing a cyclotron, and therefore lacking sufficient irradiated material, he decided to attack the atom with neutrons, discovered only 2 years previously in 1932 by James Chadwick (1891–1974), instead of with α -particles. As neutrons had no electric charge, Fermi reasoned that they would not be repulsed by the nuclear charge and might easily penetrate the nucleus itself. But, as neutrons are not spontaneously emitted by radioactive isotopes, he had to obtain them by bombarding lighter elements, such as beryllium, with α -particles emitted by natural substances, such as radium. The neutron yield was low: just one per every 100 000 α -particles emitted, but undeterred, Fermi personally built the detectors necessary for counting atomic disintegrations. Success came only when, after bombarding all the lighter elements, fluorine and aluminum exhibited neutron-induced radiation.²⁷ After that, the list of nuclei susceptible to neutron irradiation grew.^{28–30} Seven months later, in

October, Fermi announced a second crucial discovery: the braking effect of hydrogenous substances, such as water, on the radioactivity induced by neutrons. This amounted to the first step toward the utilization of nuclear energy.

Meanwhile at Rome, Fermi procured a very precious treasure, 1.6 g of radium chloride from which he could extract *emanation* (or radon) that would be necessary for the production of neutrons. Further work by Fermi and his team led to two seemingly new elements³¹ with atomic numbers 93 and 94 owing to neutron absorption by ^{238}U , and subsequent double- β -emission according to the following schemes:



Radiochemical tests showed that the activity of ^{239}U produced particles with properties that did not belong to any elements that preceded them in the periodic table. Believed to be eka-rhenium and eka-iridium, they were placed in period 7 of the table.

5.2 Criticism of the Fermi Group's Interpretation of Results

The Fermi group's announcement raised sharp criticism in scientific circles. In addition to the two “transuranic elements” they thought they had identified, they had found a good half-dozen others with a variety of chemical properties difficult to place in the periodic table as they had to be untangled from uranium's ongoing normal decay producing its own short-lived daughter products.³² In fact, a chemist at the University of Fribourg, Ida Tacke Noddack (1896–1978), criticized Fermi's experimental judgment in only searching for elements in the neighborhood of element 92. She said that all elements should be searched for, even lighter ones. She did not hesitate to declare that she strongly doubted that the products Fermi identified were transuranium elements, but suggested nuclear fission instead.³³ Her idea was unacceptable in the physics world, deemed highly speculative and lacking a theoretical basis. “Everyone knew” that atoms just did not fly apart in such a manner!

Things remained unresolved. A year later, Otto Hahn and Lise Meitner repeated Fermi's experiments using better facilities and they confirmed Fermi's results. Furthermore, according to them, they were also able to observe traces of elements 95, 96, and 97 that they provisionally called *eka-iridium*, *eka-platinum*, and *eka-aurum*.³⁴ However, as time went on, Irène Joliot-Curie and her Yugoslav coworker, Pavel Savitch, published some papers documenting their concentration on only one of the products of neutron irradiation, that with a half-life of 3.5 h, and after a few false starts conclusively stated that the product in question strangely resembled lanthanum, an already known element lodged in the middle of the

periodic table. However, they never declared that they had actually found lanthanum, only a possible transuranic element that resembled lanthanum!^{35,36} They could not imagine that they actually had lanthanum. Reality was hidden in plain sight!

5.3 Fission at Last!

The last of these papers made Hahn sit up and take notice: perhaps the almost forgotten suggestion by Ida Noddack was right after all. So later in 1938, after more experimentation and rethinking, Hahn and his colleague Fritz Strassmann (1902–1980) finally admitted that, as chemists, they realized they were dealing with radiobarium and radiolanthanum, but as physicists they added, “we cannot bring ourselves to take such a drastic step, which goes against all previous laws (a word that Hahn later changed to ‘experiences’) of nuclear physics.”³⁷

Hahn communicated his conclusions by letter to Lise Meitner who was in exile in Sweden, fleeing the Nazi racial persecution, and she, with her nephew Otto Frisch (1904–1979), in their famous walk in the woods, worked out a theory whereby the positive charge of the uranium nucleus was large enough to overcome the effect of the nuclear surface tension almost completely, allowing the nucleus to fall apart at the slightest provocation. They also worked out the fact that the mass loss on nuclear division would be about one-fifth the mass of a proton, exactly equivalent to the correct and enormous energy predicted by Albert Einstein’s (1879–1955) relationship, $E = mc^2$.^{38,39}

Meanwhile, Enrico Fermi had already received his Nobel Prize in Physics for 1938, awarded *for his demonstrations of the existence of new radioactive elements produced by neutron irradiation, and for his related discovery of nuclear reactions brought about by slow neutrons*.^c The citation is very cautious in using the words “new radioactive elements,” initially interpreted erroneously by Fermi as transuranium elements. But, in light of subsequent interpretations, he had actually discovered nuclear fission without knowing it, and actually produced new radioactive isotopes of elements previously known!


5.4 The Impact of Uranium Fission on the Modern World

By the irony of fate (or, some would say, of blindness), Enrico Fermi, in looking for transuranium elements, found nuclear fission. At about the same time, physicist Paul Scherrer (1890–1969), working in Zurich, had an even closer encounter with fission. “He bombarded thorium ... with neutrons and saw the fission fragments that Meitner and Frisch had identified. But Scherrer wouldn’t believe his eyes. He thought his Geiger counter was malfunctioning. What wasn’t expected wasn’t seen.”^d Fermi, working in Fascist Rome in 1933, or Scherrer working in Switzerland, could have handed (or have seized from

them) the information the Nazis would need to build a super-weapon 6 years earlier than the actual recognition of fission and its potential had they realized the evidence that was right before their eyes. Their “slight oversights” had a profound and beneficial effect on the rest of the world.

When word of the reality of nuclear fission broke upon the world, Niels Bohr (1885–1962) in Copenhagen struck his head with his fist and exclaimed, “Oh, what fools we were that we did not see this before.” And in Paris, Irène Joliot-Curie cried out, “What fools we were!”

In 1941, just 2 years after the discovery of fission, Hans von Halban (1908–1964) and Lew Kowarski (1907–1979), two French exiles from the Curie Institute working in Cambridge but under the mentorship of Frédéric Joliot in France, were the first to establish that it was possible to sustain a chain reaction starting with natural uranium.^e Simultaneously, two other Cambridge physicists, Norman Feather (1904–1978) and Egon Bretscher (1901–1973), hypothesized that the chain reaction could have military applications. By now, it was recognized that the fissionable nucleus was the ²³⁵U isotope of element 92, only seven parts in 1000 in naturally occurring uranium. They also hypothesized that the more abundant isotope, ²³⁸U, could be transmuted by neutron absorption into a new, hitherto unknown, element which would not only be fissionable, but would also have a long half-life according to a pathway almost identical to Equation 3:



What would follow from these discoveries was an international race for the ultimate weapon carried on in wartime under the shroud of utmost secrecy. Although research on the peaceful uses of atomic energy was also on the docket, it had low priority when it came to building the atom bomb. Heavy water, deemed essential for the propagation of a chain reaction owing to its moderating (slowing down) properties on neutrons, was in short supply. The largest production plant, Norsk Hydro, was in the hands of Nazi Germany. Although many top scientists abhorred the idea of such a weapon, the Allied governments knew that they could not allow Germany to beat them in the race and use this weapon for world domination. As Frederick Soddy remarked presciently in 1904: “The man who put his hand on the lever by which a parsimonious nature regulates so jealously the output of this store of energy would possess a weapon by which he could destroy the earth if he chose.”^f

6 THE BERKELEY HEGEMONY

To understand how the University of California at Berkeley eventually became the epicenter of the discovery