Advances in Asian Human-Environmental Research

Noboru Ishikawa
Ryoji Soda Editors

Anthropogenic Tropical Forests

Human—Nature Interfaces on the Plantation Frontier



Advances in Asian Human-Environmental Research

Series Editor

Prof. Marcus Nüsser, South Asia Institute, University of Heidelberg, Germany

Editorial Board

Prof. Eckart Ehlers, University of Bonn, Germany

Prof. Harjit Singh, Jawaharlal Nehru University, New Delhi, India

Prof. Hermann Kreutzmann, Freie Universität Berlin, Germany

Prof. Kenneth Hewitt, Waterloo University, Canada

Prof. Urs Wiesmann, University of Bern, Switzerland

Prof. Sarah J. Halvorson, University of Montana, USA

Dr. Daanish Mustafa, King's College London, UK

Aims and Scope

The series aims at fostering the discussion on the complex relationships between physical landscapes, natural resources, and their modification by human land use in various environments of Asia. It is widely acknowledged that human-environment interactions become increasingly important in area studies and development research, taking into account regional differences as well as bio-physical, socioeconomic and cultural particularities.

The book series seeks to explore theoretic and conceptual reflection on dynamic human-environment systems applying advanced methodology and innovative research perspectives. The main themes of the series cover urban and rural landscapes in Asia. Examples include topics such as land and forest degradation, glaciers in Asia, mountain environments, dams in Asia, medical geography, vulnerability and mitigation strategies, natural hazards and risk management concepts, environmental change, impacts studies and consequences for local communities. The relevant themes of the series are mainly focused on geographical research perspectives of area studies, however there is scope for interdisciplinary contributions.

More information about this series at http://www.springer.com/series/8560

Noboru Ishikawa • Ryoji Soda Editors

Anthropogenic Tropical Forests

Human–Nature Interfaces on the Plantation Frontier



Editors Noboru Ishikawa Center for Southeast Asian Studies Kyoto University Kyoto, Japan

Ryoji Soda Graduate School of Literature and Human Sciences Osaka City University Osaka, Japan

ISSN 1879-7180 ISSN 1879-7199 (electronic) Advances in Asian Human-Environmental Research ISBN 978-981-13-7511-8 ISBN 978-981-13-7513-2 (eBook) https://doi.org/10.1007/978-981-13-7513-2

© Springer Nature Singapore Pte Ltd. 2020, corrected publication 2021

Chapters 1 and 28 are licensed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License (http://creativecommons.org/licenses/by-nc-nd/4.0/). For further details see licence information in the chapters.

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors, and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Cover Image: Nomads near Nanga Parbat, 1995. Copyright © Marcus Nüsser (used with permission)

This Springer imprint is published by the registered company Springer Nature Singapore Pte Ltd. The registered company address is: 152 Beach Road, #21-01/04 Gateway East, Singapore 189721, Singapore

Acknowledgements

We dedicate our sincere gratitude to the people of Kemena and Tatau basin society who allowed us to ask questions and discuss things with them. A special note of thanks goes to academic institutions, government offices and business communities in Sarawak, Malaysia. For their unfailing support, we are grateful to the Bintulu Development Authority; Bintulu Resident Office; Bintulu District Office; the Department of Agriculture Sarawak; the Department of Irrigation and Drainage Sarawak; the Forest Department Sarawak; the Department of Statistics Malaysia, Sarawak; the Land and Survey Department, Sarawak Malaysia; Bintulu Division; the Sarawak Biodiversity Centre; the Sarawak Development Institute; Sarawak State Museum; Sebauh Sub-District Office; Sekolah Kebangsaan Kuala Binyo; Sekolah Kebangsaan Kuala Kebulu; the State Planning Unit Sarawak; Tatau District Office; Universiti Malaysia Sarawak; Universiti Putra Malaysia Bintulu Campus; WWF-Malaysia (Sarawak Office); Daiken Sarawak Sdn Bhd; Goodterm Trading Sdn Bhd; Grand Perfect Sdn Bhd; Keresa Plantations Sdn Bhd; Keresa Mill Sdn Bhd; Malaysian Palm Oil Board; Sarawak Forestry Corporation Sdn Bhd; Sarawak Oil Palm Plantation Owners Association; Sarawak Planted Forest Sdn Bhd; Tun Jugah Foundation; and Zedtee Sdn Bhd.

The field research for this book was conducted under the auspices of the State Planning Unit, Chief Minister's Department, State Government of Sarawak, with the authorisation granted to the project titled 'Multidisciplinary Study of Human–Nature Interactions in the Riverine Society of Sarawak' ((15) UPN/S/G1/1/10.1 Vol. 29). We would like thank those who saw academic value in our research and allowed us to conduct fieldwork in Sarawak.

Our research was supported financially by the Japan Society for the Promotion of Science (JSPS) under its Integrated Science and Innovative Science Scheme (new multidisciplinary fields) of the Grants-in-Aid for Scientific Research (S) No. 22221010 (2010–2014).

Our heartfelt thanks are due to the help we received from Ali Yusop, Joanes Unggang, Alex Jukie, Kazue Sakai, A. Kamalakumaran a/l Ayyaru, Abdul Aziz bin Zainal Abidin, Lelia Sim Ah Hua, Julaihi Abdu, Wong Ting Chung, Lucy Chong, Ipoi Datan, Melvin Goh, David Kala, Nyurak Keti, Peter M. Kedit, Dimbab

vi Acknowledgements

Ngidang, Elena Gregoria Chai, Lau Seng, Sanib Said, Andrew Alek Tuen, Khairuddin bin Ab. Hamid, Henry Chan, Wong Ing Yung, Yuji Aso, Lee Hua Seng and Joseph Jawa Kendawang. As a small token of appreciation, we would like to mention the commitment of Impress Creative & Editorial, where Gareth Richards and Helena Dodge-Wan dealt with this highly empirical and unusual book with 360 figures and tables and texts written by an international transdisciplinary research team.

Kyoto, Japan 1 August 2019 Noboru Ishikawa Ryoji Soda

Contents

1	Commodification of Nature on the Plantation Frontier Noboru Ishikawa and Ryoji Soda	1
Pai	rt I Landscape, Culture and History	
2	Geomorphological Landscapes of Borneo and Riverine Society of the Kemena Catchment, Sarawak. Kuniyasu Mokudai, Ryoji Soda, and Takuma Watakabe	25
3	Land-Use Types Along the Kemena River-Tubau-Lower Jelalong Region, Sarawak Jason Hon and Hiromitsu Samejima	41
4	Trend Analysis of Rainfall Characteristics in the Kemena and Tatau River Basins, Sarawak	71
5	Multiethnic Society of Central Sarawak: An Ethnographic Analysis Yumi Kato, Jayl Langub, Abdul Rashid Abdullah, Hiromitsu Samejima, Ryoji Soda, Motomitsu Uchibori, Katsumi Okuno, and Noboru Ishikawa	85
6	Commodified Frontier: Jungle Produce Trade and Kemena Basin Society, Sarawak, in History	111
7	The Penan of Jelalong River, Sarawak: A Narrative of Migration and Adaptation	123

viii Contents

Par	t II Inflection Points of Nature	
8	Diversity of Medium- to Large-Sized Ground-Dwelling Mammals and Terrestrial Birds in Sarawak Hiromitsu Samejima and Jason Hon	149
9	Species Composition and Use of Natural Salt Licks by Wildlife Inside a Production Forest Environment in Central Sarawak Jason Hon, Shozo Shibata, and Hiromitsu Samejima	171
10	Above-Ground Biomass and Tree Species Diversity in the Anap Sustainable Development Unit, Sarawak. Hiromitsu Samejima, Malcom Demies, Miyako Koizumi, and Shogoro Fujiki	181
11	Influence of Herbicide Use in Oil Palm Plantations on Stream Water Chemistry in Sarawak Naoko Tokuchi, Hiromitsu Samejima, Jason Hon, and Keitaro Fukushima	209
12	Spatial Variations in Dissolved and Particulate Organic Carbon in the Kemena and Tatau Rivers, Sarawak Keitaro Fukushima, Naoko Tokuchi, Hiromitsu Samejima, Jason Hon, and Yuichi Kano	217
13	Stream Fish Biodiversity and the Effects of Plantations in the Bintulu Region, Sarawak. Yuichi Kano, Jason Hon, Mohd Khairulazman Sulaiman, Mitsuhiro Aizu, Koji Noshita, and Hiromitsu Samejima	235
Par	t III Plantations as Social Complexes and Infrastructure	
14	The Effects of Landscape and Livelihood Transitions on Hunting in Sarawak. Yumi Kato and Hiromitsu Samejima	277
15	From River to Road? Changing Living Patterns and Land Use of Inland Indigenous Peoples in Sarawak	315
16	The Impact of RSPO Certification on Oil Palm Smallholdings in Sarawak Yumi Kato and Ryoji Soda	337
17	The Autonomy and Sustainability of Small-Scale Oil Palm Farming in Sarawak Rvoii Soda and Yumi Kato	357

Contents ix

Par	t IV	Commodification and Local Processes	
18	Sarav Danie	Sirds' Nest Commodity Chain Between wak and China. l Chew, Yu Xin, Ryoji Soda, Tetsu Ichikawa, oboru Ishikawa	377
19	in a N	Teeding Ecology of Edible-Nest Swiftlets If Indiffied Landscape in Sarawak	401
20	and T	et Farming: New Commodity Chains echniques in Sarawak and Beyond	417
21	Forest Yayoi	ent Status and Distribution of Communally Reserved ts in a Human-Modified Landscape in Bintulu, Sarawak Takeuchi, Ryoji Soda, Hiromitsu Samejima, ibian Diway	439
22	in Sar	rawak: Past to Present, Local to Global	453
23	Sketcl	alm Plantations and Bezoar Stones: An Ethnographic h of Human–Nature Interactions in Sarawak	479
24	A Cor	e and Smallholding Oil Palm Production in Sarawak: mparison of Profitability and Greenhouse Gas Emissions tazu Ubukata and Yucho Sadamichi	497
25	_	cal Timber Trading from Southeast Asia to Japan	517
26	Imple	Tying Borneo's Forest Landscape: mentation Processes of Forest Certification in Sarawak ke Naito and Noboru Ishikawa	543
27		ging Patterns of Sarawak's Exports, c.1870–2013	563
Par	t V C	oda	
28		New Epoch: Capitalist Nature in the Plantationocene	589
Cor	rection	to: Anthropogenic Tropical Forests	.C1
Glo	ssary o	of Non-English Terms	597
Ind	OV		601

About the Editors and Contributors

Editors

Noboru Ishikawa is a professor of anthropology at the Center for Southeast Asian Studies, Kyoto University, Japan. He has conducted fieldwork in Sarawak and West Kalimantan over the past two decades, exploring the construction of national space in the borderland, highland–lowland relations, commodification of natural resource and labour, and the relationship between nature and non-nature. His publications include the following: *Between frontiers: nation and identity in a Southeast Asian borderland* (2010) and the edited volumes such as *Transborder governance of forests, rivers and seas* (2010) and *Flows and movements in Southeast Asia: new approaches to transnationalism* (2011).

Ryoji Soda is a professor in geography at the Graduate School of Literature and Human Sciences, Osaka City University, Japan. He has conducted field research in Sarawak and other Asian countries focusing on human mobility of ethnic minorities. His recent interest is in human–nature interactions and environmental humanities. His publications include the following: *People on the move: rural–urban interactions in Sarawak* (2007); The diversity of small-scale oil palm cultivation in Sarawak, Malaysia, *The Geographical Journal* 182 (2015); and Culture and acceptance of disasters: supernatural factors as an explanation of riverbank erosion, *Ngingit* 9 (2017).

Contributors

Abdul Rashid Abdullah is a social anthropologist with an interest in the study of Borneo's indigenous societies. His research focuses on areas such as the articulation of traditional societies with the market economy, the adoption of new technologies and organisation of production and the sustainability of traditional land-use systems.

Mitsuhiro Aizu is a research fellow in conservation genetics at the Research Institute of Environment for Sustainability, Faculty of Engineering, Kyushu University, Japan. He has conducted genetic studies of cetaceans and other endangered species for their appropriate conservation. In addition, he has participated in fieldwork in Southeast Asia for several years and has applied environmental DNA metabarcoding to elucidate the fish fauna around Tsushima Island and other fields. He is the co-author of Genetic population structure of finless porpoise in Japanese coastal waters, *Journal of Cetacean Research and Management* (2013), and Reptile diversity in food markets in Laos, *Current Herpetology* 34 (2015).

Daniel Chew is a historian and independent researcher based in Adelaide, Australia. He has worked for research institutions in Singapore and Malaysia, and his last academic appointment was with the Institute of East Asian Studies, Universiti Malaysia Sarawak. His current research interests are the Chinese diaspora in Sarawak and Australia. Recent selected published papers include the following: His story, her story: Chinese-Iban intermarriages in Engkelili and Lubok Antu, *Borneo Research Bulletin* 45 (2014); The Timorese Hakka in Australia: community and the internet, *Global Hakka Studies* 2 (2014); A Hakka civil servant in Sarawak, *Global Hakka Studies* 6 (2016); and Between the new and old worlds: Hakka associations in Melbourne, Australia, *Hakka studies in Taiwan*, ed. W. Chang (2017).

Malcom Demies is a senior researcher at the Sarawak Forestry Corporation, Malaysia. His research interest lies in the forest ecology of the tropical rainforest in Sarawak, with a focus on tree diversity, composition, ecosystem dynamics and biodiversity survey methods. He is also involved in high conservation value forest assessment in natural and planted forests in Sarawak and has published reports on this. His other publications as co-author include the following: *Tropical peat swamp forests of Sarawak: sustainable use and biodiversity conservation in a changing environment* (2013) and Response of tree species diversity to disturbance in humid tropical forests of Borneo, *Journal of Vegetation Science* 27 (2016).

Bibian Diway is a researcher at the Botanical Research Centre, Sarawak Forestry Corporation. Her main interest is in forest ecology and population diversity, and she has conducted research on species diversity changes due to human interaction and population genetic studies. Her publications as co-author include the following: Development of Lanjak Entimau Wildlife Sanctuary as a totally protected area: a study on the vegetation of Batang Ai National Park, Sarawak, Malaysia (2004), The development of DNA database for Gonystylus bancanus in Sarawak (2010) and Geographic pattern of genotypic variation of ramin in Sarawak (2014). She currently leads a project on the establishment of permanent sample plot networks in Sarawak.

Shogoro Fujiki is a postdoctoral researcher at Kyoto University, Japan, and CEO at Biome Inc. His primary research interest is in the development of new remote sensing methods for supporting efforts to reduce emissions from deforestation and

forest degradation in developing countries (REDD+) and sustainable development goals. His publications include the following: Estimation of the stand ages of tropical secondary forests after shifting cultivation based on the combination of WorldView-2 and time-series Landsat images, *Journal of Photogrammetry and Remote Sensing* 119 (2016); Large-scale mapping of tree-community composition as a surrogate of forest degradation in Bornean tropical rain forests, *Land* 5 (2016); and Estimation of the spatiotemporal patterns of vegetation and associated ecosystem services in a Bornean montane zone using three shifting-cultivation scenarios, *Land* 7 (2018).

Motoko Fujita is a researcher in bird ecology at the Center for Southeast Asian Studies, Kyoto University, Japan. She initially pursued research into nutrient transportation by urban birds in Japan, before extending her focus to the ecology of forest birds in tropical Southeast Asia. She has conducted fieldwork for over a decade. Her publications include the following: Roles of fragmented and logged forests for bird communities in industrial *Acacia mangium* plantations in Indonesia, *Ecological Research* 29 (2014), and an edited volume, *Catastrophe and regeneration in Indonesia's peatlands: ecology, economy and society* (2016).

Keitaro Fukushima is a researcher in ecosystem ecology at the Center for Ecological Research, Kyoto University, Japan. His research interests focus on the elucidation of factors controlling water chemistry from upstream forest to the sea and responses to various disturbances including forest clear-cut, understorey degradation by deer, land-use change, tsunami attacks after earthquakes and so on. His recent publications include the following: Effects of deer grazing on soil C and N dynamics in *Miscanthus sinensis* grassland and *Quercus serrata* forest in Ashiu research forest, Japan, *Journal of Forest Research* 22 (2017), and *Species biology of bamboos* (in Japanese, forthcoming).

Jason Hon is the programme leader for Sarawak for World Wide Fund for Nature-Malaysia. His main research interests focus on wildlife ecology, conservation spatial planning, forest management certification, peat ecology, environmental policies and protected area management. His recent publications as co-author include the following: A review on land use in the Malaysian state of Sarawak, Borneo and recommendations for wildlife conservation inside production forest environment, *Borneo Journal of Resource Science and Technology* 3 (2013); Predicted distribution of the collared mongoose *Herpestes semitorquatus* (Mammalia: Carnivora: Herpestidae) on Borneo, *The Raffles Bulletin of Zoology* 33 (2016); and Connecting science, policy, and implementation for landscape-scale habitat connectivity, *Conservation Biology* 30 (2016).

Tetsu Ichikawa is an associate professor of cultural anthropology and tourism studies at Nagoya City University, Japan. He has conducted research on the Chinese diaspora in Papua New Guinea, Malaysia and other Southeast Asian countries. His publications include the following: Mareshia Sarawaku shu ni okeru shukougeihin

kenkyuu no tameno oboegaki: kanko to minzoku kankei no setsugo [Preliminary study of ethnic handicraft in Sarawak, Malaysia: articulation of tourism and ethnic relationship], *Rikkyo Daigaku Kankogakubu Kiyo* [Rikkyo University Bulletin of Studies in Tourism] 16 (2014), and Building houses and graves for their ancestors in their hometowns: homecoming practices of Papua New Guinean Chinese in their ancestral villages in China, *Journal of Humanities and Cultures* 27 (2016).

Mayumi Ishikawa is professor of anthropology at the Center for Global Initiatives, Osaka University, Japan. Her research interests include ethnographic studies of Borneo, as well as of universities and the globalisation of higher education. She is the author of The story of Nakoda Hitam: her life and ventures at maritime crossroads at the turn of the 20th century, *Sarawak Museum Journal* 61(82) (2005), and co-author of The paradox of autonomy: Japan's vernacular scholarship and the policy pursuit of 'super global', *Higher Education Policy* 29 (2016). She is coediting a book on global university rankings for University of Toronto Press (forthcoming).

Yuichi Kano is an associate professor of the Institute of Decision Science for a Sustainable Society, Kyushu University, Japan. He has conducted fieldwork in East Asia and Southeast Asia, including Sarawak, exploring freshwater fish diversity. He is the co-author of Waterfalls drive parallel evolution in a freshwater goby, *Ecology and Evolution* 2 (2012), and Impacts of dams and global warming on fish biodiversity in the Indo-Burma hotspot, *PLOS ONE* 11 (2016), and the author of *Oborerusakana, soratobusakana, kieyukusakana* [Exploring freshwater fishes in monsoon Asia] (2018).

Yumi Kato is an associate professor of anthropology at the Center for Arts and Sciences, Fukui Prefectural University, Japan. She has conducted fieldwork in Sarawak since 2003, exploring social change and interethnic relations of settled hunter-gatherer groups, especially the Sihan and the Lugat. Her publications include the following: Changes in resource use and subsistence activities under the plantation expansion in Sarawak, Malaysia, *Social–ecological systems in transition*, ed. Shoko Sakai and Chieko Umetsu (2014), and Resilience and flexibility: history of hunter-gatherers' relationships with their neighbors in Borneo, *Senri Ethnological Studies* 94 (2016).

Atsushi Kobayashi is a lecturer in international economics at the Department of Economics, Osaka Sangyo University, Japan. His research interests include trade development in modern Southeast Asia, with a particular focus on the role of Singapore as a hub for international and regional trade. His recent publications include the following: The role of Singapore in the growth of intra-Southeast Asian trade, *c*.1820s–1852, *Southeast Asian Studies* 2 (2013); Price fluctuations and growth patterns in Singapore's trade, 1831–1913, *Australian Economic History Review* 57 (2017); and International bimetallism and silver absorption in Singapore, 1840–73, *Economic History Review* (forthcoming).

Miyako Koizumi is a research administrator at Kyoto University, Japan. She has conducted fieldwork in Kalimantan and Sarawak since 2001, exploring natural resource use by hunter-gatherers, the nature of ethnobotanical knowledge and flora of Borneo. Her publications include the following: Penan Benalui wild-plant use, classification, and nomenclature, *Current Anthropology* 48 (2007); Huntergatherers' culture, a major hindrance to a settled agricultural like: the case of the Penan Benalui of East Kalimantan, *Forests, Trees and Livelihoods* 21 (2012); and Two new species and notes on Bornean *Praravinia* (Rubiaceae), *Acta Phytotaxonomica et Geobotanica* 67 (2016).

Osamu Kozan is an associate professor of hydrology at the Center for Southeast Asian Studies, Kyoto University, Japan. He has conducted hydrometeorological observation and modelling in China, Central Asia and Indonesia to understand water-related problems. He is the author of Rainfall and groundwater level fluctuations in the peat swamps, *Catastrophe and regeneration in Indonesia's peatlands: ecology, economy and society*, ed. Kosuke Mizuno et el. (2016), and coeditor of *In search of sustainable humanosphere: a new paradigm for humanity, biosphere and geosphere* (2010).

Jayl Langub is a retired civil servant and is currently an associate research fellow at the Institute of Borneo Studies, Universiti Malaysia Sarawak. His research interests focus on ethnic minorities in Sarawak and their adaptation to change. His recent publications include the following: Making sense of the landscape: Eastern Penan perspectives, *Sarawak Museum Journal* 69 (2011), and *Tamu*: institutionalized barter trade, the Penan and their encounter with the colonial and post-colonial state, *Borneo Research Bulletin* 44 (2013). He compiled *Sukět: Penan folk stories* (2001). He is currently an adviser for World Wide Fund for Nature-Malaysia.

Charles Leh was formerly a zoologist and curator of natural history at the Sarawak State Museum where he worked for 35 years and the scientific editor of *The Sarawak Museum Journal*. He has conducted research since 1985 on the natural science of swiftlets in caves and farmhouses and published several books including *A guide to birds' nest caves and birds' nests of Sarawak* (1993). He is currently an honorary curator at the World of Birdnest Museum, Singapore, and conducts classes for investors in swiftlet farming.

Mohd Khairulazman Sulaiman is a freshwater biologist and a programme officer under the Sarawak Conservation Programme at World Wide Fund for Nature Malaysia. He is also a PhD candidate at Universiti Malaysia Sarawak. His current work scope includes supporting engagement and conducting research with various stakeholders towards achieving a coordinated effort for the improved management and protection of priority ecosystems in key watersheds in Sarawak. He has also been trained in GIS applications for systematic conservation planning. His latest publication is Mitochondrial DNA diversity of river mahseers (Cyprinidae: *Tor* species) from the proposed Baleh National Park, Kapit Division, Sarawak (in press).

Kuniyasu Mokudai is an associate professor of physical geography at the Department of Regional Design, Tohoku Gakuin University, Japan. His field of specialisation is mountain geomorphology and nature conservation science. He is the coeditor and co-author of *Natural heritage of Japan: geological, geomorphological, and ecological aspects* (2018).

Daisuke Naito is a researcher at the Center for Southeast Asian Studies, Kyoto University, Japan, and a scientist at the Center for International Forestry Research, Indonesia. He has conducted fieldwork in Malaysia and Kalimantan, examining the effects of the implementation of market-driven natural resource management and the relationship between society and nature. His publications, as coeditor, include the following: *Nettai Asia no hitobito to shinrinkanriseido* [People and forest management in tropical Asia: local-level impacts of diverse governance systems] (2010), *Borneo no sato no kankyogaku* [Environmental studies on satoyama landscapes in Borneo] (2013) and *Kokusai shigen kanri ninsyo* [International certification schemes on natural resources] (2016).

Koji Noshita is a researcher in theoretical morphology at Precursory Research for Embryonic Science and Technology (PRESTO), Japan Science and Technology Agency (JST) and the Graduate School of Agricultural and Life Sciences, University of Tokyo, Japan. His interests are concerned broadly with morphometrics of animals, plants and artefacts. His publications include the following: Functional constraints on coiling geometry and aperture inclination in gastropods, *Paleobiology* 38 (2012); Quantification and geometric analysis of coiling patterns in gastropod shells based on 3D and 2D image data, *Journal of Theoretical Biology* 368 (2014); and Geometric analysis and estimation of the growth rate gradient on gastropod shells, *Journal of Theoretical Biology* 389 (2016).

Katsumi Okuno is a professor at the College of Intercultural Communication, Rikkyo University, Japan. He undertook anthropological fieldwork among the Kalis (one of the so-called Maloh ethnic group) of West Kalimantan, Indonesia, in 1994 and 1995, focusing on religious practices. He then moved on to do research among the indigenous populations in Sarawak, Malaysia. His current major area of research is multispecies anthropology.

Yucho Sadamichi is a consultant at Japan NUS Co. Ltd., an environmental consultancy company in Japan. He has conducted studies on lifecycle assessment of biomass products through industrial products in Japan and Southeast Asian countries over the past decade, exploring the development of a sustainability assessment methodology that takes into consideration not only environmental aspect but also the economic and social aspects of products. His publications include the following: Life cycle impact assessment of fuel procuring and electricity generating processes in Japan by using an 'LCA-NETS' scheme, *International Journal of Emerging Electric Power Systems* 7 (2006), and Sustainability assessment methodology of biomass utilization for energy in East Asian countries, *Journal of the Japan Institute of Energy* 91 (2012).

Hiromitsu Samejima is a senior researcher at the Institute for Global Environmental Strategies, Japan. His research explores ecology, sustainable forest management in Southeast Asia, international timber trade and forestry policy, including efforts to reduce emissions from deforestation and forest degradation in developing countries (REDD+). His publications include the following: Camera-trapping rates of mammals and birds in a Bornean tropical rainforest under sustainable forest management, *Forest Ecology and Management* 270 (2012); Biodiversity in peat swamp forest and plantations, *Catastrophe and regeneration in Indonesia's peatlands: Ecology, economy and society*, ed. Kosuke Mizuno et al. (2016); and Estimating animal density without individual recognition using information derivable exclusively from camera traps, *Journal of Applied Ecology* 55 (2017).

Logie Seman is a former assistant forest officer at the Forest Department Sarawak. He was trained in wood inspection, forest management and traditional ecological knowledge. He has conducted research with various stakeholders for making clear human—nature interactions in inland Sarawak. His publications as co-author include the following: Difference of rice farming practices of the Iban in a national boundary area in Borneo and its socio-economic background, *Tropics* 14 (2005); Soil characteristics under cash crop farming in upland areas of Sarawak, Malaysia, *Agriculture, Ecosystems & Environment* 129 (2009); and Life histories of migrants: *bejalai* experiences of the Iban in Sabah, Malaysia, *Journal of Geographical Studies* 86 (2011).

Shozo Shibata is a dual-appointment professor at the Graduate School of Global Environmental Studies and Graduate School of Agriculture, Kyoto University, Japan. His research focuses in particular on forest resource management, bamboo ecology and natural restoration engineering. He has published more than 20 books and over 120 research articles. His recent publications include the following: Giant temperate bamboos (genus Phyllostachys) with low genetic diversity (2016), The state of timber resource use for Korean–Chinese traditional wooden houses and accessory structures (2016) and Impacts of sea cucumber farming on biogeochemical characteristics in the Yellow River estuary, northern China (2017). He is also a president of the International Consortium of Landscape and Ecological Engineering.

Kaoru Sugihara is a programme director and professor at the Research Institute for Humanity and Nature in Kyoto, Japan. He has written widely on Japanese, Asian and global economic and environmental history. His publications as editor include the following: *Japan, China and the growth of the Asian international economy, 1850–1949* (2005) and *Labour-intensive industrialization in global history* (2013), and he is the author, most recently, of Monsoon Asia, intra-regional trade and fossil-fuel-driven industrialization, *Economic development and environmental history in the Anthropocene: Perspectives on Asia and Africa*, ed. Gareth Austin (2017). He is currently vice-chair of the Future Earth Committee at the Science Council of Japan.

Haruka Suzuki is a researcher at the Research Institute for Humanity and Nature, Japan. She is also a visiting assistant professor at Universitas Riau, Indonesia, and the Center for Southeast Asian Studies, Kyoto University, Japan. Her research explores long-term ecological resource use and local history in coastal communities in Indonesia. Her publications include the following: Forest conservation efforts by a pulp and paper company in Indonesia: the relationship between a company and NGO, *Journal of Forest Economics* 62 (2016) (in Japanese), and Social economic aspects of long-term timber use for sustainability of the tropical forest, *Proceedings of XIV World Forestry Congress* (2015).

Yayoi Takeuchi is a senior researcher at the Center for Environmental Biology and Ecosystem Studies, National Institute for Environmental Studies, Japan. She has conducted studies on plant ecology, empirical and theoretical community ecology and biodiversity conservation. Her main field site is Southeast Asian tropical forests, the location of major biodiversity hotspots. Her current research focuses on biodiversity and ecosystem services in a human-modified landscape in Sarawak, working towards the formulation of a conservation strategy integrated with indigenous practice. She adopts a multidisciplinary approach—conducting a biological survey on biodiversity and a sociological survey on resource use based on indigenous knowledge.

Naoko Tokuchi is a professor of forest ecology at the Field Science Education and Research Center, Kyoto University, Japan. She has studied nitrogen dynamics in forest ecosystems from the subarctic zone to tropical areas, including Siberia, Japan, Thailand, Malaysia and Myanmar. Her research focuses on the natural and anthropogenic disturbances including bamboo flowering events, insect damage, logging and atmospheric deposition. Her publications include the following: Nitrogen dynamics of nitrogensaturated and unsaturated deciduous forest ecosystems on Toyama Plain, Japan, *Journal of the Japanese Forest Society* 99 (2017), and Terrestrial-aquatic linkage in stream food webs along a forest chronosequence: multi-isotopic evidence, *Ecology* 97 (2016).

Fumikazu Ubukata is a professor of environmental policy and economics at the Graduate School of Environmental and Life Science, Okayama University, Japan. He has conducted fieldwork in Thailand, Vietnam and Sarawak over the past few decades, exploring the transformation of resource industries, institutional changes of communal resources management, commodification of natural resources and labour and market-driven environmental management schemes. His publications include the following: Forest sustainability and the free trade of forest products: cases from Southeast Asia, *Ecological Economics* 50 (2004), *The institutional formation process of communal forest management in northeast Thai villages* (2008) and *Getting villagers involved in the system: the politics, economics and ecology of production relations in the Thai pulp industry* (2009).

Motomitsu Uchibori is professor emeritus at Hitotsubashi University, Tokyo, and at the Open University of Japan. He was formerly the director of the Research Institute for Languages and Cultures of Asia and Africa, Tokyo University of Foreign Studies, Japan. His research interests are in social anthropology and Southeast Asian ethnology, with a particular focus on features of high biomass societies in tropical Asia with reference to Borneo, and family histories among the Iban of Sarawak. His publications include the following: On ethnic and/or cultural diversity, *Trends in the Sciences* 19 (2014), and Theoretical themes for an anthropology of resources, *Social Science Information* 50 (2011).

Takuma Watakabe is a graduate student at Kyoto University, Japan. His doctoral research involves quantifying soil production rates and the recurrence interval of shallow landslides on hillslopes underlain by granite and hornfels. His research interests focus on the evolution of bedrock rivers in mountainous watersheds. His publications include the following: Estimating bedrock-channel incision rates using terrestrial cosmogenic ¹⁰Be: an example from the Oshika gorge, Tottori prefecture, Japan, *Transactions, Japanese Geomorphological Union* 35 (2014).

Yu Xin is a lecturer at the Anthropology Centre, Institute for Advanced Studies in Humanities and Social Science, Chongqing University, China. Originally trained in food science, her research interests focus on globalisation, the overseas Chinese in Southeast Asia, the anthropological study of food, material culture studies and economic anthropology. Her recent publications include the following: Birds' nest trading and maritime China: a reflection on earthbound China, *Journal of Southwest University for Nationalities* 1 (2016), and Two illusions of one coin reading: towards an anthropological theory of value, *North West Ethno-national Studies* (2014). She has translated the work of Bronisław Malinowski and Marcel Mauss from English to Mandarin.

Abbreviations and Acronyms

ACA acacia plantations

ADB Asian Development Bank AIC Akaike information criterion

ALOS PALSAR Advanced Land-Observing Satellite Phased Array type L-band

Synthetic Aperture Radar

AMFMU Anap-Muput Forest Management Unit

ANOVA analysis of variance

APKINDO Asosiasi Panel Kayu Indonesia (Indonesian Wood Panel

Producers Association)

AQSIQ Chinese State Administration of Quality Supervision, Inspection

and Quarantine

ASDU Anap Sustainable Development Unit

AU approximately unbiased

brglm bias reduction in binomial-response GLM

C carbon

CAR corrective action request

CBD Convention on Biological Diversity

CH₄ methane

CI confidence interval CO₂ carbon dioxide

CRF communally reserved forest dbh diameter at breast height **DFR** Deramakot Forest Reserve DIC deviance information criterion DOC dissolved organic carbon DOM dissolved organic matter **EEM** excitation-emission matrix **ENSO** El Niño-Southern Oscillation

EU European Union
EUTR EU Timber Regulation

FAO Food and Agriculture Organisation (United Nations)

FLAASH Fast Line-of-sight Atmospheric Analysis of Spectral Hypercubes FLEGT Forest Law Enforcement, Governance and Trade Action Plan

FMU forest management unit

FOA Farmers' Organisation Authority
FOR natural or mature secondary forests

FSC Forest Stewardship Council

FSC P&C Forest Stewardship Council Principles and Criteria

GDP gross domestic product

GHG greenhouse gas

GIS geographic information system

GIZ Gesellschaft für Internationale Zusammenarbeit (German

Agency for International Cooperation)

GLM generalised linear model glm.nb negative binomial GLM

GTZ Gesellschaft für Technische Zusammenarbeit (German Agency

for Technical Cooperation)

ha hectare

HCVF high conservation value forest

IPCC Intergovernmental Panel on Climate Change

ISCC International Sustainability and Carbon Certification

ITCZ intertropical convergence zone

ITTA International Tropical Timber Agreement ITTO International Tropical Timber Organisation

JAS Japan Agricultural Standard

LEI Lembaga Ekolabel Indonesia (Indonesian Ecolabelling Institute)

LiDAR light detection and ranging LNG liquefied natural gas

LOG logged forests

LPF licence for planted forest area

m metre

M-NJWG Malaysia-Netherlands Joint Working Group on Forestry
MC&I Malaysian Criteria, Indicators, Activities and Standards of

Performance for Forest Management Certification

MCMC Markov chain Monte Carlo

MCMCglmm MCMC generalised linear mixed model

MFMA model forest management area

mm millimetre

MPOB Malaysian Palm Oil Board MTC Malaysia Timber Council

MTCC Malaysian Timber Certification Council
MTCS Malaysian Timber Certification Scheme
MTIB Malaysia Timber Industry Board

MTR mean trapping rate

N₂O nitrous oxide

NCSFM National Committee of Sustainable Forest Management

NDVI normalised difference vegetation index

NGO non-governmental organisation

NTCC National Timber Certification Council
NTTA Netherlands Timber Trade Association

OIL oil palm plantations ONI Oceanic Niño Index

OPEC Organisation of the Petroleum Exporting Countries

PARAFAC parallel factor analysis PEAT tropical low-lying peatlands

PEFC Programme for the Endorsement of Forest Certification

PETRONAS Petroliam Nasional Berhad

PHPL Pengelolaan Hutan Produksi Lestari (Sustainable Production

Forest Management)

POC particulate organic carbon

pyclust hierarchical clustering with p values

REDD-plus Reducing Emissions from Deforestation and Forest Degradation

in Developing Countries

RIL reduced-impact logging

RSPO Roundtable on Sustainable Palm Oil

RU Raman unit

SALCRA Sarawak Land Consolidation and Rehabilitation Authority

SCORE Sarawak Corridor of Renewable Energy

SCS Scientific Certification Systems

SEALPA South-East Asia Lumber Producers' Association

SFC Sarawak Forestry Corporation
SGS Société Générale de Surveillance
SRTM Shuttle Radar Topography Mission

SS suspended sediment

STIDC Sarawak Timber Industry Development Corporation STLVS Sarawak Timber Legality Verification System

SVLK Sistem Verifikasi Legalitas Kayu (Timber Legality Verification

System)

TRMM Tropical Rainfall Measuring Mission

UNECE United Nations Economic Commission for Europe

UNFCCC United Nations Framework Convention on Climate Change

UNIMAS Universiti Malaysia Sarawak WWF-Malaysia World Wildlife Fund-Malaysia

List of Figures

Fig. 1.1	Social and natural systems	3
Fig. 1.2	Central Sarawak, Malaysia	5
Fig. 1.3	Kemena and Tatau basins	6
Fig. 1.4	Ethnic groups in the Kemena basin	8
Fig. 1.5	Multidisciplinary research	12
Fig. 1.6	Multiscale research	12
Fig. 2.1	Borneo	27
Fig. 2.2	Geological features of central Sarawak	27
Fig. 2.3	Alternating layers of sandstones and mudstones	
	in a river bank	28
Fig. 2.4	Peat bed topography of Sarawak	29
Fig. 2.5	Climate of Sarawak	30
Fig. 2.6	Structure of soil stratum in Tubau	32
Fig. 2.7	Dredger for collection of sand from a river bed	33
Fig. 2.8	Flood plain deposits of the Rejang River	34
Fig. 2.9	Absence of gravel bars or sand bars along the river channels	35
Fig. 2.10	Differences in the Kemena River at (a) high water levels	
	and (b) drought	36
Fig. 2.11	Longitudinal profile of the Kemena river bed	37
Fig. 2.12	Protruding hill along a river bend	38
Fig. 3.1	Upper panel: map of Sarawak indicating the location	
	of project area; lower panel: red-green-blue composite	
	of the Tubau image (west) and the Jelalong image (east)	43
Fig. 3.2	Percentage of the Kemena–Tubau–Lower Jelalong	
	region study area covered by major land-use types	47
Fig. 3.3	Polygons showing area of interest for data procured	
	from DigitalGlobe, labelled as Tubau image in the text	49
Fig. 3.4	Polygons showing area of interest for data procured	
	from DigitalGlobe, labelled as Jelalong image in the text	50

xxvi List of Figures

Fig. 3.5	(a) Satellite image used and (b) example of the resulting raster data set created in ArcGIS for the land-use	
T: 0.6	subcategories of forests and degraded forests	51
Fig. 3.6	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use	
T: 0.7	subcategory of forest clearing	52
Fig. 3.7	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use	
	subcategory of forest clearing for oil palm	53
Fig. 3.8	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use subcategories	
	of mature oil palm, young oil palm, recently planted	
	oil palm and plantation terraces	54
Fig. 3.9	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use subcategory	
T. 0.10	of oil palm nursery	55
Fig. 3.10	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use subcategory	
T. 0.44	of cleared <i>temuda</i> recently planted with oil palm	56
Fig. 3.11	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use subcategories	
	of old temuda, intermediate temuda, recent temuda	
E: 0.10	and bare ground temuda	57
Fig. 3.12	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use	~0
E: 0.10	subcategory of rubber plantations	58
Fig. 3.13	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use	~ 0
E: 0.14	subcategory of orchards	59
Fig. 3.14	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use	CO
E: 0.15	subcategory of other cash crops	6 0
Fig. 3.15	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use subcategories	
	of mature acacia/tree plantations and recently planted	
	acacia/tree plantations or recently cleared sites	C1
E'. 2.16	for plantation expansion	61
Fig. 3.16	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use subcategories	60
E:- 2.17	of major rivers, small rivers and irrigation channels	62
Fig. 3.17	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use subcategory	(2)
	of ponds and lakes	63

List of Figures xxvii

Fig. 3.18	(a) Satellite image used and (b) example of the resulting raster data set created in ArcGIS for the land-use	
	subcategories of major expressways,	<i>C</i> 1
E:- 2.10	secondary roads and plantation roads	64
Fig. 3.19	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use	
E: 2.20	subcategory of logging roads	65
Fig. 3.20	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use	
E: 0.04	subcategories of buildings, log ponds and power lines	66
Fig. 3.21	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use subcategories	
	of Keresa Plantations Sdn Bhd offices and barracks,	
	their oil palm mills and their oxidation ponds	67
Fig. 3.22	Example of the layer outlining areas of oil palm plantations	
	managed by Keresa Plantations Sdn Bhd, where the planting	
	plan was delineated by embedding the year for each	
	plot where data was available	68
Fig. 3.23	(a) Satellite image used and (b) example of the resulting	
	raster data set created in ArcGIS for the land-use category	
	of grass and shrubs	69
Fig. 3.24	Different land uses in the Kemena River–Tubau–Lower	
	Jelalong region, Bintulu	70
Fig. 4.1	Rainfall distribution estimated from the TRMM precipitation	
11g. 4.1	radar over Singapore, Malaysia and Indonesia	72
Fig. 4.2	Three climate regions according to the mean annual patterns	73
Fig. 4.3	Annual rainfall cycles of the three climate regions using	75
11g. 4.5	a double correlation method	73
Fig. 4.4	Locations of rainfall data from 10 stations in Sarawak	13
1 1g. 4.4	and Sabah	74
Fig. 4.5	Annual average rainfall at seven stations, Sarawak and Sabah,	/ ¬
11g. 4.5	1955–2006	75
Fig. 4.6	Annual rainfall trend for Sarawak, 1951–2015	76
Fig. 4.7	Oceanic Niño Index (ONI), 1950–2015	76
Fig. 4.8	Maximum and minimum temperature trend for Sarawak,	70
11g. 4.0	1969–2015	77
Fig. 4.9	Rain gauge stations in the Kemena and Tatau basins	79
Fig. 4.10	River basins in Sarawak	80
Fig. 4.11	Monthly rainfall at 14 stations, 2006–2010 (mm)	80
Fig. 4.12	Monthly rainfall during a drought period, June–September 2006,	
-	and a heavy rain period, December 2008–February 2009	81
Fig. 4.13	Relationship between the distance from the sea (km)	
	and rainfall (mm), January 2009	82

xxviii List of Figures

Fig. 5.1	Main rivers in Borneo	87
Fig. 5.2	Population composition by ethnic group in Bintulu Division	89
Fig. 5.3	Major rivers in northwest Borneo and central Sarawak	90
Fig. 5.4	Distribution of villages along the Kemena and Tatau rivers	91
Fig. 6.1	Villages and towns in the Kemena basin	113
Fig. 6.2	Ethnic groups in the Kemena basin	114
Fig. 7.1	Penan migration routes from the Apau Julan	
F: 50	and the Usun Apau to the Jelalong	125
Fig. 7.2	Twelve-door Penan Mekapan longhouse beside the Jelalong	129
Fig. 7.3	Four Penan settlements and their neighbours	104
E: 7.4	along the Jelalong and Tubau rivers	134
Fig. 7.4	Genealogy of Julaihi Keti	139
Fig. 8.1	Study plots in the Anap Sustainable Development Unit	1.50
E' 0.2	and the village study areas	152
Fig. 8.2	Distribution of the eight study plots in the Anap Sustainable	
	Development Unit with (a) management status	153
Eig 92	and (b) elevation	133
Fig. 8.3	in the Anap Sustainable Development Unit	158
Fig. 8.4	Mean trapping rate for all the species recorded in the eight	136
1 1g. 0.4	plots in the Anap Sustainable Development Unit	159
Fig. 8.5	Rarefaction curves of species richness at the Sujan plantation	137
118. 010	and the four village areas.	162
Fig. 8.6	Mean trapping rate of six major game species	163
Fig. 9.1	Location of salt licks	174
Fig. 9.2	Number of species recorded using camera traps in three	1,,
8	salt lick plots	175
Fig. 10.1	(a) Locations of study areas and (b) altitude inside	
11g. 10.1	the Anap Sustainable Development Unit	185
Fig. 10.2	Surveying of trees in the study area including (a) measuring	105
11g. 10.2	diameter at breast height and marking of all trees in a plots;	
	(b) measuring the diameter above the buttress when the trees	
	had high buttresses; (c) attaching metal number tags on all	
	suitable trees in the plots; and (d) preparing specimens	
	of trees for further identification in Kuching	187
Fig. 10.3	Landsat Thematic Mapper (TM) image (path 120, row 58)	
	covering the ASDU on 31 July 2009	189
Fig. 10.4	Distribution of 46 locations of the study areas	
	in Slik et al. (2009) and in this study	
	with more than 400 trees recorded	191
Fig. 10.5	Estimated above-ground biomass of the 19 study areas	198

List of Figures xxix

Fig. 10.6	Relationship between the above-ground biomass of 61 plots predicted by the regression model (using Landsat data and topography data) and the ground truth data	
	of the above-ground biomass of the plots	198
Fig. 10.7	Average of the estimated the above-ground biomass in each coupe in the Anap Sustainable Development Unit, 2009	199
Fig. 10.8	Species rarefaction curves with the number of species against the number of plots for 12 study areas where more than three	
Fig. 10.9	vegetation plots were established	200
Fig. 10.10	in this research (red points)	200
	(black points) and 62 study plots (red points)	202
Fig. 11.1	Study site and oil palm concessions	211
Fig. 11.2	Spatial distribution of NO ₃ ⁻ (µeq L ⁻¹) in stream water	212
Fig. 11.3	Spatial distribution of Cl ⁻ (µeq L ⁻¹) in stream water	213
Fig. 11.4	Spatial distribution of K ⁺ (µeq L ⁻¹) in stream water	213
Fig. 11.5	Average chemical composition of (a) anions and (b) cations in stream water samples from lowland forests,	
	acacia plantations and oil palm plantations	214
Fig. 11.6	Cl ⁻ concentrations for three land-use types	214
Fig. 11.7	Major herbicides used in Sarawak: (a) Ally 20DF	
	(metsulfuron methyl); (b) Powex (glyphosate isopropylamine); and (c) Paraquat 130 (paraquat dichloride)	215
Fig. 12.1	Location of the study site with (a) the Kemena and Tatau basins on the northwestern part of Borneo, and (b) the land-use map	220
Fig. 12.2	of the area produced from Landsat data	223
Fig. 12.3	Spatial distribution of suspended sediment concentrations in (a) 2011, (b) 2012, and (c) 2013	224
Fig. 12.4	Year-to-year comparison of (a) dissolved organic carbon and (b) suspended sediment concentrations	225
Fig. 12.5	Boxplot of (a) dissolved organic carbon and (b) suspended sediment concentrations for five land-use classes	223
Fig. 12.6	and main rivers	226
	and suspended sediment concentrations across the range of measured samples	227

xxx List of Figures

Fig. 12.7	Relationship between relative fluorescence intensity (determined by PARAFAC modelling) and dissolved	220
Fig. 12.8	organic carbon concentrations	229
	and (d) component 4 to the sum of all four intensities	
	for five land-use classes and main rivers	230
Fig. 12.9	Boxplot of pH values for the five land-use classes	
	and main rivers	231
Fig. 13.1	Study area with sampling locations in plantations and forests	237
Fig. 13.2	Typical landscapes and environmental conditions for different	
Ü	sampling locations: (a) oil palm plantations; (b) acacia	
	plantations; (c) protected forests; and (d) natural forests	238
Fig. 13.3	Average species richness of stream fish in oil palm plantations,	
	acacia plantations, protected forests and natural forests	244
Fig. 13.4	Cluster analysis based on the absence and presence of fish	
	species at sites classified by land-use type	245
Fig. 13.5	Barbodes kuchingensis with ID number 1 in this study	251
Fig. 13.6	Barbodes banksi with ID number 2 in this study	251
Fig. 13.7	Barbonymus schwanenfeldii with ID number 3 in this study	251
Fig. 13.8	Cyclocheilichthys apogon with ID number 4 in this study	251
Fig. 13.9	Desmopuntius johorensis with ID number 5 in this study	252
Fig. 13.10	Esomus metallicus with ID number 6 in this study	252
Fig. 13.11	Garra borneensis with ID number 7 in this study	252
Fig. 13.12	Hampala bimaculata with ID number 8 in this study	252
Fig. 13.13	Hampala macrolepidota with ID number 9 in this study	253
Fig. 13.14	Labiobarbus leptocheilus with ID number 10 in this study	253
Fig. 13.15	Leptobarbus hosii with ID number 11 in this study	253
Fig. 13.16	Lobocheilos bo with ID number 12 in this study	253
Fig. 13.17	Nematabramis steindachnerii with ID number	
	13 in this study	254
Fig. 13.18	Osteochilus sp. (cf. enneaporos) with ID number	
E: 12.10	14 in this study	254
Fig. 13.19	Osteochilus microcephalus with ID number 15 in this study	254
Fig. 13.20	Osteochilus vittatus with ID number 16 in this study	254
Fig. 13.21	Oxygaster anomalura with ID number 17 in this study	255
Fig. 13.22	Rasbora sp. (cf. atranus) with ID number 18 in this study	255
Fig. 13.23	Rasbora cephalotaenia with ID number 19 in this study	255
Fig. 13.24	Rasbora dusonensis with ID number 20 in this study	255
Fig. 13.25	Rasbora einthovenii with ID number 21 in this study	256
Fig. 13.26	Rasbora ennealepis with ID number 22 in this study	256 256
Fig. 13.27	Rasbora hosii with ID number 23 in this study	256
Fig. 13.28	Rasbora kottelati with ID number 24 in this study	257
Fig. 13.29	Rasbora tornieri with ID number 25 in this study	231

List of Figures xxxi

Fig. 13.30	Rasbora trilineata with ID number 26 in this study	257
Fig. 13.31	Tor douronensis with ID number 27 in this study	257
Fig. 13.32	Trigonopoma pauciperforatum with ID number	
	28 in this study	257
Fig. 13.33	Pangio semicincta with ID number 29 in this study	258
Fig. 13.34	Pangio shelfordii with ID number 30 in this study	258
Fig. 13.35	Barbucca diabolica with ID number 31 in this study	258
Fig. 13.36	Homaloptera orthogoniata with ID number	
	32 in this study	258
Fig. 13.37	Homalopteroides stephensoni with ID number	
	33 in this study	259
Fig. 13.38	Homalopteroides tweediei with ID number 34 in this study	259
Fig. 13.39	Gastromyzon megalepis with ID number 35 in this study	260
Fig. 13.40	Gastromyzon viriosus with ID number 36 in this study	260
Fig. 13.41	Neogastromyzon chini with ID number 37 in this study	260
Fig. 13.42	Nemacheilus spiniferus with ID number 38 in this study	261
Fig. 13.43	Glyptothorax major with ID number 39 in this study	261
Fig. 13.44	Glyptothorax exodon with ID number 40 in this study	261
Fig. 13.45	Kryptopterus cryptopterus with ID number 41 in this study	261
Fig. 13.46	Kryptopterus limpok with ID number 42 in this study	262
Fig. 13.47	Pterocryptis furnessi with ID number 43 in this study	262
Fig. 13.48	Silurichthys marmoratus with ID number 44 in this study	262
Fig. 13.49	Clarias sp. (cf. batrachus) with ID number 45 in this study	262
Fig. 13.50	Clarias leiacanthus with ID number 46 in this study	263
Fig. 13.51	Clarias nieuhofii with ID number 47 in this study	263
Fig. 13.52	Clarias planiceps with ID number 48 in this study	263
Fig. 13.53	Pseudolais micronemus with ID number 49 in this study	263
Fig. 13.54	Hemibagrus capitulum with ID number 50 in this study	264
Fig. 13.55	Hemibagrus fortis with ID number 51 in this study	264
Fig. 13.56	Hemibagrus hoevenii with ID number 52 in this study	264
Fig. 13.57	Leiocassis hosii with ID number 53 in this study	264
Fig. 13.58	Pseudomystus sp. with ID number 54 in this study	265
Fig. 13.59	Phenacostethus smithi with ID 55 number in this study	265
Fig. 13.60	Dermogenys collettei with ID number 56 in this study	265
Fig. 13.61	Hemirhamphodon kuekenthali with ID number	
	57 in this study	265
Fig. 13.62	Doryichthys martensii with ID number 58 in this study	
Fig. 13.63	Monopterus javanensis with ID number 59 in this study	266
Fig. 13.64	Macrognathus circumcinctus with ID number	
	60 in this study	266
Fig. 13.65	Macrognathus maculatus with ID number 61 in this study	266
Fig. 13.66	Mastacembelus unicolor with ID number 62 in this study	266
Fig. 13.67	Nandus nebulosus with ID number 63 in this study	267
Fig. 13.68	Pristolepis fasciata with ID number 64 in this study	267
Fig. 13.69	Oreochromis niloticus with ID number 65 in this study	267

xxxii List of Figures

Fig. 13.70	Eleotris melanosoma with ID number 66 in this study	267
Fig. 13.71	Oxyeleotris marmorata with ID number 67 in this study	268
Fig. 13.72	Oxyeleotris urophthalmus with ID number 68 in this study	268
Fig. 13.73	Butis amboinensis with ID number 69 in this study	268
Fig. 13.74	Eugnathogobius siamensis with ID number 70 in this study	268
Fig. 13.75	Pseudogobiopsis oligactis with ID number 71 in this study	269
Fig. 13.76	Stenogobius ingeri with ID number 72 in this study	269
Fig. 13.77	Anabas testudineus with ID number 73 in this study	269
Fig. 13.78	Betta akarensis with ID number 74 in this study	269
Fig. 13.79	Luciocephalus pulcher with ID number 75 in this study	270
Fig. 13.80	Osphronemus goramy with ID number 76 in this study	270
Fig. 13.81	<i>Trichopodus pectoralis</i> with ID number 77 in this study	270
Fig. 13.82	<i>Trichopodus trichopterus</i> with ID number 78 in this study	271
Fig. 13.83	Channa baramensis with ID number 79 in this study	271
Fig. 13.84	Channa lucius with ID number 80 in this study	271
Fig. 13.85	Channa striata with ID number 81 in this study	271
Fig. 13.86	Carinotetraodon lorteti with ID number 82 in this study	271
Fig. 14.1	Location of the study area	280
Fig. 14.2	Locations of the study villages with various landscape	
Ü	types surrounding each village	281
Fig. 14.3	Bearded pig (Sus barbatus)	282
Fig. 14.4	Sambar deer (Rusa unicolor)	282
Fig. 14.5	Barking deer (Muntiacus muntjac and Muntiacus atherodes)	283
Fig. 14.6	Mouse deer (Tragulus napu borneanus and Tragulus kanchil)	283
Fig. 14.7	Village in an area mostly covered with natural forest	285
Fig. 14.8	Secondary forest area or fallow forest after swidden	
	cultivation	286
Fig. 14.9	Area with mixed forest and oil palm plantations	286
Fig. 14.10	Acacia plantation	287
Fig. 14.11	Oil palm plantation	288
Fig. 14.12	Percentage of inhabited bilik in each village,	
	grouped by the surrounding landscape type	289
Fig. 14.13	JI village, where the proportion of inhabited bilik	
	was one of the lowest among the study villages	290
Fig. 14.14	Percentage of households cultivating paddy in each village,	
	grouped by the surrounding landscape type	291
Fig. 14.15	Percentage of households cultivating oil palm in each village,	
	grouped by the surrounding landscape type	292
Fig. 14.16	Percentage of households cultivating rubber in each village,	
	grouped by the surrounding landscape type	293
Fig. 14.17	Percentage of households cultivating pepper in each village,	
	grouped by the surrounding landscape type	294
Fig. 14.18	Number of bearded pigs hunted in the last year	
	with the surrounding landscape type of each village	295