Blackwell's Five-Minute Veterinary Consult Clinical Companion

Small Animal Gastrointestinal Diseases









Jocelyn Mott Jo Ann Morrison



Blackwell's Five-Minute Veterinary Consult

Clinical Companion

Small Animal Gastrointestinal Diseases

Blackwell's Five-Minute Veterinary Consult

Clinical Companion

Small Animal Gastrointestinal Diseases

Edited by

Jocelyn Mott, DVM, DACVIM (SAIM)
Jo Ann Morrison, DVM, MS, DACVIM (SAIM)

This edition first published 2019 © 2019 John Wiley & Sons, Inc.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by law. Advice on how to obtain permission to reuse material from this title is available at http://www.wiley.com/go/permissions.

The right of Jocelyn Mott and Jo Ann Morrison to be identified as the authors of the editorial material in this work has been asserted in accordance with law.

Registered Office

John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, USA

Editorial Office

111 River Street, Hoboken, NJ 07030, USA

For details of our global editorial offices, customer services, and more information about Wiley products visit us at www.wiley.com.

Wiley also publishes its books in a variety of electronic formats and by print-on-demand. Some content that appears in standard print versions of this book may not be available in other formats.

Limit of Liability/Disclaimer of Warranty

While the publisher and authors have used their best efforts in preparing this work, they make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives, written sales materials or promotional statements for this work. The fact that an organization, website, or product is referred to in this work as a citation and/or potential source of further information does not mean that the publisher and authors endorse the information or services the organization, website, or product may provide or recommendations it may make. This work is sold with the understanding that the publisher is not engaged in rendering professional services. The advice and strategies contained herein may not be suitable for your situation. You should consult with a specialist where appropriate. Further, readers should be aware that websites listed in this work may have changed or disappeared between when this work was written and when it is read. Neither the publisher nor authors shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

Library of Congress Cataloging-in-Publication Data

Names: Mott, Jocelyn, editor. | Morrison, Jo Ann, editor.

Title: Blackwell's five-minute veterinary consult clinical companion. Small animal

gastrointestinal diseases / edited by Jocelyn Mott, Jo Ann Morrison.

Other titles: Five-minute veterinary consult clinical companion | Small animal gastrointestinal diseases Description: Hoboken, NJ: Wiley-Blackwell, [2019] | Includes bibliographical references and index. |

Identifiers: LCCN 2018051892 (print) | LCCN 2018052959 (ebook) | ISBN 9781119376330

(Adobe PDF) | ISBN 9781119376323 (ePub) | ISBN 9781119376347 (pbk.)

Subjects: | MESH: Gastrointestinal Diseases-veterinary | Animal Diseases-therapy | Pets | Handbooks

Classification: LCC SF992.G38 (ebook) | LCC SF992.G38 (print) | NLM SF 981 |

DDC 636.089/633-dc23

LC record available at https://lccn.loc.gov/2018051892

Cover design: Wiley

Cover images: © Jocelyn Mott, © Jim Hoskinson

Set in 10/12.5pts Berkeley by SPi Global, Pondicherry, India

10 9 8 7 6 5 4 3 2 1

Contents

	Contributors
Section	Clinical Signs of Gastrointestinal Disease
Chapter 1	Acute Abdomen3 Steven L. Marks
Chapter 2	Constipation and Obstipation
Chapter 3	Diarrhea, Acute
Chapter 4	Diarrhea, Chronic – Canine
Chapter 5	Diarrhea, Chronic – Feline
Chapter 6	Dyschezia and Tenesmus
Chapter 7	Dysphagia
Chapter 8	Flatulence
Chapter 9	Hematemesis
Chapter 10	Hematochezia
Chapter 11	Melena
Chapter 12	Nutritional Approach to Acute Vomiting and Diarrhea
Chapter 13	Ptyalism
Chapter 14	Rectal and Anal Prolapse
Chapter 15	Regurgitation

Chapter 16	Vomiting, Acute
Chapter 17	Vomiting, Chronic
Section II	Diseases of the Oral Cavity
Chapter 18	Craniomandibular Osteopathy
Chapter 19	Feline Eosinophilic Dermatitis
Chapter 20	Oral Neoplasia, Benign
Chapter 21	Oral Neoplasia, Malignant
Chapter 22	Phenobarbital-Responsive Sialadenosis
Chapter 23	Sialadenitis
Chapter 24	Salivary Mucocele
Chapter 25	Stomatitis
Chapter 26	Stomatitis, Caudal – Feline
Section III	Diseases of the Esophagus
Chapter 27	Cricopharyngeal Achalasia
Chapter 28	Gastroesophageal Diverticula
Chapter 29	Esophageal Fistula
Chapter 30	Esophageal Foreign Bodies
Chapter 31	Esophageal Neoplasia209 Marlene L. Hauck
Chapter 32	Esophageal Stricture214 Michael D. Willard
Chapter 33	Esophagitis
Chapter 34	Hiatal Hernia

Chapter 35	Megaesophagus238 Emilie Chaplow
Chapter 36	Nutritional Approach to Gastroesophageal Reflux Disease and Megaesophagus
Chapter 37	Spirocerca lupi
Section IV	Diseases of the Stomach
Chapter 38	Gastric and Intestinal Motility Disorders
Chapter 39	Gastric Dilation-Volvulus266 April Blong
Chapter 40	Gastric Neoplasia, Benign
Chapter 41	Gastric Neoplasia, Malignant
Chapter 42	Gastric Parasites
Chapter 43	Gastritis, Acute289 Romy M. Heilmann
Chapter 44	Gastritis, Atrophic
Chapter 45	Gastritis, Chronic
Chapter 46	Gastroduodenal Ulceration/Erosion
Chapter 47	Gastroesophageal Reflux
Chapter 48	Helicobacter-Associated Gastritis
Chapter 49	Hypertrophic Pyloric Gastropathy, Chronic
Section V	Diseases of the Intestines
Chapter 50	Bilious Vomiting Syndrome
Chapter 51	Canine Parvovirus Infection
Chapter 52	Cobalamin Deficiency345 Jörg M. Steiner

Chapter 53	Cryptosporidiosis
Chapter 54	Diarrhea, Antibiotic Responsive
Chapter 55	Enteritis, Bacterial
Chapter 56	Enterocolitis, Granulomatous
Chapter 57	Feline Viral Enterides
Chapter 58	Food Reactions (Gastrointestinal), Adverse
Chapter 59	Fungal Enteritides389 Jean-Sébastien Palerme
Chapter 60	Gastroenteritis, Eosinophilic
Chapter 61	Gastroenteritis, Hemorrhagic
Chapter 62	Gastroenteritis, Lymphocytic-Plasmacytic
Chapter 63	Gastrointestinal Obstruction
Chapter 64	Gastrointestinal Lymphoma, Canine
Chapter 65	Gastrointestinal Lymphoma, Feline
Chapter 66	Giardiasis
Chapter 67	Gluten-Sensitive Enteropathy in Irish Setters
Chapter 68	Immunoproliferative Enteropathy of Basenjis
Chapter 69	Inflammatory Bowel Disease
Chapter 70	Intestinal Dysbiosis
Chapter 71	Intestinal Neoplasia, Benign
Chapter 72	Intestinal Neoplasia, Malignant

Chapter 73	Intussusception
Chapter 74	Irritable Bowel Syndrome
Chapter 75	Lymphangiectasia
Chapter 76	Nutritional Approach to Chronic Enteropathies
Chapter 77	Parasites, Gastrointestinal506 Jeba Jesudoss Chelladurai and Matt T. Brewer
Chapter 78	Protein-Losing Enteropathy
Chapter 79	Salmon Poisoning Disease
Chapter 80	Short Bowel Syndrome
Section VI	Diseases of the Colon
Chapter 81	Atresia Ani
Chapter 82	Clostridial Enterotoxicosis
Chapter 83	Colitis and Proctitis
Chapter 84	Colitis, Histiocytic Ulcerative
Chapter 85	Colonic Neoplasia, Benign
Chapter 86	Colonic Neoplasia, Malignant564 Marlene L. Hauck
Chapter 87	Fiber-Responsive Large Bowel Diarrhea568 Michael S. Leib
Chapter 88	Megacolon
Chapter 89	Perianal Fistula
Chapter 90	Perineal Hernia588 Fiona M. Little
Chapter 91	Rectal Stricture

Chapter 92	Rectoanal Polyps
Chapter 93	Trichomoniasis
Section VII	Diseases of the Pancreas
Chapter 94	Nutritional Approach to Exocrine Pancreas Disease
Chapter 95	Exocrine Pancreatic Insufficiency
Chapter 96	Pancreatic Abscess
Chapter 97	Pancreatic Neoplasia
Chapter 98	Pancreatic Nodular Hyperplasia
Chapter 99	Pancreatic Parasites
Chapter 100	Pancreatic Pseudocyst
Chapter 101	Pancreatitis, Canine
Chapter 102	Pancreatitis, Feline
Section VIII	Clinical Signs of Hepatobiliary Disease
Chapter 103	Icterus
Chapter 104	Coagulopathy of Liver Disease
Section IX	Diseases of the Liver
Chapter 105	Arteriovenous Malformation of the Liver
Chapter 106	Cholangitis/Cholangiohepatitis Syndrome
Chapter 107	Cholangitis, Destructive

Chapter 108	Cirrhosis and Fibrosis of the Liver
Chapter 109	Copper-Associated Hepatopathy
Chapter 110	Ductal Plate Malformation
Chapter 111	Glycogen Storage Disease
Chapter 112	Glycogen-Type Vacuolar Hepatopathy
Chapter 113	Hepatic Amyloid
Chapter 114	Hepatic Encephalopathy
Chapter 115	Hepatic Failure, Acute755 Yuri A. Lawrence
Chapter 116	Hepatic Lipidosis
Chapter 117	Hepatic Neoplasia, Benign
Chapter 118	Hepatic Neoplasia, Malignant
Chapter 119	Hepatic Nodular Hyperplasia and Dysplastic Hyperplasia
Chapter 120	Hepatitis, Chronic
Chapter 121	Hepatitis, Granulomatous796 Jocelyn Mott
Chapter 122	Hepatitis, Infectious (Viral) Canine
Chapter 123	Hepatitis, Lobular Dissecting807 Jonathan A. Lidbury
Chapter 124	Hepatitis, Nonspecific, Reactive
Chapter 125	Hepatitis, Suppurative and Hepatic Abscess
Chapter 126	Hepatopathy, Hyperthyroidism – Feline
Chapter 127	Hepatopathy, Infectious

Chapter 128	Hepatoportal Microvascular Dysplasia836 Sean P. McDonough and Sharon A. Center
Chapter 129	Hepatotoxins
Chapter 130	Hypertension, Portal
Chapter 131	Leptospirosis
Chapter 132	Nutritional Approach to Hepatobiliary Diseases
Chapter 133	Portosystemic Shunting, Acquired
Chapter 134	Portosystemic Vascular Anomaly, Congenital
Section X	Diseases of the Biliary Tract
Section A	Diseases of the billary fract
Chapter 135	Bile Duct Obstruction (Extrahepatic)
	Bile Duct Obstruction (Extrahepatic)
Chapter 135	Bile Duct Obstruction (Extrahepatic)
Chapter 135 Chapter 136	Bile Duct Obstruction (Extrahepatic)
Chapter 135 Chapter 136 Chapter 137	Bile Duct Obstruction (Extrahepatic)
Chapter 136 Chapter 137 Chapter 138	Bile Duct Obstruction (Extrahepatic)
Chapter 136 Chapter 137 Chapter 138 Chapter 139	Bile Duct Obstruction (Extrahepatic)

Contributors

Karin Allenspach, Dr.med.vet., DECVIM, PhD Department of Veterinary Clinical Sciences College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Larry Baker, DVM, FAVD, DAVDC Northgate Pet Clinic Decatur, Illinois, USA

Jan Bellows, DVM, DAVDC, ABVP All Pet Dental Weston, Florida, USA

April Blong, DVM, DACVECC Lloyd Veterinary Medical Center College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Willem J. Botha, BSc, BVSc (Hons)
Department of Companion Animal Clinical
Studies, Faculty of Veterinary Science
University of Pretoria
Onderstepoort, South Africa

Matt T. Brewer, DVM, PhD, DACVM College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Sharon A. Center, DVM, DACVIM
Department of Clinical Sciences
Cornell University College of Veterinary
Medicine
Ithaca, New York, USA

Emilie Chaplow, VMD, DACVIM VCA Animal Specialty Group Los Angeles, California, USA

Manolis K. Chatzis, DVM, PhD Clinic of Medicine Faculty of Veterinary Medicine University of Thessaly Karditsa, Greece

Ames, Iowa, USA

Jeba Jesudoss Chelladurai, BVSc & AH, MS, DACVM College of Veterinary Medicine Iowa State University

Jessica M. Clemans, DVM, DACVIM VCA MidWest Veterinary Referral & Emergency Center Council Bluffs, Iowa, USA

Craig A. Clifford, DVM, MS, DACVIM (Oncology) Hope Veterinary Specialists Malvern, Pennsyslvania, USA

John M. Crandell, DVM, DACVIM MedVet Akron Akron, Ohio, USA

Michael Curtis, DVM, PhD, DACVA Lloyd Veterinary Medical Center College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Krysta Deitz, DVM, MS, DACVIM

Southeast Veterinary Oncology and Internal Medicine Jacksonville, Florida, USA

Nick Dervisis, DVM, PhD, DACVIM (Oncology)

Department of Small Animal Clinical Sciences

Virginia-Maryland Regional College of Veterinary Medicine Blacksburg, Virginia, USA

Sarah Dodd, DVM, BSc

Ontario Veterinary College University of Guelph Guelph, Ontario, Canada

Peter J. Fernandes, DVM, DACVP

IDEXX Laboratories Irvine, California, USA

Randi Gold, VMD, PhD

Department of Veterinary Pathobiology Texas A&M College of Veterinary Medicine College Station, Texas, USA

Caitlin Grant, DVM, BSc

Ontario Veterinary College University of Guelph Guelph, Ontario, Canada

Kathleen L. Ham, DVM, MS, DACVS-SA

Michigan State University East Lansing, Michigan, USA

Marlene L. Hauck, DVM, PhD, DACVIM (Oncology)

Bear Creek Veterinary Services Victor, Montana, USA

Romy M. Heilmann, med.vet., Dr.med.vet., DACVIM (SAIM), DECVIM-CA, PhD

Small Animal Veterinary Teaching Hospital College of Veterinary Medicine University of Leipzig Leipzig, Germany

Karen Helton-Rhodes, DVM, DACVD Ceffyl Consulting

Edisto Island, South Carolina, USA

Steve Hill, DVM, MS, DACVIM (SAIM)

Veterinary Specialty Hospital by Ethos Veterinary Health San Diego, California, USA

Louisa Ho-Eckart, BVSc Hons, MS, DACVS-SA

Lloyd Veterinary Medical Center College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Kate Holan, DVM, DACVIM

Department of Small Animal Clinical Sciences Veterinary Medical Center Michigan State University East Lansing, Michigan, USA

James Howard, DVM, MS

The Ohio State University Columbus, Ohio, USA

Albert E. Jergens, DVM, PhD, DACVIM

Department of Veterinary Clinical Sciences College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Nina R. Kieves, DVM, DACVS-SA, DACVSMR

The Ohio State University Columbus, Ohio, USA

Yuri A. Lawrence, DVM, MS, MA, PhD, DACVIM (SAIM)

Department of Small Animal Clinical Sciences College of Veterinary Medicine Texas A&M University

College Station, Texas, USA

Michael S. Leib, DVM, MS, DACVIM Virginia Maryland College of Veterinary Medicine Virginia Tech Blacksburg, Virginia, USA

Jonathan A. Lidbury, BVMS, MRCVS, PhD, DACVIM, DECVIM-CA

Department of Small Animal Clinical Sciences College of Veterinary Medicine Texas A&M University College Station, Texas, USA

Fiona M. Little, VMD, DACVS

Pasadena Veterinary Specialists South Pasadena, California, USA

Heidi B. Lobprise, DVM, DAVDC Main Street Veterinary Hospital Haslet, Texas, USA

Jennifer A. Mahoney, DVM, DACVIM (Oncology)

Ryan Veterinary Hospital University of Pennsylvania School of Veterinary Medicine Philadelphia, Pennsylvania, USA

Stanley L. Marks, BVSc, DACVIM (SAIM, Oncology), DACVN, PhD

University of California Davis School of Veterinary Medicine Davis, California, USA

Steven L. Marks, BVSc, MS, MRCVS, DACVIM (SAIM)

North Carolina State University College of Veterinary Medicine Raleigh, North Carolina, USA

Sina Marsilio, Dr.med.vet., DVM, DACVIM (SAIM), DECVIM-CA

Department of Small Animal Clinical Science Texas A&M University College Station, Texas, USA

Philipp D. Mayhew, BVM&S, DACVS

University of California Davis School of Veterinary Medicine Davis, California, USA

Sean P. McDonough, DVM, PhD, DACVP

College of Veterinary Medicine Cornell University Ithaca, New York, USA

Jo Ann Morrison, DVM, MS, DACVIM Banfield Pet Hospital

Vancouver, Washington, USA

Jocelyn Mott, DVM, DACVIM (SAIM)

Pasadena Veterinary Specialists South Pasadena, California, USA

Christine Mullin, VMD, DACVIM (Oncology)

Hope Veterinary Specialists Malvern, Pennsylvania, USA

Mathios E. Mylonakis, DVM, PhD

Companion Animal Clinic School of Veterinary Medicine Aristotle University of Thessaloniki Thessaloniki, Greece

Gavin Olsen, DVM, DACVIM (SAIM)

Carolina Veterinary Specialists Greensboro, North Carolina, USA

Jean-Sébastien Palerme, DVM, MSc, DACVIM

College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Valerie J. Parker, DVM, DACVIM, DACVN

College of Veterinary Medicine The Ohio State University Columbus, Ohio, USA

Kathryn A. Pitt, DVM, MS

College of Veterinary Medicine Michigan State University East Lansing, Michigan, USA

Eric R. Pope, DVM, MS, DACVS

School of Veterinary Medicine Ross University St Kitts, West Indies

Erin Portillo, MS, DVM, DACVIM

Valley Oak Veterinary Center Chico, California, USA

Michelle Pressel, DVM, MS, DACVIM

Pacific Veterinary Specialists + Emergency Service

Santa Cruz, California, USA

Jessica C. Pritchard, VMD, MS, DACVIM (SAIM)

University of Wisconsin-Madison School of Veterinary Medicine Madison, Wisconsin, USA

Alana Redfern, DVM, MSc, DACVIM

Blue Pearl Specialty + Emergency Pet Hospital Long Island City, New York, USA

Johan P. Schoeman, BVSc, MMedVet (Med), PhD, DECVIM

Department of Companion Animal Clinical Studies, Faculty of Veterinary Science University of Pretoria Onderstepoort, South Africa

Rhonda L. Schulman, DVM, DACVIM (SAIM)

Animal Specialty Group Los Angeles, California, USA

Ashleigh Seigneur, DVM, MVSc, DACVIM

South Carolina Veterinary Specialists and Emergency Care Columbia, South Carolina, USA

Jennifer E. Slovak, DVM, MS, DACVIM

Veterinary Clinical Services College of Veterinary Medicine Washington State University Pullman, Washington, USA

Jason W. Soukup, DVM, DAVDC

School of Veterinary Medicine University of Wisconsin-Madison Madison, Wisconsin, USA

Julie Stegeman, DVM, DACVIM (SAIM)

Southern California Veterinary Specialty Hospital

Irvine, California, USA

Jörg M. Steiner, med.vet., Dr.med.vet., PhD, DACVIM, DECVIM-CA, AGAF

Department of Small Animal Clinical Sciences

College of Veterinary Medicine and Biomedical Sciences Texas A&M University

College Station, Texas, USA

Jan S. Suchodolski, Dr.med.vet., PhD, DACVM

Department of Small Animal Clinical Sciences

College of Veterinary Medicine and Biomedical Sciences Texas A&M University College Station, Texas, USA

Steven E. Suter, VMD, MS, PhD, DACVIM (Oncology)

North Carolina State University College of Veterinary Medicine Raleigh, North Carolina, USA

David C. Twedt, DVM, DACVIM (SAIM)

Colorado State University Veterinary Teaching Hospital Fort Collins, Colorado, USA

Laura Van Vertloo, DVM, MS, DACVIM

Department of Veterinary Clinical Sciences College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Adronie Verbrugghe, DVM, PhD, Dip ECVCN

Ontario Veterinary College University of Guelph Guelph, Ontario, Canada

Rebecca A.L. Walton, DVM, DACVECC Lloyd Veterinary Medical Center College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Alexander H. Werner Resnick, VMD, DACVD

Animal Dermatology Center Studio City, California, USA

Michael D. Willard, DVM, MS, DACVIM

College of Veterinary Medicine and Biomedical Sciences Texas A&M University College Station, Texas, USA

Carrie A. Wood, DVM, DACVIM (Oncology)

Tufts University Cummings School of Veterinary Medicine North Grafton, Massachusetts, USA

Panagiotis G. Xenoulis, DVM, Dr.med.vet., PhD

Clinic of Medicine Faculty of Veterinary Medicine University of Thessaly Karditsa, Greece

Vivian K. Yau, DVM, DACVIM (SAIM) Veterinary Specialty Group of Glendora Glendora, California, USA

Eric Zellner, DVM, DACVS-SA Lloyd Veterinary Medical Center College of Veterinary Medicine Iowa State University Ames, Iowa, USA

Amy N. Zide, DVM The Ohio State University Columbus, Ohio, USA

About the Companion Website



This book is accompanied by a companion website:

www.fiveminutevet.com/gastrointestinal

The website includes:

Client education handouts.

Section

Clinical Signs of Gastrointestinal Disease



Acute Abdomen



DEFINITION/OVERVIEW

Acute abdomen is an emergency condition characterized by historical and physical examination findings of a tense, painful abdomen. May be due to a life-threatening condition.



ETIOLOGY/PATHOPHYSIOLOGY

- A patient with abdominal pain has pain associated with distension of an organ, inflammation, traction on the mesentery or peritoneum, or ischemia.
- The abdominal viscera are sparsely innervated, and diffuse involvement is often necessary to elicit pain; nerve endings also exist in the submucosa-muscularis layers of the intestinal wall.
- Any process that causes fluid or gaseous distension (i.e., intestinal obstruction, gastric dilation-volvulus, ileus) may produce pain.
- Inflammation produces abdominal pain by releasing vasoactive substances that directly stimulate nerve endings.
- Many nerves in the peritoneum are sensitive to a diffuse inflammatory response.

Systems Affected

Systems affected may depend on severity of pain and underlying disorder.

- Behavioral trembling, inappetence, vocalizing, lethargy, depression, and abnormal postural changes such as the praying position to achieve comfort.
- Cardiovascular severe inflammation, ischemia, systemic inflammatory response syndrome (SIRS), and sepsis may lead to acute circulatory collapse (shock). In addition, tachycardia or other arrhythmias may affect capillary refill time and mucous membrane color. Pain may lead to arrhythmias on its own.
- Gastrointestinal vomiting, diarrhea, inappetence, generalized functional ileus; pancreatic inflammation, necrosis, and abscesses may lead to cranial abdominal pain, vomiting, and ileus.
- Hepatobiliary jaundice associated with extrahepatic cholestasis from biliary obstruction (including pancreatitis) and bile peritonitis.
- Renal/urologic azotemia can be due to prerenal causes (dehydration, hypovolemia, and shock), renal causes (acute pyelonephritis and acute kidney injury), and postrenal causes (urethral obstruction and uroperitoneum from bladder rupture).
- Respiratory increased respiratory rate due to pain or metabolic disturbances.

Blackwell's Five-Minute Veterinary Consult Clinical Companion: Small Animal Gastrointestinal Diseases, First Edition. Edited by Jocelyn Mott and Jo Ann Morrison.

© 2019 John Wiley & Sons, Inc. Published 2019 by John Wiley & Sons, Inc.

Companion website: www.fiveminutevet.com/gastrointestinal



SIGNALMENT/HISTORY

- Dog and cat.
 - Dogs more commonly but can be challenging to identify abdominal pain in feline patients.
- Younger animals tend to have a higher incidence of trauma-related problems, intussusceptions, and acquired diet- and infection-related diseases; older animals have a greater frequency of malignancies.
- Male cats and dogs are at higher risk for urethral obstruction.
- Male Dalmatians in particular have a higher risk of urethral obstruction because of the high incidence of urate urinary calculi.
- German shepherds with pancreatic atrophy have a higher risk of mesenteric volvulus.
- Patients treated with corticosteroids and nonsteroidal antiinflammatory drugs (NSAIDs) are at higher risk for gastrointestinal (GI) ulceration and perforation.

Risk Factors

- Exposure to NSAIDs or corticosteroid treatment gastric, duodenal, or colonic ulcers.
- Garbage or inappropriate food ingestion pancreatitis or intestinal obstruction.
- Foreign body ingestion intestinal obstructions.
- Abdominal trauma hollow viscus rupture.
- Hernia-intestinal obstruction/strangulation.

Historical Findings

- Trembling, reluctance to move, inappetence, vomiting, diarrhea, vocalizing, and abnormal postures (tucked up or praying position) signs that the owner may notice.
- Question owner carefully to ascertain what system is affected; for example, hematemesis with a history of NSAID treatment suggests GI mucosal disruption.



CLINICAL FEATURES

- Abnormalities include abdominal pain, splinting of the abdominal musculature, gas- or fluid-filled abdominal organs, abdominal mass, ascites, pyrexia or hypothermia, tachycardia, and tachypnea.
- Once abdominal pain is confirmed, attempt to localize the pain to cranial, middle, or caudal abdomen
- Perform a rectal examination to evaluate the colon, pelvic bones, urethra, and prostate, as well as the presence of melena, fresh blood or mucus.
- Rule out extraabdominal causes of pain by careful palpation of the kidneys, sublumbar muscles, and thoracolumbar and lumbar vertebrae.
- Pain associated with intervertebral disk disease often causes referred abdominal guarding and is often mistaken for true abdominal pain. Renal pain can be associated with pyelonephritis.



DIFFERENTIAL DIAGNOSIS

- Renal-associated pain, retroperitoneal pain, spinal or paraspinal pain, and disorders causing
 diffuse muscle pain may mimic abdominal pain; careful history and physical examination
 are essential in pursuing the appropriate problem.
- Parvoviral enteritis can present similarly to intestinal obstructive disease; fecal parvoviral antigen assay and complete blood cell count (leukopenia) are helpful differentiating diagnostic tests.

Gastrointestinal

- Stomach gastritis, ulcers, perforation, foreign bodies, gastric dilation-volvulus.
- Intestine obstruction (foreign bodies, intussusception, hernias), enteritis, ulcers, perforations.
- Rupture after obstruction, ulceration, or blunt or penetrating trauma, or due to tumor growth.
- Vascular compromise from infarction, mesenteric volvulus, or torsion.

Pancreas

- Pain associated with inflammation, abscess, ischemia.
- Pancreatic masses or inflammation obstructing the biliary duct/papilla will cause jaundice.

Hepatic and Biliary System

- Rapid distension of the liver and its capsule can cause pain.
- Gallbladder obstruction, rupture, or necrosis may lead to bile leakage and peritonitis.
- Hepatic abscess.

Spleen

Splenic torsion, splenic masses, splenic thrombus, splenic abscess.

Urinary Tract

- Distension is the main cause of pain in the urinary tract.
- Lower urinary tract obstruction can be due to tumors of the trigone area of the bladder or urethra, urinary calculi, or granulomatous urethritis.
- Traumatic rupture of the ureters or bladder is associated with blunt trauma and increased intraabdominal pressure.
- Urethral tears can be associated with pelvic fractures from acute trauma.
- Free urine in the peritoneal cavity leads to a chemical peritonitis.
- Acute pyelonephritis, acute renal failure, nephroliths, and ureteroliths are uncommon causes of acute abdomen.

Genital Tract

- Prostatitis and prostatic abscess, pyometra; ruptured pyometra or prostatic abscess can cause endotoxemia, sepsis, and cardiovascular collapse.
- Infrequent causes include rupture of the gravid uterus after blunt abdominal trauma, uterine torsion, ovarian tumor or torsion, and intraabdominal testicular torsion (cryptorchid).

Abdominal Wall/Diaphragm

- Umbilical, inguinal, scrotal, abdominal, or peritoneal hernias with strangulated viscera.
- Trauma or congenital defects leading to organ displacement or entrapment in the hernia will lead to abdominal pain if the vascular supply of the organs involved becomes impaired or ischemic.
- Hernias intestinal obstruction/strangulation.



DIAGNOSTICS

Complete Blood Cell Count/Biochemistry/Urinalysis

- Inflammation or infection may be associated with leukocytosis or leukopenia.
- Active inflammation will be characterized by a neutrophilic left shift.
- Anemia may be seen with blood loss associated with GI ulceration.

- Azotemia is associated with prerenal, renal, and postrenal causes.
- Electrolyte abnormalities can help to evaluate GI disease (i.e., hypochloremic metabolic alkalosis with gastric outflow obstruction) and renal disease (i.e., hyperkalemia with acute renal failure or postrenal obstruction).
- Hyperbilirubinemia and elevated hepatic enzymes help localize a problem to the liver or biliary tract. These changes may also be seen when associated with sepsis.
- Urine specific gravity (before fluid therapy) is needed to differentiate prerenal, renal, and postrenal problems.
- Urine sediment may be helpful in acute renal failure, ethylene glycol intoxication, and pyelonephritis.

Other Laboratory Tests

- Venous blood gas analysis including lactate concentration may indicate acid-base abnormalities, and increased lactate may be associated with hypoperfusion.
- Canine and feline pancreatic lipase immunoreactivity can be useful in evaluating pancreatitis.

Imaging

Abdominal Radiography

- May see abdominal masses or changes in shape or shifting of abdominal organs.
- Loss of abdominal detail with abdominal fluid accumulation is an indication for abdominocentesis.
- Free abdominal gas is consistent with a ruptured GI viscus or infection with gas-producing bacteria and is an indication for emergency surgery. Use caution when interpreting radiographs following abdominocentesis with an open needle. Free gas may be introduced with this technique.
- Use caution when evaluating postoperative radiographs; free gas is a normal postoperative finding.
- Ileus is a consistent finding with peritonitis.
- Characterize ileus as functional (due to metabolic or infectious causes) or mechanical (due to obstruction).
- Foreign bodies may be radiopaque.
- Upper GI barium contrast radiographs are useful in evaluating the GI tract, particularly for determination of GI obstruction.
- Loss of contrast and detail in the area of the pancreas can be observed with pancreatic inflammation.

Abdominal Ultrasound

- A sensitive diagnostic tool for the detection of abdominal masses, abdominal fluid, abscesses, cysts, lymphadenopathy, and biliary or urinary calculi.
- FAST (focused assessment with sonography in trauma) may be used for rapid assessment.

Abdominal Computed Tomography (CT)

 Very sensitive diagnostic tool that may be utilized especially when surgeon requires additional information preoperatively.

Diagnostic Procedures

Abdominocentesis/Abdominal Fluid Analysis

 Perform abdominocentesis on all patients presenting with acute abdomen. Using a fourquadrant approach my improve yield. Fluid can often be obtained for diagnostic evaluation even when only a small amount of free abdominal fluid exists, well before detectable radiographic sensitivity. Ultrasound is much more sensitive than radiography for the detection of fluid and can be used to direct abdominocentesis. Abdominal fluid analysis with elevated white blood cell count, degenerate neutrophils, and intracellular bacteria is consistent with septic peritonitis and is an indication for immediate surgery.

- Diagnostic peritoneal lavage can be performed by introducing sterile saline (10–20 mL/kg, warmed to approach body temperature) and performing abdominocentesis.
- Measurement of glucose concentration in abdominal effusion may aid in the diagnosis of septic abdomen.
- Pancreatitis patients may have an abdominal effusion characterized as a nonseptic (sterile) peritonitis.
- Creatinine concentration higher in abdominal fluid than in serum indicates urinary tract leakage.
- Similarly, higher bilirubin concentration in abdominal fluid than in serum indicates bile peritonitis.

Sedation and Abdominal Palpation

Because of abdominal splinting associated with pain, a thorough abdominal palpation is
often not possible without sedation; this is particularly useful for detecting intestinal foreign
bodies that do not appear on survey radiographs.

Exploratory Laparotomy

Surgery may be useful diagnostically (as well as therapeutically) when ultrasonography is not available or when no definitive cause of the acute abdomen has been established with appropriate diagnostics.



THERAPEUTICS

- Inpatient management with supportive care until decision about whether the problem is to be treated medically or surgically. Early intervention with surgery is important when indicated.
- Aggressive therapy and prompt identification of the underlying cause are very important.
- Many causes of acute abdominal pain require emergency surgical intervention.

Drugs of Choice

 Pain medication may be indicated for control of abdominal discomfort and provide some sedation.

Opioids

- Fentanyl: 2–5 μg/kg as initial IV bolus, 2–10 μg/kg/h as constant rate infusion (CRI).
- Hydromorphone: 0.05–0.2 mg/kg SQ, IM, IV q 4–6 h.
- Morphine: 0.5–2 mg/kg SQ, IM, q 4–6 h.
- Buprenorphine: 0.01–0.02 mg/kg SQ, IM, IV q 4–6 h.
- Methadone: 0.1–0.4 mg/kg SQ, IM, IV q 6 h.

Histamine H2 Antagonists

- Reduce gastric acid production.
- Famotidine: 0.1–0.2 mg/kg IV, SQ or IM q 12 h.
- Ranitidine: 2 mg/kg IV q 8 h.

Proton Pump Inhibitor (PPI)

■ Pantoprazole: 0.5–1 mg/kg IV as a CRI over 12–24 h.

Protectants

■ Sucralfate: 0.25–1 g PO q 8 h.

Antiemetics

- Metoclopramide: 0.2–0.4 mg/kg IV q 6–8 h (or 24-hour CRI).
- Maropitant: 1 mg/kg SQ q 24 h dogs, 0.5 mg/kg SQ q 2 4 h cats.
- Ondansetron: 0.5–1 mg/kg IV slowly q 6–12 h.
- Dolasetron: 1 mg/kg IV qd.

Antibiotics

- Antibiotics may be indicated if signs of infection (fever, elevated white blood cell count, positive culture) are seen.
- Broad spectrum for gram positive, gram negative, and anaerobic bacteria.
- Gram stain and cultures prior to treatment if possible.

Precautions/Interactions

- Gentamicin and most NSAIDs can be nephrotoxic and should be used with caution in hypovolemic patients and those with renal impairment.
- Do not use metoclopramide if GI obstruction is suspected.

Appropriate Health Care

- Keep patient NPO if vomiting, until a definitive cause is determined and addressed.
- Intravenous fluid therapy is usually required because of the large fluid loss associated with an acute abdomen; the goal is to restore the normal circulating blood volume.
- If severe circulatory compromise (shock) exists, supplement initially with isotonic crystalloid fluids (90 mL/kg dogs; 45–60 mL/kg cats) over 1–2 h; hypertonic fluids or colloids may also be beneficial.
- Evaluate hydration and electrolytes (with appropriate treatment adjustments) frequently after commencement of treatment.

Nursing Care

 Patients usually require intensive medical care and frequent evaluation of vital signs and laboratory parameters.

Diet

Most patients will be NPO during assessment until a diagnosis can be made. Dietary decisions should be made with consideration of the underlying disease and required therapy. Diets designed for tube feeding may also be required.

Activity

Activity levels will be dictated by underlying disease and required procedures.

Surgical Considerations

- Many different causes of an acute abdomen (with both medical and surgical treatments) exist; make a definitive diagnosis whenever possible prior to surgical intervention.
- This can prevent both potentially unnecessary and expensive surgical procedures and associated morbidity and mortality.
- It will also allow the surgeon to prepare for the task and to educate the owner on the prognosis and costs involved.