# **Springer Theses**Recognizing Outstanding Ph.D. Research

Giuseppe Di Domenico

# Electro-optic Photonic Circuits

From Linear and Nonlinear Waves in Nanodisordered Photorefractive Ferroelectrics



## **Springer Theses**

Recognizing Outstanding Ph.D. Research

#### Aims and Scope

The series "Springer Theses" brings together a selection of the very best Ph.D. theses from around the world and across the physical sciences. Nominated and endorsed by two recognized specialists, each published volume has been selected for its scientific excellence and the high impact of its contents for the pertinent field of research. For greater accessibility to non-specialists, the published versions include an extended introduction, as well as a foreword by the student's supervisor explaining the special relevance of the work for the field. As a whole, the series will provide a valuable resource both for newcomers to the research fields described, and for other scientists seeking detailed background information on special questions. Finally, it provides an accredited documentation of the valuable contributions made by today's younger generation of scientists.

#### Theses are accepted into the series by invited nomination only and must fulfill all of the following criteria

- They must be written in good English.
- The topic should fall within the confines of Chemistry, Physics, Earth Sciences, Engineering and related interdisciplinary fields such as Materials, Nanoscience, Chemical Engineering, Complex Systems and Biophysics.
- The work reported in the thesis must represent a significant scientific advance.
- If the thesis includes previously published material, permission to reproduce this must be gained from the respective copyright holder.
- They must have been examined and passed during the 12 months prior to nomination.
- Each thesis should include a foreword by the supervisor outlining the significance of its content.
- The theses should have a clearly defined structure including an introduction accessible to scientists not expert in that particular field.

More information about this series at http://www.springer.com/series/8790

### Giuseppe Di Domenico

# Electro-optic Photonic Circuits

From Linear and Nonlinear Waves in Nanodisordered Photorefractive Ferroelectrics

Doctoral Thesis accepted by the University of Rome La Sapienza, Rome, Italy



Author
Dr. Giuseppe Di Domenico
School of Electrical Engineering
Tel Aviv University
Tel Aviv, Israel

Supervisor
Prof. Eugenio Del Re
Physics Department
University of Rome La Sapienza
Rome. Italy

ISSN 2190-5053 ISSN 2190-5061 (electronic) Springer Theses ISBN 978-3-030-23188-0 ISBN 978-3-030-23189-7 (eBook) https://doi.org/10.1007/978-3-030-23189-7

#### © Springer Nature Switzerland AG 2019

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, expressed or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland



### Supervisor's Foreword

An electrical circuit can be seen as a family of electric devices that act on flowing current; each device is based on different physical principles and realized in different materials; and all are integrated together on a single board. An optical circuit is exactly that a series of single optical devices pooled together to perform a given operation on propagating light. Giuseppe Di Domenico, in this present treatise, describes his exploration and development of a method to realize generic optical operations integrated and miniaturized inside one single bulk material. The starting point of his journey is a rather intriguing setting, a nanodisordered ferroelectric. While his final achievements, such as the ability to integrate an electro-optic Gaussian-to-Bessel beam converted into a miniscule slot of the, so to say, crystalline motherboard, are inspiring to an applicative eye, it is the journey itself that captures our attention. Choosing a material in an optical research initiative sometimes sets you along a wholly unexpected and adventurous path. This is certainly the case for potassium-lithium-tantalate-niobate and potassium-sodium-tantalateniobate described here. The choice is generally between a well-known material with established industrial pedigree or a newly developed material with still unknown properties, but with the potential to make things work. To achieve a complete optical operation, you require an optical source, detection, guiding, fast modulation and steering, electronic control, polarization control, wavelength selectivity, and nonlinearity, all miniaturized in a full three-dimensional volume, where light has its edge on electronic circuits. Aside from light generation and detection, all the other ingredients are found in nanodisordered ferroelectrics, that is, ferroelectrics achieved by mixing different crystals into a single perovskite structure, a crystal that is actually a solid solution. A particularly enticing material has been developed by Aharon J. Agranat and his group at the Hebrew University of Jerusalem. This is a material that has a room-temperature phase transition and maintains its optical quality, so that it can be used in proximity of its dielectric anomaly at the Curie point. Here, the material manifests electro-holography, electro-optic waveguides, spatial solitons, scale-free optics, giant refraction, huge second-harmonic generation, and a hereto unknown ferroelectric phase, a ferroelectric supercrystal composed of hypervortices. While all these add up to a multifunctional material, a candidate to host generic optical operations, they also lead to a rich playground for the observation and discovery of new phenomena, such as the first observation of the supercrystal phase and the intriguing detection of a nonlinearity able to generate an intrinsic negative mass, that is, a Schroedinger wave equation with a negative mass term not in the delocalized Bloch modes, as occurs for holes in semiconductors, but in the actual localized optical wave.

Rome, Italy June 2019 Prof. Eugenio Del Re

#### **Abstract**

The work presented in this thesis addresses different aspects of three main physical issues belonging to the field of nonlinear optics, quantum optics, and optical microscopy. We analyze how photorefraction can be used to photoinduce a tapered fiber index of refraction patterns in the bulk of nanodisordered crystals, and we observe how these patterns are able to modulate the phase of Gaussian beams converting them to Bessel-Gauss beams, enhancing their depth of field and their ability to self-heal after an obstacle. These properties suggest the use of Bessel beam in microscopy. In our investigations, we proposed and experimentally demonstrated, in turbid media, the idea of using the interference between multiple Bessel beams to generate a light field that is non-diffracting and self-healing, but also localized along the propagation axis. Our study on superimposed Bessel beams reveals how the interference between their side lobes has the overall effect of reducing the amount of energy possessed by the beam outer structures, practically enhancing their localization in the radial direction as well as in the axial. At present, we are studying how to implement these findings in a light sheet microscope to improve optical sectioning. Also described in this thesis are a number of intriguing experiments carried out on disordered ferroelectrics and their giant response, including negative intrinsic mass dynamics, ferroelectric supercrystals, rogue wave dynamics driven by enhanced disorder, and the first evidence of spatial optical turbulence. Lastly, relying on the necessarily reversible nature of the microscopic process, we demonstrate how a single photon is not able to entangle two distant atoms because of conservation laws, clarifying the long-standing debate on the nature of single-photon non-locality and introducing fundamental limitation, in the use of linear optics for quantum technology.

The thesis is organized as follows: In Chap. 1 we present the basic mechanism of photorefractive spatial solitons and the phenomena involved in soliton formation, whereas in Chap. 2 we describe the basic concept of optical microscopy. Chapter 3 is dedicated to the experimental observation of a miniaturized device that can convert a Gaussian beam into a Bessel beam with low response time and using volume integrable techniques. Chapter 4 reports the experimental investigation of a new non-diffracting light-field-generated superposing multiple Bessel Beams, what

x Abstract

we term "light droplet." Further experiments demonstrate that the droplets are self-healing in turbid media, a feature that can potentially allow in vivo imaging of thick specimens in a backscattering microscope configuration. In Chap. 5, we continue the experiments on "light droplets" and Bessel beam superposition by showing how the interference of their side lobe leads to a reduction of the off-axial intensity. In Chap. 6, we discuss theoretically the idea of entangling two distant systems by means of a single particle. Our findings show how, from first principles, quantum mechanics prevents the possibility of entangling the two systems in any useful way. In Chap. 7, the discovery of a spontaneous polarization supercrystals in microstructured samples of potassium-lithium-tantalate-niobate (KLTN) is described. This polarization domain structure is three-dimensional, has a micrometric period, and affects the light propagating through it by spatially separating its polarization components. In Chap. 8, we describe experiments, theory, and numerics that show how anti-diffracting nonlinear waves evolving into an optical potential made by an integrated slab waveguide give rise to the dynamics of a negative mass quantum particle. Chapter 9 reports direct evidence of turbulent transitions in optical wave propagation. The transition occurs as the disordered hosting material passes from being linear to being extremely nonlinear, a regime that unveils the emergence of concomitant rogue waves. The control of these extreme events through spatial incoherence is also experimentally demonstrated.

#### **Preface**

The research contained in this thesis was carried out under the supervision of Eugenio Del Re, in collaboration with Fabrizio Di Mei, Davide Pierangeli, Giuseppe Antonacci, Paolo Di Porto, Salvatore Silvestri, Jacopo Parravicini, and Aharon J. Agranat. The experimental activity has been implemented in the laboratory of the Physics Department of the University of Rome "La Sapienza" (S005-S008, Fermi building) thanks to funding from the FIRB Futuro in Ricerca project grants PHOCOSRBFR08E7VA, the PRIN project 2012BFNWZ2, and Sapienza 2014–2015 Awards projects. The support from the Italian Institute of Technology IIT@Sapienza (Center for Life Nano Science) is also acknowledged.

Tel Aviv, Israel

Dr. Giuseppe Di Domenico

#### **Publications Related to This Thesis**

#### Papers published by the candidate during the three-year Ph.D. course:

Davide Pierangeli, Mario Ferraro, Fabrizio Di Mei, Giuseppe Di Domenico, C.E.M. de Oliveira, Aharon J. Agranat, Eugenio Del Re. *Super-crystals in composite ferroelectrics*. Nat. Comm. **7**, 10674 (2016).

Fabrizio Di Mei, Piergiorgio Caramazza, Davide Pierangeli, Giuseppe Di Domenico, H. Ilan, Aharon J. Agranat, Paolo Di Porto, Eugenio DelRe. *Intrinsic negative mass from nonlinearity*. Phys. Rev. Lett. **116**, 153902 (2016).

Davide Pierangeli, Fabrizio Di Mei, Giuseppe Di Domenico, Aharon J. Agranat, Claudio Conti, Eugenio DelRe. *Turbulent transitions in optical wave propagation*. Phys. Rev. Lett. **117**, 183902 (2016).

Davide Pierangeli, Gabriella Musarra, Fabrizio Di Mei, Giuseppe Di Domenico, Aharon J. Agranat, Claudio Conti, Eugenio DelRe. *Enhancing optical extreme* events through input wave disorder. Phys. Rev. A **94**, 063833 (2016).

Giuseppe Antonacci, Simone De Panfilis Giuseppe Di Domenico, Eugenio DelRe, Giancarlo Ruocco. *Breaking the Contrast Limit in Single-Pass Fabry-Pérot Spectrometers*. Phys. Rev. App. **6**, 054020 (2016).

Giuseppe Antonacci, Giuseppe Di Domenico, Salvatore Silvestri, Eugenio DelRe, Giancarlo Ruocco. *Diffraction-free light droplets for axially-resolved volume imaging*. Sci. Rep. **7**, 17 (2017).

Giuseppe Di Domenico, Jacopo Parravicini, Giuseppe Antonacci, Salvatore Silvestri, Aharon J. Agranat, Eugenio DelRe. *Miniaturized photogenerated electro-optic axicon lens Gaussian-to-Bessel beam conversion*. Appl. Opt. **56**, 2908 (2017).

Mario Ferraro, Davide Pierangeli, Mariano Flammini, Giuseppe Di Domenico, Ludovica Falsi, Fabrizio Di Mei, Aharon J. Agranat, Eugenio DelRe. *Observation of polarization-maintaining light propagation in depoled compositionally disordered ferroelectrics*. Opt. Lett. **42**, 3856 (2017).

Giuseppe Di Domenico, Giancarlo Ruocco, Cristina Colosi, Eugenio DelRe, Giuseppe Antonacci. *Self-suppression of Bessel beam side lobes for high-contrast light sheet microscopy.* Sci. Rep. **8**, 1 (2018).

Mariano Flammini, Giuseppe Di Domenico, Davide Pierangeli, Fabrizio Di Mei, Aharon J. Agranat and Eugenio DelRe. *Observation of Bessel-beam self-trapping*. Phys. Rev. A. **98**, 3 (2018).

#### Papers presented by the candidate at international conferences:

Davide Pierangeli, Mario Ferraro, Fabrizio Di Mei, Giuseppe Di Domenico, C.E.M. de Oliveira, Aharon J. Agranat, Eugenio DelRe. *Spontaneous photonic super-crystals in composite ferroelectrics*. Conference on Lasers and Electro-Optics (CLEO), San Francisco CA, USA (2016).

## Papers prepared by the candidate and currently under review process in journals:

Paolo Di Porto, Giuseppe Di Domenico, Fabrizio Di Mei, Bruno Crosignani, Eugenio DelRe. *Microscopic reversibility and no entanglement produced by a single particle on distant systems*. Submitted to Physical Review Letters.

### Acknowledgements

Many people have helped me in one way or another to write this thesis, and unavoidably there will be a number among them, whose valuable contributions will go unattributed, owing to congenital disorganization and forgetfulness on my part. Let me first express my special thanks (and also apologies) to these people. Apart from them for more specific help and assistance, I can directly express my gratitude.

I would like to express my sincere gratitude to my advisor Prof. Eugenio Del Re for the continuous support he gave me during my Ph.D. study and related research, and for his patience, motivation, and knowledge. His guidance helped me during the researching and writing of my thesis. In addition to our academic collaboration, I greatly value the personal rapport that Eugenio and I have forged over the years. I quite simply cannot imagine a better advisor for my studies.

Besides my advisor, my sincere thanks also go to my fellow labmates Fabrizio Di Mei, Davide Pierangeli, Mariano Flammini, Ludovica Falsi, and Giuseppe Antonacci for their time, for their valuable feedback, for the stimulating discussions, and lastly for all the fun we have had over the last few years.

Finally, my gratitude goes to my family: my parents Luigi and Antonietta and my sisters Elena end Giulia, not merely for their support, but for their continued love and care, and their deep understanding and sensitivity, despite the seemingly endless years of having a son/brother who was mentally only half present.

Of course, no acknowledgments would be complete without acknowledging with tremendous and deep thanks my friends who have helped me make the common life less common.

Thank you.

April 2019

Dr. Giuseppe Di Domenico La Sapienza University

## **Contents**

1	Intr	oduction to Nonlinear Optics in Photorefractive Media
	1.1	The Electro-optic Effect
	1.2	Relaxors
	1.3	Photorefractive Effect
		1.3.1 Band Transport Model
		1.3.2 Space Charge Field
		1.3.3 Electro-optic Response
	1.4	Nonlinear Optical Propagation
	1.5	Photorefractive Soliton
	Refe	erences
2	Intr	oduction to Microscopy
	2.1	Basics Concepts
		2.1.1 Resolution and Resolution Limit
		2.1.2 Contrast
		2.1.3 Noise
	2.2	Optical Transfer Function
	2.3	Super-Resolution
	2.4	Structured Illumination
	2.5	Fluorescence
	2.6	Turbid Media
	Refe	erences
3	Miniaturized Photogenerated Electro-optic Axicon Lens	
	Gau	ssian-to-Bessel Beam Conversion
	3.1	Introduction
	3.2	Theory
	3.3	Experimental
	3.4	Discussion
	Refe	erences