




Second Edition

Equine Hematology, Cytology, and Clinical Chemistry

Edited by

Raquel M. Walton | Rick L. Cowell | Amy C. Valenciano



WILEY Blackwell

Table of Contents

[Cover](#)

[Title Page](#)

[Copyright Page](#)

[Dedication Page](#)

[List of Contributors](#)

[Preface](#)

[1 General Laboratory Medicine](#)

[1.1 Introduction to Laboratory Medicine](#)

[1.2 Preanalytical Factors](#)

[1.3 Basic Hematological Techniques](#)

[1.4 Point-of-Care Testing](#)

[1.5 Test Validation and Reference Values](#)

[References](#)

[2 Equine Hematology](#)

[2.1 CBC Interpretation](#)

[2.2 Blood Film Evaluation](#)

[References](#)

[3 Bone Marrow Evaluation](#)

[3.1 Indications, Technique, and Evaluation of Equine Bone Marrow Cytology](#)

[3.2 Indications](#)

[3.3 Technique for Bone Marrow Collection](#)

[3.4 Bone Marrow Evaluation](#)

[3.5 Case Examples](#)

[References](#)

[4 Immunohematology and Hemostasis](#)

[4.1 Immunohematology Testing](#)

[4.2 Immune-Mediated Hemolytic Anemia](#)

[4.3 Coagulation Testing](#)

[References](#)

[5 The Liver](#)

[5.1 Liver Enzymes](#)

[5.2 Liver Function Tests](#)

[5.3 Hepatic Diseases](#)

[References](#)

[6 The Kidney](#)

[6.1 Laboratory Assessment of the Kidney](#)

[6.2 Urinalysis](#)

[6.3 Laboratory Abnormalities Associated with Different Disease States](#)

[References](#)

[7 Acid-Base and Electrolytes](#)

[7.1 Acid-Base](#)

[7.2 Electrolytes](#)

[References](#)

[8 Proteins](#)

[8.1 Acute-Phase Proteins](#)

[8.2 Albumin](#)

[8.3 Globulin](#)

[8.4 Interpreting Albumin and Globulin Relative to Each Other](#)

[References](#)

[9 Laboratory Assessment of Lipid and Glucose Metabolism](#)

[9.1 Lipids](#)

[9.2 Glucose](#)

[References](#)

[10 Laboratory Markers of Muscle Injury](#)

[10.1 Laboratory Evaluation of Equine Muscle Disorders](#)

[10.2 Equine Muscle Diseases](#)

[10.3 Laboratory Evaluation of Equine Cardiac Muscle Disorders](#)

[10.4 Specific Cardiac Biomarkers in Horses](#)

[10.5 Myocardial Diseases](#)

[References](#)

[11 Endocrine Evaluation](#)

[Abbreviations](#)

[11.1 Pituitary Pars Intermedia Dysfunction \(PPID\)](#)

[11.2 Testing for PPID](#)

[11.3 Testing Thyroid Function in Horses](#)

[11.4 Parathyroid Disease](#)

[References](#)

[12 Cytology of Cutaneous and Subcutaneous Lesions](#)

[12.1 Introduction](#)

[12.2 Collection Techniques](#)

[12.3 Slide Preparation](#)

[12.4 General Evaluation of Cytological Smears](#)

[12.5 Evaluation of Inflammatory Cell Populations](#)

[12.6 Cytological Characteristics of Select Infectious Agents](#)

[12.7 Noninfectious Inflammatory Lesions](#)

[12.8 Round Cell Tumors](#)

[12.9 Epithelial Tumors](#)

[12.10 Mesenchymal Tumors](#)

[12.11 Melanocytic Tumors](#)

[12.12 Evaluation of Fluid-Filled Lesions](#)

[References](#)

[13 Cytology of the Eyes and Associated Structures](#)

[13.1 Introduction](#)

[13.2 Collection of Cytology Samples](#)

[13.3 Cytological and Clinical Findings](#)

[13.4 Conjunctiva](#)

[13.5 Nictitating Membrane](#)

[13.6 Cornea and Sclera](#)

[13.7 Intraocular Structures, Aqueous, and Vitreous Humor](#)

[13.8 Orbital and Retrobulbar Space](#)

[13.9 Nasolacrimal System](#)

[Acknowledgments](#)

[References](#)

[14 Cytology of the Oral and Nasal Cavities, Pharynx, Guttural Pouches, and Paranasal Sinuses](#)

[14.1 Indications for Cytological Examination](#)

[14.2 Examination](#)

[14.3 Sample Collection](#)

[14.4 Sample Preparation](#)

[14.5 Normal Cytological Features](#)

[14.6 Abnormal Cytological Features](#)

[14.7 Nasal Passage and Paranasal Sinus Disease](#)

[14.8 Oral Cavity and Pharyngeal Disease](#)

[14.9 Guttural Pouch Disease](#)

[References](#)

15 Cytology of the Lymph Nodes

15.1 Introduction

15.2 Sample Collection and Preparation

15.3 Lymph Node Cell Types

15.4 Metastatic Cancer Cells

15.5 Cytological Evaluation

15.6 Normal Lymph Nodes

15.7 Lymphoid Hyperplasia

15.8 Lymphadenitis

15.9 Lymphoproliferative Neoplasia (Lymphoma and Plasma Cell)

15.10 Metastatic Neoplasia

15.11 Aspiration of Nonlymphoid Tissue

References

16 Cytology of the Endometrium

16.1 Sample Collection Techniques

16.2 Cytology Processing and Staining

16.3 Evaluation and Interpretation

16.4 Conclusion

References

17 Semen Evaluation

17.1 Semen Collection and Handling

17.2 Macroscopic and Physicochemical Analysis of the Ejaculate

17.3 Routine Microscopic Analysis of Semen

17.4 Preparation of Cool-Stored Semen Doses and Estimation of Sperm Longevity

17.5 Ancillary Techniques for Stallion Sperm Quality Analysis

[17.6 Conclusion](#)

[Acknowledgments](#)

[References](#)

[18 Pleural, Peritoneal, and Synovial Fluid Analysis](#)

[18.1 Pleural and Peritoneal Fluid](#)

[18.2 Synovial Fluid](#)

[References](#)

[19 Cerebrospinal Fluid](#)

[19.1 Formation, Circulation, Absorption, and Function](#)

[19.2 Collection](#)

[19.3 Laboratory Analysis](#)

[19.4 Cytological Examination](#)

[19.5 Cerebrospinal Fluid in Specific Diseases](#)

[References](#)

[20 Cytology of the Respiratory Tract](#)

[20.1 Cytology of the Nasal Cavity and Paranasal Sinuses](#)

[20.2 Cytology of the Lower Respiratory Tract](#)

[References](#)

[Index](#)

[End User License Agreement](#)

List of Tables

Chapter 3

[Table 3.1 Case 1.](#)

[Table 3.2 Case 2.](#)

Chapter 4

[Table 4.1 Internationally recognized horse blood groups, factors, and alleles...](#)

[Table 4.2 Equine blood typing laboratories \(United States\).](#)

[Table 4.3 Cross-matching procedure.](#)

[Table 4.4 Macroscopic agglutination.](#)

[Table 4.5 Coagulation factors, abbreviations, and roles within each hemostasi...](#)

[Table 4.6 Major inhibitors of coagulation and fibrinolysis and their function...](#)

Chapter 5

[Table 5.1 Etiologies of liver disease in horses.](#)

[Table 5.2 Lesions associated with various etiologies of liver disease.](#)

Chapter 6

[Table 6.1 Common laboratory findings associated with different renal diseases...](#)

Chapter 7

[Table 7.1 Uncomplicated acid-base abnormalities and their expected changes.](#)

[Table 7.2 Common causes of sodium and chloride abnormalities in horses.](#)

[Table 7.3 Common causes of potassium abnormalities in horses.](#)

[Table 7.4 Common causes of calcium, magnesium, and phosphorus abnormalities.](#)

Chapter 8

[Table 8.1 Common acute-phase proteins in the horse.](#)

Chapter 9

[Table 9.1 Conditions associated with hyperglycemia.](#)

[Table 9.2 Conditions associated with hypoglycemia.](#)

Chapter 10

[Table 10.1 Equine myopathies.](#)

Chapter 11

[Table 11.1 Concentrations of thyroid hormones in neonatal foals.](#)

[Table 11.2 Range of concentrations of thyroid hormones in mature horses from ...](#)

[Table 11.3 Laboratory findings in parathyroid disorders.](#)

Chapter 12

[Table 12.1 Some conditions suggested by certain proportions of inflammatory c...](#)

Chapter 13

[Table 13.1 Gram staining reactions in bacterial conjunctivitis and keratitis.](#)

Chapter 17

[Table 17.1 Composition of buffered formol saline solution \(1 L of solution\).](#)

[Table 17.2 Classification system for sperm morphological abnormalities, as re...](#)

Chapter 18

[Table 18.1 Classification of pleural and peritoneal effusions.](#)

[Table 18.2 Synovial fluid characteristics.](#)

Chapter 19

[Table 19.1 Reference values for CSF in adult horses.](#)

Chapter 20

[Table 20.1 Reference values \(mean \$\pm\$ SD\) for TW and BAL in asymptomatic horses...](#)

List of Illustrations

Chapter 1

[Figure 1.1 Condensation artifact caused by exposure of unfixed slides to moi...](#)

[Figure 1.2 Evaluation of plasma. From left to right: normal plasma color and...](#)

[Figure 1.3 Schematic representing standard impedance methodology. Blood is d...](#)

[Figure 1.4 Schematic representing the principle of hematological analysis us...](#)

[Figure 1.5 Laser-generated leukocyte differentials from the ProCyte Dx POC h...](#)

[Figure 1.6 Ion selective electrode \(ISE\) methodology. When a sample is in co...](#)

[Figure 1.7 Serial dilutions of high and low concentrations of sorbitol dehyd...](#)

[Figure 1.8 A graph from Idexx Laboratories' VetConnect® platform depicting a...](#)

Chapter 2

[Figure 2.1 Simplified overview of the mechanisms in anemia of inflammation t...](#)

[Figure 2.2 Red blood cell \(RBC\) histograms from the Advia 120 \(Bayer Corpora...](#)

[Figure 2.3 Schematic diagram of bone marrow and blood neutrophil pools. Infl...](#)

[Figure 2.4 Anatomy of a blood smear. The feathered edge and monolayer should...](#)

[Figure 2.5 Comparison of the feathered edge from two different blood smears....](#)

[Figure 2.6 Evaluation of red blood cell density at low magnification \(10×\). ...](#)

[Figure 2.7 Equine blood film showing agglutination \(*arrowheads*\) and prominen...](#)

[Figure 2.8 Equine blood film showing evidence of erythrocyte oxidative damag...](#)

[Figure 2.9 Heinz body hemolytic anemia. \(*Left panel*\) Heinz bodies are eviden...](#)

[Figure 2.10 Spherocytes can be identified as dense, darkly staining erythrocytes...](#)

[Figure 2.11 Echinocytes can range from erythrocytes with symmetrically undul...](#)

[Figure 2.12 Schistocytes \(*small arrow*\), keratocytes \(*arrowheads*\), and acanth...](#)

[Figure 2.13 Equine blood leukocytes \(Wright-Giemsa stain\). \(a\) Mature neutro...](#)

[Figure 2.14 \(a\) Neutrophil band with linear to globular basophilic Döhle bod...](#)

[Figure 2.15 Toxic changes in neutrophils \(Diff-Quik stain\). \(a\) Normal neutr...](#)

[Figure 2.16 Two neutrophils from an Arab foal. Note the fine magenta granula...](#)

[Figure 2.17 Hyposegmented, band-shaped neutrophils with no evidence of toxic...](#)

[Figure 2.18 Two fields from a peripheral blood film from a horse with large ...](#)

Chapter 3

[Figure 3.1 Bone marrow aspirate. \(a\) Many hypercellular particles are shown ...](#)

[Figure 3.2 Bone marrow aspirate. \(a\) While the cellularity of the particles ...](#)

Chapter 4

[Figure 4.1 \(a\) The coagulation cascade model: intrinsic, extrinsic, and comm...](#)

[Figure 4.2 The cell-based model of hemostasis showing initiation, amplificat...](#)

Chapter 5

[Figure 5.1 The cells and the structures they form along with their constitue...](#)

[Figure 5.2 The approximate magnitude and duration of SDH, AST, and GLD incre...](#)

[Figure 5.3 Bilirubin metabolism. Unconjugated bilirubin is released into the...](#)

[Figure 5.4 Liver impression smear showing a hepatocyte containing *Clostridiu...*](#)

Chapter 6

[Figure 6.1 Simplified illustration of the three major functions of the kidney...](#)

[Figure 6.2 Gross evaluation of urine. Equine urine is frequently cloudy as s...](#)

[Figure 6.3 Paradoxical aciduria. In horses with metabolic alkalosis, chlorid...](#)

[Figure 6.4 Sedimented urine from a horse with rhabdomyolysis. Granular casts...](#)

[Figure 6.5 Cast formation in the renal tubules. Tubular epithelial cells, le...](#)

[Figure 6.6 Sedimented urine from a severely dehydrated animal. Cellular cast...](#)

[Figure 6.7 Calcium carbonate crystals. Note the concentric lamellar structur...](#)

Chapter 8

[Figure 8.1 Schema depicting the acute-phase response.](#)

[Figure 8.2 Serum electrophoretogram densitometer tracing from a healthy hors...](#)

Chapter 9

[Figure 9.1 Overview of triglyceride \(TG\) metabolism. TGs are synthesized in ...](#)

[Figure 9.2 Hormone effects on triglyceride \(TG\) metabolism. Insulin inhibits...](#)

[Figure 9.3 Lipemic serum is opaque and white to pink. The pink tinge is comm...](#)

[Figure 9.4 The effects of hormones on glucose metabolism. Insulin promotes n...](#)

[Figure 9.5 Glucose tolerance test. \(a\) Glucose concentration post administra...](#)

[Figure 9.6 Current recommendations for EMS screening.](#)

Chapter 10

[Figure 10.1 Increases in serum CK and AST activities after muscle injury. CK...](#)

[Figure 10.2 Urine sample with myoglobinuria. Unlike hemoglobinuria, a concur...](#)

Chapter 11

[Figure 11.1 \(*Left panel*\) PPID horse showing poor coat shedding. \(*Right pa...*](#)

[Figure 11.2 Schema for PPID diagnosis using the TRH stimulation test measuri...](#)

Chapter 12

[Figure 12.1 Algorithm to aid in evaluation of aspirates containing a prepond...](#)

[Figure 12.2 Nondegenerate neutrophil. Note the tightly clumped, dark-stainin...](#)

[Figure 12.3 A hypersegmented neutrophil \(*arrow*\). Hypersegmentation is an age...](#)

[Figure 12.4 Foamy macrophages from peritoneal fluid. Wright's stain, origina...](#)

[Figure 12.5 Equine eosinophils \(*arrow*\) are characterized by large, round, eo...](#)

[Figure 12.6 Large numbers of equine eosinophils with few red blood cells.](#)

[Figure 12.7 Neutrophils showing hydropic degeneration \(*degenerative neutroph...*](#)

Figure 12.8 Purulent inflammation is characterized by a predominance of neut...

Figure 12.9 A neutrophil containing phagocytized cocci. Wright's stain, orig...

Figure 12.10 Large numbers of variably degenerate neutrophils. Some are fill...

Figure 12.11 Imprint from underside of scab secondary to *Dermatophilus congo...*

Figure 12.12 Numerous small, bipolar bacterial rods are present extracellula...

Figure 12.13 A neutrophil containing phagocytized bacilli. Wright's stain, o...

Figure 12.14 Degenerate neutrophils and bacteria. The long filamentous bacte...

Figure 12.15 Note two large binucleate macrophages filled with phagocytosed ...

Figure 12.16 Few macrophages with intracytoplasmic negative-staining mycobac...

Figure 12.17 Acid-fast stain showing red filamentous mycobacteria.

Figure 12.18 A neutrophil containing numerous *Sporothrix schenckii* organisms...

Figure 12.19 A large macrophage containing numerous *Histoplasma* organisms is...

Figure 12.20 Pyogranulomatous inflammation. A *Blastomyces dermatitidis* organ...

Figure 12.21 *Blastomyces dermatitidis* (arrows) is a bluish, spherical, thick...

Figure 12.22 *Blastomyces dermatitidis* organisms in a macrophage (arrows). Wr...

Figure 12.23 A budding *Blastomyces dermatitidis* organism (arrow). Wright's s...

Figure 12.24 Large cluster of several extracellular, round, heavily encapsul...

Figure 12.25 Many extracellular *Cryptococcus* yeasts. The large capsule appea...

Figure 12.26 *Cryptococcus neoformans* is a spherical, yeast-like organism tha...

Figure 12.27 In the center of the field is a singular, large, round, basophi...

Figure 12.28 Many large, round, blue *Coccidioides* yeast are in the extracell...

Figure 12.29 Large cluster of *Coccidioides* yeast. Note the thin but defined ...

Figure 12.30 *Coccidioides immitis* organisms are large, double-contoured, blu...

Figure 12.31 Scraping from animal with ringworm. Several degenerate neutroph...

Figure 12.32 Numerous fungal hyphae are present. Many macrophages and neutro...

Figure 12.33 The negative image of a nonstaining fungal hyphae can be seen i...

Figure 12.34 Many extracellular and phagocytosed (within macrophages) *Leishm...*

Figure 12.35 Numerous *Leishmania donovani* organisms (arrows). *Leishmania don...*

Figure 12.36 Vaccination reaction. Large numbers of mononuclear inflammatory...

Figure 12.37 Aspirate from an injection site reaction in a gelding. Large ma...

[Figure 12.38 Cytological preparation from area of fat necrosis. Numerous mac...](#)

[Figure 12.39 Cytological preparation from area of fat necrosis. Large multin...](#)

[Figure 12.40 Cutaneous lymphosarcoma. Note large numbers of lymphoblasts. A ...](#)

[Figure 12.41 Lymphoblasts, characterized by a small amount of blue cytoplasm...](#)

[Figure 12.42 Left of center is a round mast cell filled with metachromatic \(...](#)

[Figure 12.43 Two large mast cells and several eosinophils.](#)

[Figure 12.44 Mast cells are recognized by their round to oval nucleus and nu...](#)

[Figure 12.45 Aspirate of a papilloma. Low-power view of large numbers of ind...](#)

[Figure 12.46 Aspirate of a papilloma. Higher power view of koilocytes. There...](#)

[Figure 12.47 Aspirate of a neoplasm of basilar epithelial origin. Note large...](#)

[Figure 12.48 Aspirate of a neoplasm of basilar epithelial origin. Large, com...](#)

[Figure 12.49 Aspirate of a squamous cell carcinoma. Note individualized, ver...](#)

[Figure 12.50 Aspirate of a squamous cell carcinoma. Neoplastic squamous cell...](#)

[Figure 12.51 Aspirate from a squamous cell carcinoma. Several squamous epith...](#)

[Figure 12.52 Aspirate from a sebaceous adenoma. A cluster or acinus of sebac...](#)

Figure 12.53 A cluster of malignant glandular epithelial cells is shown. Not...

Figure 12.54 Aspirate from an apocrine adenoma. Large cluster of cohesive ne...

Figure 12.55 Aspirate from thyroid gland. Note small cluster of thyroid epit...

Figure 12.56 Aspirate of thyroid adenocarcinoma from an aged gelding. The ne...

Figure 12.57 Fibrocytes have long slender nuclei, with long tails of cytopla...

Figure 12.58 Aspirate from a lipoma containing numerous adipocytes which are...

Figure 12.59 Aspirate from a hemangioma shows several spindle-shaped cells. ...

Figure 12.60 Large foamy macrophage with intracytoplasmic golden, hematoidin...

Figure 12.61 Macrophages showing erythrophagocytosis. Wright's stain, origin...

Figure 12.62 Aspirate from a malignant spindle cell tumor. Spindle cells sho...

Figure 12.63 Aspirate from myxosarcoma. Low magnification shows mesenchymal ...

Figure 12.64 Aspirate from myxosarcoma. Higher magnification shows pleomorph...

Figure 12.65 Aspirate from a peripheral nerve sheath tumor. Note large multi...

Figure 12.66 Aspirate from malignant fibrous histiocytoma (giant cell tumor)...

Figure 12.67 Aspirate from melanoma. Neoplastic cells contain abundant amoun...

[Figure 12.68 Aspirate from a malignant melanoma shows several neoplastic cel...](#)

[Figure 12.69 Aspirate from an epidermal cyst. Note abundant blue amorphous d...](#)

[Figure 12.70 Aspirate from an epidermal cyst. A cholesterol crystal is prese...](#)

Chapter 13

[Figure 13.1 \(a\) Environmental plant material found in a corneal scraping can...](#)

[Figure 13.2 \(a\) Collection of cytological samples with the handle of a singl...](#)

[Figure 13.3 \(a\) Subpalpebral lavage systems can cause local cellulitis and o...](#)

[Figure 13.4 Fine needle aspirate sample collected from several small eyelid ...](#)

[Figure 13.5 Fine needle aspirate sample from a chalazion. Many nondegenerate...](#)

[Figure 13.6 Corneal scraping from an adult horse with a history of corneal s...](#)

[Figure 13.7 \(a\) Habronemiasis is characterized by nonhealing, raised, ulcera...](#)

[Figure 13.8 Squamous cell carcinoma. \(a\) SCC affecting the lower eyelid and ...](#)

[Figure 13.9 Equine sarcoid. \(a\) Sarcoids can present as darkly pigmented mas...](#)

[Figure 13.10 Representative images of two separate horses with eyelid swelli...](#)

[Figure 13.11 Melanoma of the eyelid. \(a\) The melanoma shown here is invading...](#)

[Figure 13.12 Periocular mast cell tumor in a horse. \(a\) Low magnification \(2...](#)

[Figure 13.13 Normal conjunctival scrape. \(a\) Superficial epithelial cells \(b...](#)

[Figure 13.14 Septic conjunctivitis. Many degenerate neutrophils with degrade...](#)

[Figure 13.15 Pseudotumor, also known as nodular lymphoid hyperplasia, of the...](#)

[Figure 13.16 Onchocerciasis. \(a\) Onchocercal hypersensitivity reaction in th...](#)

[Figure 13.17 Normal cornea. Scrapings of a normal cornea may reveal only low...](#)

[Figure 13.18 Changes to cornea with chronic inflammation or irritation. \(a,b...](#)

[Figure 13.19 Bacterial keratitis. Numerous short rod-shaped bacteria \(*red ar...*](#)

[Figure 13.20 Fungal keratitis. Fungal infection of the cornea can produce se...](#)

[Figure 13.21 Cytological findings of fungal keratitis. \(a\) Basophilic staini...](#)

[Figure 13.22 Two cases of eosinophilic keratitis. \(a\) Gross image of equine ...](#)

[Figure 13.23 Corneal squamous cell carcinoma. \(a,b\) Temporal and ventral lim...](#)

[Figure 13.24 Intraocular medulloepithelioma in a 9-year-old Tennessee walkin...](#)

Chapter 14

[Figure 14.1 Endoscopic view of the opening of the guttural pouch. A Chambers...](#)

[Figure 14.2 Swab smear from the oral cavity of a normal horse. Squamous epit...](#)

[Figure 14.3 Swab smear from the nasal cavity of a normal horse. Ciliated col...](#)

[Figure 14.4 Goblet cells. Two goblet cells appear as columnar to cuboidal ep...](#)

[Figure 14.5 Swab smear of normal pharyngeal recess. Note cuboidal and column...](#)

[Figure 14.6 Wash sediment from normal guttural pouch. Note cuboidal and colu...](#)

[Figure 14.7 Swab smear from oral cavity. Squamous epithelial cells with comm...](#)

[Figure 14.8 Swab smear from oral cavity. *Simonsiella* spp. is seen alongside ...](#)

[Figure 14.9 Wash from the upper respiratory tract. Vacuolated macrophages ar...](#)

[Figure 14.10 Wash sediment from a horse with guttural pouch irritation. Larg...](#)

[Figure 14.11 Wash sediment from a horse with guttural pouch irritation. Larg...](#)

[Figure 14.12 Smear of exudate from paranasal sinus. Smear contains large num...](#)

[Figure 14.13 Smear of exudate from paranasal sinus. Note large numbers of de...](#)

[Figure 14.14 Smear of exudate from paranasal sinus. Note large multimorphic ...](#)

[Figure 14.15 Smear of exudate from paranasal sinus. Note ruptured cells and ...](#)

[Figure 14.16 Smear from the nasal cavity. Several spherical rhinosporidia ab...](#)

[Figure 14.17 Fine needle aspirate from a cystic lesion. Note large numbers o...](#)

[Figure 14.18 Fine needle aspirate from the oral cavity. Atypical epithelial ...](#)

[Figure 14.19 Smear of exudate from guttural pouch. Large basophilic structur...](#)

Chapter 15

[Figure 15.1 Algorithmic approach to cytological evaluation of lymph node asp...](#)

[Figure 15.2 Reactive lymphoid hyperplasia in a horse. Note small lymphocytes...](#)

[Figure 15.3 Reactive lymphoid hyperplasia in a horse. Mostly small lymphocyt...](#)

[Figure 15.4 Neutrophilic lymphadenitis in a horse: >5 neutrophils/100×. Modi...](#)

[Figure 15.5 Eosinophilic lymphadenitis in a horse. Modified Wright-Giemsa st...](#)

[Figure 15.6 Eosinophilic lymphadenitis in a horse. Modified Wright-Giemsa st...](#)

[Figure 15.7 Macrophagic lymphadenitis with >5 macrophage/100×. Note erythrop...](#)

[Figure 15.8 Mixed lymphadenitis or pyogranulomatous lymphadenitis with numer...](#)

[Figure 15.9 Large cell \(lymphoblastic\) lymphoma with >50% large lymphocytes ...](#)

[Figure 15.10 Large cell \(lymphoblastic\) lymphoma with a homogeneous populati...](#)

[Figure 15.11 Small cell lymphoma consisting of a monomorphic population of s...](#)

[Figure 15.12 Metastatic squamous cell carcinoma involving the submandibular ...](#)

[Figure 15.13 Metastatic squamous cell carcinoma involving the submandibular ...](#)

[Figure 15.14 Malignant melanoma with metastases to the submandibular lymph n...](#)

[Figure 15.15 Aspiration of mostly perinodal adipose tissue with a scant amou...](#)

[Figure 15.16 Aspiration of normal salivary gland tissue in a horse. Note num...](#)

Chapter 16

[Figure 16.1 The Kalayjian single-guarded endometrial swab. Observe the cap i...](#)

[Figure 16.2 The McCullough double-guarded endometrial swab. \(Top\) Appearance...](#)

[Figure 16.3 A cytological brush \(Cytobrush\). The system used to protect the ...](#)

[Figure 16.4 Jackson uterine biopsy forceps without \(left\) and with \(right\) s...](#)

[Figure 16.5 Passing an endometrial culture device through a speculum. This m...](#)

[Figure 16.6 Obtaining a sample via uterine lavage. The fluid is first infuse...](#)

[Figure 16.7 Smearing a sample onto a microscope slide. \(Top left\) Smear made...](#)

[Figure 16.8 Normal uterine epithelial cells \(endometrial cells\). Diff-Quik, ...](#)

[Figure 16.9 Endometrial cells from the same cytology sample as Figure 16.8. ...](#)

[Figure 16.10 \(Right\) Uterine epithelial cells \(endometrial cells\) and \(left\)...](#)

[Figure 16.11 Uterine epithelial cells. Note the endometrial cell in the cent...](#)

[Figure 16.12 A neutrophil observed in a cytological specimen from a mare 12 ...](#)

[Figure 16.13 Positive endometrial cytological sample from a mare. Neutrophil...](#)

[Figure 16.14 A degenerated neutrophil is observed phagocytizing bacteria \(ar...](#)

[Figure 16.15 Neutrophils and macrophage \(arrow\) present in a mare with chron...](#)

[Figure 16.16 The presence of eosinophils in the endometrial cytology of a ma...](#)

[Figure 16.17 Example of poor perineal conformation in the mare that may resu...](#)

[Figure 16.18 Bacteria \(rod-shaped\) observed in a stained smear from a mare u...](#)

[Figure 16.19 Hyphae fungal organisms in a mare suffering fungal endometritis...](#)

Chapter 17

[Figure 17.1 \(a\) Improved Neubauer hemocytometer, with V-shaped indentations ...](#)

[Figure 17.2 SpermaCue \(Minitube, Tiefenbach, Germany\) for spectrophotometric...](#)

[Figure 17.3 Densimeter \("Blue box," Animal Reproduction Systems, Chino, CA\) ...](#)

[Figure 17.4 NucleoCounter SP-100 \(ChemoMetec, Allerød, Denmark\). This fluore...](#)

[Figure 17.5 Morphologically normal stallion spermatozoa, as observed using e...](#)

[Figure 17.6 Stallion spermatozoa as observed under phase-contrast microscopy...](#)

[Figure 17.7 Stallion spermatozoa observed under DIC microscopy. A: Morpholog...](#)

[Figure 17.8 Sperm at the lower right has an abnormal head \(pyriform\), a "pse...](#)

[Figure 17.9 Sperm at the left is morphologically normal \(observe the abaxial...](#)

[Figure 17.10 Spermatozoon on the left has a distal cytoplasmic droplet. Sper...](#)

[Figure 17.11 Stallion spermatozoa as observed under DIC microscopy. A: Morph...](#)

[Figure 17.12 Stallion spermatozoa as observed under DIC microscopy. A: Morph...](#)

[Figure 17.13 Stallion spermatozoa as observed under DIC microscopy. A: Morph...](#)

[Figure 17.14 Stallion spermatozoa as observed under phase-contrast microscop...](#)

[Figure 17.15 Stallion spermatozoa as observed under phase-contrast microscop...](#)

[Figure 17.16 Stallion spermatozoa on phase-contrast microscopy. The presence...](#)

[Figure 17.17 Stallion spermatozoa on phase-contrast microscopy. Observe the ...](#)

[Figure 17.18 Stallion spermatozoa stained using Diff-Quik. The presence of o...](#)

[Figure 17.19 Stallion spermatozoa stained using eosin/nigrosin \(Hancock stai...](#)

[Figure 17.20 Stallion spermatozoa stained with eosin/nigrosin \(Hancock stain...](#)

[Figure 17.21 Stallion spermatozoa stained with eosin/nigrosin \(Hancock stain...](#)

[Figure 17.22 Stallion sperm plasma membrane function as assessed by the hypo...](#)

[Figure 17.23 Frozen-thawed stallion spermatozoa stained using the combinatio...](#)

[Figure 17.24 Flow cytometry scattergram representing the simultaneous assess...](#)

Chapter 18

[Figure 18.1 Calcium carbonate crystals within macrophages in peritoneal fluid...](#)

[Figure 18.2 Glove talc \(starch crystals\) in a sample of peritoneal fluid. Th...](#)

[Figure 18.3 Hemorrhagic pleural effusion. Macrophages contain a globular gre...](#)

[Figure 18.4 Peritoneal fluid with neutrophils containing abundant intracellu...](#)

[Figure 18.5 Degenerate changes in neutrophils from a suppurative pleural eff...](#)

[Figure 18.6 Concentrated preparation of normal peritoneal fluid. Monocytes \(](#)

[Figure 18.7 Concentrated preparation of peritoneal fluid containing microfil...](#)

[Figure 18.8 Eosinophilic peritoneal effusion of unknown etiology. The horse ...](#)

[Figure 18.9 Mesothelial cells in pleural fluid. Mesothelial cells are rare i...](#)

[Figure 18.10 Pleural effusion \(*left panel*\) from a 14-year-old Thoroughbred h...](#)

[Figure 18.11 Peritoneal effusion from a 20-year-old Standardbred horse. The ...](#)

[Figure 18.12 High-magnification view of synovial fluid from a horse with a r...](#)

[Figure 18.13 Low-magnification view of synovial fluid from a horse with an a...](#)

[Figure 18.14 Degenerate neutrophils \(*arrowheads*\) and nondegenerate neutrophi...](#)

[Figure 18.15 High-magnification view of a phagocytic macrophage and a multin...](#)

[Figure 18.16 Macrophages containing golden-green hemosiderin \(*upper left*\) an...](#)

Chapter 19

[Figure 19.1 Macroscopic examination of CSF. Tubes are viewed against a lined...](#)

[Figure 19.2 Microscopic identification of WBCs and RBCs in the hemocytometer...](#)

[Figure 19.3 Mixed inflammatory cell response from a CSF from a foal with hea...](#)

[Figure 19.4 Ependymal or choroid plexus lining cells \(*arrowhead*\) from a touc...](#)

[Figure 19.5 CSF from a foal with septic meningitis. The field shows numerous...](#)

[Figure 19.6 Cytophagia in CSF from a horse with resolving septic meningitis....](#)

[Figure 19.7 Erythrophagia in CSF from a foal with head trauma. Two monocytoi...](#)

Chapter 20

[Figure 20.1 Smear from the paranasal sinus of a horse containing goblet cell...](#)

[Figure 20.2 Squamous and ciliated epithelial cells, goblet cells with cytopl...](#)

[Figure 20.3 Secretion from the paranasal sinus of horse with dental sinusiti...](#)

[Figure 20.4 Cytology of a progressive ethmoidal hematoma containing macropha...](#)

[Figure 20.5 Cytocentrifuged BAL preparation. Ciliated columnar epithelial ce...](#)

[Figure 20.6 Ciliated columnar respiratory epithelial cells with admixed gobl...](#)

[Figure 20.7 Tracheal wash from horse with IAD. Three Curschmann's spirals \(a...](#)

[Figure 20.8 Neutrophils, few macrophages, and a nonciliated columnar epithel...](#)

[Figure 20.9 Transtracheal wash. Squamous epithelial cell with adherent *Simon...*](#)

[Figure 20.10 Small and pleomorphic, *Rhodococcus equi* coccobacilli are presen...](#)

[Figure 20.11 A multinucleated giant cell containing septated, branching fung...](#)

[Figure 20.12 Neutrophils and a foamy macrophage amid a background of blue-gr...](#)

[Figure 20.13 Eosinophils \(*arrowheads*\) and macrophages admixed with few colum...](#)

[Figure 20.14 Cytocentrifuged preparation of BAL fluid from a horse with EIPH...](#)

Figure 20.15 Sediment preparation of BAL fluid from a horse with septic supp...

Equine Hematology, Cytology, and Clinical Chemistry

Edited by

Raquel M. Walton VMD, MS, PhD, DACVP (Clinical Pathology)

Senior Veterinary Clinical Pathologist

IDEXX Laboratories, Inc.

Langhorne, PA, USA

Rick L. Cowell DVM, MS, DACVP (Clinical Pathology)

Retired

Stillwater, OK, USA

Amy C. Valenciano DVM, MS, DACVP (Clinical Pathology)

Senior Veterinary Clinical Pathologist

IDEXX Laboratories, Inc.

Dallas, TX, USA

Second Edition