

Lecture Notes in Mechanical Engineering

Volodymyr Tonkonogyi ·  
Vitalii Ivanov · Justyna Trojanowska ·  
Gennadii Oborskyi ·  
Ivan Pavlenko *Editors*

# Advanced Manufacturing Processes III

Selected Papers from the  
3rd Grabchenko's International  
Conference on Advanced Manufacturing  
Processes (InterPartner-2021),  
September 7–10, 2021, Odessa, Ukraine

 Springer


# Lecture Notes in Mechanical Engineering

## Series Editors

Francisco Cavas-Martínez, Departamento de Estructuras, Universidad Politécnica de Cartagena, Cartagena, Murcia, Spain

Fakher Chaari, National School of Engineers, University of Sfax, Sfax, Tunisia

Francesca di Mare, Institute of Energy Technology, Ruhr-Universität Bochum, Bochum, Nordrhein-Westfalen, Germany

Francesco Gherardini , Dipartimento di Ingegneria, Università di Modena e Reggio Emilia, Modena, Italy

Mohamed Haddar, National School of Engineers of Sfax (ENIS), Sfax, Tunisia

Vitalii Ivanov, Department of Manufacturing Engineering, Machines and Tools, Sumy State University, Sumy, Ukraine

Young W. Kwon, Department of Manufacturing Engineering and Aerospace Engineering, Graduate School of Engineering and Applied Science, Monterey, CA, USA

Justyna Trojanowska, Poznan University of Technology, Poznan, Poland

**Lecture Notes in Mechanical Engineering (LNME)** publishes the latest developments in Mechanical Engineering—quickly, informally and with high quality. Original research reported in proceedings and post-proceedings represents the core of LNME. Volumes published in LNME embrace all aspects, subfields and new challenges of mechanical engineering. Topics in the series include:

- Engineering Design
- Machinery and Machine Elements
- Mechanical Structures and Stress Analysis
- Automotive Engineering
- Engine Technology
- Aerospace Technology and Astronautics
- Nanotechnology and Microengineering
- Control, Robotics, Mechatronics
- MEMS
- Theoretical and Applied Mechanics
- Dynamical Systems, Control
- Fluid Mechanics
- Engineering Thermodynamics, Heat and Mass Transfer
- Manufacturing
- Precision Engineering, Instrumentation, Measurement
- Materials Engineering
- Tribology and Surface Technology

To submit a proposal or request further information, please contact the Springer Editor of your location:

**China:** Ms. Ella Zhang at [ella.zhang@springer.com](mailto:ella.zhang@springer.com)

**India:** Priya Vyas at [priya.vyas@springer.com](mailto:priya.vyas@springer.com)

**Rest of Asia, Australia, New Zealand:** Swati Meherishi at [swati.meherishi@springer.com](mailto:swati.meherishi@springer.com)

**All other countries:** Dr. Leontina Di Cecco at [Leontina.dicecco@springer.com](mailto:Leontina.dicecco@springer.com)

To submit a proposal for a monograph, please check our Springer Tracts in Mechanical Engineering at <http://www.springer.com/series/11693> or contact [Leontina.dicecco@springer.com](mailto:Leontina.dicecco@springer.com)

**Indexed by SCOPUS. All books published in the series are submitted for consideration in Web of Science.**

More information about this series at <http://www.springer.com/series/11236>

Volodymyr Tonkonogyi ·  
Vitalii Ivanov · Justyna Trojanowska ·  
Gennadii Oborskyi · Ivan Pavlenko  
Editors

# Advanced Manufacturing Processes III

Selected Papers from the 3rd Grabchenko's  
International Conference on Advanced  
Manufacturing Processes (InterPartner-2021),  
September 7–10, 2021, Odessa, Ukraine

*Editors*

Volodymyr Tonkonogyi  
Odessa Polytechnic State University  
Odessa, Ukraine

Vitalii Ivanov  
Sumy State University  
Sumy, Ukraine

Justyna Trojanowska  
Poznan University of Technology  
Poznan, Poland

Gennadii Oborskyi  
Odessa Polytechnic State University  
Odessa, Ukraine

Ivan Pavlenko  
Sumy State University  
Sumy, Ukraine

ISSN 2195-4356                      ISSN 2195-4364 (electronic)  
Lecture Notes in Mechanical Engineering  
ISBN 978-3-030-91326-7              ISBN 978-3-030-91327-4 (eBook)  
<https://doi.org/10.1007/978-3-030-91327-4>

© The Editor(s) (if applicable) and The Author(s), under exclusive license  
to Springer Nature Switzerland AG 2022

This work is subject to copyright. All rights are solely and exclusively licensed by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, expressed or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG  
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

# Preface

This volume of Lecture Notes in Mechanical Engineering contains selected papers presented at the 3rd Grabchenko's International Conference on Advanced Manufacturing Processes (InterPartner-2021), held in Odessa, Ukraine, during September 7–10, 2021. The conference was organized by Odessa Polytechnic State University, National Technical University “Kharkiv Polytechnic Institute,” Sumy State University, and International Association for Technological Development and Innovations in partnership with Poznan University of Technology (Poland).

InterPartner Conference Series promotes research and developmental activities, intensifying scientific information interchange between researchers, developers, and engineers.

InterPartner-2021 received 113 contributions from 22 countries around the world. After a thorough peer-review process, the Program Committee accepted 68 papers written by authors from 19 countries. Thank you very much to the authors for their contribution. These papers are published in the present book, achieving an acceptance rate of about 60%.

We want to take this opportunity to thank members of the Program Committee and invited external reviewers for their efforts and expertise in contributing to reviewing, without which it would be impossible to maintain the high standards of peer-reviewed papers.

Thank you very much to keynote speakers from Poland (Slawomir Luscinski) and Ukraine (Sergiy Kovalevskyy, Ivan Pavlenko, Yuri Petrakov, Yuriy Vnukov).

The book “Advanced Manufacturing Processes III” was organized into eight parts according to the main conference topics: Part 1—Design Engineering, Part 2—Manufacturing Technology, Part 3—Machining Processes, Part 4—Advanced Materials, Part 5—Quality Assurance, Part 6—Mechanical Engineering, Part 7—Process Engineering, and Part 8—Engineering Education.

The first part “Design Engineering” includes recent developments in design technologies and calculations. It presents studies in rational choice of gears, optimization of a swing mechanism, and design elements of hydraulic drives. This part also includes energy management strategy in the synthesis of automated control

systems, methods to research loadings on mechanical structures under moving load distribution.

The second part “Manufacturing Technology” includes ways to implement intelligent solutions within the Industry 4.0 strategy. Recent developments in the application of additive manufacturing and genetic algorithms are also presented in this part. Also, this part includes parameter identification of the vibrational state for machines and shape optimization of designs. Finally, the second part includes studies in ensuring vibration reliability of cutting tools, mathematical modeling of a backlash elimination in a clamping device, and ways for evaluating parameters in precise modeling. Finally, recent developments in the lifecycle management of modular machine tools are also presented in this part.

The third part “Machining Processes” consists of studies concerning measuring grinding temperatures, rational designing of diamond grinding wheels, crankshaft manufacturing, and advanced grinding of gears and hardened steels, including temperature modeling. Notably, simulations of an absorber for vibrations during turning and optimization of electrical discharge grinding are also included in this part. Additionally, the third part deals with improving the MQL efficiency in machining stainless steel by adding nanoparticles to the cutting fluid and the impact of turning operations on forming the rolling bearing’s functional surfaces.

The fourth part “Advanced Materials” is devoted to controlling strength properties for mixtures, probabilistic analysis of corrosion fatigue resistance, and improvement of parameters for designs from hydroxyapatite and beta-tricalcium phosphate. Crack resistance parameters of nano-reinforced products, surface strengthening technologies for improved strength characteristics of steel and hard alloys, i.e., under the laser and ultrasonic treatments, are also presented in this part. This part also aims to improve material properties for manufacturing parts, polymer bulk composites’ application, dispersion hardening methods, and low-plastic materials. It also includes a comparative analysis of tribological and functional properties of multilayer coatings obtained by nitriding and titanizing, improvement characteristics of nanosized oxide coatings, and structure optimization of heat-resistant alloys.

The fifth part “Quality Assurance” presents studies on ensuring the quality of thread profiles and surface layers while grinding hard alloys and porous materials. The general approach in the tolerance control for quality assessment, a qualimetric model for assessing the state of the central nervous system, and ways to improve the quality of environmental protection are also included in this part. The fifth part also describes problems and prospects of cryptocurrency development and improved quality control methods for nuclear power plants.

The sixth part “Mechanical Engineering” is based on recent developments in this field of science. It includes studies in the stress state of a workpiece, designing a hydraulic press, improving the integral characteristics for turbomachine nozzles, contact interaction of elements in a hydrovolumetric transmission, and neutralization of the destabilization effect caused by small damping force in a non-conservative system. Mathematical models of particle movement on internal and external curved surfaces are also presented in this part. Finally, the fifth part

includes an advanced method for diagnostics of the rotor–stator contact by spectral analysis of the vibration state for rotor machines.

The seventh part “Process Engineering” presents research studies devoted to oil filtration through a porous medium, the effectiveness of air cooling systems for marine engines, kinematic analysis of an oscillatory system, cleaning of parts using detonating gas mixtures, and optimal composition of high-octane gasoline with biocomponents. Experiments on gas–liquid layer height in a combined contact device, studies in relaxation shock absorbers with mechanical control circuit, and methods for electro-hydraulic activation of water–lime suspension in sugar production are presented in this part. The seventh part also includes improvements in marine engines’ environmental and energy efficiency and approaches for rational loading combined wastes into a heat recovery cooling system.

The eighth part “Engineering Education” aims at recent developments in implementing digital twins in engineering study programs within the Industry 4.0 strategy and ensuring ecological competencies of agricultural engineering students under professional training. Electronic means for developing professional competencies of engineering students are also presented in this part.

The editors appreciate the outstanding contribution of all the authors. We are deeply convinced that the research papers presented in the book will be helpful to scientists, industrial engineers, and highly qualified practitioners worldwide.

We appreciate a reliable partnership with Springer Nature, StrikePlagiarism, and EasyChair for their support during the preparation of InterPartner 2021.

Thank you very much to InterPartner team. Their involvement, devotion, and hard work were crucial to the success of the conference.

InterPartner’s motto is “Science unites people together”.

September 2021

Volodymyr Tonkonogyi  
Vitalii Ivanov  
Justyna Trojanowska  
Gennadii Oborskyi  
Ivan Pavlenko



# Organization

## Honorary Chair

Anatolii Grabchenko

National Technical University “Kharkiv  
Polytechnic Institute,” Ukraine

## General Chair

Volodymyr Tonkonogyi

Odessa Polytechnic State University, Ukraine

## Co-chair

Vitalii Ivanov

Sumy State University, Ukraine

## Steering Committee

Vitalii Ivanov

Sumy State University, Ukraine

Gennadii Oborskyi

Odessa Polytechnic State University, Ukraine

Ievhen Ostroverkh

National Technical University “Kharkiv  
Polytechnic Institute,” Ukraine

Ivan Pavlenko

Sumy State University, Ukraine

Volodymyr Tonkonogyi

Odessa Polytechnic State University, Ukraine

Justyna Trojanowska

Poznan University of Technology, Poland

## Program Committee

Jean-Francois Antoine

University of Lorraine, France

Katarzyna Antosz

Rzeszow University of Technology, Poland

Michal Balog

Technical University of Kosice, Slovak Republic

Yevheniia Basova

National Technical University “Kharkiv  
Polytechnic Institute,” Ukraine

Kristina Berladir	Sumy State University, Ukraine
Cristian Barz	Technical University of Cluj-Napoca, Romania
Ricardo Branco	University of Coimbra, Portugal
Dagmar Caganova	Slovak University of Technology, Slovak Republic
Emilia Campean	Technical University of Cluj-Napoca, Romania
Yelizaveta Chernysh	Sumy State University, Ukraine
Olivian Chiver	Technical University of Cluj-Napoca, Romania
Vasile George Cioata	Polytechnic University of Timisoara, Romania
Olaf Ciszak	Poznan University of Technology, Poland
Nadezda Cubonova	University of Zilina, Slovak Republic
Ivan Cvitic	University of Zagreb, Croatia
Radu Cotetiu	Technical University of Cluj-Napoca, Romania
Predrag Dasic	High Technical Mechanical School of Professional Studies Trstenik, Serbia
Yuliia Denysenko	Sumy State University, Ukraine
Oleksandr Derevianchenko	Odessa Polytechnic State University, Ukraine
Sergey Dobrotvorskiy	National Technical University “Kharkiv Polytechnic Institute,” Ukraine
Kostyantyn Dyadyura	Sumy State University, Ukraine
Mihai Dragomir	Technical University of Cluj-Napoca, Romania
Tygran Dzhuguryan	Maritime University of Szczecin, Poland
Milan Edl	University of West Bohemia, Czech Republic
Sulaymon Eshkabilov	North Dakota State University, USA
Mathieu Gautier	University Lyon, France
Renata Gnatowska	Czestochowa University of Technology, Poland
Marta Grabowska	Poznan University of Technology, Poland
Jakub Grabski	Poznan University of Technology, Poland
Ihor Hrytsay	Lviv Polytechnic National University, Ukraine
Ihor Hurey	Lviv Polytechnic National University, Ukraine
Vitalii Ivanov	Sumy State University, Ukraine
Maryna Ivanova	National Technical University “Kharkiv Polytechnic Institute,” Ukraine
Malgorzata Jasiulewicz-Kaczmarek	Poznan University of Technology, Poland
Lydmila Kalafatova	Donetsk National Technical University, Ukraine
Isak Karabegovic	University of Bihac, Bosnia and Herzegovina
Serhii Khovanskyi	Sumy State University, Ukraine
Lucia Knapcikova	Technical University of Kosice, Slovak Republic
Dmytro Konovalov	Admiral Makarov National University of Shipbuilding, Ukraine
Kateryna Kostyk	National Technical University “Kharkiv Polytechnic Institute,” Ukraine
Jan Krmela	Alexander Dubcek University of Trencin, Slovak Republic

Jaroslav Kusyj	Lviv Polytechnic National University, Ukraine
Maria Lazar	University of Petrosani, Romania
Oleksandr Liaposhchenko	Sumy State University, Ukraine
Vladimir Lebedev	Odessa Polytechnic State University, Ukraine
Slawomir Luszcinski	Kielce University of Technology, Poland
Jose Machado	University of Minho, Portugal
Ildiko Mankova	Technical University of Kosice, Slovak Republic
Angelos Markopoulos	National Technical University of Athens, Greece
Dariusz Mazurkiewicz	Lublin University of Technology, Poland
Mykola Melnychuk	Lutsk National Technical University, Ukraine
Viktor Molnar	University of Miskolc, Hungary
Dmitriy Muzylyov	Kharkiv Petro Vasylenko National Technical University of Agriculture, Ukraine
Arun Nagarajah	University of Duisburg-Essen, Germany
Marek Ochowiak	Poznan University of Technology, Poland
Gennadii Oborskyi	Odessa Polytechnic State University, Ukraine
Daniela Onofrejova	Technical University of Kosice, Slovak Republic
Oleh Onysko	Ivano-Frankivsk National Technical University of Oil and Gas, Ukraine
Vitalii Pasichnyk	National Technical University of Ukraine “Igor Sikorsky Kyiv Polytechnic Institute,” Ukraine
Ivan Pavlenko	Sumy State University, Ukraine
Dragan Perakovic	University of Zagreb, Croatia
Marko Perisa	University of Zagreb, Croatia
Dusan Petkovic	University of Nis, Serbia
Jan Pitel’	Technical University of Kosice, Slovak Republic
Oleksandr Povstyanoy	Lutsk National Technical University, Ukraine
Erwin Rauch	Free University of Bolzano, Italy
Andrii Rogovyi	National Technical University “Kharkiv Polytechnic Institute,” Ukraine
Alessandro Ruggiero	University of Salerno, Italy
Vira Shendryk	Sumy State University, Ukraine
Lesya Shkitsa	Ivano-Frankivsk National Technical University of Oil and Gas, Ukraine
Robert Sika	Poznan University of Technology, Poland
Volodymyr Sokolov	Volodymyr Dahl East Ukrainian National University, Ukraine
Vadym Stupnytskyy	Lviv Polytechnic National University, Ukraine
Marek Szostak	Poznan University of Technology, Poland
Volodymyr Tonkonogyi	Odessa Polytechnic State University, Ukraine
Justyna Trojanowska	Poznan University of Technology, Poland
Nicolae Ungureanu	Technical University of Cluj-Napoca, Romania
Alper Uysal	Yildiz Technical University, Turkey
Iveta Vaskova	Technical University of Kosice, Slovak Republic
Jerzy Winczek	Czestochowa University of Technology, Poland

Oleg Zabolotnyi  
Predrag Zivkovic

Lutsk National Technical University, Ukraine  
University of Nis, Serbia

### **Invited External Reviewers**

Olena Avdieieva	National Technical University “Kharkiv Polytechnic Institute,” Ukraine
Vladimir Bulej	University of Zilina, Slovak Republic
Nikolaos Karkalos	National Technical University of Athens, Greece
Alexey Kotliar	National Technical University “Kharkiv Polytechnic Institute,” Ukraine
Panagiotis Karmiris Obratanski	National Technical University of Athens, Greece
Vitalii Kolesnyk	Sumy State University, Ukraine
Emmanouil Papazoglou	National Technical University of Athens, Greece
Michal Sajgalik	University of Zilina, Slovak Republic
Serhii Sharapov	Sumy State University, Ukraine
Dimitrios Skondras-Giousios	National Technical University of Athens, Greece
Ioan Radu Sugar	Technical University of Cluj-Napoca, Romania
Valentyna Tkachuk	Lutsk National Technical University, Ukraine
Tatiana Volina	National University of Life and Environmental Sciences of Ukraine, Ukraine
Ihor Yakovenko	National Technical University “Kharkiv Polytechnic Institute,” Ukraine
Dmytro Zhyhylii	Sumy State University, Ukraine

### **InterPartner Team**

Anna Balaniuk	Odessa National Polytechnic University, Ukraine
Kristina Berladir	Sumy State University, Ukraine
Vitalii Ivanov	Sumy State University, Ukraine
Oleksandr Liaposhchenko	Sumy State University, Ukraine
Gennadii Oborskyi	Odessa National Polytechnic University, Ukraine
Ievhen Ostroverkh	National Technical University “Kharkiv Polytechnic Institute,” Ukraine
Ivan Pavlenko	Sumy State University, Ukraine
Andrey Pavlyshko	Odessa National Polytechnic University, Ukraine
Volodymyr Tonkonogyi	Odessa National Polytechnic University, Ukraine

# Contents

## Design Engineering

<b>Optimal Choice of Worm Gearing Design with Increased Wear Resistance for Machine’s Rotary Table</b> .....	3
Oleg Krol and Volodymyr Sokolov	

<b>Control Optimization of the Swing Mechanism</b> .....	13
Elena Naidenko, Oleksandr Bondar, Andrii Boiko, Oleksandr Fomin, and Raul Turmanidze	

<b>Manufacturing Error of the Toothed Profile of Rotors for an Orbital Hydraulic Motor</b> .....	22
Anatolii Panchenko, Angela Voloshina, Nataliia Boltianska, Viktor Pashchenko, and Sergii Volkov	

<b>Energy Management Strategy in the Synthesis of an Algorithm for Multi-step Conveyor Belt Speed Control</b> .....	33
Oleh Pihnastyi, Georgii Kozhevnikov, and Maxim Glavchev	

<b>Static Stiffness of the Crane Bridges Under Moving Load Distribution</b> .....	43
Anatoliy Tkachev, Aleksey Tkachev, Dasic Predrag, Ihor Prokopovych, and Maryna Kostina	

<b>Improvement of the Angular Arrangement of Distribution System Windows When Designing Planetary Hydraulic Machines</b> .....	53
Angela Voloshina, Anatolii Panchenko, Oleg Boltyansky, Andrii Zasiadko, and Valentyna Verkholantseva	

## Manufacturing Technology

<b>Packing 3D-Models of Products in Build Space of Additive Manufacturing Machine by Genetic Algorithm</b> .....	67
Yaroslav Garashchenko, Juri Vitiaziev, and Igor Grimzin	

<b>Identification and Technological Impact of Broadband Vibration on the Object</b> . . . . .	78
Sergiy Kovalevskyy and Olena Kovalevska	
<b>Shape Optimization of an Object Using the Information Model</b> . . . . .	88
Oleksii Lopakov, Volodymyr Tigariev, Volodymyr Tonkonogyi, and Volodymyr Kosmachevskiy	
<b>Features of Flexural-Torsional Oscillations of Cantilever Boring Bars for Fine Boring of Deep Holes with Small Diameters</b> . . . . .	98
Alexandr Orgiyan, Gennadii Oborskyi, Vitalii Ivanov, Volodymyr Tonkonogyi, and Anna Balaniuk	
<b>Mathematical Model of a Backlash Elimination in the New Clamping Mechanism</b> . . . . .	109
Borys Prydalnyi	
<b>Modeling Parametric Failures of Woodworking Machines According to the Technological Precision Criterion</b> . . . . .	119
Mariya Pylypchuk, Lidiia Dziuba, Ihor Rebezniuk, Oksana Chmyr, and Mykhailo Burdiak	
<b>Lifecycle Management of Modular Machine Tools</b> . . . . .	127
Ihor Yakovenko, Alexander Permyakov, Maryna Ivanova, Yevheniia Basova, and Dmitry Shepeliev	
<b>Machining Processes</b>	
<b>Methods for Measuring Grinding Temperatures</b> . . . . .	141
Ala Bezpalova, Vladimir Lebedev, Tatiana Chumachenko, Olga Frolenkova, and Nataliya Klymenko	
<b>Rational Characteristics of the Diamond Grinding Wheels</b> . . . . .	151
Vladimir Fedorovich, Ivan Pyzhov, Yevgen Babenko, Yevgeniy Ostroverkh, and Natalia Kozakova	
<b>Model of Milling the Root and Connecting Rod Necks of the Crankshaft for One Manufacturing Process</b> . . . . .	160
Vitaliy Kalchenko, Volodymyr Kalchenko, Nataliia Sira, Yaroslav Kuzhelnyi, and Vasyl Sklyar	
<b>Gear Grinding Stock Alignment in Advance of Grinding</b> . . . . .	170
Vasily Larshin, Natalia Lishchenko, Oleksandr Lysyi, and Sergey Uminsky	
<b>Burns of Tempering While Grinding Hardened Steels</b> . . . . .	180
Vladimir Lebedev, Tatiana Chumachenko, Nataliya Klymenko, and Olga Frolenkova	

<b>Modeling of the Intermittent Grinding Temperature</b> . . . . .	188
Natalia Lishchenko, Vasily Larshin, and Sergey Uminsky	
<b>Simulation of an Absorber of Vibration in Turning</b> . . . . .	199
Yuri Petrakov and Maksim Sikailo	
<b>Determination of the Distance Between Grains During Electrical Discharge Grinding with Changing Polarity of Electrodes</b> . . . . .	209
Roman Strelchuk and Oleksandr Shelkovyi	
<b>Improvement of the MQL Efficiency in Machining Stainless Steel by Adding Nanoparticles to the Cutting Fluid</b> . . . . .	219
Youssef Touggui, Alper Uysal, Uğur Emiroglu, Eshreb Dzhemilov, and Salim Belhadi	
<b>Impact of Turning Operations on the Formation of Rolling Bearing's Functional Surfaces</b> . . . . .	229
Valentyn Zablotskyi, Anatolii Tkachuk, Anatolii Senyshyn, Ivanna Trokhymchuk, and Kostiantyn Svirzhevskyi	
<b>Advanced Materials</b>	
<b>Control of the Strength Properties of Mixtures Based on Chromite Sand</b> . . . . .	241
Tatyana Berlizeva, Olga Ponomarenko, Nataliia Yevtushenko, Igor Grimzin, and Tatiana Lysenko	
<b>Probabilistic Analysis of Corrosion Fatigue Resistance</b> . . . . .	250
Svetlana Bershak, Victor Kurgan, Ihor Sydorenko, Oleksandr Levinskyi, and Yuriy Yeputatov	
<b>Analysis of Permissible Limits for Leachable of Trace Impurities from Bone Substitutes Containing Hydroxyapatite and Beta-Tricalcium Phosphate</b> . . . . .	260
Kostiantyn Dyadyura, Liudmyla Hrebenyk, Tatyana Ivakhniuk, Maria Vyshegorodtseva, and Liudmyla Primova	
<b>Crack Resistance Parameters of Nano-reinforced Rubber Products in Mechanical Engineering</b> . . . . .	272
Aleksandr Gondlyakh, Aleksandr Kolosov, Valeriy Scherbina, Oleksandr Mamchur, and Yaroslav Shilovich	
<b>Surface Strengthening Technology for Hammers of a Four-Die Forging Device</b> . . . . .	282
Tetiana Hovorun, Kristina Berladir, and Oleksandr Gusak	
<b>Ensuring the High Strength Characteristics of the Surface Layers of Steel Products</b> . . . . .	292
Kateryna Kostyk, Viktoriia Kostyk, Oleg Akimov, Kateryna Kamchatna-Stepanova, and Yurii Shyrokyi	

<b>Cladded Ferromagnetic Powders for Magnetic Abrasive Working of Hard Alloys</b> . . . . .	302
Vladimir Lebedev, Svetlana Yakubovskaya, Eshreb Dzhemilov, and Ruslan Dzhemalyadinov	
<b>Comparison of Effects of Laser, Ultrasonic, and Combined Laser-Ultrasonic Hardening Treatments on Surface Properties of AISI 1045 Steel Parts</b> . . . . .	313
Dmytro Lesyk, Walid Alnusirat, Silvia Martinez, Bohdan Mordyuk, and Vitaliy Dzhemelinskyi	
<b>Improvement of Processes for Obtaining Titanium Alloys for Manufacturing Parts with Design Elements</b> . . . . .	323
Viktoriya Pasternak, Oleg Zabolotnyi, Nataliia Ilchuk, Dagmar Cagaňová, and Yurii Hulchuk	
<b>Dispersion Hardening of Nano- and Submicrocrystalline Vacuum Cu-Mo Condensates</b> . . . . .	334
Valentyn Riaboshtan, Anatoly Zubkov, Maria Zhadko, and Tatyana Protasenko	
<b>Polymer Bulk Composites with Strong Noncovalent Interface Interactions</b> . . . . .	343
Denys Savchenko, Eugen Pashchenko, Svitlana Kukharenko, Oksana Kaidash, and Serhii Riabchenko	
<b>Features of Plasticity Diagram Construction for Low-Plastic Materials</b> . . . . .	353
Ihor Shepelenko, Yakiv Nemyrovskyi, Yuri Tsekhanov, Volodimir Mirzak, and Sergii Mahopets	
<b>Comparative Analysis of Tribological and Functional Properties of Multilayer Composite Nanostructured Coatings Based on Nitrides of Cr, Mo, Zr, Nb, and Al</b> . . . . .	363
Alexey Vereschaka and Mars Migranov	
<b>The Structure and Properties of a-C:Ti and a-C:Ti:N Coatings Deposited on a Titanium and Titanium Nitride Sublayer</b> . . . . .	373
Xiaohong Jiang, Dzmitry Piliptsou, Aliaksandr Rogachev, Ekaterina Kulesh, and Yiming Liu	
<b>Improvement of Operating Properties of Heat-Resistant Alloys by the Structure Optimization</b> . . . . .	383
Natalia Zaichuk, Sergii Shymchuk, Anatolii Tkachuk, Yurii Shymchuk, and Karim Kashash Badir	



**Quality Assurance**

**Influence of Working Height of a Thread Profile on Quality Indicators of the Drill-String Tool-Joint . . . . . 395**

Volodymyr Kopei, Oleh Onysko, Vitalii Panchuk, Lolita Pituley, and Iryna Schuliar

**Impact of the Heterogeneous Structure of Magnetic Hard Alloys on the Quality Characteristics of the Surface Layer During Grinding Processing . . . . . 405**

Maksym Kunitsyn, Anatoly Usov, and Yulia Sikirash

**Mathematic Model of the General Approach to Tolerance Control in Quality Assessment . . . . . 415**

Oleksandr Kupriyanov, Roman Trishch, Dimitar Dichev, and Tetiana Bondarenko

**Qualimetric Model for Assessing the State of the Central Nervous System of Animals When Studying the Mechanism of Biological Activity for Mineral Waters . . . . . 424**

Alona Kysylevska, Konstantin Babov, Sergey Gushcha, Ihor Prokopovych, and Tatiana Bezverkhniuk

**Problems and Prospects of Cryptocurrency Development . . . . . 435**

Alexander Masharsky and Ivan Skvortsov

**Improvement of the Quality of the Human Environment by Transporting and Stabilizing Sewage Sludge for Further Processing . . . 445**

Vladyslav Vaysman, Natalia Strunnikova, Olena Chukurna, Vitalii Dobrovolskyi, and Oleg Kassien

**Influence of the Cutting Temperature on the Surface Layer Quality When Grinding Sintered Porous Materials . . . . . 455**

Oleg Zabolotnyi, Tetiana Bozhko, José Machado, Serhii Yarmoliuk, and Olha Zaleta

**Improvement of Quality Control Methods for Filters' Adsorbents in Purification of Gas Emissions of Nuclear Power Plants . . . . . 466**

Sergey Zaitsev, Victor Kishnevsky, Gennadii Oborskyi, Anatoly Tikhomirov, and Valentin Tikhenko

**Mechanical Engineering**

**The Stress State of the Workpiece at the Radius of Matrix Rounding During Drawing, Considering the Bending Moment . . . . . 479**

Roman Arhat, Ruslan Puzyr, Viktor Shchetynin, Roman Levchenko, and Oleksandr Pedun

<b>Hydraulic Press Open Die Forging of 21CrMoV5-7 Steel CCM Roller with Flat Upper and Concave Semi-round Lower Cogging Dies . . . . .</b>	<b>489</b>
Volodymyr Kukhar, Oleg Vasylevskiy, Olha Khliestova, Ivan Berestovoi, and Elena Balalayeva	
<b>Improved Hybrid Methods for Determining the Integral Characteristics of Turbomachine Nozzle Cascades . . . . .</b>	<b>499</b>
Alexandr Lapuzin, Valery Subotovich, Yuriy Yudin, and Olena Avdieieva	
<b>Contact Interaction of a Ball Piston and a Running Track in a Hydrovolumetric Transmission with Intermediate Deformable Surface Layers . . . . .</b>	<b>509</b>
Mykola Tkachuk, Andrey Grabovskiy, Mykola Tkachuk, Iryna Hrechka, and Volodymyr Sierykov	
<b>Diagnostics of the Rotor-Stator Contact by Spectral Analysis of the Vibration State for Rotor Machines . . . . .</b>	<b>521</b>
Ivan Pavlenko, Ievgen Savchenko, Jan Pitel, Vitalii Ivanov, and Anatolii Ruban	
<b>Movement of a Particle on the Inner Surface with a Preset Meridian . . . . .</b>	<b>535</b>
Serhii Pylypaka, Tatiana Volina, Olha Zalevska, Svetlana Semirnenko, and Iryna Hryshchenko	
<b>Neutralization of the Destabilization Effect Caused by Small Damping Force in Non-conservative System . . . . .</b>	<b>546</b>
Volodymyr Puzyrov, Leonardo Acho Zuppa, Gisela Pujol Vazquez, Nina Savchenko, and Nelya Kyrylenko	
<b>Particle Movement on the External Surface of the Cone that Rotates Around the Vertical Axis . . . . .</b>	<b>557</b>
Tatiana Volina, Serhii Pylypaka, Victor Nesvidomin, Iryna Rybenko, and Larysa Sierykh	
<b>Process Engineering</b>	
<b>Theoretical Substantiation of Mathematical Models of Oil Filtration Through a Porous Medium . . . . .</b>	<b>571</b>
Iryna Ablieieva, Leonid Plyatsuk, Oksana Burla, Oleh Chekh, and Alex Enrich-Prast	
<b>Analysis of the Effectiveness of the Thermopressor for Charge Air Cooling of Marine Engines . . . . .</b>	<b>582</b>
Dmytro Konovalov, Mykola Radchenko, Halina Kobalava, Andrii Radchenko, and Oleg Savenkov	
<b>Kinematic Analysis of an Oscillatory System of a Shaking Conveyor-Separator . . . . .</b>	<b>592</b>
Vitaliy Korendiy, Oleksandr Kachur, and Petro Dmyterko	

**Cleaning of Parts with Detonating Gas Mixtures** . . . . . 602  
 Alexey Losev, Igor Bychkov, Anna Selezneva, Vira Shendryk,  
 and Sergii Shendryk

**Optimization of the Composition of High-Octane Gasoline  
 with Bio-Components** . . . . . 613  
 Nina Merezhko, Valentyna Tkachuk, Volodymyr Komakha,  
 Oleksandr Povstyanoy, and Taras Karavaiev

**Experimental Investigation of Gas-Liquid Layer Height  
 in a Combined Contact Device** . . . . . 623  
 Viktor Moiseev, Oleksandr Liaposhchenko, Michal Hatala,  
 Eugenia Manoilo, and Oleg Khukhryanskiy

**Rational Loading on Combined Waste Heat Recovery  
 Cooling System** . . . . . 634  
 Andrii Radchenko, Serhiy Forduy, Serhiy Kantor, Oleksii Zelikov,  
 and Viktor Khaldobin

**Improvement of Environmental and Energy Efficiency of Marine  
 Engines by Utilizing the Ecological Recirculation of Gas Heat  
 in an Absorption Chiller** . . . . . 644  
 Roman Radchenko, Maxim Pyrysunko, Victoria Kornienko,  
 Andrii Andreev, and Artem Hrych

**Relaxation Shock Absorbers with Additional Mechanical Control  
 Circuit** . . . . . 655  
 Ihor Sydorenko, Vladimir Semenyuk, Valeriy Lingur, Liubov Bovnegra,  
 and Kateryna Kirkopulo

**Method of Electrohydraulic Activation of Water-Lime Suspension  
 in Sugar Production** . . . . . 664  
 Volodymyr Vasyliv, Mikhailo Mushtruk, Marija Zheplinska,  
 Roman Mukoid, and Serhii Tkachenko

**Engineering Education**

**Implementation of Digital Twins for Industry 4.0 in the Engineering  
 Study Program** . . . . . 677  
 Peter Arras and Galyna Tabunshchyyk

**The Technology of the Learning Outcomes Test Development** . . . . . 687  
 Petro Luzan, Oleksandr Koshuk, Olena Titova, and Iryna Mosia

**Administrative Fundamentals of Ecological Competence Forming  
 in Agricultural Engineering Students Under Conditions of Their  
 Professional Training** . . . . . 697  
 Viktor Nagayev, Iryna Danchenko, Tetiana Mitiashkina,  
 and Vecheslav Kyrepin

**Electronic Textbooks as Means for Developing Professional Competencies of Engineering Students . . . . . 707**  
Vitalii Svyrydiuk, Petro Luzan, Olha Svyrydiuk, Olena Titova,  
and Oksana Popova

**Author Index . . . . . 717**

# **Design Engineering**



# Optimal Choice of Worm Gearing Design with Increased Wear Resistance for Machine's Rotary Table

Oleg Krol<sup>(✉)</sup>  and Volodymyr Sokolov 

Volodymyr Dahl East Ukrainian National University, 59-a, Central Ave.,  
Severodonetsk 93400, Ukraine  
krol.os@snu.edu.ua

**Abstract.** This work is devoted to the research of circular feed devices for a metal-cutting machine with backlash-free worm gear of increased wear resistance. A spatial model of a rotary table with a gap compensation mechanism as sliding supports in the integrated CAD KOMPAS-3D environment has been developed. A design scheme is proposed, and the efforts required to create a guaranteed hard contact are determined. The effectiveness of the proposed method for compensating the gap due to the worm displacement relative to the wheel is substantiated. The phenomena associated with a decrease in the intensity of wear and arising in the engagement of a worm gear with limitations on rigidity are investigated. A mathematical model of a two-parameter problem of optimizing the wear rate using Lagrange multipliers is formed. The concept of increasing the resource of a mechanical transmission due to the availability of gapless contact between the worm and the wheel is analyzed. The authors conclude that using sliding supports will reduce the time for adjusting machine tools and make the process of manufacturing housing parts more economical. An analytical apparatus for determining the main parameter of the worm gear by the minimum wear criterion is created. The assumption about the rational area of using this design of the backlash-free transmission for the rotary table at low gear ratios and the use of quadric-thread worms is substantiated.

**Keywords:** Worm engagement · Workpiece-turning mechanism · 3D model · Sliding wear · Contact stress

## 1 Introduction

For automated manipulation of workpieces of various sizes and shapes in multi-operational CNC machines, rotary and stepping tables of various designs are used [1]. The widespread use of the multi-operational machine is primarily due to the high concentration of processing at one workplace [2, 3]. In the context of a constant change in the configuration [4] of machined parts and the use of machines of various standard sizes, it is promising to design and manufacture a line of rotary tables equipped with hydromechanical drives [5].

The rotary table has a significant effect on the rigidity of the structure and the positioning error of the machine. Calculation of the balance of the relative compliance

of the machine tool carrier system showed that the workpiece and its elastic connections with the rotary table make up 22% of its total compliance. In this case, loading by the forces of the nodes' weight and the forces arising in the processing zone [6]. Simultaneously, the relative compliance of the rotary table reaches 36%. The elastic connections of the rotary table with the cross table of the machine, on which the workpiece is mounted, are up to 10% under the same loading conditions [7].

In turn, the parameters of rigidity and positioning accuracy of the rotary table are formed mainly by the worm gear. As it is known, increased wear and scoring of worm gears are associated with high rubbing speeds and unfavorable sliding direction relative to the contact line. The intensity of wear also depends on the value of contact stresses, which makes the calculation for worm gears contact stresses the main one, and for bending stresses is performed as a checking one.

The positioning accuracy of the table and the inconsistency of the worm wheel movement is associated with the presence of engagement gaps caused by their wear during operation. The misalignment of the rotations of the worm gear elements causes inaccuracy in the positioning of the machine-forming units. Various design solutions related to the development of a backlash-free worm gear are used in the machine tool industry. The direction of research concerns the modernization of the production technology of worm gear elements and the use of special devices to compensate for the gaps in the worm gear. The problems with these two approaches to the complication of both the manufacturing process and the design of the backlash-free worm gear are related. The influence of such design and technological solutions on the wear resistance and performance of the table and workpiece feed mechanisms requires additional research.

## 2 Literature Review

Several works are devoted to the design and operation of gear mechanisms that implement the table and workpiece feed movement in the process of shaping and positioning on CNC drilling-milling-boring machines.

Work [8] is devoted to using various design options for multi-axis rotary tables with a diameter not exceeding 100 mm. It proposes a design that compensates for the gap in the worm gear ("Anti-Backlash Gears" [9]). Compensation by re-adjusting using adjusting screws to reduce the lateral clearance between the worm and the worm wheel is carried out. The authors of [8] consider an alternative option - a spring-loaded worm gear engagement ("Spring Loaded Gear Mesh"). This option, in particular, in the design of a 5-axis small-sized rotary table in the layout for the vertical machining center of the Haas OM-2 model is used.

The authors of [10] researched the contact surfaces' geometry wheel tooth and proposed a new design solution in the form of a single or double helix to increase the contact length and, consequently, reduce the level of contact stresses.

It should be noted that the contact interaction of the gears and the structural component is also influenced by the technological component associated with the quality of the formation of the gear tooth rear surface. When processing the back surface of the relief tooth by grinding, it is rather complicated to select the cutting

mode. In this regard, the ideas of choosing and optimizing the grinding process presented in [11] are of interest.

The operation of the proposed variant of the gearbox [12] is associated with wear processes [13] and the probability of breakdowns. For analyzing these operational phenomena and prevent possible breakdowns, it is rational to use the method of thermal imaging observation with the Termovision Processing software [14].

In work [15], the problems of CNC machines diagnostics and measurement accuracy using laser interferometric measuring systems are considered. The assessment of various types of errors associated with the main shaping movements is given. A large share of errors associated with the repeatability of dimensions during the operation of machines is shown. The wear degree of the machine tools drive mechanisms is considered one of the error generators [16].

For the dynamic characteristics and their relationship with the wear of the contacting surfaces, the approach proposed in [17] is interesting. The result of wear is uneven engagement (with impacts). For reducing the vibration level during separate and parallel boring and turning tools on a particular processing stand, a mechanism for introducing additional axial vibrations in the feed direction is proposed. In this variant, the possibility of decreasing (with axial vibrations of specific parameters) by 3–4 times the vibrations of the shaping units of the machine is shown experimentally. The consequence of this increases in the resource of the worm gear and the rotary table as a whole.

Questions of geometry, kinematics, and thermal phenomena of worm gears with a cylindrical worm in works [18] The study of contact lines, the curvature of working surfaces, and localization of contact in works were considered [19].

However, these researches related to worm gears with regulated lateral and radial engagement clearances [20]. This article presents the results of a backlash-free worm gear research of increased wear resistance as applied to metal-cutting machines, where synchronization of the worm rotation and the wheel is required, including when reversing.

As [21, 22] stated, one of the leading research goals of mechanical transmissions is developing a three-dimensional working model for studying the geometry for evaluating the ratios of many tooth geometric parameters and visual identification. A method for creating a gearwheel using the composition of the designer's toolkit should include and worm gearing three-dimensional model in the corresponding integrated CAD systems [23]. The performance of the worm gear also depends on the heat dissipation and the removal of wear products from the working area using liquid lubricants. In this regard, an interesting approach is presented in the work [24].

An analysis of the above works showed the directions to improve the performance criteria of the drive mechanisms for the rotary tables of metal cutting machines are associated with creating non-clearance engagement worm transmissions and improving their designs. A large reserve in improvement by searching for the optimal ratio of transmission parameters to maximize the effective operation of machine tools equipment can be achieved.

Based on the analysis of the problem under consideration, to increase the efficiency of machine tools with rotary tables, we formulate the following research goal:



To develop a procedure for finding the optimal design of a worm gear with increased wear resistance for a rotary table of a machine tool by determining the optimal ratio of the engagement parameters of this gear.

For achieving this goal, the following tasks have been proposed:


1. To develop three-dimensional models of the rotary table with the non-clearance engagement of the machine in CAD KOMPAS-3D.
2. Investigate the influence of the input parameters of the worm gear and determine their optimal ratio in terms of the criterion of maximum wear resistance.

### 3 Research Methodology

Let us consider designing a specialized multioperational CNC machine of the second standard size, milling-drilling-boring type based on the MC200PF4 model. The machine for processing complex housing parts by various cutting methods is intended: milling, drilling, countersinking, and reaming.

The rotary controlled table in the form of an independent unit mounted on the machine table in two positions with horizontal and vertical axes, depending on the surface location is made.


In CAD KOMPAS [7], the 3D model of a rotary table, consisting of more than 300 parts, is built (Fig. 1). When building the model, a specialized application “Shafts and mechanical transmissions-3D” embedded into the system was used [7]. The computer-aided design system with applications allows implementation of collective end-to-end 3D-design of products for various purposes [25]. With its help, the whole range of necessary work is carried out from the initial three-dimensional preparation of the idea of a new design of the rotary table and detailed modeling of the final product to the automatic creation of documentation and drawings.



**Fig. 1.** A three-dimensional model of a rotary table with a faceplate: a – general view without housing; b – the cross-section.

Zeroing of the side clearances in the worm gearing is possible by displacing the worm in a direction parallel to the axis of the worm wheel, Fig. 2a; b.

For realizing this attempt, in the rotary table, on the housing of which there is a faceplate with a worm wheel fixed on it (the teeth of which engagement with the worm threads), the possibility of a downward shift in sliding supports is realized (Fig. 2b).



**Fig. 2.** Antibacklash worm gearing: a – 3D model; b – design scheme.

The shift by the number of clearances in engagement and fixation in this position by springs and clamping screws is carried out. In this case, the engagement of the threads of the worm with the teeth of the worm wheel will be backlash-free for any amount of wear of the threads and teeth, as well as during reverse. In this case, both sides of the worm thread will simultaneously contact the surfaces of two adjacent teeth of the worm wheel.

For determining the forces acting on the worm, the situation is considered when (at a specific direction of the circumferential force on the worm  $F_{t1}$ , N), it will tend to return to an unbiased position. The forces of the springs  $F_s$  (N) from the equilibrium condition of the system of forces are calculated and shown in Fig. 2b.

By the condition of the balance of forces:  $2F_s + G = F_{t1}$ :

$$F_s \geq (F_{t1} - G)/2,$$

where  $G$  – the weight of the worm shaft assembly, kg.

After transformations, we get the minimum value of the spring force  $F_s$  (N) required to create a backlash-free engagement:

$$F_s \geq T_2 \cdot \frac{\operatorname{tg}(\gamma + \varphi')}{d_2} - \frac{G}{2} \quad (1)$$

where  $d_2 = m \cdot z_2$  is the pitch diameter of the worm wheel, m;  $\gamma = \operatorname{arctg}(z_1/q)$  – pitch angle of the worm threads, degrees;

$\varphi'$  – the reduced angle of friction in engagement, deg.

$q$  – the coefficient of the worm diameter;

$T_2$  – torque on the wheel shaft, N m.

It should be noted that when deriving relation (1), an approximate version of calculating the efficiency of a worm pair was used:  $\eta \approx \operatorname{tg}\gamma / \operatorname{tg}(\gamma + \varphi')$ .

## 4 Result

The existing standards defining the parameters of the worm gearing for cylindrical worms ZA, Z1, ZN are invariant concerning operating conditions: load mode, and required resource. It means that the choice of the main parameters of the worm gear (WG) is carried out according to uniform recommendations [20].

At the same time, the difference in the service life – long-term or short-term, like the loading  $T_2$  (N·m)  $T_2 = const$  or  $T_2 = var$  in the requirements for dimensions, and thermal conditions, with the same parameter sets, will lead to different results according to the performance criteria of the worm gear.

Optimization of the worm gear design with a cylindrical worm according to the criterion of wear resistance  $J$  is a multivariate task. As the variables to be optimized: the main parameters of the engagement: the number of worms turns  $z_1$ , the number of worm wheel teeth  $z_2$ , and worm diameter factor  $q$  (the quotient of reference diameter to the axial module) are considered.

In this article, the criterion is quantitatively assessed not by its absolute value but in a comparative aspect – with various combinations of parameters  $[z_1, z_2, q]$ . For this reason, a calculation method is adopted here [18], where the wear rate  $J$  (N/s) has a linear dependence on the specific load along the contact line of the working surfaces and the speed of their sliding:

$$J = K \cdot p_n \cdot V_S \quad (2)$$

where  $K = const$  – coefficient of materials wear;  
 $p_n$  – specific load distributed along the contact line, N/mm;  
 $V_S$  – the rubbing speed of the worm thread, m/s.

Expanded expressions for the parameters on the right side of Eq. (2):

$$p_n = F_n / l_\Sigma,$$

where  $l_\Sigma \approx 1,3 \cdot d_1 / \cos\gamma_w$  – minimum total length of contact lines, mm;  
 $F_n = (2 \cdot T_2 / d_2) / (\cos\alpha_n \cdot \cos\gamma_w)$  – normal force in the engagement of the worm threads with the teeth of the worm wheel, N.  
 $V_S = \omega_1 \cdot d_1 / (2 \cdot \cos\gamma_w)$  – rubbing speed of the worm threads, m/s.

We introduce new variables:  $y = q/z_2$  and  $s = q/z_1$ , which will allow the three-parameter function  $J = J(z_1, z_2, q)$  to be replaced by a two-parameter one  $J = J(y, s)$ .

After substituting these ratios into Eq. (2) after accounting for  $a_w = f(z_2, q, T_2)$ , we obtain a calculation formula for the wear rate  $J$ , which will be a two-parameter objective function of optimization by the wear resistance criterion:

$$J(y, s) = C \cdot (1 + y) \cdot \sqrt{1 + s^2}/s, \quad (3)$$

here  $C = \frac{K_H}{2.6 \cdot \cos \alpha_n} \cdot \frac{T_2 \cdot \omega_1}{a_W} = \text{const}$ , since we are considering worm gears of the same dimensions ( $a_W = \text{const}$ ), load level ( $T_2 = \text{const}$ ) and initial kinematics ( $\omega_1 = \text{const}$ ).

Thus, the task is reduced to the fulfillment of the condition:  $J(y, s) = \text{min}$ .

To minimize a function of two variables  $J(y, s)$ , we will use the Lagrange multiplier method to optimize two-parameter functions. The equation of connection  $g = g(y, s) = 0$  between the optimization parameters  $y$  and  $s$  based on the following relationships are obtained:

$$s = q/z_1 = (q/z_1) \cdot (z_2/z_2) = (q/z_2) \cdot (z_2/z_1) = y \cdot u. \quad (4)$$

Whence it follows that:

$$g(y, s) = s - y \cdot u = 0. \quad (5)$$

Lagrange function  $L = L(s, y)$ :  $L = J + \lambda \cdot g$ ,

after substitution in it  $L$  and  $g$  from formulas (3) and (4), takes the form:

$$L = C \cdot (1 + y) \cdot \sqrt{1 + s^2}/s + \lambda \cdot (s - y \cdot u), \quad (6)$$

here  $\lambda$  – the unknown constant of the Lagrange function.

According to the Lagrange method, we compose a system of three equations:

$$\begin{aligned} \partial L / \partial s &= \partial J / \partial s + \lambda \cdot \partial g / \partial s = 0; \\ \partial L / \partial y &= \partial J / \partial y + \lambda \cdot \partial g / \partial y = 0; \\ \partial L / \partial \lambda &= g(y, s) = 0. \end{aligned} \quad (7)$$

In expanded form, system (6) will be written as follows:

$$\begin{aligned} C \cdot (1 + y) \cdot (2 \cdot s - s^2 - 1) / (s^2 \cdot \sqrt{1 + s^2}) + \lambda &= 0; \\ C \cdot \sqrt{1 + s^2} / s - \lambda \cdot u &= 0; \\ s - y \cdot u &= 0. \end{aligned} \quad (8)$$

As a result of solving the system of Eqs. (7), the optimal value of one of the varied parameters was obtained:

$$y = y(u) = -1/(2 - u) + \sqrt{1/(2 - u)^2 + 1/[u \cdot (2 - u)]}, \quad (9)$$

(the second root for  $y$  having a minus sign in front of the root is discarded since, for any gear ratios, it gives deliberately unacceptable values concerning power worm gears).

Another variable parameter –  $s$  is obtained using the constraint Eq. (4)

$$s = s(u) = u \cdot y = u \cdot \left\{ -1/(2 - u) + \sqrt{1/(2 - u)^2 + 1/[u \cdot (2 - u)]} \right\}. \quad (10)$$

The objective function  $J(s)$  graph and graphical dependence of the variable parameter  $y$  on the gear ratio  $u$ :  $y = y(u)$  – formula (9) is shown in Fig. 3. The function  $s = s(u)$  is easy to construct from the obtained values  $y$  using the constraint equation  $s = u \cdot y$  or directly from the formula (10).

For the convenience of calculating values  $y$  at different gear ratios, the graph  $y = y(u)$  (Fig. 3) is approximated by a power law:  $y(u) \approx 1.05 \cdot u^{-0.69}$ , wherein approximation error less than 1%. The numerical values of the parameters according to the criterion of working capacity are systematized in Table 1.




Fig. 3. Objective function: Curve notation.1:  $u = 8$ ; 2:  $u = 20$ ; 3:  $u = 40$ ; 4:  $u = 63$ .

Table 1. Choice of parameters  $y, s, q$ .

$u$	$z_1$	$y$	$s$	$q$
8	4	0.25	2	8
10	4	0.18	1.8	7.1
12.5	4	0.13	1.66	6.3
16	4	0.1	1.55	6.3
20	2	0.07	1.46	No
25	2	0.06	1.4	Standard
31.5	2	0.04	1.34	$q$
40	1	0.03	1.29	No
50	1	0.03	1.25	Standard
63	1	0.02	1.22	$q$

## 5 Conclusion

Thus, the modernized design of the rotary table of metal-cutting machine tools of the boring-milling-boring type using a backlash-free worm gear is proposed. A schematic diagram of a worm gear with a gap compensation mechanism when operating in the form of spring-loaded sliding bearings has been developed.

A three-dimensional model of the assembly rotary table structure of the machine was built using the specialized application “Shafts and mechanical transmissions-3D” in CAD KOMPAS-3D. The efforts required to create a guaranteed hard contact have been determined.

The problem is formulated, and a mathematical model for optimizing the design of the worm gear elements by the criterion of wear resistance is built. The efficiency of representing this problem as a two-parameter task is shown by introducing derivatives of variables and solving it using Lagrange multipliers.

The research of the transmission's main parameters influence on the level of wear resistance was carried out. It is shown that the optimal values of the worm diameter coefficient at which the minimum wear rate is ensured. The condition of sufficient rigidity of the worm shaft is considered as a limitation.

The optimal values of the worm diameter coefficient  $q$  (and hence associated with it  $z_1$  and  $z_2$ ), at which the minimum intensity of wear  $J = \min$  is ensured, have been determined. The minimum is reached for small gear ratios  $u \approx 8 \dots 10$ , which corresponds to worms ( $z_1 = 4$ ).

The development of research in optimizing the worm gearing wear rate assumed in the direction of creating such a backlash-free worm engagement, in which the gap compensation will be carried out by compressing the springs and using sliding bearings of a new design.

## References

1. Brecher, C., Fey, M., Daniels, M.: Modeling of position-, tool- and workpiece-dependent milling machine dynamics. *High Sped Mach.* **2**, 15–25 (2016)
2. Li, J., Song, Y., Liu, Y.: Development of post-processing system for three types of five-axis machine tools based on solid model. In: Proceedings of the ASME 2017 12th International Manufacturing Science and Engineering Conference collocated with the JSME/ASME 2017 6th International Conference on Materials and Processing, vol. 3: Manufacturing Equipment and Systems, Los Angeles, California, USA , pp. 118–132 (2017). <https://doi.org/10.1115/MSEC2017-2665>
3. Krol, O., Sokolov, V.: Parametric modeling of transverse layout for machine tool gearboxes. In: Gapiński, B., Szostak, M., Ivanov, V. (eds.) MANUFACTURING 2019. LNME, pp. 122–130. Springer, Cham (2019). [https://doi.org/10.1007/978-3-030-16943-5\\_11](https://doi.org/10.1007/978-3-030-16943-5_11)
4. Kong, J., Cheng, X.: Modal analysis of CNC lathe's spindle based on finite element. *Adv. Eng. Res.* **148**, 318–321 (2017)
5. Rogovyi, A., Korohodskiy, V., Medvediev, Y.: Influence Bingham fluid Viscosity on energy performances of a vortex chamber pumb. *Energy* **218**, 119432 (2021). <https://doi.org/10.1016/j.energy.2020.119432>
6. Dassanayake, M., Tsutsumi, M.: High performance rotary table for machine tool applications. *Int. J. Autom. Technol.* **1**, 343–347 (2009)
7. Krol, O., Sokolov, V.: 3D modelling of angular spindle's head for machining centre. *J. Phys. Conf. Ser.* **1278**, 012002 (2019). <https://doi.org/10.1088/1742-6596/1278/1/012002>
8. Bass, D., Riedl, R., Slagle, N.: 4th and 5th Axis Rotary Table. Mechanical Engineering Department. Polytechnic State University, San Luis Obispo, California (2016)
9. Mauro, G.: Anti-Backlach Mechanism for a Rotary Stage. US Patent 6,016,716A (1996).