




# **Flow-Induced Vibration Handbook for Nuclear and Process Equipment**

---

Michel J. Pettigrew, Colette E. Taylor  
Nigel J. Fisher



**WILEY**

# Table of Contents

[Cover](#)

[Series Page](#)

[Title Page](#)

[Copyright Page](#)

[Preface](#)

[Acknowledgments](#)

[Contributors](#)

[1 Introduction and Typical Vibration Problems](#)

[1.1 Introduction](#)

[1.2 Some Typical Component Failures](#)

[1.3 Dynamics of Process System Components](#)

[References](#)

[2 Flow-Induced Vibration of Nuclear and Process Equipment: An Overview](#)

[2.1 Introduction](#)

[2.2 Flow Calculations](#)

[2.3 Dynamic Parameters](#)

[2.4 Vibration Excitation Mechanisms](#)

[2.5 Vibration Response Prediction](#)

[2.6 Fretting-Wear Damage Considerations](#)

[2.7 Acceptance Criteria](#)

[References](#)

[3 Flow Considerations](#)

[3.1 Definition of the Problem](#)

[3.2 Nature of the Flow](#)

[3.3 Simplified Flow Calculation](#)

### [3.4 Multi-Dimensional Thermalhydraulic Analysis](#)

#### [Acronyms](#)

#### [Subscripts](#)

#### [References](#)

## [4 Hydrodynamic Mass, Natural Frequencies and Mode Shapes](#)

### [4.1 Introduction](#)

### [4.2 Total Tube Mass](#)

### [4.3 Free Vibration Analysis of Straight Tubes](#)

### [4.4 Basic Theory for Curved Tubes](#)

### [4.5 Free Vibration Analysis of U-Tubes](#)

### [4.6 Concluding Remarks](#)

#### [References](#)

## [5 Damping of Cylindrical Structures in Single-Phase Fluids](#)

### [5.1 Introduction](#)

### [5.2 Energy Dissipation Mechanisms](#)

### [5.3 Approach](#)

### [5.4 Damping in Gases](#)

### [5.5 Design Recommendations for Damping in Gases](#)

### [5.6 Damping in Liquids](#)

### [5.7 Discussion](#)

### [5.8 Design Recommendations for Damping in Liquids](#)

#### [Nomenclature](#)

#### [Subscript](#)

#### [References](#)

## [6 Damping of Cylindrical Structures in Two-Phase Flow](#)

### [6.1 Introduction](#)

[6.2 Sources of Information](#)

[6.3 Approach](#)

[6.4 Two-Phase Flow Conditions](#)

[6.5 Parametric Dependence Study](#)

[6.6 Development of Design Guidelines](#)

[6.7 Discussion](#)

[6.8 Summary Remarks](#)

[References](#)

## [7 Fluidelastic Instability of Tube Bundles in Single-Phase Flow](#)

[7.1 Introduction](#)

[7.2 Nature of Fluidelastic Instability](#)

[7.3 Fluidelastic Instability: Analytical Modelling](#)

[7.4 Fluidelastic Instability: Semi-Empirical Models](#)

[7.5 Approach](#)

[7.6 Important Definitions](#)

[7.7 Parametric Dependence Study](#)

[7.8 Development of Design Guidelines](#)

[7.9 In-Plane Fluidelastic Instability](#)

[7.10 Axial Flow Fluidelastic Instability](#)

[7.11 Concluding Remarks](#)

[References](#)

## [8 Fluidelastic Instability of Tube Bundles in Two-Phase Flow](#)

[8.1 Introduction](#)

[8.2 Previous Research](#)

[8.3 Fluidelastic Instability Mechanisms in Two-Phase Cross Flow](#)

[8.4 Fluidelastic Instability Experiments in Air-Water Cross Flow](#)

[8.5 Analysis of the Fluidelastic Instability Results](#)

[8.6 Tube Bundle Vibration in Two-Phase Freon Cross Flow](#)

[8.7 Freon Test Results and Discussion](#)

[8.8 Fluidelastic Instability of U-Tubes in Air-Water Cross Flow](#)

[8.9 In-Plane \(In-Flow\) Fluidelastic Instability](#)

[8.10 Design Recommendations](#)

[8.11 Fluidelastic Instability in Two-Phase Axial Flow](#)

[8.12 Concluding Remarks](#)

[References](#)

[9 Random Turbulence Excitation in Single-Phase Flow](#)

[9.1 Introduction](#)

[9.2 Theoretical Background](#)

[9.3 Literature Search](#)

[9.4 Approach Taken](#)

[9.5 Discussion of Parameters](#)

[9.6 Design Guidelines](#)

[9.7 Random Turbulence Excitation in Axial Flow](#)

[References](#)

[10 Random Turbulence Excitation Forces Due to Two-Phase Flow](#)

[10.1 Introduction](#)

[10.2 Background](#)

[10.3 Approach Taken to Data Reduction](#)

[10.4 Scaling Factor for Frequency](#)

[10.5 Scaling Factor for Power Spectral Density](#)

[10.6 Dimensionless Power Spectral Density](#)

[10.7 Upper Bounds for Two-Phase Cross Flow Dimensionless Spectra](#)

[10.8 Axial Flow Random Turbulence Excitation](#)

[10.9 Conclusions](#)

[References](#)

[11 Periodic Wake Shedding and Acoustic Resonance](#)

[11.1 Introduction](#)

[11.2 Periodic Wake Shedding](#)

[11.3 Acoustic Resonance](#)

[11.4 Conclusions and Recommendations](#)

[References](#)

[12 Assessment of Fretting-Wear Damage in Nuclear and Process Equipment](#)

[12.1 Introduction](#)

[12.2 Dynamic Characteristics of Nuclear Structures and Process Equipment](#)

[12.3 Fretting-Wear Damage Prediction](#)

[12.4 Work-Rate Relationships](#)

[12.5 Experimental Verification](#)

[12.6 Comparison to Time-Domain Approach](#)

[12.7 Practical Applications: Examples](#)

[12.8 Concluding Remarks](#)

[References](#)

[13 Fretting-Wear Damage Coefficients](#)

[13.1 Introduction](#)

[13.2 Fretting-Wear Damage Mechanisms](#)

[13.3 Experimental Considerations](#)

[13.4 Fretting Wear of Zirconium Alloys](#)

[13.5 Fretting Wear of Heat Exchanger Materials](#)

[13.6 Summary and Recommendations](#)

[References](#)

[Appendix A: Component Analysis](#)

[A.1 Introduction](#)

[A.2 Analysis of a Process Heat Exchanger](#)

[A.3 Analysis of a Nuclear Steam Generator U-Bend](#)

[Subject Index](#)

[End User License Agreement](#)

## List of Tables

### Chapter 3

[Table 3-1 Physical Properties of Freon-22, Freon-134a, Air-Water, and Steam...](#)

[Table 3-2 Example 3-3 - Shell-Side Process Conditions and Geometry.](#)

[Table 3-3 Example 3-3 - Path Lengths and Flow Areas.](#)

[Table 3-4 Example 3-3 - Tube Bundle and Device Form Loss Factors.](#)

[Table 3-5 Example 3-3 - Results.](#)

### Chapter 4

[Table 4-1 Schematic Representation of Eigenvalue Matrix Elements for Four Sp...](#)

### Chapter 5

[Table 5-1 Damping in Tube-to-Tubesheet Joints \(Pettigrew et al, 1986a\).](#)

[Table 5-2 Sample Database Page on Heat Exchanger Tube Damping in Liquids \(Mo...](#)

## Chapter 6

[Table 6-1 Sample Page of Two-Phase Damping Database.](#)

[Table 6-2 Experimental Conditions of Test Configurations.](#)

## Chapter 7

[Table 7-1 Typical Fluidelastic Instability Models and Suggested Design Guide...](#)

[Table 7-2 Summary of References and Tube Bundle Geometries \(Pettigrew and Ta...](#)

[Table 7-3 Database on Fluidelastic Instability of Tube Bundles in Single-Pha...](#)

[Table 7-4 Summary of In-Plane Instability Results \(Mureithi et al, 2005\).](#)

## Chapter 8

[Table 8-1 Physical Properties of Freon-22, Freon-134a, Air-Water and Steam-W...](#)

[Table 8-2 Summary of Test Conditions and Results for Early Air-Water Experim...](#)

[Table 8-3 Summary of Test Conditions and Results for Damping in Rigid Bundle...](#)

[Table 8-4 Summary of Test Conditions and FEI Results from Other Researchers ...](#)

[Table 8-5 Summary of Freon Test Conditions and Results.](#)

[Table 8-6 Summary of Air-Water Test Conditions and Results \(Violette, 2005\).](#)

## Chapter 9

[Table 9-1 Modal Factor \( \$a\_1\$ \) and Mode Shape \( \$\phi\_1\$   
 \$\_{max}\$ \)<sup>2</sup> Constants for Mode...](#)

[Table 9-2 Summary of Bundle Geometries.](#)

## Chapter 10

[Table 10-1 Tube Bundle Geometries from CENS and  
CRL.](#)

## Chapter 11

[Table 11-1 Liquid Periodic Force Coefficients  
\(Pettigrew and Gorman, 1978\).](#)

[Table 11-2 Dynamic Lift Coefficients for Tube  
Bundles.](#)

[Table 11-3 Single and Two-Phase Periodic Wake  
Shedding: Dynamic Coefficients...](#)

[Table 11-4 Two-Phase Flow Periodic-Wake-Shedding  
Lift Forces in Tube Array T...](#)

[Table 11-5 Two-Phase Flow Periodic Wake Shedding  
Lift Forces in Tube Array T...](#)

## Chapter 13

[Table 13-1 Ko's Short-Term Relative Fretting-Wear  
Data \(Ko, 1984\).](#)

[Table 13-2 Short-Term Fretting-Wear Data for  
Incoloy 800 Tubing and Type 410...](#)

# List of Illustrations

## Chapter 1

[Fig. 1-1 Tube-to-Tube Fretting Wear in the U-Bend  
Region of an Early Nuclear...](#)

[Fig. 1-2 Tube-to-Support Fretting Wear: Note Hole Through Tube Wall \(Pettigrew and Camp...](#)

[Fig. 1-3 Fretting Wear in the Inlet Region of a Liquid Process Heat Exchanger...](#)

[Fig. 1-4 Fretting Wear Through Tube Wall at a Lacing Strip Location in a Pro...](#)

[Fig. 1-5 Fretting Wear of Process Heat Exchanger: Repair \(Pettigrew and Camp...](#)

[Fig. 1-6 Fatigue Failure of a Titanium Tube in a Nuclear Power Plant Condens...](#)

[Fig. 1-7 Tube-to-Tube Fretting Wear in a Power Plant Condenser.](#)

[Fig. 1-8 Fretting Wear of a Gas Heat Exchanger Tube at a Baffle Edge Locatio...](#)

[Fig. 1-9 Fretting-Wear Damage on Nuclear Fuel \(Hot Cell Examination\)\\_\(Pettig...](#)

[Fig. 1-10 Schematic Drawing of CANDU-PHW<sup>®</sup> Reactor \(Pettigrew, 1978 / wi...](#)

[Fig. 1-11 a\) Control Absorber Guide Tube Vibration due to Jetting, b\) Modifi...](#)

[Fig. 1-12 Multi-Span Heat Exchanger Tube with N Spans and N-1 Clearance Supp...](#)

## Chapter 2

[Fig. 2-1 Flow-Path Approach.](#)

[Fig. 2-2 Thermalhydraulic Analysis: Axial Grid Layout for a Typical Steam Ge...](#)

[Fig. 2-3 Flow Velocity Vectors in the Central Plane of a Typical Steam Gener...](#)

[Fig. 2-4 Gap Cross-Flow Distribution Along a Typical Condenser Tube.](#)

[Fig. 2-5 Flow Pattern Map for Two-Phase Flow Across Cylinder Arrays Using Fl...](#)

[Fig. 2-6 Hydrodynamic Mass in Two-Phase Cross Flow: Comparison Between Theor...](#)

[Fig. 2-7 Viscous Damping Data for a Cylinder in Unconfined and Confined Liqu...](#)

[Fig. 2-8 Damping Data for Multi-Span Heat Exchanger Tubes in Water.](#)

[Fig. 2-9 Comparison Between Tube Support Damping Model \(Squeeze-Film and Fri...](#)

[Fig. 2-10 Comparison Between Proposed Design Guideline and Available Damping...](#)

[Fig. 2-11 Summary of Fluidelastic Instability Data for Single-Phase Cross Fl...](#)

[Fig. 2-12 Fluidelastic Instability Data in Two-Phase Cross Flow.](#)

[Fig. 2-13 Effect of P/D on Fluidelastic Instability Constant in Two-Phase Cr...](#)

[Fig. 2-14 Proposed Guideline for Single-Phase Random Excitation Forces \(Refe...](#)

[Fig. 2-15 Proposed Guideline for Two-Phase Random Excitation Forces In Churn...](#)

[Fig. 2-16 Strouhal Numbers for Tube Bundles in Liquid Cross Flow: a\) Normal ...](#)

[Fig. 2-17 Fluctuating Force Coefficients for Tube Bundles in Single-Phase Cr...](#)

[Fig. 2-18 Fluctuating Force Coefficients for Tube Bundles in Two-Phase Cross...](#)

[Fig. 2-19 Proposed Damping Criteria \(Resonance Parameter\) for: a\) In-Line \(S...](#)

[Fig. 2-20 Flow Velocities, Support Locations and Tube Geometry for a Typical...](#)

[Fig. 2-21 Example of Heat Exchanger Tube Vibration Analysis: Input of Vibrat...](#)

[Fig. 2-22 Heat Exchanger Tube Vibration: Typical Free Vibration Analysis Res...](#)

[Fig. 2-23 Vibration Mode Shapes and Vibration Analysis Results for a Typical...](#)

## Chapter 3

[Fig. 3-1 Pressurised Water Reactor Vessel and Internals \(Axisa, 1993\).](#)

[Fig. 3-2 Light-Water Boiling Reactor Pressure Vessel and Internals \(Shumway,...](#)

[Fig. 3-3a CANDU Heavy Water Reactor \(Enhanced CANDU 6 Technical Summary, 200...](#)

[Fig. 3-3b Schematic Diagram of CANDU Nuclear Power Station \(Enhanced CANDU 6...](#)

[Fig. 3-4 Schematic Diagram of Recirculating Steam Generator \(Sauvé et al, 19...](#)

[Fig. 3-5 Example 3-1 - Process Heat Exchanger Schematic.](#)

[Fig. 3-6 Example 3-2 - U-Bend Schematic.](#)

[Fig. 3-7 An Example of Power Spectral Density Curves of Turbulent Pressures ...](#)

[Fig. 3-8 Flow Patterns in Vertical Channels.](#)

[Fig. 3-9 Flow Pattern Map for Vertical Flow in Tubes with 1 to 3 cm Diameter...](#)

[Fig. 3-10 Boundary-Layer and Wake Changes in the Flow Past a Cylinder as the...](#)

[Fig. 3-11 Two-Phase Flow Patterns in Vertically Upwards and Horizontal Cross...](#)

[Fig. 3-12 Flow Pattern Map for Two-Phase Flow Across Cylinder Arrays Using F...](#)

[Fig. 3-13 Flow Regime Map for Vertical Two-Phase Flow Using McQuillan and Wh...](#)

[Fig. 3-14 Ulbrich and Mewes Flow Regime Map \(Solid Line\) for Vertically Upwa...](#)

[Fig. 3-15 Flow Patterns in Vertical Two-Phase Cross Flow from Kanizawa and R...](#)

[Fig. 3-16 Flow Regime Map Comparison Between Vertically Upward Air-Water Flo...](#)

[Fig. 3-17 Sketch of Axial-Flow Heated-Cylinder Test Section \(Pettigrew and G...](#)

[Fig. 3-18 Effect of Nucleate Boiling on Cylinder Vibration \(Pettigrew and Go...](#)

[Fig. 3-19 Cross-Flow Tube Bundle Test Section with Heated Tubes \(M and T\) in...](#)

[Fig. 3-20 Example 3-3 - Cross-Section of Heat Exchanger Showing Flow Paths 1...](#)

[Fig. 3-21 Predicted Velocity Vectors \(Left\), Steam Quality \(Second from the ...](#)

[Fig. 3-22 Vector Fluid Velocity for a Maximum-Radius Tube Shown by Thick-Lin...](#)

[Fig. 3-23 Gap Cross-Flow Velocity for the Maximum-Radius Tube.](#)

[Fig. 3-24 Predicted \(a\) Velocity and \(b\) Air Concentration Distributions in ...](#)

[Fig. 3-25 Process Heat Exchanger Predictions of Velocity Distribution for \(a...](#)

[Fig. 3-26 CFD Predictions of Path Lines in a Shell-and-Tube Heat Exchanger w...](#)

## Chapter 4

[Fig. 4-1 Effect of Void Fraction and Mass Flux on Hydrodynamic Mass Ratio \(P...](#)

[Fig. 4-2 Effect of  \$P/D\$  and Bundle Geometry on Hydrodynamic Mass Ratio \(Petti...](#)

[Fig. 4-3 Effect of Slip Ratio and Fluid Mixture on Hydrodynamic Mass Ratio C...](#)

[Fig. 4-4 Straight Tube with Simple Support at Each End.](#)

[Fig. 4-5 Two-Span Beam with Outer Ends Clamped.](#)

[Fig. 4-6 Multi-Span Beam with Outer Ends Clamped.](#)

[Fig. 4-7 View of Typical Steam Generator U-Tube with Support Points Located ...](#)

[Fig. 4-8 Nomenclature Utilized in Representing Lateral and Rotational Displa...](#)

[Fig. 4-9 View of Half of Steam Generator U-Tube, Referred to as a Half-Tube,...](#)

[Fig. 4-10 Schematic Representation of Boundary and Continuity Conditions to ...](#)

[Fig. 4-11 Schematic Representation of Boundary and Continuity Conditions to ...](#)

[Fig. 4-12 Schematic Representation of First and Second Free Vibration In-Pla...](#)

[Fig. 4-13 Schematic Representation of First and Second Free Vibration Out-of...](#)

[Fig. 4-14 Schematic Representation of Boundary and Continuity Conditions to ...](#)

[Fig. 4-15 Schematic Representation of Boundary and Continuity Conditions to ...](#)

[Fig. 4-16 Schematic Representation of Boundary and Continuity Conditions to ...](#)

[Fig. 4-17 Schematic Representation of Boundary and Continuity Conditions to ...](#)

## Chapter 5

[Fig. 5-1 Types of Tube Motion at Support Location.](#)

[Fig. 5-2 Types of Dynamic Interaction between Tube and Tube Support.](#)

[Fig. 5-3 Damping of Heat Exchanger Tubes in Air.](#)

[Fig. 5-4 Effect of Tube Support Thickness on Damping in Gases \(Air\).](#)

[Fig. 5-5 Effect of Tube Support Thickness on Normalized Damping Ratio in Gas...](#)

[Fig. 5-6 Effect of Support Thickness on a\) Sliding Interaction, and b\) Impac...](#)

[Fig. 5-7 Effect of Dimensionless Support Thickness \( \$L / \ell\_m\$ \) on Normali...](#)

[Fig. 5-8 Design Recommendation for Damping in Gases.](#)

[Fig. 5-9 Damping Data for Multi-Span Heat Exchanger Tubes in Water.](#)

[Fig. 5-10 Viscous Damping Data for a Cylinder in Confined \(Chen et al, 1976\)...](#)

[Fig. 5-11 Viscous Damping of Cylinders in Liquids Versus Stokes Number.](#)

[Fig. 5-12 Damping Due to Tube Supports in Multi-Span Heat Exchanger Tubes.](#)

[Fig. 5-13 Heat Exchanger Tube with  \$N\$  Spans and  \$\(N-1\)\$  Intermediate Supports....](#)

[Fig. 5-14 Linearization of Three-Dimensional Factor  \$K\$ .](#)

[Fig. 5-15 Damping and Hydrodynamic Mass Functions,  \$\text{Im}\(h\)\$  and  \$\text{Re}\(h\)\$ , \(Mulcahy...](#)

[Fig. 5-16 Squeeze-Film Damping of a Multi-Span Heat Exchanger Tube in Water....](#)

[Fig. 5-17 Effect of Support Thickness Parameter  \$L/\ell\_m\$  on Damping due to...](#)

[Fig. 5-18 Comparison between Tube Support Damping Parameter and Experimental...](#)

[Fig. 5-19 Type of Contact Between Tube and Support.](#)

[Fig. 5-20 Comparison between Tube Support Damping Model \(Squeeze-Film and Fr...](#)

## Chapter 6

[Fig. 6-1 Flow Regime Map for Tube Bundles in Vertical Cross Flow: Symbols Sh...](#)

[Fig. 6-2 Damping of a Cylinder in Confined Air-Water Axial Flow; Mass Flux: ...](#)

[Fig. 6-3 Effect of Mass Flux on Two-Phase Damping Ratio in Annular Flow \(Car...](#)

[Fig. 6-4 Effect of Mass Flux on Tube Damping in Two-Phase Cross Flow \(Pettig...](#)

[Fig. 6-5 Effect of Mass Flux on Damping in Lift and Drag Directions for a No...](#)

[Fig. 6-6 Damping of Tube Bundles of  \$P/D = 1.47\$  in Two-Phase Cross Flow Showi...](#)

[Fig. 6-7 Damping of Tube Bundles in Two-Phase Cross Flow: Comparison of Air-...](#)

[Fig. 6-8 Damping of a Rotated-Triangular Tube Bundle in Freon-22 Two-Phase C...](#)

[Fig. 6-9 Effect of Void Fraction on Two-Phase Damping in Cross Flow: Propose...](#)

[Fig. 6-10 Damping of Tube Rows in Air-Water Cross Flows; ▲ Taylor et al \(198...](#)

[Fig. 6-11 Total Damping for Tube Bundles of  \$P/D = 1.22\$  in Air-Water Cross Fl...](#)

[Fig. 6-12 Damping Behavior: Comparison Between All Flexible Tube Bundle and ...](#)

[Fig. 6-13 Effect of Surface Tension on Two-Phase Damping for Tube Frequencie...](#)

[Fig. 6-14 Damping of Rotated Triangular Tube Bundles: Comparison Between Air...](#)

[Fig. 6-15 Comparison Between Proposed Design Guideline and Available Damping...](#)

## Chapter 7

[Fig. 7-1 Typical Vibration Response versus Flow Velocity Relationship for Tu...](#)

[Fig. 7-2 Vibration Response of a Normal-Triangular Tube Bundle of  \$P/D = 1.33\$ ...](#)

[Fig. 7-3 Fluidelastic Instability Data and Design Recommendations for Variou...](#)

[Fig. 7-4 Fluidelastic Instability Diagrams: a\) Normal Square, b\) Rotated Squ...](#)

[Fig. 7-5 Principal Tube Bundle Configurations.](#)

[Fig. 7-6 Well-Defined Fluidelastic Threshold](#)

[Fig. 7-7 Less Well-Defined Fluidelastic Threshold](#)

[Fig. 7-8 Vibration Response of One Flexible Tube versus Seven Flexible Tubes...](#)

[Fig. 7-9 Outline of Fluidelastic Instability Data for All-Flexible Tube Bund...](#)

[Fig. 7-10 Fluidelastic Instability of a Single Flexible Tube in Rigid Arrays...](#)

[Fig. 7-11 Fluidelastic Instability of a Single Flexible Tube in a Normal-Squ...](#)

[Fig. 7-12 Comparison of Fluidelastic Instability Results with Only Structura...](#)

[Fig. 7-13 Fluidelastic Instability Data for Flexible Tube Bundles: Compariso...](#)

[Fig. 7-14 Effect of Pitch-to-Diameter Ratio on Fluidelastic Instability Cons...](#)

[Fig. 7-15 Fluidelastic Instability Data Presented in Terms of Modified Mass-...](#)

[Fig. 7-16 Fluidelastic Instability Data for Different Tube Bundle Configurat...](#)

[Fig. 7-17 Summary of Fluidelastic Instability Data for All-Flexible Tube Bun...](#)

[Fig. 7-18 Fluidelastic Instability Analysis of Real Heat Exchangers: Compari...](#)

[Fig. 7-19 Multi-Span Heat Exchanger Tube Schematic with Cross-Flow Pattern....](#)

[Fig. 7-20 Wind-Tunnel, Rotated-Triangular Test Array.](#)

[Fig. 7-21 Response Spectra Variation with Flow Velocity for Tube 2 in a Full...](#)

[Fig. 7-22 Vibration Response for the Flexible Bundle within Wind Tunnel: ♦, ...](#)

[Fig. 7-23 Response Frequency versus Flow Velocity for the Flexible Bundle wi...](#)

[Fig. 7-24 Clamped-Free Cylinder Experiencing 4<sup>th</sup>-Mode Buckling In Confined L...](#)

[Fig. 7-25 Selected Frequency Spectra for Fluidelastic Instability of Clamped...](#)

## Chapter 8

[Fig. 8-1 Typical Tube Response Spectra for Increasing Mass Fluxes at Constan...](#)

[Fig. 8-2 Typical Vibration Response: Comparison Between Flexible Tube Bundle...](#)

[Fig. 8-3 Vibration Response: Comparison Between Flexible Tube Bundle and One...](#)

[Fig. 8-4 Schematic of Air-Water Test Section and Tube Bundle.](#)

[Fig. 8-5 Photograph of Air-Water Test Section and Part of Air-Water Loop.](#)

[Fig. 8-6 Photograph of Cantilever Tube Bundle with Normal-Triangular Configu...](#)

[Fig. 8-7 Fluidelastic Instability Results in Air-Water Cross Flow.](#)

[Fig. 8-8 Flow Regime Maps for Air-Water Cross Flow Showing Flow Conditions a...](#)

[Fig. 8-9 Effect of  \$P/D\$  on Fluidelastic Instability Constant in Air-Water Cro...](#)

[Fig. 8-10 Two-Phase Flow Structure in a Rotated-Triangular Tube Bundle: a\) S...](#)

[Fig. 8-11 Two-Phase Flow Paths in a Normal-Triangular Tube Bundle.](#)

[Fig. 8-12 Hydrodynamic Coupling Coherence as a Function of Mass Flux Ratio....](#)

[Fig. 8-13 Air-Water and Steam-Water Fluidelastic Instability Results Plotted...](#)

[Fig. 8-14 Air-Water and Steam-Water Fluidelastic Instability Results Plotted...](#)

[Fig. 8-15 Photograph of Freon Pressure Vessel Test Section Showing Instrumen...](#)

[Fig. 8-16 Schematic of Freon Test Section.](#)

[Fig. 8-17 Photograph of Rotated-Triangular Tube Bundle Instrumented with Str...](#)

[Fig. 8-18 Typical Vibration Response Spectra for Two-Phase Freon Cross Flow....](#)

[Fig. 8-19 Typical Vibration Response Curves for Two-Phase Freon Cross Flow: ...](#)

[Fig. 8-20 Vibration Response: Freon versus Air-Water.](#)

[Fig. 8-21 Vibration Response In Freon at 80% Void Fraction: Flexible versus ...](#)

[Fig. 8-22 Fluidelastic Instability Results in Two-Phase Cross Flow: Comparis...](#)

[Fig. 8-23a Flow Regime Map for Freon and Air-Water Two-Phase Cross Flow Show...](#)

[Fig. 8-23b Flow Regime Map for Steam-Water, Freon and Air-Water Two-Phase Cr...](#)

[Fig. 8-24 Freon Results Included in Two-Phase Fluidelastic Instability Resul...](#)

[Fig. 8-25a Schematic of the Air-Water U-Bend Test Section and Flow Loop.](#)

[Fig. 8-25b Schematic of Air-Water U-Bend Test Section.](#)

[Fig. 8-26 Lowest Vibration Modes for an Unsupported U-Tube.](#)

[Fig. 8-27 Out-of-Plane U-Tube Frequency-Response Spectrum for 90% Void Fract...](#)

[Fig. 8-28 Out-of-Plane Vibration Response Spectra as a Function of Mass Flux...](#)

[Fig. 8-29 Out-of-Plane Vibration Amplitudes Measured by Strain Gages, in Liq...](#)

[Fig. 8-30 In-Plane Tangential Vibration Amplitude Measured by Strain Gages, ...](#)

[Fig. 8-31 Flexible Tube Assemblies a\) Single Tube, b\) Central Cluster, c\) Si...](#)

[Fig. 8-32 Configurations of Flexible Tubes Tested Within the Test Section.](#)

[Fig. 8-33 Response versus Flow-Pitch Velocity for a Single Flexible Tube for...](#)

[Fig. 8-34 Response Spectra of Single Flexible Tube in Flow at 80% Void Fract...](#)

[Fig. 8-35 Response in Lift Direction versus Flow Pitch Velocity for the Sing...](#)

[Fig. 8-36 Response in Lift Direction versus Flow Pitch Velocity for the Sing...](#)

[Fig. 8-37 Response of Tube 7 versus Flow Pitch Velocity for the Partially Fl...](#)

[Fig. 8-38 Instability Map: • Axisymmetrically Flexible Tube Bundle in Air-Wat...](#)

[Fig. 8-39 Selected Frequency Spectra for Fluidelastic Instability of Clamped...](#)

## Chapter 9

[Fig. 9-1 Directional Dependence \(Lift versus Drag\).](#)

[Fig. 9-2 Effect of Tube Bundle Orientation.](#)

[Fig. 9-3 Effect of Pitch-to-Diameter Ratio \(a\) Normal-Triangular Tube Bundle...](#)

[Fig. 9-4 Effect of Upstream Turbulence.](#)

[Fig. 9-5 Effect of Fluid Density \(Gas versus Liquid\).](#)

[Fig. 9-6 Proposed Guideline for Excitation Forces.](#)

[Fig. 9-7 Comparison with Previous Guidelines.](#)

## Chapter 10

[Fig. 10-1 First Normalized Guideline for Power Spectral Density of Random Tu...](#)

[Fig. 10-2 Early Normalized Guideline for Power Spectral Density of Random Tu...](#)

[Fig. 10-3 Normalized Guideline for Power Spectral Density of Random Turbulen...](#)

[Fig. 10-4 Early Dimensionless Guideline for Power Spectral Density of Random...](#)

[Fig. 10-5 CENS Air-Water Power Spectral Densities for a Normal-Square Tube B...](#)

[Fig. 10-6 CENS Air-Water Power Spectral Densities at 50% Void Fraction for a...](#)

[Fig. 10-7 CENS Air-Water Power Spectral Densities at a Mass Flux of 750 kg/\(...](#)

[Fig. 10-8 Measured Peak Frequencies from Air-Water Excitation Force Drag Pow...](#)

[Fig. 10-9 Variation in Characteristic Void Length with Void Fraction and Mas...](#)

[Fig. 10-10 CENS Characteristic Void Length Data \(Square Symbols at 1500 kg/m](#)

[Fig. 10-11 CENS Air-Water Power Spectral Densities at a Mass Flux of 750 kg/...](#)

[Fig. 10-12 CENS Air-Water Power Spectral Densities at  \$fd\_B/U\_P = 0.1\$  for a Nor...](#)

[Fig. 10-13 Air-Water Flow Regime Maps Using Kanizawa and Ribatski \(2016\) Bou...](#)

[Fig. 10-14 Steam-Water and Freon Flow Regime Maps Using Kanizawa and Ribatsk...](#)

[Fig. 10-15 CRL Air-Water Power Spectral Densities at  \$fd\_B/U\_p = 0.1\$  for a 60°...](#)

[Fig. 10-16 Effect of Mass Flux on Reference Equivalent Power Spectral Densit...](#)

[Fig. 10-17 Comparison of Normalized Random Excitation Power Spectral Densiti...](#)

[Fig. 10-18 Comparison of Air-Water and Freon-22 Drag Power Spectral Densitie...](#)

[Fig. 10-19 Comparison of Air-Water, Freon-134a and Freon-22 Drag Power Spect...](#)

[Fig. 10-20 Comparison of Air-Water and Freon-22 Drag Power Spectral Densitie...](#)

[Fig. 10-21 CENS Air-Water Dimensionless Power Spectral Densities at a Mass F...](#)

[Fig. 10-22 Original Dimensionless Guideline with Data Points from de Langre ...](#)

[Fig. 10-23 CENS Data Plotted Using de Langre and Villard \(1998\) Scaling Fact...](#)

[Fig. 10-24 CRL and Other Data Plotted Using de Langre and Villard \(1998\) Sca...](#)

[Fig. 10-25 Bubbly Flow Power Spectral Densities Collapsed Using Eq. \(10-8\) a...](#)

[Fig. 10-26 Churn and Annular Flow Power Spectral Densities Collapsed Using E...](#)

[Fig. 10-27 Intermittent Flow Power Spectral Densities Collapsed Using Eq. \(1...](#)

[Fig. 10-28 Axial Spatial Correlation of Random Pressure Fluctuations in Two-...](#)

[Fig. 10-29 Measured and Predicted Vibration Amplitude versus Simulated Steam...](#)

[Fig. 10-30 Effect of Flow Regime on Void Fraction Dependence of  \$S\_F\(f\)\$  in Ste...](#)

[Fig. 10-31 Velocity Dependence of  \$S\_F\(f\)\$  in Steam-Water Axial Flow \(Pettigr...](#)

[Fig. 10-32 Temperature Dependence of  \$S\_F\(f\)\$  in Steam-Water Axial Flow \(Pettig...](#)

[Fig. 10-33 Normalized Power Spectral Density Results from Several Researcher...](#)

## Chapter 11

[Fig. 11-1 Typical Vibration Response \(Gorman, 1976\).](#)

[Fig. 11-2 Laminar Vortex Formation in the Wake of a Vibrating Cylinder at a ...](#)

[Fig. 11-3 Envelope of Strouhal Number versus Reynolds Number for Circular Cy...](#)

[Fig. 11-4 Lift Coefficients for a Single Cylinder \(Gerlach and Dodge, 1970\)....](#)

[Fig. 11-5 Vortex Shedding Behind the Second Row in a Rotated-Square Array wi...](#)

[Fig. 11-6 Strouhal Numbers for Tube Bundles in Liquid Flow \(Pettigrew and Go...](#)

[Fig. 11-7 Strouhal Number Expressions for Various Tube Bundle Geometries \(We...](#)

[Fig. 11-8 Strouhal Numbers for Finned Tubes \(Kouba, 1986\): Dots are Experime...](#)

[Fig. 11-9a Vibration Response to Single-Phase Forced Excitation \(a\) Normal-S...](#)

[Fig. 11-9b Vibration Response to Single-Phase Forced Excitation \(b\) Rotated-...](#)

[Fig. 11-9c Vibration Response to Single-Phase Forced Excitation \(c\) Normal-T...](#)

[Fig. 11-10 Fluctuating Force Lift Coefficients for Tube Bundles in Single-Ph...](#)

[Fig. 11-11 Force Spectra at 80% Void Fraction: \(a\) and \(b\) Pitch Flow Veloci...](#)

[Fig. 11-12 Periodic Force Frequency and Periodic Force versus Pitch Velocity...](#)

[Fig. 11-13 Force Power Spectral Density \(PSD\) at 80% Void Fraction and 6.8 m...](#)

[Fig. 11-14 Periodic Force Frequency and Periodic Force at 80% Void Fraction ...](#)

[Fig. 11-15a Vibration Response to Air-Water Forced Excitation \(Solid Circle:...](#)

[Fig. 11-15b Vibration Response to Air-Water Forced Excitation \(Solid Circle:...](#)

[Fig. 11-15c Vibration Response to Air-Water Forced Excitation \(Solid Circle:...](#)

[Fig. 11-16 Fluctuating Force Lift Coefficients for Tube Bundles in Two-Phase...](#)

[Fig. 11-17 Flow Regime Maps for the Two-Phase Fluctuating Force Data Sources...](#)

[Fig. 11-18a Schematic Diagram of the Acoustic Cavity in a Typical Moisture S...](#)

[Fig. 11-18b Tube Bundle Geometry within the Moisture Separator Reheater.](#)

[Fig. 11-19 Dimensionless Equivalent Speed of Sound  \$C\_e/C\$  versus  \$D\_d/W\$  of the A...](#)

[Fig. 11-20 Acoustic Resonance in First and Second Mode Excited by Vortex She...](#)

[Fig. 11-21 Acoustic Resonance in Second and Third Modes Excited by Vortex Sh...](#)

[Fig. 11-22 Acoustic Resonance Criterion for a\) In-Line \(Square\) Bundles and ...](#)

[Fig. 11-23a Damping Criteria for In-Line Arrays,  \$G\_i\$  \(Ziada et al, 1989b\).](#)

[Fig. 11-23b Damping Criteria for Staggered Arrays,  \$G\_s\$  \(Ziada et al, 1989b\)....](#)

[Fig. 11-24 Maximum Sound Pressure Levels as a Function of Tube Pattern and S...](#)

[Fig. 12-1 Complex Tube-Support Geometry: Possible Contact Points \(Pettigrew ...](#)

[Fig. 12-2 Steam Generator Tube and Support Contact Combinations \(Pettigrew e...](#)

[Fig. 12-3 Fuel Element Vibration Response Compared with Location in Fuel Str...](#)

[Fig. 12-4 Effect of History on Fuel Element Vibration Response \(Pettigrew, 1...](#)

[Fig. 12-5 Nuclear Fuel Vibration: Range of Dynamic Characteristics \(Pettigre...](#)

[Fig. 12-6 Model of Fuel Element Bearing Pad and Fuel Channel Contact \(Pettig...](#)

[Fig. 12-7 Work-Rate versus Gap/Preload for a Fuel Element Vibration Response...](#)

[Fig. 12-8 Effect of Clearance or Preload on Dynamic Interaction between Fuel...](#)

[Fig. 12-9 Work-Rate Balance in Multi-Span Heat Exchanger Tube Test.](#)

[Fig. 12-10 Input and Dissipated Work-Rates for Multi-Span Heat Exchanger Tub...](#)

[Fig. 12-11 Estimated and VIBIC-Calculated Work-Rates for: a\) Two-Span Simula...](#)

[Fig. 12-12 Hypothetical Multi-Span Heat Exchanger Tube.](#)

[Fig. 12-13 Hypothetical Steam Generator U-Bend Tube with Flat-Bar Supports....](#)

[Fig. 12-14a Contact between a Steam Generator Tube and Flat-Bar-Type \(AVB\) S...](#)

[Fig. 12-14b Wear Volume versus Wear Depth.](#)

[Fig. 12-15 Estimated and Measured Work-Rate for Fuel Element Subjected to Tu...](#)

[Fig. 12-16 Typical Vibration Limits for Piping System \(Wachel, 1982\).](#)

[Fig. 12-17 Multi-Span Steel Pipe.](#)

## Chapter 13

[Fig. 13-1 Types of Wear \(Fisher et al, 1995\).](#)

[Fig. 13-2 Fretting Map \(adapted from Vingsbo and Soderberg, 1987\).](#)

[Fig. 13-3 Effect of Temperature on Fretting-Wear Rates \(Ko, 1980\).](#)

[Fig. 13-4 Pressure Tube Fretting-Wear Rates \(Fisher et al, 1990\).](#)

[Fig. 13-5 Effect of Contact Force Level on Fretting-Wear Rates \(Ko, 1979a\)....](#)

[Fig. 13-6 Room-Temperature Fretting-Wear Machine.](#)

[Fig. 13-7 Force Transducer Assembly for Room-Temperature Machine \(Ko, 1985a\)...](#)

[Fig. 13-8 Wear Rate versus Work-Rate for Incoloy 800 Tubing and Inconel 600 ...](#)

[Fig. 13-9 Schematic of an Impact Fretting-Wear Test Machine \(Pettigrew et al...](#)

[Fig. 13-10 Two High-Temperature Machines Used at AECL-CNL \(Guérout and Fishe...](#)

[Fig. 13-11 Isometric 3-D Wear Profile \(Specimen C297 PT-124\) \(Fisher et al, ...](#)

[Fig. 13-12 Bearing Pad and Pressure Tube Specimens Installed in the Wear Mac...](#)

[Fig. 13-13 Schematic of the SAI Motion Type \(Fisher et al, 1990\).](#)

[Fig. 13-14 Effect of Temperature on Pressure Tube Fretting Wear \(Fisher et a...](#)

[Fig. 13-15 Effect of Dissolved Oxygen Content on Pressure Tube Fretting Wear...](#)

[Fig. 13-16 Wear Map for the X40 Alloy \(Saito and Mino, 1995\).](#)

[Fig. 13-17 Effect of Temperature on Steam Generator Tube Fretting Wear \(Fish...](#)

[Fig. 13-18 Topographic SEM Photographs of Fret Marks \(Fisher et al, 2002\).](#)

[Fig. 13-19 Incoloy 800 Tubing and Type 410 Stainless Steel Support Specimens...](#)

[Fig. 13-20 Incoloy 800 Tubing and Type 410 Stainless Steel Fretting-Wear Cur...](#)

[Fig. 13-21 Displacement Plots - Drilled-Hole Test \(Fisher et al, 1995\).](#)

[Fig. 13-22 Drilled-Hole Test Results \(Fisher et al, 1995\).](#)

[Fig. 13-23 Displacement Plots - Broached-Hole Test \(Fisher et al, 1995\).](#)

[Fig. 13-24 Broached-Hole Test Results \(Fisher et al, 1995\).](#)

[Fig. 13-25 Inconel 600 Tubing and Carbon Steel Fretting-Wear Curve \(Fisher e...](#)

[Fig. 13-26 SEM Photograph at 40x Magnification of the Worn Surface of the In...](#)

[Fig. 13-27 Typical Tube-to-Support Relative Motion: a\) Flat-Bar Support and ...](#)

[Fig. 13-28 Effect of Temperature on Fretting-Wear Coefficients for Incoloy 8...](#)

[Fig. 13-29 Effect of Temperature on Fretting-Wear Coefficients for Incoloy 8...](#)

[Fig. 13-30 Effect of Steam Generator Chemistry Control on Fretting Wear of I...](#)

[Fig. 13-31 Tube-to-Drilled-Hole-Support Relative Motion \(Guérout and Fisher,...](#)

[Fig. 13-32 Effect of Boric Acid on Fretting Wear of Inconel 600 Tubing and T...](#)

[Fig. 13-33 Effect of Support Geometry on Fretting Wear of Incoloy 800 Tubing...](#)

[Fig. 13-34 Effect of Tube Material on Fretting Wear for Type 410 Stainless S...](#)

[Fig. 13-35 Fretting-Wear Results at High Temperature for Various Types of No...](#)

[Fig. 13-36 Fretting-Wear Results of Incoloy 800 Tubing versus Type 321 Stain...](#)

## Appendix A

[Fig. 3-5 Example 3-1 - Process Heat Exchanger Schematic.](#)

[Fig. 11-10 Fluctuating Force Lift Coefficients for Tube Bundles in Single-Ph...](#)

[Fig. 3-6 Example 3-2 - U-Bend Schematic.](#)

[Fig. 10-14 Steam-Water and Freon Flow Regime Maps.](#)

[Fig. 12-14a Contact Between a Steam Generator Tube and Flat-Bar-Type \(AVB\) S...](#)

[Fig. A-1 Wear Volume versus Wear Depth.](#)