

# Java EE to Jakarta EE 10 Recipes

A Problem-Solution Approach for Enterprise Java

Third Edition

Josh Juneau Tarun Telang

## Java EE to Jakarta EE 10 Recipes

A Problem-Solution Approach for Enterprise Java

**Third Edition** 

Josh Juneau Tarun Telang

#### Java EE to Jakarta EE 10 Recipes: A Problem-Solution Approach for Enterprise Java

Josh Juneau Hinckley, IL, USA Tarun Telang Hyderabad, Telangana, India

ISBN-13 (pbk): 978-1-4842-8078-2 https://doi.org/10.1007/978-1-4842-8079-9 ISBN-13 (electronic): 978-1-4842-8079-9

11.1po,// doi:1018/, 1011001/010 1 1012 0010 0

#### Copyright © 2022 by Josh Juneau and Tarun Telang

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

Trademarked names, logos, and images may appear in this book. Rather than use a trademark symbol with every occurrence of a trademarked name, logo, or image we use the names, logos, and images only in an editorial fashion and to the benefit of the trademark owner, with no intention of infringement of the trademark.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Managing Director, Apress Media LLC: Welmoed Spahr

Acquisitions Editor: Steve Anglin Development Editor: Laura Berendson Coordinating Editor: Mark Powers

Cover designed by eStudioCalamar

Cover image by Said Alamri on Unsplash (www.unsplash.com)

Distributed to the book trade worldwide by Apress Media, LLC, 1 New York Plaza, New York, NY 10004, U.S.A. Phone 1-800-SPRINGER, fax (201) 348-4505, e-mail orders-ny@springer-sbm.com, or visit www.springeronline.com. Apress Media, LLC is a California LLC and the sole member (owner) is Springer Science + Business Media Finance Inc (SSBM Finance Inc). SSBM Finance Inc is a Delaware corporation.

For information on translations, please e-mail booktranslations@springernature.com; for reprint, paperback, or audio rights, please e-mail bookpermissions@springernature.com.

Apress titles may be purchased in bulk for academic, corporate, or promotional use. eBook versions and licenses are also available for most titles. For more information, reference our Print and eBook Bulk Sales web page at http://www.apress.com/bulk-sales.

Any source code or other supplementary material referenced by the author in this book is available to readers on GitHub (https://github.com/Apress). For more detailed information, please visit http://www.apress.com/source-code.

Printed on acid-free paper

This book is dedicated to my wife Angela and my five children: Kaitlyn, Jacob, Matthew, Zachary, and Lucas. You are my joy and inspiration. It is also dedicated to the many Java developers worldwide. I hope that these recipes can lead you to developing the sophisticated solutions of tomorrow.

—Josh Juneau

This book is dedicated to my grandparents, parents, wife Nikita, and son Vihan. They have always been a source of inspiration and encouragement to me. It's also for all of the software and technology creators who work hard to make our planet a better place to live.

—Tarun Telang

### **Table of Contents**

About the Authors	xxxvi
About the Technical Reviewer	
Acknowledgments	xIi
Introduction	xlii
■Chapter 1: Jakarta Servlets	1
1-1. Setting Up a Jakarta EE Application Server	2
Problem	2
Solution	2
How It Works	3
1-2. Developing a Servlet	4
Problem	4
Solution	4
How It Works	7
1-3. Packaging, Compiling, and Deploying a Servlet	8
Problem	8
Solution	8
How It Works	9
1-4. Registering a Servlet Without web.xml	11
Problem	11
Solution	11
How It Works	19

1-5. Displaying Dynamic Content with a Servlet	13
Problem	13
Solution	13
How It Works	15
1-6. Handling Requests and Responses	15
Problem	15
Solution	15
How It Works	17
1-7. Listening for Servlet Container Events	18
Problem	18
Solution	18
How It Works	21
1-8. Setting Initialization Parameters	22
Problem	22
Solution #1	22
Solution #2	23
How It Works	23
1-9. Filtering Web Requests	24
Problem	24
Solution	24
How It Works	25
1-10. Listening for Attribute Changes	26
Problem	26
Solution	26
How It Works	27
1-11. Applying a Listener to a Session	28
Problem	28
Solution	28
How It Works	30

1-12. Managing Session Attributes	30
Problem	30
Solution	31
How It Works	32
1-13. Downloading a File	33
Problem	33
Solution	33
How It Works	35
1-14. Dispatching Requests	36
Problem	36
Solution	36
How It Works	40
1-15. Redirecting to a Different Site	41
Problem	41
Solution	41
How It Works	42
1-16. Securely Maintaining State Within the Browser	42
Problem	42
Solution	42
How It Works	44
1-17. Finalizing Servlet Tasks	46
Problem	46
Solution	46
How It Works	47
1-18. Reading and Writing with Nonblocking I/O	47
Problem	47
Solution	47
How It Works	51

1-19. Pushing Resources from a Server to a Client	53
Problem	53
Solution	53
How It Works	54
■Chapter 2: Jakarta Server Pages	55
2-1. Creating a Simple Jakarta Server Page	55
Problem	55
Solution	56
How It Works	57
2-2. Embedding Java into a Jakarta Server Page	59
Problem	59
Solution	59
How It Works	59
2-3. Separating Business Logic from View Code	61
Problem	61
Solution	61
How It Works	62
2-4. Yielding or Setting Values	63
Problem	63
Solution	63
How It Works	65
2-5. Invoking a Function in a Conditional Expression	66
Problem	66
Solution	66
How It Works	69
2-6. Creating a Jakarta Server Page Document	71
Problem	71
Solution	71
How It Works	72

2-7. Embedding Expressions in Jakarta Expression Language	73
Problem	73
Solution	73
How It Works	75
2-8. Accessing Parameters in Multiple Pages	78
Problem	78
Solution	78
How It Works	80
2-9. Creating a Custom Jakarta Server Tag	81
Problem	81
Solution	81
How It Works	84
2-10. Including Other Jakarta Server Pages into a Page	85
Problem	85
Solution	85
How It Works	86
2-11. Creating an Input Form for a Database Record	87
Problem	87
Solution	87
How It Works	91
2-12. Looping Through Database Records Within a Page	93
Problem	93
Solution	94
How It Works	98
2-13. Handling Errors in Jakarta Server Pages	99
Problem	99
Solution	99
How It Works	100

2-14. Disabling Scriptlets in Pages	101
Problem	101
Solution	102
How It Works	102
2-15. Ignoring Jakarta Expression Language in Pages	102
Problem	102
Solution #1	102
Solution #2	102
Solution #3	103
How It Works	103
■Chapter 3: Jakarta Server Faces	105
3-1. Writing a Simple Jakarta Server Faces Application	106
Problem	106
Solution #1	106
Project Dependencies	107
Displaying a Jakarta Server Faces Controller Field Value	107
Examining the Jakarta Server Faces Controller	108
Breaking Down a Jakarta Server Faces Application	109
3-2. Writing a Controller Class	111
Problem	111
Solution	111
Controller Class	111
Jakarta Server Faces View	113
How It Works	114
Scopes	115
3-3. Building Sophisticated Jakarta Server Faces Views with Components	117
Problem	117
Solution	117
How It Works	121

3-4. Displaying Messages in Jakarta Server Faces Pages	123
Problem	123
Solution	123
How It Works	126
3-5. Updating Messages Without Recompiling	127
Problem	127
Solution	127
How It Works	130
3-6. Navigating Based upon Conditions	130
Problem	130
Solution	131
How It Works	136
3-7. Validating User Input	138
Problem	138
Solution	138
How It Works	141
3-8. Evaluating Page Expressions Immediately	143
Problem	143
Solution	143
How It Works	145
3-9. Passing Page Parameters to Methods	145
Problem	145
Solution	145
How It Works	149
3-10. Using Operators and Reserved Words in Expressions	150
Problem	150
Solution	150
How It Works	152

3-11. Creating Bookmarkable URLs	153
Problem	153
Solution	153
How It Works	155
3-12. Displaying Lists of Objects	156
Problem	156
Solution	156
How It Works	158
3-13. Creating Page Templates	160
Problem	160
Solution	160
How It Works	161
3-14. Applying Templates	165
Problem	165
Solution	165
Managed Bean Controller: AuthorController	167
How It Works	169
Applying Templates	169
3-15. Adding Resources into the Mix	171
Problem	171
Solution	171
How It Works	173
■Chapter 4: Advanced Jakarta Server Faces	175
4-1. Component and Tag Primer	176
Common Component Tag Attributes	
Common JavaScript Component Tags	178
Binding Components to Properties	179
Project Folder Structure for This Chanter	180

4-2. Creating an Input Form	181
Problem	181
Solution	181
Managed Bean: Contact.java	182
Managed Bean Controller: ContactController.java	183
How It Works	185
4-3. Invoking Actions from Within a Page	187
Problem	
Solution	187
Managed Bean: Subscription.java	188
Managed Bean Controller: ContactController.java	189
How It Works	190
4-4. Displaying Output	192
Problem	192
Solution	193
Managed Bean: ContactController.java	194
How It Works	195
4-5. Adding Form Validation	199
Problem	
Solution #1	199
Solution #2	200
Solution #3	200
How It Works	202
4-6. Adding Select Lists to Pages	205
Problem	205
Solution	205
Managed Bean Controller: ContactController.java	
How It Works	
Populating the Select Lists	
Regarding Each Component Type	

4-7. Adding Graphics to Your Pages	210
Problem	210
Solution	210
How It Works	210
Managed Bean: Book.java	211
4-8. Adding Check Boxes to a View	212
Problem	212
Solution	212
Managed Bean Controllers	212
How It Works	215
4-9. Adding Radio Buttons to a View	216
Problem	216
Solution	216
Managed Bean	217
How It Works	218
4-10. Displaying a Collection of Data	218
Problem	218
Solution	219
CSS	220
Managed Bean	221
How It Works	222
4-11. Implementing File Uploading	225
Problem	225
Solution	225
How It Works	227
4-12. Validating Input with Ajax	227
Problem	
Solution	227

4-13. Submitting Pages Without Page Reloads	234
Problem	234
Solution	235
How It Works	235
4-14. Making Partial-Page Updates	236
Problem	236
Solution	236
How It Works	236
4-15. Applying Ajax Functionality to a Group of Components	237
Problem	237
Solution	237
How It Works	240
4-16. Custom Processing of Ajax Functionality	241
Problem	241
Solution	241
How It Works	242
4-17. Listening for System-Level Events	244
Problem	244
Solution	244
How It Works	245
4-18. Listening for Component Events	246
Problem	246
Solution	246
How It Works	247
4-19. Developing a Page Flow	248
Problem	248
Solution	248
How It Works	251

4-20. Broadcasting Messages from the Server to All Clients	254
Problem	254
Solution	254
How It Works	257
4-21. Programmatically Searching for Components	258
Problem	258
Solution #1	258
Solution #2	258
How It Works	259
■Chapter 5: Jakarta MVC	261
Project Structure	262
5-1. Configure an Application for the Jakarta MVC Framework	263
Problem	263
Solution	263
How It Works	269
5-2. Making Data Available for the Application	269
Problem	269
Solution #1	270
Solution #2	273
How It Works	277
5-3. Writing a Controller Class	280
Problem	280
Solution	280
How It Works	281
5-4. Using a Model to Expose Data to a View	283
Problem	283
Solution	283
How It Works	284

5-5. Utilizing CDI for Exposing Data	285
Problem	285
Solution	285
How It Works	287
5-6. Supplying Message Feedback to the User	288
Problem	288
Solution	288
How It Works	290
5-7. Inserting and Updating Data	291
Problem	291
Solution	291
How It Works	292
■Chapter 6: JDBC with Jakarta EE	295
6-1. Project Structure	296
6-2. Obtaining Database Drivers and Adding Them to the CLASSPATH	297
Problem	297
Solution	297
How It Works	298
6-3. Connecting to a Database	299
Problem	299
How It Works	303
6-4. Handling Database Connection Exceptions	305
Problem	305
Solution	306
How It Works	306
6-5. Simplifying Connection Management	306
Problem	306
Solution	306
How It Works	310

6-6. Querying a Database	310
Problem	310
Solution	310
How It Works	311
6-7. Performing CRUD Operations	313
Problem	313
Solution	313
How It Works	315
6-8. Preventing SQL Injection	316
Problem	316
Solution	316
How It Works	319
6-9. Utilizing Java Objects for Database Access	322
Problem	322
Solution	322
How It Works	326
6-10. Querying and Storing Large Objects	327
Problem	327
Solution	327
How It Works	330
■Chapter 7: Object-Relational Mapping	333
7-1. Creating an Entity	
Problem	
Solution	334
How It Works	337
7-2. Mapping Data Types	338
Problem	
Solution	339
How It Works	2/1

7-3. Creating a Persistence Unit	342
Problem	342
Solution	342
How It Works	343
7-4. Using Database Sequences to Create Primary Key Values	345
Problem	345
Solution	345
How It Works	347
7-5. Generating Primary Keys Using More Than One Attribute	349
Problem	349
Solution #1	349
Solution #2	351
How It Works	353
7-6. Defining a One-to-One Relationship	355
Problem	355
Solution	355
How It Works	357
7-7. Defining One-to-Many and Many-to-One Relationships	358
Problem	358
Solution	358
How It Works	360
7-8. Defining a Many-to-Many Relationship	362
Problem	362
Solution	362
How It Works	364
7-9. Querying with Named Queries	365
Problem	365
Solution	365
How It Works	367

7-10. Performing Validation on Entity Fields	367
Problem	367
Solution	367
How It Works	369
7-11. Generating Database Schema Objects Automatically	369
Problem	369
Solution	369
How It Works	373
7-12. Mapping Date-Time Values	374
Problem	374
Solution	374
How It Works	375
7-13. Using the Same Annotation Many Times	375
Problem	
Solution	375
How It Works	376
■Chapter 8: Jakarta Enterprise Beans	379
8-1. Obtaining an Entity Manager	
Problem	
Solution #1	380
Solution #2	380
How It Works	380
8-2. Developing a Stateless Session Bean	382
Problem	
Solution #1	
Solution #2	
How It Works	385
8-3. Developing a Stateful Session Bean	
Problem	
Solution	
How It Works	

8-4. Utilizing Session Beans with Jakarta Server Faces	393
Problem	393
Solution	393
How It Works	395
8-5. Persisting an Object	396
Problem	396
Solution	396
How It Works	396
8-6. Updating an Object	397
Problem	397
Solution	397
How It Works	397
8-7. Returning Data to Display in a Table	397
Problem	
Solution #1	398
Solution #2	399
How It Works	400
8-8. Creating a Singleton Bean	401
Problem	401
Solution	401
How It Works	403
8-9. Scheduling a Timer Service	404
Problem	404
Solution #1	404
Solution #2	404
How It Works	405
8-10. Performing Optional Transaction Life-Cycle Callbacks	407
Problem	
Solution	408
How It Works	408

8-11. Ensuring a Stateful Session Bean Is Not Passivated	409
Problem	409
Solution	409
How It Works	410
8-12. Denoting Local and Remote Interfaces	410
Problem	410
Solution	410
How It Works	410
8-13. Processing Messages Asynchronously from Enterprise Beans	412
Problem	412
Solution	412
How It Works	413
■Chapter 9: Jakarta Persistence Query Language	415
9-1. Querying All Instances of an Entity	
Problem	415
Solution	415
How It Works	416
9-2. Setting Parameters to Filter Query Results	418
Problem	418
Solution #1	418
How It Works	419
9-3. Returning a Single Object	420
Problem	420
Solution	420
How It Works	421
9-4. Creating Native Queries	421
Problem	421
Solution #1	421
Solution #2	422
How It Works	423

9-5. Querying More Than One Entity	424
Problem	424
Solution #1	424
Solution #2	425
How It Works	425
9-6. Calling Jakarta Persistence Query Language Aggregate Functions	428
Problem	428
Solution	428
How It Works	428
9-7. Invoking Database Stored Procedures Natively	429
Problem	429
Solution	429
How It Works	430
9-8. Joining to Retrieve Instances from Multiple Entities	430
Problem	430
Solution	430
How It Works	431
9-9. Joining to Retrieve All Rows Regardless of Match	431
Problem	431
Solution	431
How It Works	432
9-10. Applying Jakarta Persistence Query Language Functional Expressions	432
Problem	432
Solution	432
How It Works	433
9-11. Forcing Query Execution Rather Than Cache Use	434
Problem	
Solution	435
How It Works	135

9-12. Performing Bulk Updates and Deletes	436
Problem	436
Solution	436
How It Works	437
9-13. Retrieving Entity Subclasses	438
Problem	438
Solution	438
How It Works	439
9-14. Joining with ON Conditions	439
Problem	439
Solution	439
How It Works	440
9-15. Processing Query Results with Streams	441
Problem	441
Solution	441
How It Works	441
9-16. Converting Attribute Data Types	442
Problem	442
Solution	442
How It Works	443
■Chapter 10: Jakarta Bean Validation	445
10-1. Validating Fields with Built-In Constraints	446
Problem	
Solution #1	446
Solution #2	446
How It Works	447
10-2. Writing Custom Constraint Validators	449
Problem	
Solution	449
How It Works	450

10-3. Validating at the Class Level	450
Problem	450
Solution	450
How It Works	452
10-4. Validating Parameters	453
Problem	453
Solution	453
How It Works	453
10-5. Constructor Validation	454
Problem	454
Solution	454
How It Works	454
10-6. Validating Return Values	455
Problem	455
Solution	455
How It Works	455
10-7. Defining a Dynamic Validation Error Message	456
Problem	456
Solution	456
How It Works	456
10-8. Manually Invoking the Validator Engine	457
Problem	457
Solution	457
How It Works	458
10-9. Grouping Validation Constraints	458
Problem	458
Solution	458
How It Works	460

Chapter 11: Jakarta Contexts and Dependency Injection	461
11-1. Injecting a Contextual Bean or Other Objects	462
Problem	462
Solution	462
How It Works	463
11-2. Binding a Bean to a Web View	464
Problem	464
Solution	464
How It Works	467
11-3. Allocating a Specific Bean for Injection	467
Problem	467
Solution	468
How It Works	469
11-4. Determining Scope of a Bean	470
Problem	470
Solution	470
How It Works	472
11-5. Injecting Non-bean Objects	473
Problem	473
Solution	473
How It Works	475
11-6. Ignoring Classes	476
Problem	476
Solution #1	476
Solution #2	477
How It Works	477
11-7. Disposing of Producer Fields	478
Problem	478
Solution	478
How It Works	478

11-8. Specifying an Alternative Implementation at Deployment Time	478
Problem	478
Solution	478
How It Works	479
11-9. Injecting a Bean and Obtaining Metadata	479
Problem	479
Solution	479
How It Works	479
11-10. Invoking and Processing Events	480
Problem	480
Solution	480
How It Works	483
11-11. Intercepting Method Invocations	484
Problem	484
Solution	484
How It Works	486
11-12. Bootstrapping Java SE Environments	486
Problem	486
Solution	487
How It Works	487
11-13. Enhancing Business Logic of a Method	488
Problem	488
Solution	488
How It Works	490
■Chapter 12: Jakarta Messaging	491
12-1. Creating Jakarta Messaging Resources	
Problem	
How It Works	403

12-2. Creating a Session	495
Problem	495
Solution	495
How It Works	496
12-3. Creating and Sending a Message	496
Problem	496
How It Works	498
12-4. Receiving Messages	500
Problem	500
How It Works	501
12-5. Filtering Messages	502
Problem	502
Solution	502
How It Works	504
12-6. Inspecting Message Queues	504
Problem	504
Solution	504
How It Works	505
12-7. Creating Durable Message Subscribers	505
Problem	505
Solution	506
How It Works	509
12-8. Delaying Message Delivery	510
Problem	510
Solution	510
How It Works	510

■Chapter 13: RESTful Web Services	511
13-1. Developing a RESTful Web Service	512
Problem	512
Solution #1	512
Solution #2	513
How It Works	515
13-2. Consuming and Producing with REST	517
Problem	517
Solution	517
How It Works	520
13-3. Filtering Requests and Responses	521
Problem	521
Solution	521
How It Works	522
13-4. Processing Long-Running Operations Asynchronously	524
Problem	524
Solution	524
How It Works	525
13-5. Pushing One-Way Asynchronous Updates from Servers	526
Problem	526
Solution	526
How It Works	528
13-6. Receiving Server-Sent Events As a Client	529
Problem	529
Solution	529
How It Works	530

■Chapter 14: WebSockets and JSON	531
14-1. Creating a WebSocket Endpoint	531
Problem	531
Solution	532
How It Works	532
14-2. Sending Messages to a WebSocket Endpoint	532
Problem	532
Solution	533
How It Works	534
14-3. Building a JSON Object	537
Problem	537
Solution	538
How It Works	539
14-4. Writing a JSON Object to Disk	540
Problem	540
Solution	540
How It Works	541
14-5. Reading JSON from an Input Source	541
Problem	541
Solution	541
How It Works	542
14-6. Converting Between JSON and Java Objects	543
Problem	543
Solution	543
How It Works	545
14-7. Custom Mapping with JSON-B	546
Problem	546
Solution	546
How It Works	546