

Bioactive Glasses and Glass-Ceramics



Fundamentals and Applications

Edited by:
Francesco Baino
Saeid Kargozar

The American
Ceramic
Society



WILEY

Table of Contents

[Cover](#)

[Title Page](#)

[Copyright](#)

[Preface](#)

[List of Contributors](#)

[1 Glass Crystallization and Glass-Ceramics - An Overview](#)

[1.1 Introduction](#)

[1.2 Controlled Crystallization of Glasses](#)

[1.3 Nucleation](#)

[1.4 Crystal Growth](#)

[1.5 Conclusion](#)

[References](#)

[2 Crystallization of Glasses and Its Impact on Bioactivity and Other Properties](#)

[2.1 Bioactive Glasses](#)

[2.2 Bioactive Glass-Ceramics](#)

[2.3 Influence of Crystallization on Processing](#)

[2.4 Influence of Crystallization on Mechanical Properties](#)

[2.5 Influence of Crystallization on Bioactivity](#)

[2.6 Conclusions and Perspectives](#)

[References](#)

[3 Bioactive Glass S53P4 - From a Statistically Suggested Composition to Clinical Success](#)

[3.1 Background](#)

[3.2 Bioactive Glass S53P4 - From a Concept to First Clinical Trials](#)

[3.3 Clinical Trials for the Development of Commercial Products](#)

[3.4 Commercial Products](#)

[3.5 Research for New Compositions and Applications](#)

[3.6 Summary and Future Trends](#)

[References](#)

[4 Melt-Derived Bioactive Glasses: Beyond Silicate Glasses](#)

[4.1 Introduction](#)

[4.2 Silicate Bioactive Glasses](#)

[4.3 Phosphate Bioactive Glasses](#)

[4.4 Phosphate Glass Fibers](#)

[4.5 Borate, Borosilicate, and Borophosphate Bioactive Glasses](#)

[4.6 Conclusion](#)

[References](#)

[5 Borate Bioactive Glass](#)

[5.1 Introduction](#)

[5.2 Composition and Fabrication Process](#)

[5.3 Biological Reaction of Boron](#)

[5.4 Hard Tissue Regeneration](#)

[5.5 Soft Tissue Regeneration](#)

[5.6 Summary](#)

[References](#)

[6 Fabrication of Bioactive Structures from Sol-Gel Derived Bioactive Glass](#)

[6.1 Regenerative Glasses - An Introduction](#)

[6.2 Glass Network and Bioactivity](#)

[6.3 Sol-Gel Process of Synthesizing Bioactive Glass Structures](#)

[6.4 Scaffold Structuring from Bioactive Glass](#)

[6.5 Conclusion](#)

[Acknowledgment](#)

[References](#)

[7 Processing of Bioactive Glass Scaffolds for Bone Tissue Engineering](#)

[7.1 Introduction](#)

[7.2 Critical Issues and Challenges Related to Bioactive Glass Scaffolds](#)

[7.3 Fabrication Techniques](#)

[7.4 Beyond Bone Tissue Engineering Through Using BG-Based Scaffolds](#)

[7.5 Conclusion](#)

[References](#)

[8 Strong, Tough Bioactive Glasses and Composite Scaffolds](#)

[8.1 Introduction](#)

[8.2 Glass Composition](#)

[8.3 Fabrication Methods](#)

[8.4 Mechanical Properties](#)

[8.5 Conclusions and Future Trends](#)

[References](#)

[9 Nano-bioactive Glass: Advances and Applications](#)

[9.1 Introduction](#)

[9.2 Bioactive Glass Nanoparticles](#)

[9.3 Compositions of Sol-Gel BGn](#)

[9.4 Nanoscale Properties of Sol-Gel BGn](#)

[9.5 Biomedical Applications of BGn](#)

[9.6 Conclusion](#)

[References](#)

[10 Tailoring the Osteogenic Properties of Bioactive Glasses by Incorporation of Therapeutic Ions for Orthopedic Applications](#)

[10.1 Introduction](#)

[10.2 Ions Derived from Common Silicate-Based BGs](#)

[10.3 Ions Derived from BGs Supplemented with Further Therapeutically Active Ions](#)

[10.4 Summary and Conclusions](#)

[References](#)

[11 Bioactive Glasses as Carriers for the Controlled Release of Therapeutic Species](#)

[11.1 Introduction: From BG Themselves to Platform Materials](#)

[11.2 Therapeutic Ion Release](#)

[11.3 Drug Release](#)

[11.4 Biomolecule Release](#)

[11.5 Dual/Multi-species Release](#)

[11.6 Release Modulation on MBG-Based Carriers](#)

[11.7 Conclusions and Perspectives](#)

[References](#)

[12 Enhancing the Biological Performance of Bioactive Glasses by Combination with Phytotherapeutic Compounds](#)

[12.1 Introduction](#)

[12.2 Phytotherapeutics: An Overview](#)

[12.3 Bioactive Glasses and Drug Delivery](#)

[12.4 Tailoring the Biological Response of Bioactive Glasses by the Interaction with Phytotherapeutics](#)

[12.5 Loading Techniques of Phytotherapeutic Compounds on Bioactive Glasses](#)

[12.6 Bioactive Glass with Phytotherapeutics: Toward Therapeutic Applications](#)

[12.7 Summary and Outlook](#)

[References](#)

[13 Bioactive Glass-Based Coatings: Concepts for Improving the Biocompatibility of Implantable Materials](#)

[13.1 Introduction](#)

[13.2 Bioactive Glass Synthesis](#)

[13.3 Principles of Coating Processing](#)

[13.4 Characterization of Modified Surfaces](#)

[13.5 Composite Coatings: Diversity of Inorganic-Organic Hybrids](#)

[13.6 Conclusion](#)

[References](#)

[14 Laser Cladding and Laser Direct Glass Deposition of Bioactive Glass and Glass-Ceramics](#)

[14.1 Laser Cladding and Laser Direct Glass Deposition](#)

[14.2 Bioactive Glasses for Laser Cladding Processes](#)

[14.3 Bioactive Glass and Glass-Ceramic Coatings by Laser Cladding](#)

[14.4 Additive Manufacturing of Bioactive Glass by Laser Direct Deposition](#)

[14.5 Conclusions](#)

[Acknowledgments](#)

References

15 Laser-Assisted Processing of $\text{CaSiO}_3\text{-Ca}_3(\text{PO}_4)_2$ Bioactive Eutectic Glasses and Glass-Ceramics for Functional Applications

15.1 Introduction: Bioactive Glasses and Glass-Ceramics

15.2 Fundamentals of the Laser Floating Zone Technique

15.3 Fabrication and Characterization of Rare-Earth-Doped $\text{CaSiO}_3\text{-Ca}_3(\text{PO}_4)_2$ Biocompatible and Bioactive Eutectic Glasses and Glass-Ceramics

15.4 Laser-Induced Breakdown Spectroscopy (LIBS) as a Complementary Analytical Tool for Monitoring the Formation of Hydroxyapatite Porous Layers

15.5 Laser Machining and *In Vitro* Assessment of $\text{CaSiO}_3\text{-Ca}_3(\text{PO}_4)_2$ Biocompatible and Bioactive Eutectic Glasses and Glass-Ceramics

15.6 Fabrication of Buried Waveguides in $\text{CaSiO}_3\text{-Ca}_3(\text{PO}_4)_2$ Bioactive Eutectic Glasses by Femtosecond Direct Laser Writing

15.7 Conclusions and Outlook

Acknowledgments

References

16 Molecular Dynamics (MD) Simulations of Bioactive Glasses and Glass-Ceramics

16.1 Introduction

16.2 Molecular Dynamics (MD) Simulations

16.3 Conclusion

Acknowledgment

References

[17 *In Vitro* and *In Vivo* Studies of Bioactive Glasses](#)

[17.1 Introduction](#)

[17.2 Bioactive Glass](#)

[17.3 Chemical Composition of Bioactive Glass](#)

[17.4 Key Concepts Before Using Bioactive Glass for Tissue Regeneration](#)

[17.5 Reactions of BGs in Physiological Fluids](#)

[17.6 Interaction of Bioactive Glass with Proteins](#)

[17.7 Cell Cycle Involved in Tissue Regeneration](#)

[17.8 *In Vitro/In Vivo* Evaluation of Bioactive Glass for Bone Tissue Regeneration](#)

[17.9 A Comparative Analysis of Silicate- and Borate-Based Glasses in Bone Tissue Regeneration](#)

[17.10 Bioactive Glass for Dentin Regeneration](#)

[17.11 Bioactive Glass for Cartilage Regeneration](#)

[17.12 Evaluation of Bioactivity in Cartilage Regeneration](#)

[17.13 Regeneration of Soft Connective Tissues](#)

[17.14 Bioactive Glass for Skin Tissue Regeneration](#)

[17.15 Bioactive Glass for Angiogenesis](#)

[17.16 Role of Other Metal-Based Network Modifiers in Tissue Regeneration \(*In Vivo/In Vitro* Study\)](#)

[17.17 List of FDA Approved Bioactive Glass](#)

[References](#)

[18 Production of Bioactive Glass-Ceramics for Dental Application Through Devitrification of Glasses in the \$\text{Na}_2\text{O}/\text{K}_2\text{O}-\text{CaO}-\text{MgO}-\text{SiO}_2-\text{P}_2\text{O}_5-\text{CaF}_2\$ System](#)

[18.1 Introduction](#)

[18.2 State-of-the-Art](#)

[18.3 Design of Novel Compositions in the CaO-MgO-SiO₂ System](#)

[18.4 Synthesis of the Novel Glass-Ceramics and Characterization Methods](#)

[18.5 Properties of the Glass-Ceramic Materials](#)

[18.6 Feasibility of the Application of the Novel Glass-Ceramics in Dental Implantology](#)

[18.7 Concluding Remarks](#)

[References](#)

[19 Applications of Bioactive Glasses for Implants in the Ear](#)

[19.1 Introduction](#)

[19.2 Bioactive Glasses in Otorhinolaryngology: Biological Properties](#)

[19.3 Clinical Applications](#)

[19.4 Conclusions and Future Directions](#)

[Acknowledgments](#)

[References](#)

[20 Bioactive Glass: Soft Tissue Reparative and Regenerative Applications](#)

[20.1 Introduction](#)

[20.2 BAGs in Contact with Soft Tissues](#)

[20.3 Conclusion](#)

[References](#)

[Note](#)

[21 Bioactive Glasses as Biologically Active Materials for Healing of Skin Wounds](#)

[Abbreviations](#)

[21.1 Introduction](#)

[21.2 The Healing Process of Skin Wounds and Wound Care Approaches](#)

[21.3 Overview of Bioactive Glass Structure](#)

[21.4 Metallic, Metalloid, and Nonmetallic Elements: The Main Role Players of Biological Effects of Bioactive Glasses in Human Body](#)

[21.5 The Applications of Bioactive Glasses in Skin Wound Healing](#)

[21.6 Conclusions and Outlook](#)

[References](#)

[22 Biocompatible Glasses Applied in Cancer Treatment: Magnetic Hyperthermia and Brachytherapy](#)

[22.1 General Aspects of Cancer Molecular Biology](#)

[22.2 Bioactive Glasses Applied in Hyperthermia](#)

[22.3 Bioactive Glasses Applied in Brachytherapy](#)

[Acknowledgments](#)

[References](#)

[23 Bioactive Glasses with Antibacterial Properties: Mechanisms, Compositions, and Applications](#)

[23.1 Introduction](#)

[23.2 Mechanisms of Antimicrobial Activities](#)

[23.3 Intrinsic Antibacterial Properties of Bioactive Glass Compositions Without Any Specific Bactericidal Ion](#)

[23.4 Strategies to Provide Antimicrobial Properties](#)

[23.5 Applications of Antimicrobial Bio-glasses](#)

[23.6 Concluding Remarks and Future Perspectives](#)

[References](#)

[Index](#)

[End User License Agreement](#)

List of Tables

Chapter 1

[Table 1.1 Selection of commercial bioactive glass-ceramics: composition, cry...](#)

[Table 1.2 Differences between homogeneous \(HOM\) and heterogeneous \(HET\) nucl...](#)

Chapter 2

[Table 2.1 Selection of bioactive glass-ceramics reported in literature and c...](#)

Chapter 3

[Table 3.1 EDS analyses of the degrading S53P4 granule \(Pt 1-6\) and the surro...](#)

[Table 3.2 The number of patients treated with bioactive glass S53P4 in diffe...](#)

Chapter 5

[Table 5.1 Nominal composition of borate bioactive glasses.](#)

Chapter 6

[Table 6.1 Earlier works of bioactive glass scaffolds prepared by foam replic...](#)

[Table 6.2 Earlier works of bioactive glass scaffolds prepared by the hydroge...](#)

[Table 6.3 Earlier works of bioactive glass scaffolds prepared by the electro...](#)

[Table 6.4 Earlier works of bioactive glass scaffolds prepared by the 3D prin...](#)

Chapter 7

[Table 7.1 List of the minimum requirement that a bone tissue engineering sca...](#)

[Table 7.2 Overview of AM technologies for the processing of BG-based porous ...](#)

Chapter 8

[Table 8.1 Summary of the mechanical properties of human bone \[22-30\].](#)

[Table 8.2 Key bioactive glass compositions published in literature.](#)

Chapter 9

[Table 9.1 Chemical compositions, synthesis approach, particle size, Brunauer...](#)

Chapter 10

[Table 10.1 Biological effects of candidate ions for doping of bioactive glas...](#)

Chapter 11

[Table 11.1 List of constitutive therapeutic ions of BGs and theirs main repo...](#)

[Table 11.2 List of additive therapeutic ions of BGs and theirs main reported...](#)

[Table 11.3 Some typical antibiotic delivery systems based on BG carriers.](#)

[Table 11.4 List of therapeutic drug delivery systems based on BGs for bone d...](#)

Chapter 12

[Table 12.1 Overview of systems that combine phytotherapeutic compounds with ...](#)

[Table 12.2 Commonly used phytotherapeutic compounds that have been considere...](#)

Chapter 14

[Table 14.1 Powder feed rate of different feeder configurations \[2, 8, 11, 23...](#)

[Table 14.2 Composition \(mol%\) of bioactive glasses employed in laser cladding...](#)

[Table 14.3 Laser wavelength, optical energy density, and structural changes ...](#)

Chapter 15

[Table 15.1 Calculated and measured eutectic composition and temperature in t...](#)

[Table 15.2 Theoretical \(T\) and experimental composition of the glass-ceramic...](#)

[Table 15.3 Compositional analysis in wt% of the phases present in the eutect...](#)

[Table 15.4 List of main spectral lines observed in the samples.](#)

[Table 15.5 EDX compositional analysis in at% of both \$\text{CaSiO}_3\$ - \$\text{Ca}_3\(\text{PO}_4\)_2\$ -glass ...](#)

[Table 15.6 EDX compositional analysis in at% of both \$\text{CaSiO}_3\$ - \$\text{Ca}_3\(\text{PO}_4\)_2\$ -glass ...](#)

[Table 15.7 EDX compositional analysis in at% of the microstructure found in ...](#)

Chapter 16

[Table 16.1 The structural roles of ions released from BGs, revealed by MD si...](#)

Chapter 18

[Table 18.1 Various systems of GCs proposed as potential materials for biomed...](#)

[Table 18.2 Mechanical properties of the natural tissues \[6, 10, 17, 18\] and ...](#)

[Table 18.3 Glass compositions \(in wt%\) of the previous works, which led to t...](#)

[Table 18.4 The modified compositions \(in wt%\).](#)

[Table 18.5 Mean values \(and standard deviation; \$n = 3\$ \) of glass transition t...](#)

[Table 18.6 Mean values \(and standard deviation, \$n = 5\$ \) of linear shrinkage a...](#)

[Table 18.7 Mean values \(and standard deviation, \$n = 10\$ \) of mechanical proper...](#)

[Table 18.8 Mean values \(and standard deviation; \$n = 3\$ \) of glass transition t...](#)

[Table 18.9 Mean values \(and standard deviation, \$n = 5\$ \) of linear shrinkage a...](#)

[Table 18.10 Mean values \(and standard deviation, \$n = 10\$ \) of the mechanical p...](#)

Chapter 20

[Table 20.1 Overview of the studies performed highlighting the application of...](#)

[Table 20.2 Nonosseous application of BAGs in ophthalmology, stomatology, and...](#)

Chapter 21

[Table 21.1 A summary of the reported biological roles relevant to chemical e...](#)

[Table 21.2 Overview of the type of bioactive glasses used for wound healing ...](#)

[Table 21.3 Commercially available bioactive glass-based products for wound h...](#)

Chapter 22

[Table 22.1 \$\beta\$ -Emitters useful in particulate radiopharmaceuticals.](#)

Chapter 23

[Table 23.1 Compositions, synthesis methods, and antimicrobial action related...](#)

[Table 23.2 Main outputs and applications for antimicrobial BGs.](#)

List of Illustrations

Chapter 1

[Figure 1.1 \(a\) Schematic representation of the free energy for cluster forma...](#)

[Figure 1.2 Scheme of leucite-apatite glass-ceramics, showing the crystalliza...](#)

Chapter 2

[Figure 2.1 Cross sections of heat-treated bioactive glass bulk pieces \(a, b\)...](#)

[Figure 2.2 Influence of changes in composition or heat treatment regime on c...](#)

Chapter 3

[Figure 3.1 SEM micrograph of an S53P4 granule implanted in a sheep's mandibu...](#)

[Figure 3.2 SEM images showing defect closure in rabbit tibia after six weeks...](#)

[Figure 3.3 Evolution of cortical thickness in the treatment of benign bone t...](#)

[Figure 3.4 X-ray images of a lateral tibial plateau fracture: \(a\) before the...](#)

[Figure 3.5 Treatment of osteomyelitis caused by *Staphylococcus aureus* in the...](#)

[Figure 3.6 Schematic drawing of a calvarial implant with bioactive glass par...](#)

[Figure 3.7 Bonalive[®]-products for filling S53P4 granules in \(a\) infecte...](#)

[Figure 3.8 SEM micrographs of partly crystallized S53P4 scaffold cross-secti...](#)

[Figure 3.9 Bone growth into S53P4 scaffold after eight weeks in rabbit tibia...](#)

Chapter 4

[Figure 4.1 Structure/composition of silica and silicate glasses.](#)

[Figure 4.2 SEM image of a bioactive glass immersed for 72 hours in simulated...](#)

[Figure 4.3 \$Q_n\$ structure in silica and silicate \(yellow sphere = silicon; blu...](#)

[Figure 4.4 SEM images and line scans across the reaction layer formed at the...](#)

[Figure 4.5 \$Q_n\$ structure in phosphate glasses \(red sphere = silicon; blue sph...](#)

[Figure 4.6 Dissolution mechanism of phosphate glasses.](#)

[Figure 4.7 Fourier-transform infrared \(FTIR\) spectra of metaphosphate ...](#)

[Figure 4.8 SEM images of metaphosphate glass immersed for two weeks in SBF \(...](#)

[Figure 4.9 Output light power through the phosphate bioactive glass \(PBG\) fi...](#)

[Figure 4.10 Borate structure \(green sphere = boron; blue sphere = oxygen\).](#)

[Figure 4.11 SEM images of S53P4 \(a\) and B53P4 \(b\) particles, immersed for 16...](#)

Chapter 5

[Figure 5.1 SEM photographs of borate bioactive glasses with various microstr...](#)

[Figure 5.2 \(a\) Weight loss of scaffold and \(b\) pH of a simulated body fluid ...](#)

[Figure 5.3 Micro CT images of critical-sized rat calvarial defects implanted...](#)

[Figure 5.4 Images of skin wounds treated with borate bioactive glasses \(BG\)...](#)

[Figure 5.5 Sensitivity of bacteria to borate glasses of 13-93B3 with or with...](#)

Chapter 6

[Figure 6.1 Network structure of bioactive glass with arrangements of network...](#)

[Figure 6.2 Phase diagram of bioactive glasses with \(a\) tertiary diagram of S...](#)

[Figure 6.3 Phase diagram of binary bioactive glass system with respect to te...](#)

[Figure 6.4 Possible ways of Si-O-Si tetrahedra interaction in bioactive glas...](#)

[Figure 6.5 HCA formation mechanism of bioglass when immersed in simulated bo...](#)

[Figure 6.6 Sol-gel synthesis process of various forms of bioactive glass str...](#)

[Figure 6.7 Photographic representation of first reported homogenous sol-gel ...](#)

[Figure 6.8 Synthesis procedure for preparing bioactive glass scaffolds by fo...](#)

[Figure 6.9 \(a\) Schematic representation of porous HA scaffolds prepared by f...](#)

[Figure 6.10 Stimuli-responsive hydrogel swelling in presence of various exte...](#)

[Figure 6.11 Schematic representation of new tissue formation with angiogenes...](#)

[Figure 6.12 Pictures of bioactive glass-based hydrogels. \(a\) Teflon chambers...](#)

[Figure 6.13 Schematic representation of fabrication of bioactive glass fiber...](#)

[Figure 6.14 Modalities of bioprinting process for the fabrication of bioacti...](#)

[Figure 6.15 Steps involved in the 3D printing of scaffolds for biomedical ap...](#)

Chapter 7

[Figure 7.1 Schematic of a typical bone tissue engineering cycle including bi...](#)

[Figure 7.2 Elastic modulus of BG-based scaffolds as a function of the total ...](#)

[Figure 7.3 Foaming techniques for BG-based scaffold manufacturing: schematic...](#)

[Figure 7.4 BG-based scaffolds obtained by thermal consolidation of particles...](#)

[Figure 7.5 Thermal consolidation of particles: scaffold manufacturing with a...](#)

[Figure 7.6 Scaffold manufacturing process by foam replica method.](#)

[Figure 7.7 Schematic diagram of a SLS system.](#)

[Figure 7.8 Schematic diagram of SL.](#)

[Figure 7.9 Schematic diagram of a typical FDM setup.](#)

[Figure 7.10 IJP delivery methods: \(a\) continuous and \(b\) drop-on demand prin...](#)

[Figure 7.11 Setup for 3DP manufacturing technology.](#)

[Figure 7.12 Schematic representation of a layer-by-layer deposition process ...](#)

Chapter 8

[Figure 8.1 Hierarchical structure of bone. In bone, macroscale arrangements ...](#)

[Figure 8.2 \(a\) Material property chart showing Young's modulus vs. strength....](#)

[Figure 8.3 Representative microstructure of bioactive glass 13-93 scaffolds ...](#)

[Figure 8.4 \(a\) Compressive strength of bioactive glass scaffolds compiled fr...](#)

[Figure 8.5 Fatigue life \(average number of cycles to failure\) of 13-93 bioac...](#)

[Figure 8.6 \(a\) Schematic illustration of the primary toughening mechanisms, ...](#)

[Figure 8.7 \(a\) A three-dimensional view of the joining of adjacent glass str...](#)

[Figure 8.8 Mechanical response and toughening mechanisms in the synthetic hy...](#)

Chapter 9

[Figure 9.1 Acoustic cavitation process which involves formation, growth, and...](#)

[Figure 9.2 Modified Stöber synthesis of spherical BGn with controlled partic...](#)

[Figure 9.3 FE-SEM images, showing the growth of HA from aggregates of BGn at...](#)

[Figure 9.4 HR-TEM images \(a, b\) and TEM-SAED patterns \(c, d\) of as-prepared ...](#)

[Figure 9.5 Low- and high-magnification FE-SEM images and EDX spectrum \(inset...](#)

[Figure 9.6 Cell spheroid formation \(from mesenchymal stem cells derived from...](#)

[Figure 9.7 *In vivo* model of subcutaneous transplantation in nude mouse. Mass...](#)

[Figure 9.8 The mechanism of synergistic effect of multiple components and th...](#)

[Figure 9.9 *In vivo* wound healing after different treatments with Ce-BGn/GelM...](#)

Chapter 10

[Figure 10.1 BG grafts release ionic dissolution products in a physiological ...](#)

[Figure 10.2 Schematic overview of the biological effects of the selected the...](#)

Chapter 11

[Figure 11.1 Hierarchical pores of implant materials provide mimetic dimensio...](#)

[Figure 11.2 \(a\) Cu-doped borate bioactive glass scaffolds as a controlled de...](#)

[Figure 11.3 Diffusion pathways of three atoms: Na, Ca, and Sr. Trajectories ...](#)

[Figure 11.4 Illustrations of drug loading and release mechanisms from BG-bas...](#)

[Figure 11.5 \(a\) Design of trimodal macro/micro/nano-porous scaffold loaded w...](#)

[Figure 11.6 Example illustration of BG-based dual species delivery systems. ...](#)

[Figure 11.7 Investigation of the effects of BGN \(mesoporous bioactive glass ...](#)

Chapter 12

[Figure 12.1 Schematic representation of dual release of ions and phytotherap...](#)

[Figure 12.2 FESEM micrographs at magnification 10 000× recorded on 58S MBG p...](#)

[Figure 12.3 Schematic representation of different steps of surface functiona...](#)

[Figure 12.4 Loading of phytotherapeutic compound on amino functionalized BG ...](#)

[Figure 12.5 Schematic diagram showing the methodology proposed to prepare MB...](#)

[Figure 12.6 Skin histological observation: \(a\) hematoxylin and eosin stainin...](#)

Chapter 13

[Figure 13.1 Author's schematic of sol-gel processing and associated coating ...](#)

Chapter 14

[Figure 14.1 \(a\) Cross section of bioactive glass coating on Ti6Al4V titanium...](#)

[Figure 14.2 Laser cladding principle with different material feeding: \(a\) wi...](#)

[Figure 14.3 The first application of laser cladding in the biomaterials fiel...](#)

[Figure 14.4 \(a\) The laser direct glass deposition allows to implement tailor...](#)

[Figure 14.5 \(a\) Laser cladding and laser assisted processes as a function of...](#)

[Figure 14.6 Diagram of subsystems of the working stations employed in laser ...](#)

[Figure 14.7 Laser cladding working heads can be equipped with molten pool te...](#)

[Figure 14.8 \(a\) Calcium phosphate glass-ceramic sample produced using a coax...](#)

[Figure 14.9 Temperature evolution of bioactive glass deposited on Ti6Al4V su...](#)

[Figure 14.10 \(a\) Evolution of 45S5 BG and S520 BG wetting angle on Ti6Al4V a...](#)

[Figure 14.11 Geldart diagram for powder flow classification as a function of...](#)

[Figure 14.12 SEM micrographs of a S520 BG coating on Ti6Al4V alloy deposited...](#)

[Figure 14.13 \(a\) Scanning electron micrograph of a S520 BG coating on Ti6Al4...](#)

[Figure 14.14 Phase diagram of the pseudo-binary section \$\text{CaO}\cdot\text{SiO}_2\text{-Na}_2\text{O}\cdot\text{SiO}_2\$ o...](#)

[Figure 14.15 \(a\) S57A7 glass interlayer coating by laser cladding on a ceram...](#)

[Figure 14.16 Scanning electron micrograph of the bioactive glass S520 coating...](#)

[Figure 14.17 Histological slices of Ti implants after implantation in the fe...](#)

[Figure 14.18 Surface and cross section of 3D bioactive glass parts produced ...](#)

[Figure 14.19 Compressive strength test: Weibull plot and cumulative failure ...](#)

[Figure 14.20 Precipitated apatite after seven days of immersion in simulated...](#)

[Figure 14.21 \(a\) S520 BG part produced by laser direct glass deposition from...](#)

Chapter 15

[Figure 15.1 Image of a Europium-doped \$\text{CaSiO}_3\text{-Ca}_3\(\text{PO}_4\)_2\$ bioactive eutectic gl...](#)

[Figure 15.2 Image of \$\text{CaSiO}_3\text{-Ca}_3\(\text{PO}_4\)_2\$ bioactive eutectic glasses doped with ...](#)

[Figure 15.3 Image of the molten zone between precursor rod and fiber grown b...](#)

[Figure 15.4 Image of the setup of the Laser Floating Zone. Reflaxicon \(1\), f...](#)

[Figure 15.5 Images of the molten bridge formation as the previous stage to t...](#)

[Figure 15.6 Stereoscopic image of cracks appeared in an \$\text{Al}_2\text{O}_3\text{-ZrO}_2\(\text{Y}_2\text{O}_3\)\$ rod...](#)

[Figure 15.7 Micrograph of the longitudinal-section view of samples doped wit...](#)

[Figure 15.8 Cross section micrograph of a sample grown at 50 mm/h doped with...](#)

[Figure 15.9 Micrograph in longitudinal section view of a glass-ceramic sampl...](#)

[Figure 15.10 Excitation spectra of the \$^4I_{9/2} \rightarrow ^4F_{5/2,3/2}\$ transitions obtaine...](#)

[Figure 15.11 Excitation spectra obtained at 1050, 1066, and 1080 nm emission...](#)

[Figure 15.12 Excitation spectra obtained at different emission wavelengths f...](#)

[Figure 15.13 Steady-state emission spectra of the \$^4I_{13/2} \rightarrow ^4I_{15/2}\$ transition...](#)

[Figure 15.14 \(a\) \$^5D_0 \rightarrow F_{0,1,2}\$ emissions of \$Eu^{3+}\$ for the glass-ceramic sa...](#)

[Figure 15.15 Comparative LIBS spectra between the \$CaSiO_3-Ca_3\(PO_4\)_2\$ eutectic ...](#)

[Figure 15.16 LIBS spectral signals of Si \(I\) in both \$CaSiO_3-Ca_3\(PO_4\)_2\$ eutect...](#)

[Figure 15.17 Micro-Raman spectra obtained on the surface of the sample after...](#)

[Figure 15.18 General view SEM micrograph of the \$CaSiO_3-Ca_3\(PO_4\)_2\$ eutectic sa...](#)

[Figure 15.19 Machined depth achieved for the \$CaSiO_3-Ca_3\(PO_4\)_2\$ -glass and glas...](#)

[Figure 15.20 Top-view micrographs of the machined glass \(a\) and glass-cerami...](#)

[Figure 15.21 Top-view micrographs of the machined glass \(a\) and glass-cerami...](#)

[Figure 15.22 Double-line \(a\) and depressed cladding \(b\). Waveguides produced...](#)

[Figure 15.23 Near-field distribution intensity of the TE mode in a double-fi...](#)

[Figure 15.24 Spatial variation of the Nd³⁺ fluorescence intensity for a ...](#)

Chapter 16

[Figure 16.1 Structural model of a gel-derived bioactive glass of Ca_{0.3}Si_{0.7}O](#)

[Figure 16.2 Pair radial distribution functions, \$g\(R\)\$, for the Ce-O pairs in ...](#)

[Figure 16.3 Water adsorption modes on the surface of BGs simulated by MD. A1...](#)

[Figure 16.4 Structure of 67.09SiO₂-0.61P₂O₅-12.19Na₂O-12.19CaO-7.92Y₂O₃ \(mol...](#)

[Figure 16.5 Four snapshots extracted from the CPMD trajectory simulation, il...](#)

[Figure 16.6 Pictures of the MD-calculated nanoparticle structures of Pedone ...](#)

[Figure 16.7 \(a\) The comparison between the computed nucleation curve for two...](#)

Chapter 17

[Figure 17.1 Schematics of bioactivity of BGs.](#)

[Figure 17.2 Bioactive glass surface reaction.](#)

[Figure 17.3 Cell cycle involved in bone tissue regeneration.](#)

[Figure 17.4 *In vivo* application of BGs for bone tissue regeneration \(W = wit...](#)

[Figure 17.5 Immune system response to ionic species of bioactive glass.](#)

Chapter 18

[Figure 18.1 Outline of the production process of the GCs by the glass-meltin...](#)

[Figure 18.2 Thermographs of \(a\) the parent and \(b\) the modified glasses reco...](#)

[Figure 18.3 X-ray diffractograms of the glass-powder compacts of the parent ...](#)

[Figure 18.4 Typical microstructure of the GCs \(a\) 1d, and \(b\) 1d-m and 1d-k,...](#)

[Figure 18.5 Evolution of pH in the solution over immersion time of powder of...](#)

[Figure 18.6 Influence of substitutions of K for Na and of Mg for Ca in the c...](#)

Chapter 19

[Figure 19.1 Bioactive glasses \(BAGs\) for ear implants.](#)

[Figure 19.2 Obliteration of the mastoid using foil templates \(a\), bioactive ...](#)

[Figure 19.3 TORP made of Bioverit II..](#)

[Figure 19.4 Sinonasal obliteration on a rabbit model. The periosteum \(P\) was...](#)

Chapter 20

[Figure 20.1 Illustrative representation of the BAG-based scaffold for the sk...](#)

[Figure 20.2 Illustrative representation of the mechanisms involved in the ga...](#)

[Figure 20.3 Schematic representation of the treatment strategies of MI using...](#)

Chapter 21

[Figure 21.1 Schematic representation of silicate-, borate-, and phosphate-ba...](#)

[Figure 21.2 The possible biological mechanisms of bioactive glasses in wound...](#)

Chapter 22

[Figure 22.1 Photomicrograph of a lymph node after administration of colloida...](#)

[Figure 22.2 Magnetic behavior under the influence of a magnetic field. Ferro...](#)

[Figure 22.3 Magnetic characterization performed by Bretcanu et al.: \(a\) magn...](#)

[Figure 22.4 Comparison of zinc ferrite glass-ceramics power loss after heat ...](#)

[Figure 22.5 Magnetic characterization of biphasic composite: \(a\) magnetic hy...](#)

[Figure 22.6 Magnetic and biological characterization of sol-gel derived magn...](#)

[Figure 22.7 Transmission electron microscopy of mesoporous MBGC obtained by ...](#)

[Figure 22.8 Drug release results of mesoporous MBGC obtained from different ...](#)

[Figure 22.9 Magnetic scaffolds produced by the sol-gel method. \(a\) SEM micro...](#)

[Figure 22.10 Illustration of a highly vascularized tumor and microspheres di...](#)

[Figure 22.11 Delivery of microsphere through a catheter in the hepatic arter...](#)

[Figure 22.12 Illustration of glass microsphere production by the \(a\) sol-gel...](#)

[Figure 22.13 Compositional diagram showing the glass formation range for rar...](#)

Chapter 23

[Figure 23.1 \(a\) Potential and main mechanism of metal ions antimicrobial act...](#)

[Figure 23.2 Main strategies aimed at improving the BGs antimicrobial feature...](#)

[Figure 23.3 Timeline in the discovering of bioactive glasses and the average...](#)

Bioactive Glasses and Glass-Ceramics

Fundamentals and Applications

Edited by

Francesco Baino and Saeid Kargozar

The
American
Ceramic
Society



Copyright © 2022 by The American Ceramic Society. All rights reserved.

Published by John Wiley & Sons, Inc., Hoboken, New Jersey.

Published simultaneously in Canada.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by law. Advice on how to obtain permission to reuse material from this title is available at <http://www.wiley.com/go/permissions>.

The right of Francesco Baino and Saeid Kargozar to be identified as the authors of the editorial material in this work has been asserted in accordance with law.

Registered Office

John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, USA

Editorial Office

111 River Street, Hoboken, NJ 07030, USA

For details of our global editorial offices, customer services, and more information about Wiley products visit us at www.wiley.com.

Wiley also publishes its books in a variety of electronic formats and by print-on-demand. Some content that appears in standard print versions of this book may not be available in other formats.

Limit of Liability/Disclaimer of Warranty

In view of ongoing research, equipment modifications, changes in governmental regulations, and the constant flow of information relating to the use of experimental reagents, equipment, and devices, the reader is urged to review and evaluate the information provided in the package insert or instructions for each chemical, piece of equipment, reagent, or device for, among other things, any changes in the instructions or indication of usage and for added warnings and precautions. While the publisher and authors have used their best efforts in preparing this work, they make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives, written sales materials or promotional statements for this work. The fact that an organization, website, or product is referred to in this work as a citation and/or potential source of further information does not mean that the publisher and authors endorse the information or services the organization, website, or product may provide or recommendations it may make. This work is sold with the understanding that the publisher is not engaged in rendering professional services. The advice and strategies contained herein may not be suitable for your situation. You should consult with a specialist where appropriate. Further, readers should be aware that websites listed in this work may have changed or disappeared between when this work was written and when it is read. Neither