



DECISION MAKING IN SYSTEMS ENGINEERING AND MANAGEMENT

THIRD EDITION

PATRICK J. DRISCOLL
GREGORY S. PARNELL
DALE L. HENDERSON

WILEY

Table of Contents

[Cover](#)

[Title Page](#)

[Copyright](#)

[List of Figures](#)

[List of Tables](#)

[Co-authors](#)

[Preface](#)

[Chapter 1: Working with Systems](#)

[1.1 INTRODUCTION](#)

[1.2 THE SYSTEMS ENGINEERING PERSPECTIVE](#)

[1.3 SYSTEMS THINKING](#)

[1.4 SYSTEM LIFE CYCLES](#)

[1.5 OTHER MAJOR SYSTEM LIFE CYCLE MODELS](#)

[1.6 SYSTEMS DECISION PROCESS](#)

[1.7 STAKEHOLDERS AND VESTED INTERESTS](#)

[REFERENCES](#)

[Chapter 2: Applied Systems Thinking](#)

[2.1 HOLISM—FRAMING SYSTEMS](#)

[2.2 ELEMENT DEPENDENCIES](#)

[2.3 EXPANSIVE AND CONTRACTIVE THINKING](#)

[2.4 STRUCTURE](#)

[2.5 CLASSIFYING SYSTEMS](#)

[2.6 BOUNDARIES](#)

[2.7 VISIBILITY AND SPATIAL ARRANGEMENT](#)

[2.8 EVOLUTION AND DYNAMICS](#)

REFERENCES

Chapter 3: System Representations

3.1 INTRODUCTION

3.2 SYSTEM MODELING CONCEPTS

3.3 SYSTEMIGRAMS

3.4 DIRECTIONAL DEPENDENCY (D₂) DIAGRAMS

3.5 DSM AND DMM MODELS

3.6 SYSTEM DYNAMICS

3.7 IDEF0 MODELS

3.8 SIMULATION MODELING

3.9 DETERMINING SIMULATION SAMPLE SIZE

REFERENCES

Chapter 4: The Systems Decision Process

4.1 INTRODUCTION

4.2 VALUE VERSUS ALTERNATIVE FOCUSED THINKING

4.3 THE SDP IN DETAIL

4.4 THE ROLE OF STAKEHOLDERS

REFERENCES

Chapter 5: Problem Definition

5.1 PURPOSE OF THE PROBLEM DEFINITION PHASE

5.2 RESEARCH AND "WHAT IS?"

5.3 STAKEHOLDER ANALYSIS

5.4 REQUIREMENTS ANALYSIS

5.5 FUNCTIONAL ANALYSIS

5.6 ASSESSING SYSTEM READINESS

5.7 INITIAL RISK ASSESSMENT

REFERENCES

Chapter 6: Value Modeling

6.1 INTRODUCTION

6.2 QUALITATIVE VALUE MODELING

6.3 QUANTITATIVE VALUE MODEL

REFERENCES

Chapter 7: Solution Design

7.1 INTRODUCTION

7.2 IDEATION TECHNIQUES

7.3 SCREENING AND FEASIBILITY

7.4 IMPROVING CANDIDATE ALTERNATIVES

REFERENCES

Chapter 8: Costing Systems

8.1 INTRODUCTION

8.2 TYPES OF COSTS

8.3 COST ESTIMATING TECHNIQUES

8.4 TIME EFFECTS ON COST

REFERENCES

Chapter 9: Decision Making via Tradespace Analysis

9.1 INTRODUCTION

9.2 TRADESPACE PROPERTIES

9.3 SCORING SOLUTION ALTERNATIVES

9.4 SCORING OPTIONS

9.5 TRADESPACE ANALYSIS ON SCORING RESULTS

9.6 APPLYING VALUE-FOCUSED THINKING

9.7 SUPPORTING THE TRADESPACE DECISION

9.8 USE VALUE-FOCUSED THINKING TO IMPROVE SOLUTIONS

9.9 REPORTING AND DECISION HANDOFF
REFERENCES

Chapter 10: Stochastic Tradespace Analysis

10.1 INTRODUCTION

10.2 UNCERTAINTY CONCEPTS

10.3 FLAW OF AVERAGES CONSIDERATIONS

10.4 UNCERTAINTY DISTRIBUTIONS

10.5 MONTE CARLO UNCERTAINTY SIMULATION

10.6 COST UNCERTAINTY MODELING

10.7 REALIZATION ANALYSIS

REFERENCES

Chapter 11: System Reliability

11.1 MODELING SYSTEM RELIABILITY

11.2 MATH MODELS IN RELIABILITY

11.3 RELIABILITY BLOCK DIAGRAMS

11.4 COMPONENT RELIABILITY IMPORTANCE
MEASURES

11.5 ALLOCATING AND IMPROVING RELIABILITY

11.6 MARKOV MODELS OF REPAIRABLE
SYSTEMS

REFERENCES

Chapter 12: Solution Implementation

12.1 INTRODUCTION

12.2 SOLUTION IMPLEMENTATION PHASE

12.3 THE INITIATING PROCESS

12.4 PLANNING

12.5 EXECUTING

12.6 MONITORING AND CONTROLLING

12.7 CLOSING

[12.8 IMPLEMENTATION DURING LIFE CYCLE STAGES](#)

[REFERENCES](#)

[Chapter 13: Epilogue-Professional Practice](#)

[13.1 INTRODUCTION](#)

[13.2 SYSTEMS ENGINEERING ACTIVITIES](#)

[13.3 WORKING WITH THE SYSTEMS DEVELOPMENT TEAM](#)

[13.4 BUILDING AN INTERDISCIPLINARY TEAM](#)

[13.5 SYSTEMS ENGINEERING RESPONSIBILITIES](#)

[13.6 ROLES OF THE SYSTEMS ENGINEER](#)

[13.7 CHARACTERISTICS OF THE IDEAL SYSTEMS ENGINEER](#)

[13.8 SUMMARY](#)

[REFERENCES](#)

[Appendix A: Realization Analysis Levels 0 and 2](#)

[A.1 Level 0 Analysis—Refined Choice Set Identification](#)

[A.2 Level 2 Analysis—Post-selection Insights](#)

[REFERENCES](#)

[Appendix B: Software Fundamentals](#)

[B.1 SystemiTool](#)

[B.2 Cambridge Advanced Modeler \(CAM\)](#)

[B.3 *Mathematica*](#)

[B.4 Gephi](#)

[B.5 Vensim PLE](#)

[B.6 SIPmath](#)

[B.7 Macro Code](#)

[Reference](#)

[Index](#)

[End User License Agreement](#)

List of Tables

Chapter 1

[TABLE 1.1 Dimensions of Problem Complexity \[8\].](#)

[TABLE 1.2 Characteristics of Complexity \[10\].](#)

[TABLE 1.3 Comparison of Engineering Disciplines.](#)

[TABLE 1.4 System life cycle model for systems engineering and management.](#)

[TABLE 1.5 A Comparison of Standards-Driven Life Cycle Models.](#)

[TABLE 1.6 The ISO/IEC 15288 Systems Engineering Life Cycle Model.](#)

[TABLE 1.7 Stakeholder Levels and Focus.](#)

Chapter 2

[TABLE 2.1 A Selection of Systems Thinking Tools \[2\].](#)

Chapter 3

[TABLE 3.1 Typical Interactions Used in DSMs.](#)

[TABLE 3.2 Family of IDEF Methods.](#)

[TABLE 3.3 Open Source SysML Diagrams.](#)

Chapter 4

[TABLE 4.1 Criteria for When to Use Each Task in the Systems Decision Process...](#)

[TABLE 4.2 Systems Decision Process Example.](#)

[TABLE 4.3 Comparison of Problem-Solving Processes.](#)

Chapter 5

[TABLE 5.1 Stakeholders Involved in NYC Taxi EV Study.](#)

[TABLE 5.2 Stakeholder Analysis Techniques.](#)

[TABLE 5.3 Advantages and Disadvantages of Popular Survey Methods.](#)

[Table 5.4 Percentage of cadets who prefer different methods of electronic co...](#)

[TABLE 5.5 Percentage of cadets who would rank a newly developed portal again...](#)

[TABLE 5.6 Selected Functional Analysis Techniques.](#)

[TABLE 5.7 Integration Readiness levels \[42\].](#)

[TABLE 5.8 System Readiness Levels \(SRL\) \[46\].](#)

[TABLE 5.9 Techniques for the Identification of Potential Sources of Risk in ...](#)

[TABLE 5.10 Five risk events and their probability and criteria impact levels...](#)

[TABLE 5.11 Borda algorithm point allotment and totals.](#)

Chapter 6

[TABLE 6.1 Preferences for Types of Value Measures.](#)

[TABLE 6.2 AHP Relative Importance Scale.](#)

[TABLE 6.3 Random Consistency Index \(RCI\) Values.](#)

[TABLE 6.4 Quantitative Value Model for the Rocket Example.](#)

Chapter 7

[TABLE 7.1 Housing Upgrade Example \[21\].](#)

[TABLE 7.2 Remaining 340 Ddecisions.](#)

[TABLE 7.3 Partial Rocket Design Feasibility Screening Matrix.](#)

[TABLE 7.4 A \$2 \times 2\$ Design Matrix.](#)

[TABLE 7.5 Rocket Example Initial Test Results.](#)

[TABLE 7.6 DOE Matrix with Interactions.](#)

[TABLE 7.7 \$2 \times 3\$ Design Matrix.](#)

[TABLE 7.8 Full \$2^4\$ Factorial Design.](#)

[TABLE 7.9 \$2^{4-1}\$ Design Matrix.](#)

[TABLE 7.10 The Lost \$2^4\$ Effects.](#)

[TABLE 7.11 Confounding in Fractional Factorial Design.](#)

[TABLE 7.12 Modified Rocket Design Factors.](#)

[TABLE 7.13 Rocket Design Test Results.](#)

[TABLE 7.14 Three-level Latin Square Matrix.](#)

[TABLE 7.15 The Vital Few Rocket Design Factors.](#)

Chapter 8

[TABLE 8.1 LCC Techniques by Life Cycle Stage.](#)

[TABLE 8.2 AACE Cost Estimate Classification Matrix \[9\].](#)

[TABLE 8.3 Levels of Cost Estimating \[6\].](#)

[TABLE 8.4 Linear Transformations for CERs.](#)

[TABLE 8.5 Labor Hours and Costs for Highway Construction.](#)

[TABLE 8.6 Transformed Data.](#)

[TABLE 8.7 Factors for Various Learning Rates.](#)

[TABLE 8.8 Unit Cost and Cumulative Average Cost.](#)

[TABLE 8.9 Accounting System Data.](#)

[TABLE 8.10 Natural Logarithm of Cumulative Units Completed and Cumulative Av...](#)

[TABLE 8.11 Equivalence Table \[4\].](#)

[TABLE 8.12 Consumer Price Index and Yearly Inflation Rate for 2000-2006....](#)

[TABLE 8.13 Inflation-Adjusted Annual Net Cash Flows.](#)

Chapter 9

[TABLE 9.1 Example Competitive Improvement Strategies for Dominated Solution ...](#)

[TABLE 9.2 Efficiency Calculations for Alternatives in Figure 9.19.](#)

[TABLE 9.3 Fin Material Performance Uncertainty.](#)

[TABLE 9.4 Global Positioning System \(GPS\) Performance Uncertainty.](#)

Chapter 10

[TABLE 10.1 EKSLOC Values by Software Component.](#)

[TABLE 10.2 EV Uncertainty Distributions Used in the MCVM.](#)

[TABLE 10.3 Outcome Comparison for Every Alt R and Alt G Realization Pair.](#)

[TABLE 10.4 Average Dominance Score \(ADS\) Matrix for Six Alternative Example.](#)

Chapter 11

[TABLE 11.1 Common Continuous Reliability Distributions.](#)

Chapter 12

[TABLE 12.1 Life Cycle Stages.](#)

[TABLE 12.2 Tools and techniques supporting the planning process.](#)

Chapter 13

[TABLE 13.1 Summary of Systems Engineering Activities during a Systems Life C...](#)

[TABLE 13.2 Summary of Program Roles in Relation to the Systems Engineer.](#)

[TABLE 13.3 Comparison of the Program Manager and the Systems Engineer \[2\]....](#)

List of Illustrations

Chapter 1

[Figure 1.1 The stages of a system's life cycle.](#)

[Figure 1.2 Waterfall system life cycle model.](#)

[Figure 1.3 Spiral life cycle model with embedded risk assessment.](#)

[Figure 1.4 Life cycle assessment of environmental costs of a washing machine...](#)

[Figure 1.5 Systems decision process used throughout a system life cycle.](#)

[Figure 1.6 Simplified risk management cycle affecting systems decisions.](#)

[Figure 1.7 Elements of decision quality \(the corresponding SDP phases are an...](#)

[Figure 1.8 Systems decision process.](#)

[Figure 1.9 Modeling and analysis flow for typical SDP application.](#)

[Figure 1.10 Spectrum of modeling purposes.](#)

[Figure 1.11 Three required ingredients for proper problem definition.](#)

[Figure 1.12 Stakeholder salience types.](#)

Chapter 2

[Figure 2.1 Ordered dependency tracing example.](#)

[Figure 2.2 Major capability acquisition chart \[9\].](#)

[Figure 2.3 Two abstract system models: graphical and mathematical.](#)

[Figure 2.4 A system representation with external feedback.](#)

[Figure 2.5 Three possible qualitative structures of a system kernel function...](#)

[Figure 2.6 Conceptualization of engineering management system.](#)

[Figure 2.7 Landmark[®] under-counter wine refrigerators.](#)

[Figure 2.8 Two boundary options for the same BEV system of interest.](#)

[Figure 2.9 Degrees of internal understanding of a system.](#)

[Figure 2.10 Multilateral friendship systems in a social network.](#)

[Figure 2.11 Three hierarchy levels of system spatial placement.](#)

[Figure 2.12 Structural organization of a system with boundaries.](#)

[Figure 2.13 Alternative choice set evolution during a systems project.](#)

Chapter 3

[Figure 3.1 The tradeoff for solution design goals.](#)

[Figure 3.2 The modeling process.](#)

[Figure 3.3 Rocket launch discrete event model.](#)

[Figure 3.4 Area under the function \$f\(x\) = x^2\$.](#)

[Figure 3.5 Model characteristics.](#)

[Figure 3.6 Types of electric vehicles and their major components \[8\].](#)

[Figure 3.7 Battery electric vehicle \(BEV\) systemigram mainstay.](#)

[Figure 3.8 Battery electric vehicle \(BEV\) initial systemigram.](#)

[Figure 3.9 Directional dependency diagram relationships.](#)

[Figure 3.10 \$D^2\$ diagram and its adjacency matrix.](#)

[Figure 3.11 Example \$D^2\$ diagram for logistic system with associated mathematic...](#)

[Figure 3.12 The four domains of axiomatic design.](#)

[Figure 3.13 N2 and DSM representations for a four-element interaction.](#)

[Figure 3.14 Activity DSM for a seven-task process.](#)

[Figure 3.15 A binary component DSM showing physical dependencies for the AW1...](#)

[Figure 3.16 Clustered AW101 DSM showing potential component modules.](#)

[Figure 3.17 Translating the AW101 DSM into an adjacency matrix. \(a\) DSM with...](#)

[Figure 3.18 AW101 digraph and module clustering. \(a\) AW101 DSM as an Adjacen...](#)

[Figure 3.19 Microsoft Excel CSV file and network layout after importing into...](#)

[Figure 3.20 SMI bounding matrices for \$6 \times 6\$ DSM. \(a\) Fully integral and \(b\) full...](#)

[Figure 3.21 DSMs and DMMs commonly supporting system development.](#)

[Figure 3.22 Example DMM with design defects.](#)

[Figure 3.23 COVID causal loop diagram for major factors.](#)

[Figure 3.24 COVID stock and flow diagram supporting dynamic simulation.](#)

[Figure 3.25 COVID-19 system behavior over time.](#)

[Figure 3.26 Generic IDEF0 model with three functional examples.](#)

[Figure 3.27 An A-0 diagram for the Make Coffee function.](#)

[Figure 3.28 Level 2 representation of the Problem Definition phase of the SD...](#)

[Figure 3.29 Level 0 model of a fast food restaurant.](#)

[Figure 3.30 Level 1 model of a fast food restaurant.](#)

[Figure 3.31 Level 2 model of the order process function for a fast food rest...](#)

[Figure 3.32 ProModel[®] anti-ballistic missile simulation example \[40\]...](#)

[Figure 3.33 Simulation types \[41\].](#)

[Figure 3.34 Simulation-reality relationships.](#)

Chapter 4

[Figure 4.1 Value-focused versus alternative-focused thinking sequences.](#)

[Figure 4.2 Flow of value-focused and alternative-focused thinking.](#)

[Figure 4.3 Dynamic approach to problem structuring.](#)

[Figure 4.4 The systems decision process \(SDP\).](#)

Chapter 5

[Figure 5.1 Concept diagram for Problem definition.](#)

[Figure 5.2 Online investigative pattern common to literature reviews.](#)

[Figure 5.3 An IDEF0 conceptualization of stakeholder analysis.](#)

[Figure 5.4 Two categories for FCR matrix after BEV research.](#)

[Figure 5.5 Hypothetical margin allocation example.](#)

[Figure 5.6 Affinity diagramming in action.](#)

[Figure 5.7 Example functional hierarchy for a battery electric vehicle \(BEV\)...](#)

[Figure 5.8 Functional flow diagram for the top level of a NASA flight missio...](#)

[Figure 5.9 Partial functional hierarchy for curriculum management system \(CM...](#)

[Figure 5.10 Functional flow diagram for Function 4.0: perform mission operat...](#)

[Figure 5.11 IDEF0 Level 1 functional analysis example.](#)

[Figure 5.12 U.S. Dept of Defense technology readiness levels \(TRL\).](#)

[Figure 5.13 Integration tracking tool for sensor field experiments.](#)

[Figure 5.14 Example risk register used during the SDP.](#)

[Figure 5.15 Example of constructed risk outcome range scales.](#)

[Figure 5.16 Example P-I table for 6 risk elements.](#)

[Figure 5.17 Specific P-I table for risk element 3.](#)

[Figure 5.18 Example system life cycle cost profile.](#)

[Figure 5.19 Estimate of system cost variance over life cycle.](#)

Chapter 6

[Figure 6.1 Example tradespace involving total value return and risk deviatio...](#)

[Figure 6.2 Qualitative value model general structure.](#)

[Figure 6.3 EV qualitative value model.](#)

[Figure 6.4 Simplified value hierarchy for the rocket example.](#)

[Figure 6.5 Crosswalk of value functions to objectives.](#)

[Figure 6.6 Typical shapes for value functions.](#)

[Figure 6.7 Value function for minimizing the logistical footprint value meas...](#)

[Figure 6.8 EV example value function and 2D table using the difference metho...](#)

[Figure 6.9 Value function for the example value increment method.](#)

[Figure 6.10 Value functions for the EV example.](#)

[Figure 6.11 EV AHP input matrix and normalized matrix with value measure wei...](#)

[Figure 6.12 EV AHP consistency ratio matrix and results.](#)

[Figure 6.13 Matrix for assigning value measure swing weights.](#)

[Figure 6.14 Value measure placement in swing weight matrix: upper left box r...](#)

[Figure 6.15 EV swing weighting results.](#)

[Figure 6.16 AHP and swing weighting value measure weight results.](#)

[Figure 6.17 Swing weight matrix for CMS concept decision.](#)

[Figure 6.18 CMS qualitative value model with tiered weighting.](#)

[Figure 6.19 Value functions supporting the CMS concept decision.](#)

[Figure 6.20 Rocket design value functions.](#)

[Figure 6.21 Swing and global weights for the rocket design quantitative valu...](#)

[Figure 7.1 Define, design, decide loops.](#)

[Figure 7.2 Concept map for the Solution design phase.](#)

[Figure 7.3 The ideation process.](#)

[Figure 7.4 The design thinking process steps.](#)

[Figure 7.5 Zwicky's morphological box.](#)

[Figure 7.6 From morphological box to alternatives.](#)

[Figure 7.7 Rocket design objectives structure.](#)

[Figure 7.8 Feasibility screening.](#)

[Figure 7.9 Feasibility screening for electric vehicle \(EV\) candidates.](#)

[Figure 7.10 CMS morphology box application.](#)

[Figure 7.11 Two-factor, two-level design.](#)

[Figure 7.12 Calculating main effects.](#)

[Figure 7.13 Three-factor, two-level design.](#)

[Figure 7.14 Geometry for a \$2^4\$ factorial design.](#)

[Figure 7.15 Fully expanded \$2^{4-1}\$ matrix.](#)

[Figure 7.16 \$2^{4-1}\$ design plot \(principle fraction\).](#)

[Figure 7.17 Fractional factorial design notation.](#)

[Figure 7.18 Pareto chart of effects, full rocket design.](#)

[Figure 7.19 Pareto chart of effects, half-fraction rocket design.](#)

[Figure 7.20 Latin Square rocket design focused on thrust.](#)

[Figure 7.21 Graeco Latin rocket design.](#)

[Figure 7.22 Response surface plots of the rocket design.](#)

[Figure 7.23 Pareto analysis of the rocket design experiment.](#)

Chapter 8

[Figure 8.1 Concept map for life cycle costing.](#)

[Figure 8.2 Linear CERs.](#)

[Figure 8.3 Power CERs.](#)

[Figure 8.4 Exponential CERs.](#)

[Figure 8.5 Logarithm CERs.](#)

[Figure 8.6 Scatter plot of the data.](#)

[Figure 8.7 Normal probability plot.](#)

[Figure 8.8 Residual plot.](#)

[Figure 8.9 Normal probability plot.](#)

[Figure 8.10 Residual plot.](#)

[Figure 8.11 Plot of learning curves.](#)

[Figure 8.12 90% learning curve for cumulative average cost and unit cost.](#)

[Figure 8.13 90% learning curve for fin assembly.](#)

[Figure 8.14 Fitted line plot.](#)

[Figure 8.15 Electric vehicle five-year total cost of ownership.](#)

[Figure 8.16 Rocket example breakeven point.](#)

Chapter 9

[Figure 9.1 Example Pareto-based tradespace.](#)

[Figure 9.2 The cone \$K_n\$ and polar cone \$K_n^-\$ of alternative \$A_n\$.](#)

[Figure 9.3 Alternative 4 \(\$A_4\$ \) is contained in the cone \$K_5\$ of alternative \$A_5\$.](#)

[Figure 9.4 Candidate system solution scoring for the EV example.](#)

[Figure 9.5 Candidate system solution scoring for the rocket system example....](#)

[Figure 9.6 Rocket component value measure score matrix \(raw data\).](#)

[Figure 9.7 Rocket component value matrix.](#)

[Figure 9.8 Excel Solver interface window.](#)

[Figure 9.9 Component optimization scoring table.](#)

[Figure 9.10 Electric vehicle cost-value tradespace.](#)

[Figure 9.11 Rocket design cost-value tradespace.](#)

[Figure 9.12 Performing weight sensitivity analysis.](#)

[Figure 9.13 Swing weight sensitivity for Speed of Platform.](#)

[Figure 9.14 VFT chart with choice set \$C^*\$ elements.](#)

[Figure 9.15 VFT chart with weighted differences and measure weights.](#)

[Figure 9.16 Electric vehicle stacked bar chart results.](#)

[Figure 9.17 Rocket design stacked bar chart results.](#)

[Figure 9.18 Improvement regions for non-dominated alternatives.](#)

[Figure 9.19 Improvement regions for non-dominated alternatives.](#)

[Figure 9.20 Value-focused thinking within the SDP.](#)

[Figure 9.21 Decision tree for risk analysis.](#)

[Figure 9.22 Value matrix for decision tree.](#)

[Figure 9.23 Cumulative risk profiles.](#)

[Figure 9.24 Sensitivity of dependent uncertainties.](#)

[Figure 9.25 Two methods for organizing and presenting information in slidesh...](#)

Chapter 10

[Figure 10.1 Deterministic and stochastic tradespaces.](#)

[Figure 10.2 Stochastic tradespace examples: boxplot and cloudplot.](#)

[Figure 10.3 Sources of uncertainty in systems decision support projects.](#)

[Figure 10.4 Jensen's inequality applied to three cases.](#)

[Figure 10.5 Random sampling using cumulative distribution for a \$N\(15, 4\)\$ uncertain...](#)

[Figure 10.6 Triangular distribution for embedded flight software.](#)

[Figure 10.7 PDF for software person months.](#)

[Figure 10.8 PDF for software development cost.](#)

[Figure 10.9 CDF for software development cost.](#)

[Figure 10.10 Variance contributor tornado chart.](#)

[Figure 10.11 Full tradespace analysis decision support process.](#)

[Figure 10.12 Six alternative stochastic dominance plots.](#)

[Figure 10.13 PDF and CDF plots for three alternatives.](#)

[Figure 10.14 EV choice set cloudplot.](#)

[Figure 10.15 EV first order stochastic dominance results.](#)

[Figure 10.16 EV choice set total cost and value versus risk.](#)

[Figure 10.17 EV Level 1 realization analysis results \(Options A and C\).](#)

Chapter 11

[Figure 11.1 Cost of reliability improvement versus time.](#)

[Figure 11.2 The unreliability \$F\(t\)\$ and reliability \$R\(t\)\$ relationship.](#)

[Figure 11.3 General bathtub-shaped hazard function.](#)

[Figure 11.4 Failure distribution\(\$f\(t\)\$ \), hazard function\(\$h\(t\)\$ \), and reliability func...](#)

[Figure 11.5 Weibull PDF and hazard function, \$\beta = 0.5\$.](#)

[Figure 11.6 Weibull PDF and hazard function, \$\beta = 1.32\$.](#)

[Figure 11.7 Weibull PDF and hazard function, \$\beta = 2.95\$.](#)

[Figure 11.8 A single component block for reliability analysis.](#)

[Figure 11.9 Series system.](#)

[Figure 11.10 A four component series system configuration.](#)

[Figure 11.11 Complete spreadsheet reliability model for series configuration...](#)

[Figure 11.12 Series system reliability charts.](#)

[Figure 11.13 Parallel system.](#)

[Figure 11.14 Series-parallel system.](#)

[Figure 11.15 Bridge network.](#)

[Figure 11.16 System structure when \$C_3\$ is working.](#)

[Figure 11.17 System structure when \$C_3\$ has failed.](#)

[Figure 11.18 Single-component transition rate diagram.](#)

[Figure 11.19 Transition rate diagram for multiple repair process.](#)

[Figure 11.20 Partial transition rate diagram when \$m = 3\$.](#)

[Figure 11.21 Completed transition rate diagram example.](#)

[Figure 11.22 Example transition rate diagram with \$s = 1\$.](#)

[Figure 11.23 Example transition rate diagram, \$s = 3\$.](#)

[Figure 11.24 Transition rate diagram for two different machines.](#)

[Figure 11.25 Transition rate diagram, multiple-machine, single technician, p...](#)

Chapter 12

[Figure 12.1 Concept map for Chapter 12.](#)

[Figure 12.2 The project management process.](#)

[Figure 12.3 Work breakdown structure \(WBS\) for the rocket problem.](#)

[Figure 12.4 Example linear responsibility chart.](#)

[Figure 12.5 Conceptualization of project management during implementation.](#)

[Figure 12.6 Earned value graph.](#)

[Figure 12.7 CMS project plan by phase.](#)

[Figure 12.8 Detailed work breakdown structure for Phase I tasks.](#)

Chapter 13

[Figure 13.1 Concept map for Chapter 7.](#)

[Figure 13.2 Fundamentals of a successful team.](#)

[Figure 13.3 Team performance curve.](#)

[Figure 13.4 A systems engineering “V”.](#)

Appendix A

[Figure A.1 Stochastic tradespace examples: \(a\) boxplot and \(b\) cloudplot.](#)

[Figure A.2 Stochastic dominance results for the six alternative example.](#)

[Figure A.3 Realization analysis Level 0 example.](#)

[Figure A.4 Zone partitioning in realization space.](#)

[Figure A.5 Trade zones for alternative \$G\$.](#)

Appendix B

[Figure B.1 *SystemiTool* main drawing environment.](#)

[Figure B.2 CAM workspace environment.](#)

[Figure B.3 CAM workbook options.](#)

[Figure B.4 CAM menu options for creating DSM elements and dependencies.](#)

[Figure B.5 Example network measure interface and AW101 modularity results.](#)

[Figure B.6 Gephi layout reconfiguration, data table, and node highlighting....](#)

[Figure B.7 SIPmath main menu.](#)

[Figure B.8 SIPmath main menu: video tutorials.](#)

Decision Making in Systems Engineering and Management

Third Edition

Patrick J. Driscoll, Ph.D., Editor

Gregory S. Parnell, Ph.D., Editor

Dale L. Henderson, Ph.D., Design Editor

WILEY

This edition first published 2023

© 2023 John Wiley & Sons, Inc. All rights reserved.

Edition History

1st edition (9780470165706) 2008, by Gregory S. Parnell, Patrick J. Driscoll, and Dale L. Henderson

2nd edition (9780470900420) 2010, by Gregory S. Parnell, Patrick J. Driscoll, and Dale L. Henderson

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by law. Advice on how to obtain permission to reuse material from this title is available at <http://www.wiley.com/go/permissions>.

The right of Patrick J. Driscoll, Gregory S. Parnell, and Dale L. Henderson to be identified as the authors of this work has been asserted in accordance with law.

Registered Office

John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, USA

Editorial Office

111 River Street, Hoboken, NJ 07030, USA

For details of our global editorial offices, customer services, and more information about Wiley products visit us at www.wiley.com.

Wiley also publishes its books in a variety of electronic formats and by print-on-demand. Some content that appears in standard print versions of this book may not be available in other formats.

Limit of Liability/Disclaimer of Warranty

In view of ongoing research, equipment modifications, changes in governmental regulations, and the constant flow of information relating to the use of experimental reagents, equipment, and devices, the reader is urged to review and evaluate the information provided in the package insert or instructions for each chemical, piece of equipment, reagent, or device for, among other things, any changes in the instructions or indication of usage and for added warnings and precautions. While the publisher and authors have used their best efforts in preparing this work, they make no representations or warranties with respect to the accuracy or completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives, written sales materials or promotional statements for this work. The fact that an organization, website, or product is referred to in this work as a citation and/or potential source of further information does not mean that the publisher and authors endorse the information or services the organization, website, or product may provide or recommendations it may make. This work is sold with

the understanding that the publisher is not engaged in rendering professional services. The advice and strategies contained herein may not be suitable for your situation. You should consult with a specialist where appropriate. Further, readers should be aware that websites listed in this work may have changed or disappeared between when this work was written and when it is read. Neither the publisher nor authors shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

Library of Congress Cataloging-in-Publication Data:

Names: Driscoll, Patrick J., editor. | Parnell, Gregory S., editor. |

Henderson, Dale L., editor.

Title: Decision making in systems engineering and management / edited by

Patrick J. Driscoll, Gregory S. Parnell, Dale L. Henderson.

Description: Third edition. | Hoboken, NJ : Wiley, 2023. | Includes

bibliographical references and index.

Identifiers: LCCN 2022036178 (print) | LCCN 2022036179 (ebook) | ISBN

9781119901402 (hardback) | ISBN 9781119901419 (adobe pdf) | ISBN

9781119901426 (epub)

Subjects: LCSH: Systems engineering--Management. | Systems

engineering--Decision making.

Classification: LCC TA168 .D43 2023 (print) | LCC TA168 (ebook) | DDC

621.382/16-dc23/eng/20221003

LC record available at <https://lcn.loc.gov/2022036178>

LC ebook record available at <https://lcn.loc.gov/2022036179>

Cover Design: Wiley

Cover Image: © Titima Ongkantong/Shutterstock

List of Figures

[Figure 1.1](#) The stages of a system's life cycle.

[Figure 1.2](#) Waterfall system life cycle model.

[Figure 1.3](#) Spiral life cycle model with embedded risk assessment. Source: Boehm [\[38\]](#).

[Figure 1.4](#) Life cycle assessment of environmental costs of a washing machine [\[41\]](#).

[Figure 1.5](#) Systems decision process used throughout a system life cycle. Source: D/SE, 2010.

[Figure 1.6](#) Simplified risk management cycle affecting systems decisions.

[Figure 1.7](#) Elements of decision quality (the corresponding SDP phases are annotated in the diagram).

[Figure 1.8](#) Systems decision process.

[Figure 1.9](#) Modeling and analysis flow for typical SDP application.

[Figure 1.10](#) Spectrum of modeling purposes. Source: Pidd [\[18\]](#)/with permission of Springer Nature.

[Figure 1.11](#) Three required ingredients for proper problem definition.

[Figure 1.12](#) Stakeholder salience types. Source: Matty [\[48\]](#).

[Figure 2.1](#) Ordered dependency tracing example.

[Figure 2.2](#) Major capability acquisition chart [\[9\]](#).

[Figure 2.3](#) Two abstract system models: graphical and mathematical.