

Vineet Kumar  
Sartaj Ahmad Bhat  
Pradeep Verma  
Sunil Kumar *Editors*

# Recent Trends in Management and Utilization of Industrial Sludge

# Recent Trends in Management and Utilization of Industrial Sludge

Vineet Kumar • Sartaj Ahmad Bhat  
Pradeep Verma • Sunil Kumar  
Editors

# Recent Trends in Management and Utilization of Industrial Sludge

 Springer

### *Editors*

Vineet Kumar  
Department of Microbiology  
Central University of Rajasthan  
Ajmer, Rajasthan, India

Pradeep Verma  
Department of Microbiology  
Central University of Rajasthan  
Ajmer, Rajasthan, India

Sartaj Ahmad Bhat  
Gifu University  
Gifu, Japan

Sunil Kumar  
CSIR-National Environmental Engineering  
Research Institute (CSIR-NEERI)  
Nagpur, Maharashtra, India

ISBN 978-3-031-58455-8      ISBN 978-3-031-58456-5 (eBook)  
<https://doi.org/10.1007/978-3-031-58456-5>

© The Editor(s) (if applicable) and The Author(s), under exclusive license to Springer Nature Switzerland AG 2024, corrected publication 2025

Chapter 6 is licensed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>). For further details see license information in the chapter.

This work is subject to copyright. All rights are solely and exclusively licensed by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, expressed or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG  
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Paper in this product is recyclable.

*This book;  
Dedicated to my late Grandparents for their  
enduring legacy and the values they instilled  
in me and to my family for their abundant  
support, patience, understanding, love,  
encouragement, blessings, and ongoing  
education have been the cornerstone of this  
endeavor. Without the unwavering support of  
my family, this book would not have been  
possible.—Vineet Kumar*

*Dedicated to my family, with special  
acknowledgment to my wife. Without her  
unwavering support, this project would not  
have been possible.—Sartaj Ahmad Bhat*

*Dedicated to my family members and  
colleagues  
for their enduring patience and  
understanding, providing me with the  
time and inspiration needed for research and  
editing.—Pradeep Verma*

*Dedicated to our students, teachers, and  
mentors, from whom I  
continue to learn and my family for their  
unwavering support, blessings,  
motivation, and love.—Sunil Kumar*

# Preface

In today's industrial landscape, sustainability is no longer just a buzzword; it is a fundamental imperative. The responsible management and utilization of industrial sludge represent a critical aspect of this journey toward a more sustainable and environmentally conscious future. The book you hold in your hands, *Recent Trends in Management and Utilization of Industrial Sludge*, delves into this often-overlooked facet of industrial processes and waste management.

Industrial sludge, a byproduct of various manufacturing and industrial processes, has traditionally been viewed as a challenge to be managed and disposed of. However, as our understanding of resource conservation and circular economy principles has evolved, so too has our perspective on this complex material. Industrial sludge contains valuable resources that, if harnessed effectively, can not only reduce environmental impact but also yield economic and societal benefits.

This book brings together the collective wisdom of experts, researchers, and practitioners who have dedicated their efforts to exploring innovative ways to manage and utilize industrial sludge. The chapters within these pages cover a wide spectrum of topics, including sludge characterization, treatment technologies, sustainable disposal, and transformative approaches that turn waste into valuable resources. By doing so, this volume contributes to a growing body of knowledge that can reshape our approach to industrial sludge management.

Chapter 1 highlight overcoming obstacles in industrial sludge management through the implementation of diverse solutions. The chapter concludes with a discussion on adopting futuristic trends and technologies, aiming to strike a balance between the economy and the environment, especially when pursuing sustainable development as a primary objective.

Chapter 2 offers a comprehensive characterization of tannery sludge, including basic data such as dry solids, volatile solids, and humidity. The chapter also engages in a discussion of alternative sustainable sludge control models tailored to the specific nature of tannery sludge. Additionally, it highlights the critical importance of selecting appropriate pre-thickening and dewatering/drying equipment in establishing and implementing a sustainable tannery sludge management model.

Chapter 3 provides insights into different strategies employed in the anaerobic digestion of petroleum refinery sludge, including co-digestion, bioaugmentation, and other approaches, evaluating their suitability under various conditions. The chapter also places a particular emphasis on achieving the complete mitigation of petroleum refinery sludge, with a focused discussion on the recovery of biogas.

Chapter 4 offers an overview of the principles and potential benefits of hydrothermal carbonization (HTC) technology when applied to industrial sludge treatment. It delves into the effects of key process parameters on HTC performance, including pressure, temperature, residence time, and feedstock characteristics. The chapter suggests that HTC technology provides a sustainable and efficient method for the treatment and management of industrial waste.

Chapter 5 delivers a comprehensive review of vermistabilization for various industrial wastes, exploring the degradation pathways facilitated by earthworms. The chapter also investigates the effects of various waste-derived biochars as amendments and identifies potential earthworms used in the process, with a special emphasis on the transformation pathway. Additionally, the chapter outlines the future potential for commercializing vermicompost derived from industrial waste using pollutant-loaded biochar.

Chapter 6 offers an overview of recent trends and developments in microbial fuel cells (MFCs), a promising technology for sustainable electricity generation by harnessing microbial metabolic activity to convert organic matter into electrical energy. The chapter underscores that industrial wastewater sludge serves as a rich source of organic matter for MFC feedstock. It reviews the current state of research on optimizing MFC materials production, considering factors like sludge type, electrode material, and operating conditions.

Chapter 7 comprehensively covers various types and sources of industrial sludge, along with the techniques used to treat and synthesize industrial sludge-Based adsorbents (ISBAs). The chapter also discusses parameters like pH, adsorption time, adsorbent dose amount, and temperature that influence the adsorption capacity of ISBAs to absorb pollutants. Furthermore, the application of ISBDs for reclaiming organic compounds, heavy metals, and other pollutants is explored.

Chapter 8 explores the dual environmental and economic advantages of recycling and reusing industrial sludge in construction. This approach not only ensures sustainable management of industrial waste but also alleviates the demand for raw materials in the construction industry.

Chapter 9 focuses on the potential use of poplars in the phytoremediation of polluted sites. This chapter explores the effectiveness of utilizing waste sludge in combination with willows for phytoremediation purposes.

Chapter 10 highlights various techniques for extracting enzymes, such as protease, alkaline phosphatase, lipase, and amylase, from sludge. It covers the types and applications of these enzymes across different industries. The chapter then focuses on the disruption of activated sludge flocs containing crude enzymes, explaining several physical and chemical disruption methods. Subsequently, it outlines the purification of crude enzymes through centrifugation, followed by the steps of enzyme immobilization to enhance their application.

Chapter 11 focuses the formation, processing, and pretreatment approaches of industrial sludge, examining its utilization in agriculture. The chapter explores the use of sludge in the agricultural sector, discussing their respective positive and negative impacts. It concludes with a perspective on the application of industrial sludge in agriculture, shedding light on the challenges to its adoption and the opportunities, particularly in the developing and underdeveloped world.

Chapter 12 offers a comprehensive explanation of the origins of biodiesel, its manufacturing methodologies, and advancements in the biodiesel industry. The chapter outlines the challenges associated with biodiesel production, specifically focusing on the production of biodiesel from industrial sludge. It also sheds light on future perspectives, exploring the development of novel techniques to increase biodiesel production.

Chapter 13 offers a substantial contribution to the fields of waste management and sustainable agriculture by showcasing the innovative and eco-friendly possibilities offered by vermicomposting techniques for resource recovery and environmental enhancement.

As editors, our aspiration for this book is to serve as a comprehensive resource for professionals, researchers, policymakers, and students interested in the sustainable management of industrial sludge. We hope that the insights shared within these chapters will spark new ideas, encourage interdisciplinary collaboration, and drive the adoption of environmentally responsible practices in industries worldwide.

In conclusion, we invite readers to embark on a journey through the pages of *Recent Trends in Management and Utilization of Industrial Sludge*. We believe that the innovative approaches and solutions presented here have the potential to redefine the way we view industrial sludge, transforming it from a challenge into an opportunity for a more sustainable future.

Ajmer, Rajasthan, India  
Gifu, Japan  
Ajmer, Rajasthan, India  
Nagpur, Maharashtra, India

Vineet Kumar  
Sartaj Ahmad Bhat  
Pradeep Verma  
Sunil Kumar



# Acknowledgments

The development of this book, *Recent Trends in Management and Utilization of Industrial Sludge*, has been a collaborative effort that would not have been possible without the support and contributions of numerous individuals and organizations. We extend our heartfelt gratitude to all those who have played a pivotal role in bringing this project to fruition.

First and foremost, we would like to express our deepest appreciation to the authors of the various chapters who have contributed their expertise and valuable research to make this book a reality. Your dedication to researching, writing, and sharing your expertise has been instrumental in shaping this book and advancing the field of industrial sludge management and utilization. Their contributions have made this book the comprehensive and informative resource that it is. The commitment of contributors to sustainability and advancing the field of solid sludge management are truly commendable.

We also wish to acknowledge the reviewers who generously offered their time and expertise to ensure the quality and rigor of the content presented in this volume. Your insightful feedback and guidance have been invaluable in maintaining the academic excellence of this publication.

We also acknowledge the invaluable support of Springer Nature New York, USA, in bringing this project to fruition. We would especially like to thank Aaron Schiller, Associate Editor, *Geography and Sustainability* at Springer Nature, New York, USA, for giving us the opportunity to accomplish this book project and share the knowledge with the academic and scientific fraternity. The commitment of Springer Nature, New York, USA, to the dissemination of scholarly research and collaboration with editors and authors and the dissemination of knowledge is truly appreciated.

Our gratitude extends to the team at Springer Nature, New York, USA, especially the editorial and production staff, for their professionalism, guidance, and support throughout the publishing process.

We would like to express our sincere gratitude to all of the people who have helped us to complete this book.

Lastly, we acknowledge the unwavering support of our families and friends who have stood by us during the journey of editing this book.

Vineet Kumar  
Sartaj Ahmad Bhat  
Pradeep Verma  
Sunil Kumar

# Contents

<b>1</b>	<b>Fundamentals of Industrial Sludge: Trends and Challenges . . . . .</b>	<b>1</b>
	Maryam Eqan, Junfeng Wan, and Yixin Yan	
<b>2</b>	<b>Management of Textile Industry Sludge for Environmental Sustainability . . . . .</b>	<b>37</b>
	Tolga Tunçal	
<b>3</b>	<b>Sustainable Management of Oily Petroleum Refinery Sludge Through Anaerobic Digestion with Bioenergy Production . . . . .</b>	<b>57</b>
	Rojalin Sahu, Shradhanjali Sethi, Ankita Bharshankh, and Rima Biswas	
<b>4</b>	<b>Hydrothermal Carbonization of Industrial Sludge: Recent Advances, Challenges, and Perspectives . . . . .</b>	<b>95</b>
	Dolores Hidalgo, Ana Urueña, David Díez, and Jesús M. Martín-Marroquín	
<b>5</b>	<b>Sustainable Management of Industrial Sludge Through Vermistabilisation Utilising Pollutants Loaded Spent Biochar Produced from the Wastewater Treatment Process . . . . .</b>	<b>125</b>
	Susmita Kar, Sunil Kumar, and Sourja Ghosh	
<b>6</b>	<b>Production of Microbial Fuel Cell Material from Industrial Wastewater Sludge: Recent Trends and Development. . . . .</b>	<b>149</b>
	Dolores Hidalgo, Jesús M. Martín-Marroquín, and Francisco Corona	
<b>7</b>	<b>Industrial Sludge as Adsorbent for Wastewater Treatment and Reclamation . . . . .</b>	<b>177</b>
	Shehu Sa'ad Abdullahi, Rania Edrees Adam Mohammad, Abdullahi Haruna Birniwa, and Haruna Musa	

<b>8</b>	<b>Sustainable Utilization of Industrial Sludge in the Construction Industry</b> .....	<b>209</b>
	Deepika, Samriti, Geetika Sharma, Harpal Kaur, Shiv Kumar, and Pooja Chadha	
<b>9</b>	<b>Utilization of Wastewater Sludge and Poplar Trees for Remediation</b> .....	<b>255</b>
	Sevinç Yeşilyurt, Muazzez Gürkan, and Semin Duban	
<b>10</b>	<b>Sustainable Production of Enzymes Using Industrial Sludge</b> .....	<b>275</b>
	Meheria Hazari, Shilpa Purkait, and Surabhi Chaudhuri	
<b>11</b>	<b>Sustainable Application of Industrial Sludge in Agriculture Land</b> ..	<b>313</b>
	Anupriya Verma and Gaurav Saini	
<b>12</b>	<b>Production of Biodiesel from Industrial Sludge: Recent Progress, Challenges, Perspective</b> .....	<b>337</b>
	Sikta Panda, Chandan Kumar Biswas, and Subhankar Paul	
<b>13</b>	<b>Advancement in Sustainable Management and Valorization of Solid Waste Through Composting and Vermitechnology</b> .....	<b>359</b>
	Babli Kumari, Om Prakash, Priti Pal, Pankaj Kumar Singh, Maharudra Pratap Singh, Pawan Kumar, Prakash Kumar Sarangi, Anand Prakash, Brijesh Pandey, Swati Manohar, and Akhilesh Kumar Singh	
	<b>Correction to: Production of Microbial Fuel Cell Material from Industrial Wastewater Sludge: Recent Trends and Development</b> .....	<b>C1</b>
	Dolores Hidalgo, Jesús M. Martín-Marroquín, and Francisco Corona	
	<b>Index</b> .....	<b>399</b>

# Contributors

**Ankita Bharshankh** Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, India

Wastewater Technology Division, CSIR-National Environmental Engineering Research Institute, Nagpur, Maharashtra, India

**Abdullahi Haruna Birniwa** Department of Chemistry, Sule Lamido University, Kafin Hausa, Nigeria

**Chandan Kumar Biswas** Department of Mechanical Engineering, National Institute of Technology, Rourkela, Odisha, India

**Rima Biswas** Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, India

Wastewater Technology Division, CSIR-National Environmental Engineering Research Institute, Nagpur, Maharashtra, India

**Pooja Chadha** Department of Zoology, Guru Nanak Dev University, Amritsar, India

**Surabhi Chaudhuri** Department of Biotechnology, National Institute of Technology Durgapur, Durgapur, India

Centre for Research on Environment and Water (CREW), National Institute of Technology Durgapur, Durgapur, India

**Francisco Corona** CARTIF Technology Centre – Area of Circular Economy, Valladolid, Spain

**Deepika** Department of Zoology, Guru Nanak Dev University, Amritsar, India

**David Díez** CARTIF Technology Centre – Area of Circular Economy, Valladolid, Spain

**Semin Duban** Department of Soil Science and Plant Nutrition, Tekirdağ Namık Kemal University, Tekirdağ, Türkiye

**Maryam Eqan** School of Ecology and Environment, Zhengzhou University, Zhengzhou, Henan, People's Republic of China

Henan International Joint Laboratory of Environment and Resources, Zhengzhou University, Zhengzhou, People's Republic of China

**Sourja Ghosh** Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, India

Membrane and Separation Technology Division, CSIR-Central Glass and Ceramic Research Institute, Kolkata, India

**Muazzez Gürkan** Department of Biology, Tekirdağ Namık Kemal University, Tekirdağ, Türkiye

**Meheria Hazari** Department of Biotechnology, National Institute of Technology Durgapur, Durgapur, India

**Dolores Hidalgo** CARTIF Technology Centre – Area of Circular Economy, Valladolid, Spain

**Susmita Kar** Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, India

Membrane and Separation Technology Division, CSIR-Central Glass and Ceramic Research Institute, Kolkata, India

**Harpal Kaur** Department of Zoology, Guru Nanak Dev University, Amritsar, India

**Pawan Kumar** Department of Biotechnology, School of Life Sciences, Mahatma Gandhi Central University, Motihari, Bihar, India

**Shiv Kumar** Department of Zoology, Guru Nanak Dev University, Amritsar, India

**Sunil Kumar** Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, India

Waste Re-processing Division, CSIR-National Environmental Engineering Research Institute, Nagpur, Maharashtra, India

**Babli Kumari** Department of Biotechnology, School of Life Sciences, Mahatma Gandhi Central University, Motihari, Bihar, India

**Swati Manohar** Department of Biotechnology, School of Life Sciences, Mahatma Gandhi Central University, Motihari, Bihar, India

**Jesús M. Martín-Marroquín** CARTIF Technology Centre – Area of Circular Economy, Valladolid, Spain

**Rania Edrees Adam Mohammad** Faculty of Education Sciences Department, Open University of Sudan, Khartoum, Sudan

**Haruna Musa** Department of Pure and Industrial Chemistry, Bayero University Kano, Kano, Nigeria

**Priti Pal** Shri Ramswaroop Memorial College of Engineering & Management, Lucknow, India

**Sikta Panda** Department of Mechanical Engineering, National Institute of Technology, Rourkela, Odisha, India

**Brijesh Pandey** Department of Biotechnology, School of Life Sciences, Mahatma Gandhi Central University, Motihari, Bihar, India

**Subhankar Paul** Department of Biotechnology and Medical Engineering, National Institute of Technology, Rourkela, Odisha, India

**Anand Prakash** Department of Biotechnology, School of Life Sciences, Mahatma Gandhi Central University, Motihari, Bihar, India

**Om Prakash** Department of Biotechnology, School of Life Sciences, Mahatma Gandhi Central University, Motihari, Bihar, India

**Shilpa Purkait** Department of Medical Lab Technology, Dr. B.C. Roy Academy of Professional Courses, Durgapur, India

**Shehu Sa'ad Abdullahi** Department of Polymer Technology, Hussaini Adamu Federal Polytechnic Kazaure, Kafin Hausa, Nigeria

**Rojalin Sahu** Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, India

Wastewater Technology Division, CSIR-National Environmental Engineering Research Institute, Nagpur, Maharashtra, India

**Gaurav Saini** Department of Civil Engineering, Netaji Subhas University of Technology, Delhi, India

**Samriti** Department of Zoology, Guru Nanak Dev University, Amritsar, India

**Prakash Kumar Sarangi** College of Agriculture, Central Agricultural University, Imphal, India

**Shradhanjali Sethi** Academy of Scientific and Innovative Research (AcSIR), Ghaziabad, India

Wastewater Technology Division, CSIR-National Environmental Engineering Research Institute, Nagpur, Maharashtra, India

**Geetika Sharma** Department of Zoology, Guru Nanak Dev University, Amritsar, India

**Akhilesh Kumar Singh** Department of Biotechnology, School of Life Sciences, Mahatma Gandhi Central University, Motihari, Bihar, India

**Maharudra Pratap Singh** Department of Biotechnology, School of Life Sciences, Mahatma Gandhi Central University, Motihari, Bihar, India

**Pankaj Kumar Singh** Vermibiotechnology Laboratory, Department of Zoology, Deen Dayal Upadhyaya Gorakhpur University, Gorakhpur, Uttar Pradesh, India

**Tolga Tunçal** Department of Environmental Engineering, Çorlu Engineering Faculty, Tekirdağ Namık Kemal University, Tekirdağ, Turkey

**Ana Urueña** CARTIF Technology Centre – Area of Circular Economy, Valladolid, Spain

**Anupriya Verma** Department of Civil Engineering, Netaji Subhas University of Technology, Delhi, India

**Junfeng Wan** School of Ecology and Environment, Zhengzhou University, Zhengzhou, Henan, People's Republic of China

Henan International Joint Laboratory of Environment and Resources, Zhengzhou University, Zhengzhou, People's Republic of China

**Yixin Yan** School of Ecology and Environment, Zhengzhou University, Zhengzhou, Henan, People's Republic of China

Henan International Joint Laboratory of Environment and Resources, Zhengzhou University, Zhengzhou, People's Republic of China

**Sevinç Yeşilyurt** Department of Soil Science and Plant Nutrition, Tekirdağ Namık Kemal University, Tekirdağ, Türkiye



## About the Editors



**Vineet Kumar** is currently a National Postdoctoral Fellow in the Department of Microbiology, School of Life Sciences at the Central University of Rajasthan, Rajasthan, India. He got his M.Sc. (2008) and M.Phil. (2012) in Microbiology at Chaudhary Charan Singh University, Meerut, Uttar Pradesh (U.P.), India. Subsequently, he earned his Ph.D. (2018) in Environmental Microbiology from Babasaheb Bhimrao Ambedkar (A Central) University, Lucknow, U.P., India, focusing on the treatment of distillery effluent in two-step treatment system, towards environmental sustainability. Dr. Kumar's research work has been mainly dedicated to wastewater treatment and solid waste management, focused on the valorization of agro-industrial wastes for bioenergy production and the development of sustainable approaches to mitigate the environmental impact of refractory pollutants discharged in wastewater and sludge. As a postdoctoral fellow, he works on the role of biofilm-forming microbial community in in situ and ex situ remediation of pulp-paper mill waste. In the last few years, his research has been conducted in collaboration with some of the leading international environmental microbiology and biotechnology research groups across the world (Brazil, Mexico, China, and USA, among others) with diverse expertise. He has published more than 50 articles in peer-reviewed international journals, 24 books, and 52 book chapters, on various aspects of science and engineering, with more than 2800 citations, and an h-index of 32 (Google Scholar). Dr. Kumar has been

serving as a guest editor and reviewer in more than 65 prestigious international journals. He has served on the editorial board of various reputed journals. Dr. Kumar is a recipient of several prestigious Fellowship, such as the Rajiv Gandhi National Fellowship (RGNF) by the University Grants Commission (UGC), India, and the National Postdoctoral Fellowship (N-PDF) by the Science and Engineering Research Board (SERB), Department of Science and Technology (DST), Government of India. He has presented several papers relevant to his research areas at national and international conferences. He is an active member of numerous scientific societies including the Microbiology Society (UK), the Indian Science Congress Association (India), the Association of Microbiologists of India (India), etc. He serves as the President of the Society for Green Environment, India (website: [www.sgeindia.org](http://www.sgeindia.org)). He can be reached at [drvineet.micro@gmail.com](mailto:drvineet.micro@gmail.com); [vineet.way18@gmail.com](mailto:vineet.way18@gmail.com).



**Sartaj Ahmad Bhat** is a JSPS Postdoctoral Researcher at the River Basin Research Center, Gifu University, Japan. He received his Ph.D. in Environmental Sciences from Guru Nanak Dev University, Amritsar, India, in 2017. His research interests focus on vermicomposting treatment of various solid wastes, especially for investigations on fate and behavior of emerging pollutants during biological treatment of organic wastes. He has published more than 70 papers in peer-reviewed journals and edited over 15 books published by Elsevier Science, Taylor & Francis (CRC Press), International Water Association Publishing, Royal Society of Chemistry and Springer Nature. Dr. Bhat is serving as an Associate/Academic Editor and Editorial Board Member/Advisory Board Member of more than 20 journals published by Frontiers, Springer, Elsevier, PLOS, Wiley, and De Gruyter. Dr. Bhat is a recipient of several prestigious awards such as the JSPS Postdoctoral Fellowship to pursue research at River Basin Research Center, Gifu University, Japan; the Basic Scientific Research Fellowship (BSR JRF, SRF) by the University Grants Commission (UGC) India; the DST-SERB National Postdoctoral Fellowship at CSIR-NEERI, Nagpur, India; and Swachhta Saarthi Fellowship by the Government of India. Dr. Bhat has also received the

2020 Outstanding Reviewer Award by the *International Journal of Environmental Research and Public Health*, MDPI, and the Top Peer Reviewer 2019 Award in Environment and Ecology by Web of Science and has more than 800 verified reviews and 80 editor records to his credit.



**Pradeep Verma** is a Professor in the Department of Microbiology, School of Life Sciences at Central University of Rajasthan, Rajasthan, India. He is a well-rounded researcher with more than 21 years of experience in leading, supervising, and undertaking research in the broader field of bioprocess and bioenergy production from lignocellulosic waste with a focus on waste management. He earned his Ph.D. in Microbiology from Sardar Patel University in Gujarat, India in 2002. His research area of expertise involves microbial diversity, bioremediation, bioprocess development, and lignocellulosic and algal biomass-based biorefinery. He has more than 62 research articles in peer-reviewed international journals and contributed to 46 book chapters in different edited books with citations of more than 6700, and *h*-index of 43. He has also edited four books by international publishers such as Springer, Taylor & Francis (CRC Press), International Water Association Publishing, and Elsevier. He also holds 12 international patents in the field of microwave assisted biomass pretreatment and bio-butanol production. He is a guest editor to several journals such as *Biomass Conversion and Biorefinery* (Springer), *Frontier in Nanotechnology* (Frontiers), and *International Journal of Environmental Research and Public Health* (MDPI). He is also an editorial board member for the journal *Current Nanomedicine* (Bentham Sciences). He serves as reviewers for more than 40 journals published from Springer, Elsevier, Royal Society of Chemistry, ACS, Nature, Frontiers, MDPI, etc. He has also been honored with several prestigious fellowships and awards, such as Post-Doctoral Fellowship by Japan Society for the Promotion of Science (JSPS) and Ron-Cockcroft Award by Swedish Society, and UNESCO Fellow, ASCR, Prague. He has been awarded with Fellow of Mycological Society of India (MSI-2020), Prof. P.C. Jain Memorial Award, Mycological Society of India 2020, and Fellow of Biotech Research Society, India (2021). He is a member of various national and international societies/academies.



**Sunil Kumar** is a well-rounded researcher with more than 24 years of experience in leading, supervising, and undertaking research in the broader field of Environmental Engineering and Science with a focus on solid and hazardous waste management. Dr. Kumar is a graduate of Environmental Engineering and Management from the Indian Institute of Technology, Kharagpur, India. He completed his Ph.D. in Environmental Engineering from Jadavpur University, Kolkata, India. His primary area of expertise is solid waste management (municipal solid waste, electronic waste, etc.) over a wide range of environmental topics including contaminated sites, EIA, and wastewater treatment. His contributions in these fields led to a citation of 20000, an *h*-index of 69, and an i10-index of 285 (Google Scholar). His contributions since inception at CSIR-National Environmental Engineering Research Institute (NEERI), India, in 2000 include 270 refereed publications, 11 books, 40 book chapters, 10 edited volumes, and numerous project reports to various governmental bodies and private, local, and international academic/research bodies. He is the Associate Editor of peer-reviewed journals of international repute, i.e., *Environmental Chemistry Letters*, *International Journal of Environmental Science and Technology*, and *ASCE Journal of Hazardous, Toxic and Radioactive Waste*. He also served on the Editorial Board of *Bioresource Technology*, Elsevier. He has completed many research projects as Principal Investigator (PI) with 18 (13 awarded) Ph.D. and 25 M.Phil/M.Tech. thesis/dissertations. Dr. Kumar was awarded the most prestigious award Alexander von Humboldt-Stiftung Jean-Paul-Str.12 D-53173 Bonn, Germany, as a Senior Researcher for developing a global network and excellence for more advanced research and technology innovation.

# Chapter 1

## Fundamentals of Industrial Sludge: Trends and Challenges



Maryam Eqan, Junfeng Wan, and Yixin Yan

### 1 Introduction

#### 1.1 Definition of Industrial Sludge

Industrial sludge denotes a semi-solid or solid residue formed during an industrial process as a by-product (Philipp & Hoelzle, 2014). It is classically composed of a multi-faceted mixture of inorganic and organic substances, water, and other contaminants (Sathya et al., 2022). According to Shankar et al. (2021), industrial sludge is generated after the sedimentation and filtration of liquid waste material produced from industrial operations, which ensures the separation of solids from the liquid phase. See industrial sludge in the treatment plant in Fig. 1.1.

#### 1.2 Characteristics of Industrial Sludge

Proper understanding and managing industrial sludge entails basic familiarity with specific vital characteristics (Kesari et al., 2021). The type of industry, involved processes, and sludge configuration give a specific characteristic to sludge (Kwarciak-Kozłowska & Gałwa-Widera, 2023). The following are some common attributes of industrial sludge:

---

M. Eqan (✉) · J. Wan · Y. Yan

School of Ecology and Environment, Zhengzhou University, Zhengzhou, Henan, China

Henan International Joint Laboratory of Environment and Resources, Zhengzhou University, Zhengzhou, People's Republic of China



**Fig. 1.1** Industrial sludge

### **1.2.1 Physical State**

Industrial sludge can be of several physical states, from high moisture-containing liquid slurry to lower water-containing solid and semi-solid matter (Wiśniowska et al., 2019). The consistency and viscosity of the sludge can differ extensively, distressing its management and treatment methods (Hong et al., 2018).

### **1.2.2 Moisture Content**

Sludge classically comprises a substantial quantity of water, leading to its mass and volume (Nielsen, 2008). The moisture level can influence the industrial processes and efficacy of utilised dewatering and drying techniques (Bhattacharya, 2023). According to Stewart (2017), the high moisture content in industrial sludge necessitates supplementary treatment measures to ensure efficient disposal.

### **1.2.3 Chemical Composition**

According to Thomas and Thomas (2022), industrial sludge is composed of a diverse amalgamation of both organic and inorganic compounds encompassing a wide range of pollutants, including oils, greases, solvents, insecticides, harmful waste substances, heavy metals, salts, minerals, and trace metals from industrial procedures (Chan et al., 2022; Shumbula et al., 2022). The chemical makeup is contingent upon various variables, such as type of industry, raw material employed, and procedure involved (Sasidharan et al., 2011).

#### 1.2.4 pH

pH level of industrial sludge exhibits variability, comprising both acidic and alkaline circumstances, relying on the particular industrial procedures and involved components (Kokina et al., 2022). The stability and reactivity of sludge can be impacted by pH levels, which subsequently affect the choice of treatment procedures (Shameem & Sabumon, 2023).

#### 1.2.5 Toxicity

Heavy metals (lead, mercury, cadmium, etc.), organic pollutants (polychlorinated biphenyls (PCBs), dioxins, etc.), and other hazardous compounds might be present in industrial sludge (Kumar et al., 2022). These toxic substances can result in serious environmental and health risks without proper management and treatment of these toxic substances (Jaishankar et al., 2014).

#### 1.2.6 Odour

Due to the decomposition of organic matter, the presence of sulphur compounds, or the proliferation of anaerobic bacteria, particular kinds of industrial sludge might produce odours (Han et al., 2020). Considering workers' safety, public opinion, and general environmental impact, the odour can be of great concern (Guadalupe-Fernandez et al., 2021).

#### 1.2.7 Settling and Separation Properties

Frequently, industrial sludge contains solid particles that can settle due to gravity over time (Singh et al., 2022a, b). Recognition of the settling features of the sludge is crucial for designing efficient sedimentation or clarification procedures during treatment (Hou et al., 2021).

#### 1.2.8 Biological Activity

According to its chemical makeup and moisture level, industrial sludge may sustain microbial growth and biological activity (Roy & Saha, 2021). These microorganisms may add to the digestion of organic matter, resulting in the production of gases, heat, and modifications to the chemical and physical properties of the sediment (Soni & Devi, 2022).

## **1.3 Importance of Understanding Industrial Sludge Management**

Understanding industrial sludge management is of paramount importance due to several reasons:

### **1.3.1 Environmental Protection**

If not correctly managed, industrial sludge may contain hazardous substances, pollutants, and toxic compounds that pose significant environmental risks (Su et al., 2019). It may pollute soil, surface water, and groundwater, causing degradation of ecosystems and water pollution (Singh et al., 2022a, b). Recognising sludge management facilitates adopting suitable treatment and disposal practices to avoid environmental damage and ensure sustainable environmental stewardship (Kacprzak et al., 2017).

### **1.3.2 Human Health and Safety**

Industrial sludge may include chemicals, heavy metals, pathogens, and other hazardous substances that may cause detrimental health consequences (Mitra et al., 2022). Exposure to contaminated sludge or its wrong handling may lead to occupational health risks, poisoning of food sources, and the discharge of hazardous chemicals into the air (Padmanabhan & Barik, 2019). Effective management practices safeguard workers, neighbourhoods, and the public from possible health hazards related to industrial sludge (Obaideen et al., 2022).

### **1.3.3 Regulatory Compliance**

Several countries and topographical zones have instigated regulatory frameworks and established criteria for the management, treatment, and exclusion of industrial sludge (Khaliq et al., 2017). Intending to sustain compliance, dodge penalties, and keep social and environmental accountabilities, industries essentially own a broad understanding of the legal and regulatory standards (Habibi & Salam, 2023). Effective administrative practices play a vital part in facilitating industries to realise their regulatory accountabilities and maintain constructive repute.

### **1.3.4 Resource Recovery and Recycling**

The existence of valued resources, comprising metals, nutrients, and organic materials, has been witnessed in industrial sludge, henceforth bestowing an opportunity for their retrieval and consequent reusing (Seleiman et al., 2020). The understanding



of sludge management enables the employment of resource recovery practices, like anaerobic digestion, composting, or thermal processes, to excerpt valued constituents and curtail waste (Liew et al., 2022). This act brings into line the central beliefs of the circular economy archetype and optimises resource consumption (Morseletto, 2020).

### 1.3.5 Cost Efficiency

According to Zhou et al. (2022), practical sludge management approaches will likely increase monetary profits for numerous industrial sectors. According to Wu et al. (2020), the execution of suitable treatment, dewatering, and disposal methods can efficiently alleviate waste volume, reduce transportation costs, and improve reserve apportionment. Moreover, the reclamation of valued resources from sludge has the probability of vintage financial compensation (Zarei, 2020). The knowledge of the finest management approaches empowers industries to rationalise their processes and achieve cost-effectiveness (Kacprzak et al., 2017).

### 1.3.6 Sustainable Development

Managing industrial sludge is significant in tracking sustainable development goals (Obaideen et al., 2022). Industries make valuable contributions to the general sustainability of their procedures by commissioning environmentally sound practices, improving the consumption of resources, and decreasing their ecological influences. Understanding sludge management is critical for industries to ensure their accomplishments are in harmony with the doctrines of sustainable development; in so doing, the long-term well-being of society, the economy, and the environment is fostered (Sugurbekova et al., 2023).

## 1.4 Case Studies of Industrial Sludge Generation and Management in Various Industries

The current study led by Petrovič et al. (2023) investigates the pyrolysis of pre-treated industrial sewage sludge (SS) derived from the vegetable oil sector. The pre-treatment procedures applied in this study include torrefaction and hydrothermal carbonisation (HTC). Furthermore, the present study examined the effects of substituting water with whey as a process liquid in the hydrothermal carbonisation (HTC) process, specifically focusing on its influence on subsequent pyrolysis. The thermogravimetric behaviour of the samples during pyrolysis was modified by the pre-treatment, leading to the emergence of discernible TG and DTG curves, despite comparable levels of mass loss and peak temperatures. The substitution of water with whey in hydrothermal carbonisation (HTC) demonstrated enhanced fuel

characteristics of the resulting hydrochar and exerted a beneficial influence on pyrolysis kinetics. This modification led to the attainment of the maximum higher heating value (HHV) and carbon content. The results of the kinetic and thermodynamic analyses demonstrated that the pre-treated samples displayed higher values in comparison to the untreated stainless steel (SS). Moreover, the torrefied samples exhibited the highest values among all the samples. Furthermore, the process fluids derived from hydrothermal carbonisation (HTC) have demonstrated promising potential for application in anaerobic digestion, owing to their elevated levels of total organic carbon (TOC) and chemical oxygen demand (COD). The limitations of the study encompassed conducting pyrolysis experiments on a small scale and exclusively examining the characteristics of solid products. As a result, it is necessary to conduct more investigations on a bigger scale and analyse the gaseous and liquid phases in order to gain a more comprehensive understanding. However, the results establish a basis for developing waste management approaches within the vegetable oil sector and propose potential areas for further investigation, such as examining the impact of minerals on pyrolysis and optimising process parameters.

In a separate investigation conducted by Akter et al. (2023), significant emphasis was placed on the significance of thermal processing and the characterisation of sludges from Bangladesh's textile and food sectors. The objective of this study was to explore the potential of converting these sludges into biochar as a means of efficiently managing effluent. Despite the scarcity of studies on industrial sludge, it demonstrates considerable promise as a viable source for manufacturing biochar. The present study effectively generated biochar from sludges derived from the food and textile industries, wherein the properties of the biochar were strongly influenced by the temperature at which pyrolysis was conducted. The utilisation of biochar generated from these sludges exhibits the potential to enhance agricultural soil quality, facilitating carbon sequestration and assisting in the management of sludge. However, additional research is required to investigate potential industrial applications (<https://www.sciencedirect.com/science/article/pii/S2451904923002160>).

Górka et al. (2022) at the Kraków-Płaszów wastewater treatment facility in Poland discovered that the amalgamation of water and sewage sludge brings about improved biogas generation. The employment of anaerobic stabilisation methods on the sludge assortment is directed to enhance efficacy, henceforth leading to amplified biogas production. This study suggests that adding water sludge to sewage management might benefit municipal facility waste management.

According to Urban and Isaac (2018), the water and wastewater treatment plants in the densely populated Campinas metropolitan area encounter difficulties regarding sludge disposal. In order to tackle this matter, a linear optimisation approach based on Geographic Information Systems (GIS) was employed. The investigation revealed potential applications for the sludges, including their utilisation in creating ceramic bricks for water treatment plant sludge and their application in sugarcane crop regions for ethanol generation in the case of wastewater treatment plant sludge. This strategy offered decision-makers significant insights into sustainable sludge management by considering reception capacities and practicality. Moreover, the proposed approach demonstrates adaptability and provides a pragmatic option for enhancing the efficient utilisation of sludge in urban treatment facilities.

## 2 Types of Industrial Sludge


There are several types of industrial sludge based on source and composition. See Fig. 1.2 for a graphical representation of types of sludge.

### 2.1 Types of Industrial Sludge Based on Source

#### 2.1.1 Wastewater Treatment Plant Sludge

The term “wastewater treatment plant sludge”, referred to as sewage sludge or wastewater solids, pertains to the leftover substance produced as a by-product of wastewater treatment in sewage treatment facilities (Kumar et al., 2021a; Singh et al., 2023). The sludge is a residual material generated during the wastewater treatment procedure, including solid particles, organic matter, inorganic substances, bacteria, and several other impurities that are effectively eliminated from the wastewater (Kumar et al., 2021b; Saravanan et al., 2021).

The sludge in wastewater treatment facilities has identifiable characteristics (Aziz & Mustafa, 2022). The substance’s makeup encompasses organic matter, biodegradable molecules, and inorganic components, such as minerals and salts (Koul et al., 2022). The moisture content of sludge is typically increased due to its origin from wastewater and the subsequent treatment procedures (Nazari et al., 2018). Furthermore, it is noteworthy to mention that it may contain substantial amounts of essential nutrients, like nitrogen and phosphorus (Kirchmann et al., 2017). However, the existence of sludge also presents notable risks as it has the potential to act as a reservoir for viruses, pathogens, and toxic substances, including heavy metals and persistent organic pollutants (Okoye et al., 2022). The extent of sludge volume and density variations depends on the particular treatment methods utilised, resulting in the release of unpleasant-smelling chemicals (Byliński et al., 2019). A thorough understanding of these characteristics is imperative for the effective execution of sludge management strategies, encompassing appropriate processing, safe disposal, and prospective resource exploitation, all while maintaining environmental conservation and adherence to legal frameworks (Chandra & Kumar, 2017a, b).



**Fig. 1.2** Types of industrial sludge

### 2.1.2 Food Processing Sludge

The terminology “food processing sludge” pertains to the residual material generated as a secondary output while processing food and beverage products (Despoudi et al., 2021). Insam et al. (2018) posits that the production of this material is a consequence of several food-processing practices, including the processing of fruits and vegetables, meat and poultry, dairy products, grain milling, and beverage manufacturing. Food processing sludge is a composite mixture of organic substances, inorganic compounds, water, and various contaminants that are removed or separated throughout food processing (Mong et al., 2021).

According to Nielsen et al. (2019), the sludge’s moisture and nutrient contents differ depending on the processing methods employed. Food waste is frequently present in this context, including various components such as trimmings and expired items. Additionally, the presence of contaminants, such as pesticides and additives, is a common occurrence (Jones et al., 2021). The presence of odours may need actions to control them (Wysocka, 2023). Effective management practices, such as dewatering, stabilisation, and resource recovery, are pivotal in mitigating environmental consequences and optimising sustainability within food processing operations (Shabir et al., 2023).

### 2.1.3 Chemical Manufacturing Sludge

Chemical manufacturing sludge pertains to the residual substance generated as a by-product during manufacturing procedures within the chemical industry. The by-product in question comprises solid particles, chemicals, and various pollutants that undergo separation or removal procedures during chemical production (Yang et al., 2020).

The presence of toxic substances and hazardous materials necessitates the implementation of appropriate protocols for handling and disposal. According to Kocbek et al. (2022), the moisture content of the sludge exhibits variability, and its treatment and disposal procedures are influenced by its physical qualities, including viscosity and density. The presence of contaminants, such as impurities and trace metals, necessitates meticulous management. Stability considerations and adherence to environmental standards cannot be overstated, as they are crucial in light of the possible risks associated with the sludge. Various treatment processes, such as solidification, stabilisation, neutralisation, and burning, are utilised to limit potential hazards and maintain adherence to regulatory requirements in the management of chemical industrial sludge (Kocbek et al., 2022).

### 2.1.4 Mining and Metalworking Sludge

Mining and metalworking sludge is the residual substance of mining and metal processing activities. The by-product in question encompasses solid particles, chemicals, minerals, and various pollutants that undergo separation or extraction procedures in mining and metalworking operations (Wang et al., 2022).

The sludge can potentially contain hazardous substances, such as poisonous compounds, heavy metals, and even radioactive materials, which can pose significant threats to the environment and human health. The material's moisture content, physical characteristics, and mineral makeup exhibit variations contingent upon the operation (Alwaeli et al., 2020). Inadequate handling of sludge has the potential to result in the contamination of land and water sources (Rorat et al., 2019). Hence, it is imperative to comprehend the distinctive attributes of mining and metalworking sludge to effectively apply suitable treatment techniques, including dewatering, solidification, and stabilisation. This understanding is essential for adhering to environmental regulations, aiming to reduce environmental consequences and mitigate potential risks associated with such sludge.

### 2.1.5 Petroleum Refining Sludge

Petroleum refining sludge pertains to the residual or discarded substance that is formed as a by-product during the process of refining crude oil to manufacture diverse petroleum products. The by-product in question comprises solid particles, hydrocarbons, heavy metals, and various pollutants that are amassed due to the refining process (Choudhury et al., 2022).

The sludge has a notable hydrocarbon concentration and a high viscosity level, resulting in a dense and adhesive consistency. In addition, the presence of sulphur compounds and heavy metals has been identified as contributing factors to its poisonous nature (Agoro et al., 2020). The sludge frequently exhibits a notable water content due to using water in refining (Johnson & Affam, 2019). According to Johnson and Affam (2019), inadequate disposal of petroleum refining sludge can result in environmental contamination, presenting hazards to ecosystems and human well-being. Effective management and treatment strategies, such as sedimentation, filtration, and heating processes, are crucial in reducing the environmental consequences and addressing the potentially harmful characteristics of sludge generated from petroleum refining activities.

### 2.1.6 Agricultural Sludge

Agricultural sludge is the organic waste produced by agricultural activities and practices. The by-product in question comprises diverse organic compounds, such as animal manure, crop leftovers, agricultural runoff, and other organic residues derived from farming activities (Sharma & Garg, 2019).

The substance exhibits a high concentration of organic matter and essential nutrients, including nitrogen, phosphorus, and potassium. The moisture content exhibits variability and is crucial in facilitating microbial activity, hence contributing to the decomposition of organic matter (Chen et al., 2022). Nevertheless, it is essential to note that agricultural sludge may also harbour infections, herbicides, and heavy metals, requiring appropriate management strategies to mitigate potential health and environmental hazards. According to Alengebawy et al. (2021), correctly

applying this technique can enhance soil structure, fertility, and water-holding capacity. Composting, anaerobic digestion, and nutrient recovery represent prevalent treatment methodologies. The comprehension of the attributes of agricultural sludge facilitates its secure and enduring utilisation within agricultural systems, concurrently fostering the principles of environmental stewardship (Alengebawy et al., 2021).

## **2.2 Types of Industrial Sludge Based on Composition**

### **2.2.1 Organic Sludge**

The term “organic sludge” pertains to sludge predominantly composed of organic material originating from biological sources, like sewage, food waste, or agricultural wastes (Clapp et al., 1986). Typically, it exhibits a high concentration of organic components, encompassing proteins, carbohydrates, and lipids. Organic sludge may arise as a by-product of several activities, such as wastewater treatment, composting operations, or organic waste management (Chen et al., 2011; Kumar & Thakur, 2020). Preventing odour concerns, facilitating decomposition, and guaranteeing proper disposal or beneficial reuse frequently necessitate implementing suitable treatment and management strategies.

### **2.2.2 Inorganic Sludge**

Inorganic sludge mainly consists of inorganic substances, such as minerals, metals, or chemicals (Kumar & Chandra, 2020; Udayanga et al., 2019). It is frequently derived from industrial operations, such as mining, metalworking, or chemical manufacturing. Climate Policy Watcher (2023) states that inorganic sludge may comprise heavy metals, hazardous compounds, or other inorganic pollutants. Consequently, it is imperative to exercise caution while managing, treating, and disposing of such sludge to avert potential environmental contamination.

### **2.2.3 Hazardous Sludge**

Hazardous sludge substantially threatens human health and the environment due to its poisonous, combustible, corrosive, or reactive characteristics (Hakiki et al., 2019). The phenomenon might manifest because of many industrial operations, encompassing the manufacture of chemicals, the management of hazardous waste, or the clean-up of contaminated sites. Properly managing hazardous sludge necessitates utilising specialised handling, treatment, and disposal protocols. These procedures must adhere to rigorous rules to safeguard human health and the environment (Kanagamani et al., 2021).