

J. Küenzlen, E. Scheller, R. Becker, T. Immel

Anchor Technology in Concrete and Masonry for Practitioners and Engineers

With Recommendations for the Execution and Evaluation of Job Site Tests



Anchor Technology in Concrete and Masonry for Practitioners and Engineers

Anchor Technology in Concrete and Masonry for Practitioners and Engineers

With Recommendations for the Execution and Evaluation of Job Site Tests

Jürgen Küenzlen, Eckehard Scheller, Rainer Becker and Thorsten Immel



Authors

Dr. Jürgen Küenzlen

Adolf Würth GmbH & Co. KG Reinhold-Würth-Str. 12-17 74653 Künzelsau Germany

Dipl.- Ing. Eckehard Scheller

ISB Block und Becker Beratende Ingenieure PartGmbB Alarichstr. 44f 44803 Bochum Germany

Dipl.- Ing. Rainer Becker

Opus Engineering GmbH Edelstahlweg 5c 44287 Dortmund Germany

Thorsten Immel

Adolf Würth GmbH & Co. KG Reinhold-Würth-Str. 12-17 74653 Künzelsau

Cover: The large number of base materials is one of the challenges in anchor technology.

Photocollage: Patrick Rudolph, Adolf Würth GmbH & Co. KG, Germany

Coverdesign: Petra Franke/Ernst & Sohn GmbH using a design by Sophie Bleifuß, Berlin, Germany

Translation: Philip Thrift, Hanover, Germany

For better understanding of the text, some English sources have been carefully improved, which is indicated by square brackets []. All books published by **Ernst & Sohn** are carefully produced. Nevertheless, authors, editors, and publisher do not warrant the information contained in these books, including this book, to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

Library of Congress Card No.: applied for

British Library Cataloguing-in-Publication Data A catalogue record for this book is available from the British Library.

Bibliographic information published by the Deutsche Nationalbibliothek

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available on the Internet at http://dnb.d-nb.de.

© 2025 Ernst & Sohn GmbH, Rotherstraße 21, 10245 Berlin, Germany

All rights reserved (including those of translation into other languages). No part of this book may be reproduced in any form – by photoprinting, microfilm, or any other means – nor transmitted or translated into a machine language without written permission from the publishers. Registered names, trademarks, etc. used in this book, even when not specifically marked as such, are not to be considered unprotected by law.

Print ISBN: 978-3-433-03205-3 ePDF ISBN: 978-3-433-60865-4 ePub ISBN: 978-3-433-60863-0 oBook ISBN: 978-3-433-60862-3

Typesetting Straive, Chennai, India

Printing and Binding

Printed on acid-free paper.

Wedge Anchor BZ3

The versatile wedge anchor with variable anchoring depth and flexible fixture thickness for applications in cracked and uncracked concrete: Quick and safe to install.



Available in sizes M8 to M20 in zinc plated steel, stainless steel A4 or high corrosion resistance steel (HCR).

Application examples

- Steel structures
- Racks and shelves
- Cable channels
- Loading ramps
- Timber structures
- Collision protection
- Façade elements
 - Seismic bracing

MKT Metall-Kunststoff-Technik Auf dem Immel 2 · DE-67685 Weilerbach Phone +49 6374 9116-0 info@mkt.de · www.mkt.de

Georgios Gaganelis, Peter Mark, Patrick Forman Optimization Aided Design

Reinforced Concrete

- numerous examples e.g. columns, beams, deep beams, corbels, cantilevers, frame corners, pylons, parabolic trough solar collectors, fiber reinforced concrete
- the book is suitable for graduates, young professionals and for teaching & research
- useful introduction to optimization methods for practicing engineers

Ernst & Sohn



2022 · 184 pages · 200 figures · 6 tables Softcover ISBN 978-3-433-03337-1 € 69* eBundle (Softcover + ePDE)

ISBN 978-3-433-03338-8 € 99*

BESTELLEN

+49(0)3047031–236 marketing@ernst-und-sohn.de www.ernst-und-sohn.de/en/3337

* All book prices inclusive VAT.

븢 WüRTH

READY?

Being ready. For your daily work. For your passion. For building the future. This attitude connects millions of people working in the skilled trades worldwide. Würth is one of the strongest partners of those who roll up their sleeves and do the hands-on work. And we give you one promise: We make sure you are READY FOR WORK. With our products, with our systems, by being close to you. Every day, wherever you are. Are you ready?

www.wuerth.com



Contents

About the Authors *xiii*

- 1 Introduction 1
- 1.1 General 1
- 1.2 By Way of an Introduction: A Real Conversation About Anchors in a Private Situation 1

٧

1.3 Anchor Technology for Professionals 4

2 European Regulations 9

- 2.1 General 9
- 2.2 European Technical Assessment (ETA) 9
- 2.3 CE Marking 9
- 2.4 The Most Important Regulations Referred to in this Book 11
- 2.4.1 European and International Standards (DIN EN, ISO) 11
- 2.4.2 Laws, Directives, Technical Rules 12
- 2.4.3 European Technical Approval Guidelines (ETAG), European Assessment Documents (EAD) and Technical Reports (TR) *12*
- 2.4.4 European 'Approvals' (ETAs) 13
- 2.4.5 Test Reports 15
- 3 Base Material In What Material Do I Want To Fasten My Anchors? 17
- 3.1 General 17
- 3.2 Identifying the Base Material on the Construction Site 17
- 3.2.1 Identifying the Base Material by Means of Construction Documents 18
- 3.2.1.1 Concrete 18
- 3.2.1.2 Masonry 19
- 3.2.2 Identifying the Base Material Without Construction Documents 19
- 3.2.2.1 Drilling a Test Hole 19
- 3.2.2.2 Options for Determining the Concrete Compressive Strength 23

vi Contents

4	Base Materials in Detail 25
4.1	Concrete 25
4.1.1	General 25
4.1.2	Cracked (Reinforced) Concrete 25
4.1.3	Uncracked Concrete 29
4.1.4	Types of Concrete 30
4.1.4.1	General 30
4.1.4.2	Normal-weight Concrete 30
4.1.4.3	Lightweight Concrete 30
4.1.5	Compressive Strength Classes 32
4.1.5.1	Normal-weight and Heavyweight Concrete 32
4.1.5.2	Lightweight Concrete 35
4.2	Masonry 36
4.2.1	General 36
4.2.1.1	Masonry Units 36
4.2.1.2	Joints With and Without Mortar (Filled and Unfilled Joints) 3
4.2.2	Solid and Vertically Perforated Clay Bricks 37
4.2.3	Solid and Perforated Calcium Silicate Units 38
4.2.4	Solid and Hollow Lightweight Concrete Blocks 38
4.2.5	Aerated Concrete Blocks 40
4.2.6	Autoclaved Aerated Concrete: Wall, Floor and Roof Panels 40
4.2.7	Solid and Hollow Masonry Units Made From Normal-weight
	Concrete 42
4.2.8	Natural Stone 43
4.2.9	Base Materials Subsequently Insulated 44
5	Environment – Which External Influences Affect My
	Fastenings? 47
5.1	General 47
5.2	Temperature 48
5.3	Freezing Temperatures 50
5.4	Fire 51
5.5	Corrosion 52
5.5.1	Advice in the Approvals for Anchors 52
5.5.2	Advice for Anchoring Fastenings in Concrete According to EN
	1992-4 53
5.5.2.1	General 53
5.5.2.2	Defining a Dry Interior 54
5.5.2.3	Moisture 54
5.5.2.4	Chlorides and Other Aggressive Agents 54
5.5.3	Additional Helpful Information 56
6	Member Dimensions – Where Can I Install My Anchor? 59
6.1	Definitions of Important Terms and Dimensions in Anchor

36

Technology 59

Contents vii

- 6.2 (Minimum) Member Thickness 61
- 6.2.1 Concrete 62
- 6.2.2 Masonry 62
- 6.3 Edge Distance *c* 63
- 6.3.1 Concrete 63
- 6.3.1.1 Minimum Edge Distance c_{\min} 63
- 6.3.1.2 Characteristic Edge Distance $c_{\rm cr}$ 64
- 6.3.2 Masonry 65
- 6.4 Spacing *s* 67
- 6.4.1 Concrete 67
- 6.4.1.1 Minimum Spacing s_{min} 67
- 6.4.1.2 Characteristic Spacing s_{cr} 68
- 6.4.2 Masonry 69
- 6.5 Regulations for Approved Plastic Anchors 71

7 Fixtures and Anchor Plates – What Do I Want to Fasten? 73

- 7.1 General 73
- 7.2 The Theory Behind Fixtures and Anchor Plates 74
- 7.3 The Support of the Fixture 75
- 7.3.1 General 75
- 7.3.2 Fixture with Statically Determinate Supports Single Fastening 76
- 7.3.3 Fixture with Statically Indeterminate Supports Multiple Fastenings 78
- 7.3.3.1 General 78
- 7.3.3.2 Distinguishing Between Structural and Non-structural Systems 79
- 7.3.3.3 Stiffness of the Fixture 80
- 7.3.3.4 Loads Acting on Multiple Fastenings 81
- 7.3.3.5 Limiting the Loads Acting per Fixing Point 82
- 7.3.3.6 Examples of Anchor Types Approved as Multiple Fasteners for Non-structural Systems *83*
- 7.3.4 Summary With One Example 84
- 7.4 Clearance Holes in Fixtures *85*
- 7.5 Types of Installation 87
- 7.5.1 General 87
- 7.5.2 Pre-positioned Installation 88
- 7.5.3 In-place Installation 88
- 7.6 Hole Patterns in Fixtures (Arrangement of Fastenings) 90
- 7.7 Fixtures and Anchor Plates in Practice 92
- 8 Actions Which Loads Act on My Fastening? 95
- 8.1 General 95
- 8.2 Loading Directions (Nature of the Loading) 95
- 8.3 Action Effects (Types of Load) 96
- 8.4 Design is the Job of the Planning Team! 98
- 8.5 An Example to Illustrate Action Effects 99

- 8.5.1 General 99
- 8.5.2 Structural System 99
- 8.5.3 Self-weight Dead Load 101
- 8.5.4 Imposed Loads 102
- 8.5.5 Actions on the Anchors Due to Dead and Imposed Loads 102
- 8.5.6 Dynamic Loads 103
- 8.5.6.1 General 103
- 8.5.6.2 The Pull-up Bar Example 104
- 8.5.6.3 Dynamic Loads 104
- 8.5.7 Summary 105

9 Anchor Systems 107

- 9.1 Introduction 107
- 9.2 Anchor Systems for Anchorages in Concrete 107
- 9.2.1 Metal Anchors 107
- 9.2.1.1 Bolt Anchors 107
- 9.2.1.2 Sleeve Anchors 109
- 9.2.1.3 Drop-in Anchors 110
- 9.2.1.4 Concrete Screws 114
- 9.2.2 Bonded Anchors 117
- 9.2.2.1 General 117
- 9.2.2.2 Bonded Expansion Anchors for Use in Cracked Concrete 119
- 9.2.2.3 Injection Systems 123
- 9.2.2.4 Post-installed Rebar Connections 127
- 9.2.2.5 Capsule Systems 128
- 9.3 Anchor Systems for Anchorages in Concrete and Masonry Plastic Anchors 129
- 9.4 Anchor Systems for Anchorages in Masonry Injection Systems 134

10 Design 137

11 Installation 139

- 11.1 Installation Technicians Qualified Personnel 139
- 11.2 Drill Bits Drilling Cleaning Out Drilled Holes 139
- 11.2.1 General 139
- 11.2.2 Position of the Hole 140
- 11.2.3 Drilling Methods 142
- 11.2.3.1 Drilling with Rotary and Hammer Action 142
- 11.2.3.2 Diamond Core Drilling 142
- 11.2.3.3 Compressed-air Drilling 143
- 11.2.4 Cleaning the Drilled Hole 144
- 11.2.4.1 General 144
- 11.2.4.2 Cleaning Holes for Metal and Plastic Anchors 144
- 11.2.4.3 Cleaning Holes for Injection and Cartridge Systems 145
- 11.2.4.4 Vacuum Drill Bits for Dust Extraction 146

- 11.2.5 Aborted Holes 148
- 11.3 Temperature Processing Time Curing Time 149
- 12 Typical Mistakes and What We Can Do Differently or Better 151
- 12.1 General 151
- 12.2 Environment Corrosion 151
- 12.3 Member Dimensions Edge Distances and Spacings 153
- 12.4 Anchor Systems 159
- 12.5 Installation of Anchors 162
- **13** Summary How Do I Solve My Fastening Task? 165
- 14 Determining the Resistances of Plastic Anchors and Metal Injection Anchors by Means of Job Site Tests 167
- 14.1 Introduction 167
- 14.2 Principles for Job Site Tests Involving Masonry Base Materials 169
- 14.2.1 Anchor Systems 169
- 14.2.2 European Technical Assessments for Plastic Anchors 170
- 14.2.3 European Technical Assessments for Metal Injection Anchors for Anchorages in Masonry *171*
- 14.2.4 The Systematic Approach Behind this Part of this Book 171
- 14.3 Responsibilities 172
- 14.3.1 General 172
- 14.3.2 Competent Planner 173
- 14.3.3 Test Supervisor 174
- 14.3.4 Appropriately Trained Personnel 174
- 14.4Technical Rule 'Execution and Evaluation of Job Site Tests of Plastic
Anchors for Use in Concrete and Masonry with ETA' 175
- 14.4.1 Classification/General 175
- 14.4.2 Field of Application for Plastic Anchors 175
- 14.4.2.1 General 175
- 14.4.2.2 Base Material Groups (Masonry Groups) 176
- 14.4.2.3 Temperature Ranges 177
- 14.4.2.4 Conditions for Spacing and Edge Distances 178
- 14.4.2.5 Working 'Within the Scope of the ETA' 179
- 14.4.3 Tests for Plastic Anchors 179
- 14.4.3.1 General 179
- 14.4.3.2 Test to Failure 179
- 14.4.3.3 Proof Load Tests 180
- 14.4.4 Test Report 182
- 14.5 Practical Example 1: Tension Tests on Plastic Anchors (Tests to Failure) Fastening of a Façade Support Structure 182
- 14.5.1 Introduction 182
- 14.5.2 Carrying Out and Recording Job Site Tests 185

- **x** Contents
 - 14.5.2.1 General Information About the Construction Project 185
 - 14.5.2.2 Location of Tests 185
 - 14.5.2.3 Testing Apparatus 188
 - 14.5.2.4 Nature of Constructional Item to be Fastened 193
 - 14.5.2.5 Base Material 193
 - 14.5.2.6 Name of Product 197
 - 14.5.2.7 Installation 198
 - 14.5.2.8 Test Results 201
 - 14.5.3 Interim Conclusion: Division of Labour 202
 - 14.5.4 Evaluation of Tension Tests (Tests to Failure) 204
 - 14.5.4.1 Principles for Tension Tests 204
 - 14.5.4.2 Determining the Characteristic Resistance with at Least Five Tests 204
 - 14.5.4.3 Determining the Characteristic Resistance with the Simplified Method 205
 - 14.5.4.4 Taking Joints into Account 208
 - 14.5.4.5 Design Value of Resistance 210
 - 14.5.5 Remarks and Advice 210
 - 14.5.6 Signatures 210
 - 14.6 Technical Rule 'Execution and Evaluation of Job Site Tests of Injection Anchor Systems for Use in Masonry with ETA' *211*
 - 14.6.1 Classification/General 211
 - 14.6.2 Applications for Injection Anchors 212
 - 14.6.2.1 General 212
 - 14.6.2.2 Masonry Groups 212
 - 14.6.2.3 Temperature Ranges 214
 - 14.6.2.4 Conditions During Installation and Usage 215
 - 14.6.2.5 Conditions for Spacing and Edge Distances 216
 - 14.6.2.6 Acting 'Within the Scope of the ETA' 216
 - 14.6.3 Tests 216
 - 14.6.3.1 General 216
 - 14.6.3.2 Tests to Failure 218
 - 14.6.3.3 Proof Load Tests 219
 - 14.6.3.4 Acceptance Tests 221
 - 14.6.4 Test Report 223
 - 14.7 Practical Example 2: Tension Tests for Injection Anchors (Tests to Failure) Fastening a Balustrade for a French Balcony 224
 - 14.7.1 Introduction 224
 - 14.7.2 Execution of Job Site Tests and Associated Documentation 225
 - 14.7.2.1 General Information About the Construction Project 225
 - 14.7.2.2 Location of Tests 225
 - 14.7.2.3 Testing Apparatus 225
 - 14.7.2.4 Nature of Constructional Item to be Fastened 226
 - 14.7.2.5 Base Material 226
 - 14.7.2.6 Name of Product 228
 - 14.7.2.7 Installation 228

- 14.7.2.8 Test Results 228
- 14.7.3 Interim Conclusion: Division of Labour 230
- 14.7.4 Evaluation of the Test Results 231
- 14.7.4.1 Principles for Tension Tests 231
- 14.7.4.2 Determining the Characteristic Resistance by Way of Fractiles 232
- 14.7.4.3 Determining the Characteristic Resistance with a Simplified Method 235
- 14.7.4.4 Taking Joints into Account 235
- 14.7.4.5 Design Value of Resistance 235
- 14.8Summary235References for Chapter 14236

Appendix A Execution and Evaluation of Job Site Tests of Plastic Anchors for Use in Concrete and Masonry with ETA in Accordance with EAD 330284-00-0604 or ETAG 020 239

- A.1 Field of Application 239
- A.1.1 General 239
- A.1.2 Terminology 240
- A.1.3 Conditions of Application 241
- A.1.4 Symbols 242
- A.2 Tests 243
- A.2.1 Test Preparation 243
- A.2.2 Test Procedure 244
- A.2.3 Test Report 246
- A.3 Evaluation of the Test Results 248
- A.3.1 General 248
- A.3.2 Tests Until Failure (Shear Tests on the Edge and Tension Tests) 248
- A.3.3 Proof-Load Tests (Shear Tests on the Edge) 250
- A.4 Information for Design 251
- A.4.1 Characteristic Resistance 251
- A.4.2 Spacing and Edge Distances 252
- A.4.3 Partial Factor 252
- A.4.4 Influence of Joints 252 References 252
- A.5 Annex A: Categories of Comparable Hollow and Perforated Bricks and Blocks 253
- A.5.1 Instructions for Determining the Reference Unit 253
- A.5.2 Description of Categories C1 to C7 (as follows) 254
- Appendix BExecution and Evaluation of Job Site Tests of Injection AnchorSystems for Use in Masonry with ETA in Accordance with EAD330076-00-0604 or ETAG 029261
- B.1 Field of Application 261
- B.1.1 Generales 261
- B.1.2 Terminology 262

xii Contents

- B.1.3 Conditions of Application 263
- B.1.4 Symbols 264
- B.2 Tests 266
- B.2.1 Test Preparation 266
- B.2.2 Test Procedure 267
- B.2.3 Test Report 269
- B.3 Evaluation of the Test Results 271
- B.3.1 General 271
- B.3.2 Tests Until Failure (Shear Tests on the Edge and Tension Tests) 272
- B.3.3 Proof-Load Tests (Shear Tests on the Edge and Tension Tests) 273
- B.3.4 Acceptance Tests (Tension Tests) 274
- B.4 Information for Design 275
- B.4.1 Characteristic Resistance 275
- B.4.2 Spacing and Edge Distances 276
- B.4.3 Partial Factor 277
- B.4.4 Pulling Out or Pushing Out of One Brick 277
- B.4.5 Influence of Joints 277 References 278
- B.5 Annex A: Categories of Comparable Hollow and Perforated Bricks and Blocks 279
- B.5.1 Instructions for Determining the Reference Unit 279
- B.5.2 Description of Categories C1 to C7 (as follows) 280

About the Authors



Dr.-Ing. Dipl.-Wirt.-Ing. (FH) Jürgen H. R. Küenzlen LL.M. M.A. M.A.

LinkedIn: https://www.linkedin.com/in/dr-jürgen-küenzlen

Jürgen H. R. Küenzlen studied Civil Engineering between 1993 and 1998 at the University of Stuttgart, majoring in Hydraulic Engineering. Between 1998 and 1999 he studied Business Engineering at the University of Applied Sciences Pforzheim.

From 1999 to 2004 Küenzlen worked as scientific assistant and deputy laboratory manager at the Institute of Construc-

tion Materials at the University of Stuttgart, Department of Fastening Technology. In 2004 he received doctorate (Dr.-Ing.) on the load-bearing behaviour of screw anchors.

From 2004 to 2007 Küenzlen was product manager for window fasteners at Adolf Würth GmbH & Co. KG in Künzelsau/Germany. Since 2008 he has been project manager in product management with a focus on approval of anchors in the masonry sector and in the window fastening sector at Adolf Würth GmbH & Co. KG.

Küenzlen has collaborated with various working groups and committees on the subject of fall protection, burglary protection, window fixings and masonry. He also collaborated in the DIBt working group 'Tests in Construction'. Küenzlen is author and co-author of over 125 technical papers and reference books in the fields of fastening technology and flood protection.

Dipl.-Ing. (FH) Eckehard Scheller

LinkedIn: https://de.linkedin.com/in/eckehard-scheller-2a05ab20b

In 1987 Eckehard Scheller did apprenticeship as a wood mechanic (carpenter), followed by 2 years as a journeyman. Then from 1992 to 1995 he did civil engineering studies at the Technical University of Applied Sciences Berlin (TFH).

Between 1996 and 2000 Scheller worked as a structural engineer (building construction/constructive engineering) for Pichler Ingenieure GmbH Berlin. From 2001 to 2012 he was at the German Institute for Building Technology (DIBt), Department I2 'Anchorages and fixings, stairs'.

From 2012 to 2017, Scheller was Project Manager Technical Marketing Fastening Technology at Adolf Würth GmbH & Co. KG, Künzelsau/Germany.

Since 2017, he has been member of the DIBt working group 'Tests in Construction'. From 2018 to 2020 Scheller was Head of Technology and Standardisation at the Deutsche Gesellschaft für Mauerwerks- und Wohnungsbau e. V. DGfM (German Society for Masonry and Housing Construction) and head of the office of the Deutscher Ausschuss für Mauerwerk e.V. DAfM (German Masonry Committee).

Since 2019 Scheller has been with ISB Block und Becker Consulting Engineers PartGmbB.



Dipl.-Ing. Rainer Becker

LinkedIn: https://de.linkedin.com/in/rainer-becker-isb

In 1993 Rainer Becker completed his university studies in civil engineering, specialising in structural engineering. From 2000 to 2013 Becker was research assistant at the Institute for Building Research and research in the area of fastening technology and ETICS; and from 2001 to 2012 he was deputy test centre manager 'post-installed reinforcement connections' at the Technical University of Dortmund.

Since 2013 he has been managing director of fobatec GmbH with a focus on anchoring and fastening technology, and since 2017 test centre manager 'post-installed reinforcement connections' of fobatec GmbH.

In 2018 Becker became founding partner of ISB Block und Becker Beratende Ingenieure PartGmbB, and since 2022 he has been managing director of OPUS Engineering GmbH, with focus on anchorage and fastening technology.

Since 2007, Becker has collaborated with various working groups of the DIBt expert committee SVA 21. In 2013 he was appointed to the DIBt SVA 21 'Anchorages and Fastenings'. Since 2015 Becker has collaborated with the DIBt working group 'Tests in Construction'. In 2020 he was appointed to the DIBt committee of experts 'A – ETICS' and 'B1 - ETICS on Mineral Substrates'.

Thorsten Immel

From 1995 to 1998 Thorsten Immel did apprenticeship as a wholesale and foreign trade merchant at Adolf Würth GmbH & Co. KG.

Between 1998 and 2001 Immel served as sales manager at Adolf Würth GmbH & Co. KG.

From 2002 to 2004 he received further training as a technical business administrator at the Chamber of Industry and Commerce, and in 2002 Immel received specialised training as a 'Certified Fastening Technician' trainer (Institut für Werkstoffe im Bauwesen IWB Stuttgart).

Between 2002 and 2010 he worked in product and application consulting, fastening technology division, Adolf Würth GmbH & Co. KG.

Since 2010 Immel has been working at Würth anchor testing laboratory (DIN EN ISO/IEC 17025:2018 accredited). His work involves performance and documentation of tests as part of approval and assessment procedures for anchors, creation of corresponding approval systems, performance of external and internal, theoretical and practical anchor training courses.



Werner Seim

Structural Timber Design

- For experienced engineers and for beginners alike
- Also suitable as a textbook in the Master's programme
- Offers background knowledge instead of pure application of standards

This book provides knowledge required for the design, construction and dimensioning of timber structures for typical buildings. For a basic understanding, the essential phenomena are explained and only then the normative regulations are considered.



Structural Timber Design

Ernst&Sohn WILEY

4 / 2024 · approx. 400 pages · approx. 60 figures · approx. 108 tables Softcover ISBN 978-3-433-03404-0 approx. € 79* eBundle (Print + ePDF) ISBN 978-3-433-03403-3 approx. € 129*

Available for pre-order.

ORDER

+49 (0)30 470 31-236 marketing@ernst-und-sohn.de www.ernst-und-sohn.de/en/3404

* All book prices inclusive VAT.

Bill Addis (Ed.) Physical Models

Their historical and current use in civil and building engineering design

- the book summarizes the history of model testing by design and construction engineers in a single volume for the first time
- model testing is alongside knowledge of materials and structural behaviour a major driver in progress in civil and building engineering

BESTELLEN

+49(0)3047031–236 marketing@ernst-und-sohn.de www.ernst-und-sohn.de/en/3257

* All book prices inclusive VAT.





2020 · 1114 pages · 896 figures · 14 tables Hardcover ISBN 978-3-433-03257-2 € 149* eBundle (Print + PDF) ISBN 978-3-433-03305-0 € 249*

WE INNOVATE YOUR FIXATION CHEMOFAST

1

Introduction

1.1 General

Anchors are everyday items when it comes to building work. Experience shows that both professional and amateur builders frequently use any random anchor without being able to assess in any detail, for example, the loads and the base material of the specific application. Enquiries received by the authors and the subsequent discussions on the topic of anchor technology are presented in this book as examples of the frequent mistakes and misunderstandings involving anchors (Figures 1.1–1.3).

| 1

Complications when fastening everyday objects are frequently the result of simply 'thoughtlessness' regarding the usually unknown and often not directly visible base material. Only professional advice can help clarify the loads expected on the anchor, the base material and the item to be fastened. Unfortunately, far too often, both professional and amateur builders are looking for 'quick answers' and baulk at the time and costs involved in determining the loads and base material accurately.

1.2 By Way of an Introduction: A Real Conversation About Anchors in a Private Situation

The aforementioned thoughtlessness can quickly lead to a discussion about anchors such as the following recent exchange via a messenger service between one of the authors of this book and an acquaintance. Extracts from this dialogue are quoted below.

- ANONYMOUS: 'This is my pull-up bar (Figure 1.3), which is fixed to the external wall of an old building. I managed to fasten the upper anchors really tight, but not the lower ones. The masonry here seems to have a different consistency. But I couldn't tell just by tapping on the wall. Apart from drilling a big, oversized hole and filling it with concrete, what practical options do I have here for fixing it firmly?'
- J. KÜENZLEN: 'Which anchors did you use for the top and bottom fixings? What type of masonry is it? Perforated? Who's going to use the bar? I mean, how much load will there be on the bar?'

Anchor Technology in Concrete and Masonry for Practitioners and Engineers: With Recommendations for the Execution and Evaluation of Job Site Tests, First Edition. Jürgen Küenzlen, Eckehard Scheller, Rainer Becker and Thorsten Immel. © 2025 Ernst & Sohn GmbH. Published 2025 by Ernst & Sohn GmbH.

1 Introduction



Figure 1.1 Bathroom (photo: Adolf Würth GmbH & Co. KG).



Figure 1.2 Living room (photo: Adolf Würth GmbH & Co. KG).

- 'I used the anchors top and bottom. They came with the bar. ANONYMOUS: (Figure 1.4)'
- 'Type of masonry? Good question, difficult to say. This is all I can ANONYMOUS: see. Here's a photo of the wall from the outside (Figure 1.5). I'm not keen on removing the plaster from the wall in my rented apartment. The load is max. 95 kg static, but dynamic when I'm doing my exercises.'
- J. KÜENZLEN: 'I see, a sort of cross-your-fingers-and-hope-for-the-best fixing! Errr, that'll never work, sorry. I suspect it's some kind of masonry, so you can throw away the fixings that came with the bar. Without seeing the holes you drilled, I can't say exactly, but in the case of masonry and those loads, I would recommend an injection anchor.'

2

1.2 By Way of an Introduction: A Real Conversation About Anchors in a Private Situation 3



Figure 1.3 Pull-up bar (private photo).



(a)

(b)

Figure 1.4 Anchors supplied with the bar; (a) anchor length, (b) anchor diameter (private photos).

- ANONYMOUS: 'It's certainly masonry, clay bricks I reckon, judging by the red dust during drilling. I'll throw the fixings away as soon as you can tell me what I should be using instead. My lack of knowledge might be dangerous here. I'm stumped!'
- J. KÜENZLEN: 'An injection anchor, fixed as deep as possible.'
- ANONYMOUS: 'I don't need a course on anchor technology, just tell me what to do, and like quick!'
- J. KÜENZLEN: 'Okay, clay bricks without holes? In that case use a threaded rod inserted as far as possible and fixed in place with injection mortar. Brush and blow out the hole according to the instructions. Use WIT VM 250 for the mortar.' [authors' note: see Figure 9.43 in Section 9.4]

Of course, in order to specify a particular anchor, it would have been necessary to consider the loading in more detail, but our anonymous fitness fan wanted a quick solution!





Figure 1.5 Wall from outside (private photo).

This and similar discussions reveal again and again that anchors – products that seem unremarkable in themselves – are probably among those construction products that are used for the most diverse applications but, above all, by the most diverse users. Anchors are used to fasten everything from lightweight bathroom cabinets (Figure 1.1) to heavy industrial robots (Figure 1.6). Fastenings for the latter are subjected to higher dynamic and fatigue-relevant loads - affecting both the anchors themselves and the base material.

1.3 **Anchor Technology for Professionals**

The ever more complex world of building and the constantly growing demands of sustainability and environmental compatibility together with economic issues have led to anchor technology being investigated in more and more scientific detail in recent decades during the course of product development. Again and again, this has given rise and gives rise to new products that, in particular, also take into account the increasing diversity of the base materials. For the specific marketing of anchor products, while not ignoring the economic aspects, the scientific studies have resulted and continue to result in sometimes highly complex design methods that

4



Figure 1.6 Industrial robot fastened with anchors (photo: Küenzlen).

are specified in numerous codes of practice, e.g. EN 1992–4 'Eurocode 2 – Design of concrete structures – Part 4: Design of fastenings for use in concrete'. The upshot of this is that, more and more often, it is no longer possible to design an anchor with a simple, quick and easily grasped manual calculation. Basically, these days, such anchor technology for professionals is only understood by experienced civil and structural engineers who have the necessary software at their disposal.

Looked at globally, the history of anchor fixings has been far from consistent. Instead, there are specific regional differences, something we see today in the different English names for anchor systems that, in technical terms, are identical. For example, drive-in anchors (often used in the USA) are equivalent to drop-in anchors (often used in the UK).

However, the experience of the authors over the past 20 years shows that in order to gain the acceptance of users, more than ever before there is an urgent need to translate academic anchor theory into manageable anchor practice for real building sites.

Fast-track anchor installation along the lines of 'we've always done it that way', or without appropriate training, is simply no longer possible in professional situations.

It is exactly that gap that this book intends to fill. In everyday practice, users probably hardly ever ask themselves the question 'How does my anchor work?' Therefore, this book focuses on the practical use of anchors. The question this book poses is: 'Which anchor do I need for my fastening task and what aspects do I need to consider?' To answer this question, the authors guide the reader through the seemingly vast number of anchor systems and provide advice for everyday building situations.

The theory regarding the structural behaviour is only explained, and then only briefly, when it helps to solve the fastening task and understand the solution to that task.

Initial general information about the anchor design typically required can be found in Chapters 8 and 10. However, detailed information is not provided because



Figure 1.7 Quick sketch.

this activity is not usually carried out on the building site, instead is routine work in the offices of civil and structural engineers. For clarity, the reader is merely referred to the existing codes of practice and other specialist publications that provide summaries, e.g. Scheller & Küenzlen, 2013.¹

Figure 1.7 illustrates in simple form the sometimes disillusioning everyday world of anchors on the professional level. This sketch really was sent to the applications adviser of an anchor manufacturer. Nevertheless, this simple sketch does reveal the complexity of anchor technology and the gaps in our knowledge.

What does the author of this sketch require from the anchor supplier? They are probably interested in knowing how many kilograms the anchor can carry, i.e. how much they can 'hang' on the anchor, and which product they should be ordering. So the author of the sketch, i.e. the prospective anchor customer, expects to receive a recommendation as to which anchor to use for their intended application.

However, to be able to provide a sound and reliable answer to this question, the applications adviser first has to clarify the intended application and the actual situation on site. That calls for much more detailed information than is available from the customer's sketch (Figure 1.7).

As a rule, the same key questions are asked for every anchor application. This book is intended to help users clarify the most important issues and provide the corresponding background information to real situations. So, although the sketch in Figure 1.7 is very simple, it does address the most important issues in standard anchor technology and therefore also serves to lay down the order of the topics treated in this book:

¹ Scheller, E. and Küenzlen, K. (ed.) (2013). Handbuch der Dübeltechnik – Grundlagen, Anwendungen, Praxis [in German]. Künzelsau/Germany: Swiridoff Verlag.

- Which fundamental rules apply to anchor products in Europe? (Chapter 2)
- In which material is the anchor to be installed?
 - In other words: Which base material is involved? (Chapters 3 and 4)
- Will the fixture be installed in a dry interior or outside or, for example, in a swimming pool?
 - In other words: What level of corrosion protection does the anchor require? (Chapter 5)
- How far is the fixture, or the anchor plate, from an edge?
 - Which also means: What dimensions are involved (member thickness, edge distance, anchor spacing)? (Chapter 6)
- Does the fixture have only one hole for one anchor or holes for two or more anchors?
 - What is the diameter of the clearance hole through the fixture? (Chapter 7)
- What is to be attached to the anchor/fixture/anchor plate?
 - In other words: Which loads need to be considered in which directions? (Chapter 8)
- Which anchor systems are available? (Chapter 9)

This book initially adheres to this order because, in principle, this approach can be applied to every fastening task. Making a universal statement, e.g. two or three different types of anchor as a recommendation for fixing a balustrade, is, however, not really helpful when – as we work through the above systematic approach – we discover that just one of the various boundary conditions actually calls for a fourth type of anchor. Therefore, the approach presented in this book can serve as an initial tool for every fastening task. The aim is to provide a how-to manual for the design and installation of anchors.

The most important and the first item to be considered should always be the base material, because most modern anchor systems are intended for a certain base material, indeed frequently only approved for that base material. When working through the other points, it is possible to use as a guide the product information and approvals plus the design software supplied by the anchor manufacturers.