Hans-Jörg G. Diersch

FEFLOW

Finite Element Modeling of Flow, Mass and Heat Transport in Porous and Fractured Media



FEFLOW

Hans-Jörg G. Diersch

FEFLOW

Finite Element Modeling of Flow, Mass and Heat Transport in Porous and Fractured Media



Hans-Jörg G. Diersch Groundwater Modelling Centre DHI-WASY GmbH Berlin, Germany

ISBN 978-3-642-38738-8 ISBN 978-3-642-38739-5 (eBook) DOI 10.1007/978-3-642-38739-5 Springer Heidelberg New York Dordrecht London

Library of Congress Control Number: 2013950167

© Springer-Verlag Berlin Heidelberg 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)



Preface

Flow, mass, and heat transport processes in nature and geosphere are highly (if not even most) complex. There is an increasing demand in studying and predicting such kind of problems in an environmental and geohydrodynamic context. This demand naturally results from the growing human influence on the environmental and natural resources with their constraints and consequences. Men are also looking for new technologies of exploiting geothermal energy and storing fluids in reservoirs. Industries are developing new materials with improved properties for which a greater understanding of flow and energy transport is required. Among all of these applications, a very important subclass of processes occurs in structures which are categorized as porous and fractured media. Those structures exist in many natural and man-made systems having length scales differing by several orders of magnitude. Lengths range from pore and fracture scales in the order of micrometers and millimeters, textile and tissue materials measuring tens of millimeters, the diameter of wells in the order of tens of centimeters, the thickness of aquifer layers and geologic strata in the order of meters to tens of meters, the distances between wells and thicknesses of aguifer systems with tens to hundreds of meters, and the extent of reservoirs and subsurface fields up to tens or even hundreds of kilometers. Heterogeneities and parameter contrasts have to be encountered in all these length scales.

To understand the processes, to make them predictable and controllable, we need models. Models are abstractions of the real systems. However, abstractions are not to be considered as our resort and insufficiency in finding a description for *all* phenomena and influences. They represent a necessary and appropriate level of reduction and idealization where the (most) important processes are emphasized and the subordinate processes are dropped. This is the way (and obviously the only way) to find causal relationships and to set up predictive tools. We don't need a second perfect copy of nature; we have it already in the form of our experiments and observations made at the real system.

The construction of the model is the first and very important step in a modeling process. It is termed as model *conceptualization* which covers the description of the system's composition, the physical and physicochemical phenomena, and

viii Preface

the relevant properties of the medium in which they occur. Obviously, such a description includes assumptions and simplifications which are subjectively selected by the modeler and, consequently, it reflects his understanding and faculty of the matter in a specific scope of interest. Accordingly, a model as a simplified version of reality is subjective, and nonunique models exist in dependence on the level of assumptions, contexts of intended applications, and the state of knowledge. Fortunately, at present model conceptualization can be based on an advanced and general framework of physics and rational thermodynamics, allowing us to objectify the modeling approach for a large range of applications. However, this requires that the modeler is conversant with these conceptual steps and understands the basic physical/thermodynamic principles of the model in order to, at least, examine the physical background of the model with its assumptions and limitations. Nowadays there is a desire to develop models (family of models) which cover a wide range of applications.

The second step in modeling is the mathematical representation of the conceptual model in the form of numerical schemes and discrete solution techniques. There are many ways to do that. However, for satisfying also the requirements of a wide range of applications as stated above for the conceptual working step, one of the best choices is the *finite element method* (FEM). The FEM is very general and useful for practical applications. Its geometric flexibility and the ability to accurately apply the appropriate boundary conditions on complex domains make the FEM superior to other numerical strategies, such as finite difference methods (FDMs) or finite volume methods (FVMs). The understanding of the actually used spatial and temporal discretization techniques is necessary for modelers who practically solve flow and transport problems and interpret the numerical results with respect to accuracy and reliability of the achieved simulation results.

The third (and final) step of modeling is the computational realization of the model (family of models) in the form of an appropriately developed *simulation software*. The graphical interface of such a simulation code represents the 'working shell' for the modeler dealing with the preparation of the input data and the execution and the evaluation of the computational results of a model. Since the software interface is the only visible and operational part of the modeling process, it can be seductive for a common or novice user to exclusively apply the software as a black box, widely ignoring the theoretical modeling basis. There is indeed a potential danger for an uncritical use of modern software. Here, a graphically very sophisticated computation can create the false impression that the quality of the numerical solution is comparable to the quality of the graphical presentation. (But the reverse of this statement is also not true: A crude graphical presentation does not necessarily indicate proper solutions.)

From the above it becomes obvious that the modeling of flow and transport processes encountered in porous and fractured media has, at least, three important faces: the conceptual, the numerical, and the software/application aspect. An "ideal" modeler should have best knowledge of all of these three subjects. But this book is not primarily addressed to such a type of a "perfect" modeler (if ever it exists), but I think, at least, both the basic concepts and the practical aspects should be reasonably

well known and understood by engineers, applied scientists, and practitioners who use or intend to use models for simulating flow and transport processes in porous and fractured media.

This book is written, on the one hand, for expert modelers in this field to make the theoretical basis more understandable. On the other hand, it is also written for novices and practitioners who make contact with the matter as a software user for the first time and (hopefully) intend to improve their understanding and knowledge of the modeling basis. As the title of the book could indicate, the book is not intended as a user's guide, at least in the common sense, which would mainly emphasize software functionalities and handling. On the other hand, "real" modeling, if going into practice, should necessarily be concrete and the modeler has to decide for a specific software package (sometimes more than one). The software, which is related to this book, is FEFLOW[®] [125].

FEFLOW is an acronym of finite element subsurface FLOW simulation system and solves the governing flow, mass, and heat transport equations in porous and fractured media by a multidimensional FEM for complex geometric and parametric situations including variable fluid density, variable saturation, free surface(s), multispecies reaction kinetics, non-isothermal flow, and multidiffusive (thermohaline) effects. It is capable of handling a wide spectrum of problems ranging from theoretical studies to practical real-site applications. To master all of these supported problem classes and model options, a large degree of experience and detailed information are needed. FEFLOW comprises theoretical work, modeling experience, and simulation practice from a period of about 40 years (Table 1). In this light, the main objective of this book is to share this achieved level of modeling with all required details of the physical and numerical background with the reader. The FEFLOW book is a theoretical textbook and a reference guidance for modeling in one piece – in one hand. The theoretical basis of modeling is thoroughly described but will not stand alone; it becomes really accessible and applicable with FEFLOW. That is what I advocate and actually provide with this book: *modeling that works*.

The book is intended to put advanced theoretical and numerical methods into the hands of modeling practitioners for porous and fractured media. It starts with a more general theory for all relevant flow and transport phenomena on the basis of the continuum approach, systematically develops the basic framework for important classes of problems (e.g., multiphase/multispecies flow and transport phenomena, unsaturated-saturated problems, free-surface groundwater flows, aquifer-averaged equations), introduces finite element techniques for solving the basic 3D and 2D balance equations, in detail discusses advanced numerical algorithms for the resulting nonlinear and linear problems (e.g., adaptive techniques, variable switching strategy, upwinding schemes), and completes with a number of benchmarks, applications, and exercises to illustrate the different types of problems and ways to tackle them successfully (e.g., flow and seepage problems, unsaturated-saturated flow, advective-diffusion transport, saltwater intrusion, geothermal and thermohaline flow). All examples can be rerun, modified, and extended by using FEFLOW.

The chapters of the book can formally be grouped into two major parts: physical basis and numerical basis with benchmarks and applications. The book is not meant

x Preface

Table 1 Major historical stages of FEFLOW development

Year/period	Issue
1979	<i>Birth</i> and first manifestation [128] based on the finite element predecessor program FINEL developed since 1973 [126, 127, 142]
1979–1986	Version 1. FORTRAN research-oriented batch program; implementations for mainframes IBM 370, EC 1055, BESM-6 with punch card input and hardcopy printed output; limited pre- and postprocessing; FEFLOW already provided an extended finite element library (quadrilaterals and triangles of linear, quadratic, or cubic type) and was able to compute 2D transient groundwater flow and transport problems [129]. Effort in modeling variable-density flow problems was initiated [130, 133]
1987–1990	Version 2. First interactive prototype for SUN workstations and ATARI ST microcomputer. The code was completely rewritten from FORTRAN into C FEFLOW became the first fully interactive and graphics-based finite elemen simulator in groundwater [134]
1990–1992	Version 3. Starting commercial development. X Window System and OSF/Moti GUI implementation, installations on various UNIX graphics workstation platforms (e.g., SGI, SUN, IBM, HP, Sony, DG, DEC). Extension to 3D (1992). FEFLOW became a registered trademark (1992)
1992–2001	Version 4. Considerable software extension, among others: thermohaline transport modeling (1993), 3D visualization tools and GIS interfacing (1995), adaptive meshing and data store manager (1996), unsaturated flow modeling (1997), MS Windows 95/NT installation (1997), IFM programming interface (1998), and integration of parameter estimator PEST and nonlinear dispersion (2000). In the extensions of the code object-oriented programming with C++ became increasingly present
2002–2009	Version 5. Further advances: discrete feature elements and extended possibilitie for unsaturated flow (2002); fast TRIANGLE [475] mesh generator, algebraic multigrid (SAMG) [499] equation solver (2003); multispecies transport, reaction kinetics editor, transient pathline computations, FEFLOW Explorer for 3D visualization and animation (2005); 64-bit technology, variable-density multispecies multidiffusive transport, new mesh generator GRIDBUILDER [369], scatter plots, expression editor for sink/sources (2006); and borehole heat exchanger simulation, spline interpolation, improved parallelization (2008)
2009–2012	Version 6. New Qt-based graphical interface replaced the classic X11 and OSF/Motif GUI providing a modern and powerful environment for modeling and simulation available for both MS Windows and LINUX operation systems. GUI, data management, and part of the computational finite element kernel were transformed to a rigorous object-oriented architecture based on C++
2012–	Version 6.1. Completion of the new object-oriented software architecture with Qt-based GUI. 3D sterioscopic graphics available. Improvements in parallel computing and high performance in large data treatment and simulation

to be read from front to back. The first part can also be of interest for those readers who wish to learn more about continuum mechanics for flow and transport phenomena in porous and fractured media. Others could primarily be interested in the finite element method with the embodied numerical algorithms. However, I assume most readers will start up with a software play and will hopefully be more

Preface xi

interested in the basics later on (as the inductive way of learning – "from the surface into the ground"). To support this approach, I endeavor to present the subject in a complete and unified manner. At the beginning of the book, the preliminary chapter will summarize all important notations, definitions, and fundamental algebra used throughout the text.

I hope the book will be useful for both students and practitioners in engineering and geosciences as well as in other fields where porous-media flow dynamics and computational methods are of specific concern. I suppose that the reader already possesses (or approaches) an advanced degree in engineering or applied sciences and has an interest in geohydrodynamic flow modeling. I assume that the reader is somewhat versed in physical/mechanical principles and numerical mathematics.

Berlin, Germany March 2013 Hans-Jörg G. Diersch

Acknowledgments

This book accumulates modeling work over a period which I started in 1973 at the Dresden University of Technology, Germany, with finite elements. In 1979 I began to focus on groundwater and porous-media flow modeling and started the FEFLOW development at the former Institute of Mechanics in Berlin (Academy of Sciences of East Germany). I spent 12 fruitful years at this Academic Institute in computational fluid mechanics, which I deeply acknowledge. In 1990 I founded the WASY company together with partners (in 2007 renamed to DHI-WASY GmbH) in Berlin, Germany, where FEFLOW has been further developed, continuously improved, and extended. Since that time the capabilities of the code have been increased substantially. I thank the FEFLOW developing group at DHI-WASY for their enthusiasm and contributions. With the book I would like to express my gratitude to all previous and current colleagues who are directly or indirectly involved in achieving the success of FEFLOW as a scientific and commercial software. I hope the book can provide a secure and fertile basis which I would like to hand over to the next generation of FEFLOW developers.

My most special appreciation is dedicated to my wife Renate who has accompanied my work since the time when FEFLOW consisted of 500 punched paper cards, ran on a computer bigger than a house, and the only available plotter was my own hand (drawing velocity arrows of about 1,000 nodes!). She is the only one who can really mark the miles I went through the times.

I am grateful to Fabien Cornaton and Julia Mayer (DHI-WASY) for reading the manuscript and offering constructive suggestions. My thanks are also due to Christian Witschel, Editorial Director Earth Science of Springer Verlag, and Venkatachalam Anand, Project Manager of SPi Content Solutions India, for their management of the publication process of this book.

Contents

1	Intro	duction		1
	1.1	Scope o	of Modeling	1
	1.2		ciplinary Aspects	3
		1.2.1	Continuum-Mechanical View	3
		1.2.2	Mathematical View	4
		1.2.3	Computer-Scientific View	ç
	1.3	Taxono	my for Porous/Fractured Media Process	
		and Nu	merical Modeling	14
	1.4	Overvie	ew of This Book	14
D	-4 T T		L.L.	
Pa	rt I F	undament	Tals	
2	Preli	minaries .		23
	2.1	Mathen	natical Foundation	23
		2.1.1	Notation Rules and Algebra with Vectors	
			and Tensors	23
		2.1.2	Relations for Scalar and Vector Products	20
		2.1.3	Coordinate System and Spatial Vector	28
		2.1.4	Eulerian and Lagrangian Coordinates	29
		2.1.5	Coordinate Transformations	3
			2.1.5.1 Mapping	32
			2.1.5.2 Cylindrical Coordinate System	3.
			2.1.5.3 Rotated Coordinate System	3:
			2.1.5.4 Volume, Surface and Line	
			Integral Elements	30
		2.1.6	Spatial Variables and Their Derivative Operations	38
		2.1.7	Gauss's Integral Theorem	40
		2.1.8	Stokes' Theorem	4
		2.1.9	Reynolds' Transport Theorem	4
		2.1.10	Classification of Vector Fields	4

xvi Contents

		2.1.11	Potential Function, Streamfunction,	
			Streamline and Pathline	42
	2.2	Classific	cations and Definitions	45
		2.2.1	Water and Aquifer	45
		2.2.2	Terms and Quantities	48
3	Porou	ıs Mediun	n	57
9	3.1		nental Concept	57
	3.2		entative Elementary Volume (REV)	58
	3.3		e Operators and Average Quantities	61
	3.4		ing Theorems	63
	3.5		Averaging	64
	3.6		nental Microscopic Balance Laws	٠.
	2.0		nservation Principles	66
	3.7		copization of Balance Equations	69
		3.7.1	General Balance Equation	69
		3.7.2	Conservation of Mass	71
		3.7.3	Conservation of Species Mass	72
		3.7.4	Conservation of Momentum	73
		3.7.5	Conservation of Energy: First Law	
			of Thermodynamics	74
		3.7.6	Entropy Balance	74
		3.7.7	Second Law of Thermodynamics	75
		3.7.8	Vertically Averaged Aquifer Balance Equations	76
	3.8	Constitu	utive Theory	80
		3.8.1	Kinematics	80
		3.8.2	Constitutive Equations	83
		3.8.3	Equilibrium Restrictions	85
		3.8.4	Basic Balance Equations and Entropy Inequality	87
		3.8.5	Development of Phenomenological	
			Equations and Constitutive Relations	89
			3.8.5.1 Deviatoric Fluid Stress Tensor τ^f	91
			3.8.5.2 Deviatoric Drag of Fluid	
			Momentum Exchange f_{τ}^f	93
			3.8.5.3 Solid Stress Tensor σ^s	94
			3.8.5.4 Heat Flux Vector j_T^{α}	96
			3.8.5.5 Species Mass Flux Vector j_k^f	98
			3.8.5.6 Species Reaction Rate $r_k^{\alpha} + R_k^{\alpha}$	100
		3.8.6	Equations of State (EOS)	102
			3.8.6.1 Fluid Density ρ^f	102
			3.8.6.2 Internal Energy E^{α}	103
			3.8.6.3 Dynamic Viscosity μ^f	106
		3.8.7	Additional Closure Relations	109
			3.8.7.1 Capillary Pressure p_c	109
			3.8.7.2 Relative Permeability k_r^f	111

Contents xvii

	3.9	Complete Equations of Multiphase Flow				
		and Trai	nsport in Deforming Porous Media	111		
		3.9.1	General Formulation	111		
		3.9.2	Proper Reduction of Governing Equations			
			for Multiphase Variable-Density Flow,			
			Mass and Heat Transport in Porous Media:			
			First Level Reduction	116		
	3.10	Final M	odel Equations for Flow, Mass and Heat Transport	121		
		3.10.1	Single Liquid Phase Variable-Density			
			Flow, Mass and Heat Transport in Variably			
			Saturated Porous Media: Second Level Reduction	121		
		3.10.2	Choice of Suited Variables	122		
		3.10.3	Oberbeck-Boussinesq Approximation			
			and Extension	125		
		3.10.4	Reformation of Terms	127		
		3.10.5	Basic Model Equations of Single Liquid			
			Phase Variable-Density Darcy-Type Flow,			
			Mass and Heat Transport in Variably			
			Saturated Porous Media: Second Level Reduction	129		
		3.10.6	Basic Model Equations of Variable-Density			
			Darcy-Type Flow, Mass and Heat Transport			
			in Groundwater: Third Level Reduction	129		
		3.10.7	Basic Model Equations of Vertically			
			Averaged Flow, Mass and Heat Transport			
			in Unconfined and Confined Aquifers:			
			Specific Case of Third Level Reduction	131		
	3.11		d Model Equations for Solving Flow, Mass			
		and Hea	at Transport in Porous Media	138		
4	Discre	te Featur	re	141		
	4.1		e-Feature Conceptual Model	141		
	4.2		nental Relations	143		
		4.2.1	General Balance Statement	143		
		4.2.2	Forms of Balance Equations	143		
		4.2.3	Hydraulic Radius	145		
		4.2.4	Free Surface Condition	145		
		4.2.5	Viscous Stresses on Surfaces	147		
	4.3	Basic B	alance Laws	148		
		4.3.1	Liquid Mass Conservation	148		
		4.3.2	Liquid Momentum Conservation	149		
			4.3.2.1 Darcy Flow in Porous Media	150		
			4.3.2.2 Plane and Axisymmetric			
			Parallel (Hagen-Poiseuille) Flow	151		
			4.3.2.3 Laws of Liquid Motion			
			for Overland and Channel Flow	154		

xviii Contents

		4.3.3	Species Mass Conservation	156
		4.3.4	Energy Conservation	157
		4.3.5	Generalized Model Equations	158
			4.3.5.1 Flow	158
			4.3.5.2 Species Mass	158
			4.3.5.3 Heat	159
	4.4	Specify	ring Geometries and Hydraulic Radii	
			ferent Types of Discrete Features	159
		4.4.1	Standard Settings	159
		4.4.2	Hydraulic Aperture of Hagen-Poiseuille Law	159
		4.4.3	Roughness Coefficient	
			of Manning-Strickler Law	163
5	Chom	ical Dec	ction	167
3	5.1		1	167
	5.2		ing Mass Transport Equations	168
	3.2	5.2.1	Balance Statements	168
		5.2.1		169
	5.3		Reaction Rates and Multiphase Aspects	172
	5.5	5.3.1		
		5.3.2	Reaction Stoichiometry	172
		5.3.3	Examples	173 174
		5.3.4	Rate Laws and Rate Constants	1/4
		5.5.4	Chemical Equilibrium and Law of Mass	175
		525	Action (LMA)	
		5.3.5	Steady-State Approximation (SSA)	175
	5 A	5.3.6	Pre-equilibria	176
	5.4		d Reaction Processes.	177
		5.4.1	Binary Exchange Reactions (Adsorption Isotherms)	177
			5.4.1.1 Langmuir Adsorption Isotherm	178
			5.4.1.2 Henry Adsorption Isotherm	178
			5.4.1.3 Freundlich Adsorption Isotherm	179
		5.4.2	5.4.1.4 Adsorption Function and Retardation	180
		5.4.2	First-Order Decay Reactions	181
		5.4.3 5.4.4	Consecutive Reactions	182
	5.5		Michaelis-Menten Mechanism	183
	3.3	5.5.1		186
		5.5.1	Degradation Type Kinetics	187 188
		5.5.2	Arrhenius Type Kinetics	189
			**	190
		5.5.4	Freely Editable Kinetic Expressions of R_k	190
6	Initia		ary and Constraint Conditions	193
	6.1		ection	193
	6.2		Conditions (IC's)	194
	6.3		rd Boundary Conditions (BC's) and Well-Type	
		Singula	ar Point Conditions (SPC's)	194

Contents xix

		6.3.1	Flow BC		195
			6.3.1.1	O Dirichlet-Type (1st Kind) BC	195
			6.3.1.2	× Neumann-Type (2nd Kind) BC	195
			6.3.1.3		196
			6.3.1.4	Well-Type SPC	198
		6.3.2	Mass Tra	insport BC	199
			6.3.2.1	O Dirichlet-Type (1st Kind) BC	199
			6.3.2.2	× Neumann-Type (2nd Kind) BC	199
			6.3.2.3		
				and Robin-Type (3rd Kind) BC	200
			6.3.2.4	▶ Well-Type SPC	203
		6.3.3	Heat Trai	nsport BC	204
			6.3.3.1	Oirichlet-Type (1st Kind) BC	204
			6.3.3.2	× Neumann-Type (2nd Kind) BC	204
			6.3.3.3		
				and Robin-Type (3rd Kind) BC	205
			6.3.3.4	▶ Well-Type SPC	207
	6.4	BC Cor	nstraints (BC	CC's) and SPC Constraints (SPCC's)	208
		6.4.1	Flow BC	C and SPCC	209
		6.4.2	Mass Tra	insport BCC and SPCC	212
		6.4.3	Heat Trai	nsport BCC and SPCC	215
	6.5	Special	BC's		216
		6.5.1	Free (Phr	reatic) Surface BC	216
		6.5.2	Seepage !	Face BC	217
		6.5.3		Ponding BC	218
		6.5.4	Integral F	3C	219
		6.5.5	Gradient-	-Type BC	220
		6.5.6	Multilaye	er Well BC	221
		6.5.7	Outflow 1	BC (OBC)	224
7	Ani	sotrony			227
•	7.1			s and Rotation	227
	7.2			Anisotropy	228
	7.3			l Anisotropy	
	7.0	7.3.1		BD Anisotropy Formulation	230
		7.3.2		erived 3D Anisotropy	
		7.3.2		ger's Method	231
	7.4	Special			233
		7.4.1		allel Anisotropy	233
		7.4.2			234
			PJ.		
Pa	rt II	Finite Ele	ment Metho	bd	
8	Fun	damental (Concepts of	Finite Element Method (FEM)	239
	8.1	Introdu	ction		239
	8.2	Basic N	Model Equat	ions and Prototypical PDE's	243

xx Contents

8.3	Mathen	natical Classification of PDE's			
8.4	Method	s of Approximation	248		
	8.4.1	Approximate Solution	248		
	8.4.2	Definition of Errors and Related Functional Spaces	250		
		8.4.2.1 Sobolev Space $W_p^m(\Omega)$ Norm Error 8.4.2.2 Hilbert Space $H^m(\Omega)$ Norm Error	250		
		8.4.2.2 Hilbert Space $H^{m}(\Omega)$ Norm Error	250		
		8.4.2.3 Energy Norm Error	251		
		8.4.2.4 $L_p(\Omega)$ -Norm (Banach Space			
		Norm) Error	251		
		8.4.2.5 Root Mean Square (RMS)			
		and Other Pointwise Error Norms	252		
	8.4.3	Method of Weighted Residuals (MWR)	252		
8.5	Weak F	orms	257		
	8.5.1	Divergence Form of ADE	257		
	8.5.2	Convective Form of ADE	259		
	8.5.3	Discussion of Both Weak Forms	260		
8.6		Discretization by Finite Elements	262		
8.7	-	twise Continuous Approximations	263		
8.8		Element Basis Functions	266		
	8.8.1	Shape Function, Master Element			
		and Isoparametric Element Type	266		
	8.8.2	Local and Global Shape Functions	268		
8.9	Galerki	n Finite Element Weak Statement	275		
8.10		oly Process	279		
	8.10.1	General Procedure	279		
	8.10.2	Parallelization via Element Agglomeration	282		
8.11	Finite E	Element Basis Operations	283		
8.12		cal and Analytical Integration	288		
8.13		al Discretization	293		
	8.13.1	General	293		
	8.13.2	Mass Lumping	295		
	8.13.3	Galerkin Approximation in Time	296		
	8.13.4	The θ -Family of Time Integration Methods	297		
	8.13.5	Predictor-Corrector Methods	299		
		8.13.5.1 GLS 1st-Order Forward Euler			
		(FE)/Backward Euler (BE) Scheme	300		
		8.13.5.2 GLS 2nd-Order			
		Adams-Bashforth			
		(AB)/Trapezoid Rule (TR) Scheme	302		
		8.13.5.3 Major Solution Steps and			
		Tactic of Time Step Control	304		
	8.13.6	Stability Properties	308		
8.14		ling	317		
	8.14.1	Pros and Cons of Upwind Methods	317		
	8.14.2	Petrov-Galerkin Finite Element Method (PGFEM)	321		

Contents xxi

	8.14.3	Streamin	e Opwing (SO) and Full Opwing	
		(FU) Metl	nod	327
	8.14.4	Shock Ca	pturing (SC) Method	329
	8.14.5		llerkin Least Square (PGLS)	
			ment Method	332
		8.14.5.1	Operator Splitting	333
		8.14.5.2	Approximation of the Diffusive Part	334
		8.14.5.3	Approximation	
		011 11010	of the Advective Part	335
		8.14.5.4	Assembly of the Diffusive	555
		0.11.0.1	and Advective Parts	338
	8.14.6	An Illustr	ative Example	339
8.15			tative Discussion of Error	337
0.13		_	Favorite Schemes	344
8.16		•	Dirichlet-Type BC's	344
0.10	-		trix System	349
8.17			Systems of Algebraic Equations	351
0.17	8.17.1		lution Methods	
	6.17.1	8.17.1.1		352
			Gaussian Elimination	352
		8.17.1.2	LU Matrix Decomposition	252
		0.17.1.2	and Crout Method	353
		8.17.1.3	Other Methods	356
		8.17.1.4	Fill-in Reduction and Nodal	2.55
			Reordering	357
	8.17.2		olution Methods	358
		8.17.2.1	Preconditioning	360
		8.17.2.2	The Preconditioned Conjugate	
			Gradient (PCG) Method	362
		8.17.2.3	The Preconditioned Restarted	
			ORTHOMIN Method	363
		8.17.2.4	The Preconditioned Restarted	
			GMRES Method	364
		8.17.2.5	The Preconditioned Lanczos	
			Conjugate Gradient Square	
			(CGS) Method	366
		8.17.2.6	The Preconditioned Lanczos	
			Bi-conjugate Gradient	
			Stabilized (BiCGSTAB) Method	367
		8.17.2.7	Multigrid (MG) Methods	367
8.18	Treatme	ent of Nonlin	nearities	375
	8.18.1	Fixed Poin	nt Form and Picard Iteration Method	375
	8.18.2	Newton It	eration Method	377
	8.18.3		Newton and Quasi-Newton	
			Method	379
	8.18.4		Nonlinear Problem Solution	381

xxii Contents

	8.19	Derived	d Quantities	382	
		8.19.1	Computing First Derivatives at Nodes	382	
			8.19.1.1 Global Smoothing	384	
			8.19.1.2 Superconvergent Flux		
			Evaluation and Local Smoothing	385	
			8.19.1.3 Superconvergent Patch		
			Recovery (SPR)	388	
		8.19.2	Computing First Derivatives at Exterior		
			or Interior Boundaries: The Consistent		
			Boundary Flux Method (CBFM)		
			and Budget Analysis	391	
			8.19.2.1 Consistently Derived Boundary		
			Flux Based on Weak Forms	391	
			8.19.2.2 Lumped Solution	393	
			8.19.2.3 Integral Boundary Flux		
			8.19.2.4 Auxiliary Problem Formulation		
			for Convective Form of ADE	394	
			8.19.2.5 Illustrative Example	396	
		8.19.3	Continuous Finite Element Approach		
			Is Locally Conservative	398	
		8.19.4	Note on Mixed Finite Element Formulations	402	
9	Flow	in Satura	ted Porous Media: Groundwater Flow	405	
	9.1		ction	405	
	9.2		Equations	405	
	,. <u>-</u>	9.2.1	3D, Vertical 2D and Axisymmetric Problems	405	
		9.2.2	Horizontal 2D Flow in Unconfined Aquifers	406	
		9.2.3	Horizontal 2D Flow in Confined Aquifers	408	
	9.3		Element Formulation	408	
	,,,	9.3.1	Weak Form	409	
		9.3.2	GFEM and Resulting Matrix Systems	409	
	9.4		ntegration	411	
	9.5		urface Computation	412	
		9.5.1	Requirements	412	
		9.5.2	Horizontal 2D Flow in Unconfined Aquifers	413	
		9.5.3	3D Free-Surface Flow Modeling	.10	
		7.5.5	with Moving Meshes and BASD Technique	416	
		9.5.4	3D Free-Surface Flow Modeling with Fixed	110	
		7.5.1	Meshes and Pseudo-unsaturated Conditions	422	
	9.6	Incorne	oration of Multilayer Well Flow BC	425	
	9.7		·		
	9.8	-	tation of Darcy Velocities and Flow Budget Analysis 42 les		
	7.0	9.8.1	Transient Flow to a Well in a Confined	429	
		7.0.1	and Unconfined Aquifer	429	
		9.8.2	3D Anisotropy and Flow Patterns	マムフ	
		9.0.4	of Groundwater Whirls	435	
			or Groundwater winns	тээ	

Contents xxiii

			9.8.2.1	Two-Layer Crosswise Anisotropy	435
			9.8.2.2	Model of Nine-Layer	
				Randomly Distributed Anisotropy	438
10	Flow i	n Variab	ly Saturate	d Porous Media	445
	10.1	General			445
	10.2	Basic E	quations		446
	10.3	Three E	ssential For	ms of the Richards' Equation	
		and Cho	oice of Prima	ary Variables	448
	10.4	Use of 7	Γransformat	ion Methods	453
	10.5	Finite E	Element For	mulation of the Mixed	
		h-s-1	Based Form	of Richards' Equation	455
		10.5.1	Weak For	m	455
		10.5.2	GFEM an	d Resulting Nonlinear Matrix System	456
		10.5.3	Time Inte	egration and Celia et al.'s	
				nation Method of Picard Iteration	458
	10.6	Finite E		nulation of the Standard <i>h</i> —Based	
				Equation	461
		10.6.1		iscretization and Resulting	
				Matrix System	462
		10.6.2		gration and Iteration Methods	463
	10.7	Primary		witching Technique (PVST)	465
		10.7.1		trix System in the $\psi - s$ -Formulation	466
		10.7.2		Variable Switching Methodology	467
		10.7.3		Standard Schemes from PVST	469
			10.7.3.1	Newton Scheme of Mixed	
				ψ – s –Formulation	470
			10.7.3.2	Picard Scheme of Mixed	., 0
			10171012	$\psi - s$ -Formulation: Celia	
				et al.'s Approximation Method	470
			10.7.3.3	Newton Scheme of Standard	., 0
			10.7.5.5	ψ —Formulation	471
			10.7.3.4	Picard Scheme of Standard	.,1
			10.7.5.1	ψ –Formulation	471
		10.7.4	Converge	nce Criteria	472
		10.7.5		Control	473
	10.8			OW's Solution Strategies	773
	10.0			urated Flow	477
	10.9			s in the Retention Curve	479
	10.9			ribed Time-Varying Porosity	483
	10.10			rcy Velocities and Flow Budget Analysis	485
	10.11				487
	10.12	Opsilea	iii vveigiitili	g	+0/

xxiv Contents

	10.13	Example	S		488
		10.13.1	Variably S	aturated Flow in a Homogeneous	
			Soil Colum	nn	488
			10.13.1.1	Gardner's Problem	488
			10.13.1.2	Celia et al.'s Problem	490
			10.13.1.3	Williams et al.'s Problem	492
			10.13.1.4	Lenhard et al.'s Problem:	
				Hysteretic Flow	495
		10.13.2	Variably S	Saturated Flow	
			in an Inho	mogeneous Soil Column	497
			10.13.2.1	Van Genuchten's Problem	497
			10.13.2.2	Brunone et al.'s Two-Layer	
				Problem with Srivastava	
				and Yeh's Analytical Solution	502
			10.13.2.3	Matthews et al.'s Problem:	
				Two-Layer Soil Contrast	503
		10.13.3	Forsyth an	nd Kropinski's Problem:	
			Infiltration	in a Large Caisson	505
		10.13.4	Perched W	Vater Table Problems	509
			10.13.4.1	Aquifer-Aquitard-Aquifer Test Case	509
			10.13.4.2		512
		10.13.5	Capillary 1	Barrier Modeling	514
			10.13.5.1	Webb's Problem	516
			10.13.5.2	Forsyth and Kropinski's Problem	519
		10.13.6	Dam Seep	age Problem	522
		10.13.7		ng and Flooding	525
				Vachaud et al.'s Problem:	
				Drainage Experiment	526
			10.13.7.2	Free Drainage of a Thick	
				Porous Block	528
			10.13.7.3	Pit Flooding Test Case	533
11	Varial	ala Danait	Elass Ma	-	
11				ass and Heat Transport	527
					537
	11.1				537
	11.2			and the setting	541
	11.3			roximation	544
	11.4	•		on and Evaluation of Observation Wells	546
	11.5			ena	548
		11.5.1		ogers-Lapwood Problem	548
		11.5.2		nless Equations and Characteristic	550
		11 5 2		n Dagimas	550 552
		11.5.3		n Regimes	552 552
			11.5.3.1	Free Convection	552
			11.5.3.2	Double-Diffusive (Thermobaline) Convertion	551
				(Thermohaline) Convection	554

Contents xxv

	11.6	Finite El	ement Formulation	558
		11.6.1	Weak Forms	558
		11.6.2	GFEM and Resulting Nonlinear Matrix System	559
		11.6.3	On Upwinding and Numerical Dispersion	562
		11.6.4	Preferred Strategy for Solving the Coupled	
			Nonlinear Spatio-Temporarily Discretized System	563
	11.7	Consiste	nt Velocity Approximation	568
		11.7.1	The Hydrostatic Condition:	
			The Requirement of Consistency	569
		11.7.2	The Artifact: Spurious Nonconsistent	
			Velocities and Common Ways to Overcome	570
		11.7.3	The Frolkovič-Knabner Algorithm	572
	11.8	Flow, Sp	ecies Mass and Heat Budget Evaluation	
	11.9	_	g 2D Horizontally Schematized Aquifers	
			ojected Gravity	575
		11.9.1	2D Treatment of Thin, Slightly Sloped	
			or Curved Aquifers	575
		11.9.2	Vertically Averaged Equations	
			in a Confined Aquifer Including Gravity Term	576
		11.9.3	Local (Layer-Oriented) Coordinates x'	
			and the Projected Gravity Term	577
		11.9.4	Limitations	579
	11.10	Non-Fiel	kian Dispersion in Variable-Density Flow	
		11.10.1	Nonlinear Dispersion	
			at High-Concentration Gradients	581
		11.10.2	Extended Equations	581
		11.10.3	Numerical Solution for Nonlinear Dispersion	582
	11.11	Benchma	arks and Examples	583
		11.11.1	Hydrostatic Test	584
		11.11.2	Henry Problem	585
		11.11.3	Salt Dome Problem	589
		11.11.4	Elder Problem	593
		11.11.5	Salt Lake Problem	601
		11.11.6	High Concentration Flow Through a Column	606
		11.11.7	Saltpool Problem	607
		11.11.8	Pringle et al.'s Double-Diffusive Finger	
			Convection Problem	611
13	Mass	F.,	tin Danous Madia mith and Without	
12		_	t in Porous Media with and Without	625
	12.1			625
			tion	625
	12.2		uations	625
		12.2.1	3D, Vertical 2D and Axisymmetric Problems	625
		12.2.2	Horizontal 2D Problems	629

xxvi Contents

	12.3	Finite El	lement Formu	ılation	631
		12.3.1	Weak Form	s	631
		12.3.2	GFEM and	Resulting Nonlinear Matrix System	633
		12.3.3	Adaptive S	IA-Based Solution Strategy	
			for Multisp	ecies Mass Transport Embedded	
				Predictor-Corrector Time Integrator	636
	12.4	Mass Bu		s	640
	12.5		•		642
		12.5.1	Single-Spec		
			Advective-	Dispersive-Decay Transport	
				1	642
		12.5.2	Hydrodispe	rsive Mixing of Single-Species	
			Solute in a	Bilayered Aquifer	645
		12.5.3	Multispecie	es Mass Transport	
			with Compa	arison to Analytical Solutions	649
			12.5.3.1	Sun et al.'s 1D Serial-Parallel	
				Reaction Problem	649
			12.5.3.2	Sun et al.'s 3D First-Order	
				Degradation Reaction Kinetics Problem	652
			12.5.3.3	Rate-Limited Desorption	
				and Decay: Comparison	
				to Fry et al.'s Analytical Solution	654
			12.5.3.4	Two-Site Equilibrium/Kinetic	
				Sorption with Degradation:	
				Comparison to STANMOD	
				Analytical Solutions	659
		12.5.4	Multispecie	s Mass Transport of Sequential	
			and Nonsed	quential Chlorinated	
			Solvents Do	egradation Under Variable	
			Aerobic-Ar	naerobic Conditions	663
13	Heat T	rancnort	in Porous V	ledia	673
	13.1	_			673
	13.2				674
	13.2	13.2.1		1 2D and Axisymmetric Problems	674
		13.2.2		2D Problems	676
	13.3			ılation	678
	1010	13.3.1		S	678
		13.3.2		Resulting Matrix System	679
		13.3.3		ration	681
	13.4			5	681
	13.5			Phole Heat Exchangers (BHE's)	683
		13.5.1		n	683
		13.5.2		ation of BHE's	685

Contents xxvii

			13.5.2.1 Analytical BHE Solution	686 688
		13.5.3	Suitable Meshing of BHE Nodes	690
	13.6		es	692
	13.0	13.6.1	Heat Transport for a Well Doublet System	0,2
		13.0.1	in a Layered Aquifer: 3D Modeling	
			in Comparison to Analytical Solution	692
		13.6.2	Numerical vs. Analytical Solutions of BHE	092
		13.0.2	for Steady-State Conditions and Given	
				697
		1262	Temperature at Borehole Wall	
		13.6.3	Transient Solution of Coaxial BHE System	697
		13.6.4	BHE Solution Versus Fully Discretized 3D	
			Model (FD3DM) Solution Applied	505
			to a 2U Exchanger	705
14	Discre	te Featur	e Modeling of Flow, Mass and Heat	
	Trans	port Proc	resses	711
	14.1	Introduc	ction	711
	14.2	Discrete	Feature Master Equations	711
	14.3	Finite E	lement Formulation	713
		14.3.1	Weak Form	713
		14.3.2	GFEM and Resulting Matrix System	714
		14.3.3	Assembly of DFE's into the Global System Matrix	715
			14.3.3.1 Need for Coordinate Transformation	715
			14.3.3.2 Determination	
			of the Directional	
			Cosines A^e of DFE e	716
		14.3.4	Implicit Monolithic Solution of the Coupled	, 10
		1 11011	Discrete Fracture and Porous-Medium Equations	721
		14.3.5	Time Integration	722
	14.4		ation of Velocity Fields and Budget Analysis	722
	14.5		es	724
	11.5	14.5.1	Solute Diffusion into Porous Matrix	, 2 .
		11.5.1	from a Single Fracture	724
		14.5.2	Density-Dependent Solute Transport	124
		14.5.2	in a 45°—Inclined Single Fracture	
			Embedded in a Low-Permeable Porous Matrix	731
		14.5.3	Wendland and Himmelsbach's Experiment:	/31
		14.5.5		726
		1454	Solute Transport in a 3D Fracture-Matrix System	736
		14.5.4	Flow and Solute Transport in a Fracture	741
		1455	Network of Rock Mass	741
		14.5.5	Thermohaline Variable-Density Convection	
			in an Aquifer-Aquitard-Aquifer System	746
			with Abandoned Borehole	746

xxviii Contents

15	Specif	fic Topics		75
	15.1	Finite E	lement Meshing	75
		15.1.1	General	75
		15.1.2	Mesh Generation	76
			15.1.2.1 Transport Mapping	76
			15.1.2.2 Advancing Front Technique	76
			15.1.2.3 Delaunay-Voronoï Method	76
		15.1.3	Mesh Quality Enhancement	77
			15.1.3.1 Element Removal, Diagonal	
			Swapping and Selective Mesh	
			Movement	77
			15.1.3.2 Mesh Smoothing	77
		15.1.4	Prismatic Mesh Topologies	77
		15.1.5	Mesh Refinement and Derefinement	77
		15.1.6	Adaptive Mesh Refinement (AMR)	77
	15.2		Tracking Techniques	78
		15.2.1	General	78
		15.2.2	Pollock's Semianalytical Tracking Method	78
		15.2.3	Numerical 4th-Order Runge-Kutta Tracking	
	4.50		Method	79
	15.3		ine Computation	79
		15.3.1	Introduction	79
		15.3.2	Streamline and Streamfunction	79
		15.3.3	Streamline Integration via Vorticity Equation	79
		15.3.4	Streamline Integration via Boundary Integral	80
	1.7.4	15.3.5	Discussion	80
	15.4		ation on Finite Elements	80
		15.4.1	Scope	80
		15.4.2	Accomplishment of Reverse	
			Transformation for Isoparametric	0.0
			Elements	80
1	Nome	nclature		80
	A .1		Letters	80
	A.2	Greek L	.etters	81
	A.3		pts	82
	A.4		ripts	82
	A.5		Symbols	82
3	Color	on and N	Voll Method	82
D	Coleii	ian anu P	ton Method	02
C	Thern	nally Var	iable Fluid Density Expansion $\beta^f(T^f)$	82

Contents xxix

D	Parar	netric Mo	odels for Variably Saturated Porous Media	833		
	D.1		ons	833		
	D.2	Analyti	c Saturation $s(\psi)$ and Inverse Capillary			
		Pressur	e $\psi(s)$ -Relations	833		
		D.2.1	Van Genuchten (VG) Relationship	833		
		D.2.2	Brooks-Corey Relationship	834		
		D.2.3	Haverkamp Relationship	835		
		D.2.4	Exponential Relationship	836		
		D.2.5	Linear Relationship	836		
		D.2.6	Time-Centered Analytic Moisture			
			Capacity Evaluation	837		
	D.3	Analyti	c Relative Permeability $k_r(s)$ and $k_r(\psi)$ —Relations	837		
		D.3.1	Van Genuchten-Mualem (VGM) Relationship	837		
		D.3.2	Brooks-Corey Relationship	838		
		D.3.3	Modified van Genuchten Relationship	839		
		D.3.4	Haverkamp Relationship	840		
		D.3.5	Exponential Relationship	840		
		D.3.6	Linear Relationship	841		
	D.4	Approximation of Retention and Relative				
			bility Curves	841		
		D.4.1	Definition of Cubic Spline	843		
		D.4.2	$s(\psi)$ —Dependency	844		
			D.4.2.1 Continuation to Minus Infinity	844		
			D.4.2.2 Monotonic Spline Curve	844		
E	Heat Transfer and Thermal Resistance for Wall Configurations					
	E.1	Conduc	etion Heat Transfer	847		
		E.1.1	Single and Composite Plane Wall	847		
		E.1.2	Single and Composite Circular Pipe Wall	849		
	E.2	Heat Tr	ransfer Coefficient, Thermal Resistance			
		and Spe	ecific Thermal Resistance	850		
	E.3	Therma	d Circuits of Prototypical Configurations in Boreholes	853		
		E.3.1	Delta Configuration	853		
		E.3.2	Y Configuration	853		
F	Optin	nality of t	the Galerkin Method	855		
G			Finite Element Shape Functions			
			ivatives	859		
	G .1		mension	859		
	G.2	Two Di	mensions	860		
	G 3	Three I	Dimensions	861		