
Diagnostic Samples: From the Patient to the Laboratory

The Impact of Preanalytical Variables on the Quality of Laboratory Results

> Walter G. Guder, Sheshadri Narayanan, Hermann Wisser, and Bernd Zawta



Diagnostic Samples: From the Patient to the Laboratory

The Impact of Preanalytical Variables on the Quality of Laboratory Results

Walter G. Guder · Sheshadri Narayanan · Hermann Wisser · Bernd Zawta



WILEY-VCH Verlag GmbH & Co. KGaA

1st Edition, 1996 2nd Edition, 2001 3rd Edition, 2003 4th Edition, 2009

Front Cover: Fractal image from Mandelbrot's non linear mathematics. Stephen Johnson; Tony Stone Bilderwelten, Munich.

This book was carefully produced. Nevertheless, authors and publisher do not warrant the information contained therein to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

Library of Congress Card No.:

Applied for.

British Library Cataloguing-in-Publication Data:

A catalogue record for this book is available from the British Library.

Bibliographic information published by the Deutsche Nationalbibliothek

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data is available on the Internet at http://dnb.ddb.de.

© 2009 Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim

All rights reserved (including those of translation into other languages). No part of this book may be reproduced in any form by photoprinting, microfilm, or any other means nor transmitted or translated into a machine language without written permission from the publishers. Registered names, trademarks, etc. used in this book, even when not specifically marked as such, are not to be considered unprotected by law.

Printed in the Federal Republic of Germany. Printed on acid-free paper.

Composition Hagedornkommunikation, Viernheim Printing betz-druck GmbH, Darmstadt Bookbinding Litges & Dopf, Buchbinderei GmbH, Heppenheim ISBN 978-3-527-32307-4

Having known each other for many years, the authors decided to summarize their experience of preanalytical variables in 1992 after observing an increasing contribution of these factors on laboratory results. They agreed to summarize their knowledge in a short and understandable form, aiming to increase the awareness of these factors among all professions involved in the preanalytical phase of the laboratory diagnostic process. This idea was generously supported by Becton Dickinson, Europe.

After the style and general contents of the book were agreed upon in a first meeting of the authors together with the publisher, the manuscripts were completed by the authors in a short time with the help of many collaborators and colleagues. The authors would especially like to thank Heidrun Dürr and Edith Rothermel, Heidelberg, Klaus Krischok, Munich, and Ulrich Wurster, Hannover, for providing and designing figures. Thanks also to Ingrid Freina, Ulrike Arnold and Patrick Bernhard, Munich, Carol Pirello, New Jersey, Kerstin Geiger, Marion Wajda and Helga Kallmeyer, Mannheim, Bernd Borstel, and Annelies Frim, Stuttgart for their expert secretarial help. David J. Purnell, Plymouth, Wolfgang Heil, Wuppertal, and James Brawley, Gaiberg/Heidelberg greatly supported our work by critically reading the manuscripts. We would like to thank Alois Jochum for translation support.

The present revised and updated fourth edition includes a new chapter 'What if I take herbs?'. The Recommendations of the Working Group on Preanalytical Quality, previously supplied as a CD-ROM in the third edition, are now available from the freely available website www.diagnosticsample.com, which is continuously updated and kindly provided by Chronolab AG, Zug, Switzerland. Several figures have been replaced by the newest versions available to represent the latest developments in sample tubes, needles and safety aspects. We would like to thank Mrs Barbon (Becton Dickinson, Europe) for providing new figures. More than 80 references have been added and adapted to more recent literature.

In continuation of a 16 years collaboration with the Publisher GIT we thank A. Sendtko (Wiley-VCH) for his experienced support in editing this new edition in close collaboration with all contributors.

The authors hope that the new edition will help to continuously increase the awareness of preanalytical variables as a possible source of laboratory errors. As with the previous editions, it is devoted to all professions involved in the organization and performance of preanalytical steps. The authors would be pleased if this work helps to improve the quality of patient care by increasing knowledge on preanalytical variables in the laboratory diagnostic process.

Walter G. Guder

Sheshadri Narayanan

Hermann Wisser

May 2009

Diagnostic Samples: From the Patient to the Laboratory

The impact of preanalytical variables on the quality of laboratory results

| V VII X |
|---------------|
| 2 |
| |
| 6 |
| 8 |
| 12 |
| 14 |
| |

Collection of Specimen

| When to test? – Timing of sampling | 16 |
|--|---|
| Sampling during infusion therapy? – Sequence of diagnostic and therapeutic procedures | 18 |
| Sampling in the supine or upright position? – Effects of posture and tourniquet | 20 |
| What site for sampling blood? – Phlebotomy, arterial puncture and sampling from catheters | 22 |
| Blood from the skin – Capillary sampling | 24 |
| Did the lab mix up my sample? – Techniques of sample identification | 26 |
| A precious sample – Cerebrospinal fluid (CSF) | 28 |
| A sample that is nearly always available – Urine and saliva as diagnostic probes | 30 |
| Plasma or serum? – Differences to be considered | 34 |
| Take a lavender tube! – Additives and colour codes | 36 |
| | Sampling during infusion therapy? – Sequence of diagnostic and therapeutic procedures Sampling in the supine or upright position? – Effects of posture and tourniquet What site for sampling blood? – Phlebotomy, arterial puncture and sampling from catheters Blood from the skin – Capillary sampling Did the lab mix up my sample? – Techniques of sample identification A precious sample – Cerebrospinal fluid (CSF) A sample that is nearly always available – Urine and saliva as diagnostic probes Plasma or serum? – Differences to be considered |

Transport and Storage

| 16 | Fax me a sample – Effects of time and temperature during transport | 38 |
|-----|--|----|
| 17 | Samples in transit – Legal standardization for mailing samples | 40 |
| 18 | How to keep a sample "fresh" – Storage of samples in the laboratory | 42 |
| Pre | paration of Samples for Analysis | |
| 19 | What has to be done on specimen arrival? – Specimen processing, centrifugation, distribution | 44 |
| 20 | Continuous or batchwise? – Preanalytical workflow and robotics | 46 |
| 21 | Safety aspects during the preanalytical phase – Disposal of specimens, needles, tubes and chemicals | 48 |
| Spe | ecial Aspects with each Analyte | |
| 22 | What is needed before blood transfusion? – Special aspects in immuno-haematology | 52 |
| 23 | Why a separate tube for the coagulation test? – Special aspects in haemostaseology | 54 |
| 24 | Blood cells are sensitive! – Special aspects in haematological analysis | 56 |
| 25 | Everything from a drop of blood? – Special aspects in clinical chemistry | 58 |
| 26 | Special tubes for hormones and proteomics? – Preanalytical factors in immunoassays | 60 |
| 27 | Blood cells can provide important information – Special aspects in cellular analysis | 62 |
| 28 | How to handle genes – Special aspects in molecular biology | 64 |
| 29 | When gases evaporate – Special aspects for blood gases and ionized calcium | 68 |
| 30 | The right time for drugs – Special aspects in therapeutic drug monitoring (TDM) | 70 |
| 31 | Bacteria, fungi, parasites and viruses – Special aspects in microbiology | 74 |

Endogenous and Exogenous Interferences

| 32 | Can turbid samples be used? – Effects of lipaemia | 78 |
|----------|---|-----|
| 33 | A difficult case – Pitfalls with endogenous antibodies | 80 |
| 34 | The serum sample looks reddish – Effects of haemolysis | 82 |
| 35 | Does the laboratory have to know all my drugs? – Mechanisms and treatment of drug interference | 84 |
| 36 | Everything under control? – Quality assurance in the preanalytical phase | 86 |
| Refe | erences | 90 |
| Glossary | | 102 |
| Index | | 108 |
| | | |

aboratory tests generally provide a more sensitive indicator of the state of a patient's health than the patient's account of how he or she feels. This has prompted an increasing emphasis on laboratory tests in the diagnosis and management of the patient's disease. Major decisions about the management of a patient are being made on small changes in laboratory data. Thus, a decision to change the dose of a patient's drug is often made on its plasma concentration.

Laboratories have long been aware that many non-disease factors may affect clinical laboratory test values. These include the potential effect of drugs, either through an effect on the physiological function of various organs or an interference with an analytical method.

Whereas the laboratorian may be aware of the possibility of an analytical interference, clinicians are largely unaware of these effects and the available resources to help them interpret test values correctly. When this information is not given with the result, clinicians may misinterpret test values and take an inappropriate action with their patients.

Clinical decisions based on laboratory test values are correctly made only when the conditions under which blood or other specimens are properly identified and standardized, or when the lack of standardization is recognized and allowances are made for some lack of comparability with previous test values. While laboratorians are aware of the concepts of intra- and interindividual variation as they affect laboratory data, many colleagues are unfamiliar with all but the most obvious causes of differences in test values, such as gender and age.

An understanding of intraindividual variation of test values is important if appropriate clinical decisions are to be made when serial data are being followed. The new concepts of critical differences or reference changes are now important. For proper interpretation of the typically small differences between laboratory data obtained on successive specimens from patients, the variables affecting the test values need to be standardized wherever possible, but first the pertinent variables need to be identified.

These are the issues that prompt the need to revisit all the factors related to preanalytical variables. It is thus particularly timely for this book to be published. The authors hope to reach a broader audience than the laboratorians who are probably quite familiar with many of the factors affecting test results. Since 1956, when Roger Williams published his pioneering studies on the differences between people in a book entitled *Biochemical Individuality*, physiologists have been concerned with the differences between people. Now that we have a broader understanding of the genetic influence on human physiology and *behavior* and a greater need to extract more information from small changes in laboratory data, the publication of a new book concerned with preanaytical variables which contribute to intra- and interindividual variability is both timely and welcome. This book is intended not just for laboratorians but also for physicians, nurses and everyone involved in the chain of events from the decision to order a laboratory test to the interpretation of its results.

Proper application of the information contained in this book should lead to less unnecessary testing, reduced costs and a better understanding of the results.

Philadelphia, April 1996

Donald S. Young MD, PhD