




Scott Lowe and Nick Marshall

with Forbes Guthrie

Matt Liebowitz

Josh Atwell

Mastering VMware vSphere® 5.5

 **SYBEX**
A Wiley Brand

Table of Contents

[Cover](#)

[Publisher's Note](#)

[Acknowledgments](#)

[About the Authors](#)

[About the Contributors](#)

[Foreword](#)

[Introduction](#)

[What Is Covered in This Book](#)

[The Mastering Series](#)

[The Hardware behind the Book](#)

[Who Should Buy This Book](#)

[How to Contact the Authors](#)

[Chapter 1: Introducing VMware vSphere 5.5](#)

[Exploring VMware vSphere 5.5](#)

[Why Choose vSphere?](#)

[The Bottom Line](#)

[Chapter 2: Planning and Installing VMware ESXi](#)

[Planning a VMware vSphere Deployment](#)

[Deploying VMware ESXi](#)

[Performing Post-installation Configuration](#)

[The Bottom Line](#)

[Chapter 3: Installing and Configuring vCenter Server](#)

[Introducing vCenter Server](#)

[Choosing the Version of vCenter Server](#)

[Planning and Designing a vCenter Server](#)

[Deployment](#)

[Installing vCenter Server and Its Components](#)
[Installing vCenter Server in a Linked Mode Group](#)
[Deploying the vCenter Server Virtual Appliance](#)
[Exploring vCenter Server](#)
[Creating and Managing a vCenter Server Inventory](#)
[Exploring vCenter Server's Management Features](#)
[Managing vCenter Server Settings](#)
[vSphere Web Client Administration](#)
[The Bottom Line](#)

[Chapter 4: vSphere Update Manager and the vCenter Support Tools](#)

[vSphere Update Manager](#)
[Installing vSphere Update Manager](#)
[Configuring vSphere Update Manager](#)
[Creating Baselines](#)
[Routine Updates](#)
[Upgrading Hosts with vSphere Update Manager](#)
[Performing an Orchestrated Upgrade](#)
[Investigating Alternative Update Options](#)
[vCenter Support Tools](#)
[The Bottom Line](#)

[Chapter 5: Creating and Configuring Virtual Networks](#)

[Putting Together a Virtual Network](#)
[Working with vSphere Standard Switches](#)
[Working with vSphere Distributed Switches](#)
[Examining Third-Party Distributed Virtual Switches](#)
[Configuring Virtual Switch Security](#)
[Looking Ahead](#)

[The Bottom Line](#)

[Chapter 6: Creating and Configuring Storage Devices](#)

[Reviewing the Importance of Storage Design](#)

[Examining Shared Storage Fundamentals](#)

[Implementing vSphere Storage Fundamentals](#)

[Leveraging SAN and NAS Best Practices](#)

[The Bottom Line](#)

[Chapter 7: Ensuring High Availability and Business Continuity](#)

[Understanding the Layers of High Availability](#)

[Clustering VMs](#)

[Implementing vSphere High Availability](#)

[Implementing vSphere Fault Tolerance](#)

[Planning for Business Continuity](#)

[The Bottom Line](#)

[Chapter 8: Securing VMware vSphere](#)

[Overview of vSphere Security](#)

[Securing ESXi Hosts](#)

[Securing vCenter Server](#)

[Securing Virtual Machines](#)

[The Bottom Line](#)

[Chapter 9: Creating and Managing Virtual Machines](#)

[Understanding Virtual Machines](#)

[Creating a Virtual Machine](#)

[Installing a Guest Operating System](#)

[Installing VMware Tools](#)

[Managing Virtual Machines](#)

[Modifying Virtual Machines](#)

[The Bottom Line](#)

[Chapter 10: Using Templates and vApps](#)

[Cloning VMs](#)

[Creating Templates and Deploying Virtual Machines](#)

[Using OVF Templates](#)

[Working with vApps](#)

[Importing Machines from Other Environments](#)

[The Bottom Line](#)

[Chapter 11: Managing Resource Allocation](#)

[Reviewing Virtual Machine Resource Allocation](#)

[Working with Virtual Machine Memory](#)

[Managing Virtual Machine CPU Utilization](#)

[Using Resource Pools](#)

[Regulating Network I/O Utilization](#)

[Controlling Storage I/O Utilization](#)

[The Bottom Line](#)

[Chapter 12: Balancing Resource Utilization](#)

[Comparing Utilization with Allocation](#)

[Exploring vMotion](#)

[Ensuring vMotion Compatibility](#)

[Using Storage vMotion](#)

[Combining vMotion with Storage vMotion](#)

[Exploring vSphere Distributed Resource Scheduler](#)

[Introducing and Working with Storage DRS](#)

[The Bottom Line](#)

[Chapter 13: Monitoring VMware vSphere Performance](#)

[Overview of Performance Monitoring](#)

[Using Alarms](#)

[Working with Performance Charts](#)

[Understanding vCenter Operations Manager](#)

[Working with resxtop](#)

[Monitoring CPU Usage](#)

[Monitoring Memory Usage](#)

[Monitoring Network Usage](#)

[Monitoring Disk Usage](#)

[The Bottom Line](#)

[Chapter 14: Automating VMware vSphere](#)

[Why Use Automation?](#)

[vSphere Automation Options](#)

[Automating with PowerCLI](#)

[Using vCLI from vSphere Management Assistant](#)

[Using vSphere Management Assistant for Automation with vCenter](#)

[Leveraging the Perl Toolkit with vSphere Management Assistant](#)

[Automating with vCenter Orchestrator](#)

[The Bottom Line](#)

[Appendix: The Bottom Line](#)

[Chapter 1: Introducing VMware vSphere 5.5](#)

[Chapter 2: Planning and Installing VMware ESXi](#)

[Chapter 3: Installing and Configuring vCenter Server](#)

[Chapter 4: vSphere Update Manager and the vCenter Support Tools](#)

[Chapter 5: Creating and Configuring Virtual Networks](#)

[Chapter 6: Creating and Configuring Storage Devices](#)

[Chapter 7: Ensuring High Availability and Business Continuity](#)

[Chapter 8: Securing VMware vSphere](#)

[Chapter 9: Creating and Managing Virtual Machines](#)

[Chapter 10: Using Templates and vApps](#)

[Chapter 11: Managing Resource Allocation](#)

[Chapter 12: Balancing Resource Utilization](#)

[Chapter 13: Monitoring VMware vSphere Performance](#)

[Chapter 14: Automating VMware vSphere](#)

[End User License Agreement](#)

List of Tables

Chapter 1

[Table 1.1 Product and feature cross-references](#)

[Table 1.2 VMware ESXi maximums](#)

[Table 1.3 Overview of VMware vSphere product editions](#)

Chapter 2

[Table 2.1 Boot options for an unattended ESXi installation](#)

Chapter 3

[Table 3.1 Maximum number of hosts or VMs per vCenter Server instance](#)

Chapter 4

[Table 4.1 Firewall requirements for VUM](#)

Chapter 5

[Table 5.1 Configuration maximums for ESXi networking components \(vSphere Standar...](#)

[Table 5.2 Configuration maximums for ESXi networking components \(vSphere Distrib...](#)

Chapter 6

[Table 6.1 Storage choices](#)

[Table 6.2 vSphere Storage API acronyms](#)

[Table 6.3 Virtual SCSI and SATA storage adapters in vSphere 5.5](#)

Chapter 7

[Table 7.1 Windows Server 2003/2008 clustering support](#)

[Table 7.2 VM monitoring sensitivity settings](#)

Chapter 8

[Table 8.1 Table of privileges for default roles](#)

Chapter 9

[Table 9.1 Virtual NIC types in vSphere 5.5](#)

[Table 9.2 Snapshot demonstration results](#)

Chapter 11

[Table 11.1 Virtual machine memory overhead](#)

Chapter 13

[Table 13.1 View options in the Overview area of the Performance tab](#)

[Table 13.2 Available CPU performance counters](#)

[Table 13.3 Available memory performance counters](#)

[Table 13.4 Available disk performance counters](#)

[Table 13.5 Available network performance counters](#)

[Table 13.6 Available system performance counters](#)

[Table 13.7 Available datastore performance counters](#)

[Table 13.8 Available storage path performance counters](#)

List of Illustrations

Chapter 1

[Figure 1.1 The VMkernel is the foundation of the virtualization functionality fo...](#)

[Figure 1.2 vSphere Virtual SMP allows VMs to be created with more than one : vir...](#)

[Figure 1.3 The vSphere HA feature will restart any VMs that were previously runn...](#)

[Figure 1.4 vSphere FT provides protection against host failures with no downtime...](#)

Chapter 2

[Figure 2.1 Servers on the HCG come in various sizes and models.](#)

[Figure 2.2 The initial ESXi installation routine has options for booting the ins...](#)

[Figure 2.3 The installer offers options for both local and remote devices; in th...](#)

[Figure 2.4 Although local SAS devices are supported, they are listed as remote d...](#)

[Figure 2.5 Checking to see if there are any VMFS datastores on a device can help...](#)

[Figure 2.6 You can upgrade or install ESXi as well as choose to preserve or over...](#)

[Figure 2.7 Host information is echoed to the server console when it performs a n...](#)

[Figure 2.8 This screen provides information about the Auto Deploy server that is...](#)

[Figure 2.9 Note the differences in the ESXi boot process when using Auto Deploy...](#)

[Figure 2.10 Editing the host profile to allow Stateless Caching on a local disk](#)

[Figure 2.11 You can install the vSphere Client directly from the vCenter Server ...](#)

[Figure 2.12 Network connectivity won't be established if the ESXi installer link...](#)

[Figure 2.13 The ESXi home screen provides options for customizing the system and...](#)

[Figure 2.14 In the event the incorrect NIC is assigned to ESXi's management netw...](#)

[Figure 2.15 Specifying NTP servers allows ESXi to automatically keep time synchr...](#)

Chapter 3

[Figure 3.1 vCenter Server provides a full spectrum of virtualization management ...](#)

[Figure 3.2 The steps taken to issue an authenticated session with the new SSO co...](#)

[Figure 3.3 Other applications can extend vCenter Server's core services to provi...](#)

[Figure 3.4 vCenter Server acts as a proxy for managing ESXi hosts, but all of th...](#)

[Figure 3.5 A good disaster recovery plan for vCenter Server should include a qui...](#)

[Figure 3.6 If vCenter Server is a VM, its virtual disk file can be copied regula...](#)

[Figure 3.7 The SQL Server 2005/2008 database that vCenter Server uses must be ow...](#)

[Figure 3.8 The VMware vCenter Installer offers options for installing several di...](#)

[Figure 3.9 The vCenter Server installation program will optimize the performance...](#)

[Figure 3.10 You can join an existing vCenter Server instance to a linked mode gr...](#)

[Figure 3.11 In a linked mode environment, the vSphere Client shows all the vCent...](#)

[Figure 3.12 The vCenter Server virtual appliance comes preinstalled with SuSE Li...](#)

[Figure 3.13 This dialog box provides information on the status of the vCenter Se...](#)

[Figure 3.14 This management screen lets you configure network access to the vCen...](#)

[Figure 3.15 You must first log into the vCenter Server virtual appliance before ...](#)

[Figure 3.16 The vSphere Web Client home screen shows the full selection of featu...](#)

[Figure 3.17 Users can create folders above the datacenter object to grant permis...](#)

[Figure 3.18 A departmental vCenter Server inventory allows the IT administrator ...](#)

[Figure 3.19 Create folders to organize objects within the vCenter Web Client.](#)

[Figure 3.20 Licenses can be assigned to an : ESXi host as they are added to vCen...](#)

[Figure 3.21 When a host is selected in the inventory view, the tabs across the t...](#)

[Figure 3.22 The Manage tab of an ESXi host offers a number of different commands...](#)

[Figure 3.23 The Events view lets you view event details, search events, and expo...](#)

[Figure 3.24 Users have a number of options when exporting events out of vCenter ...](#)

[Figure 3.25 Host profiles provide a mechanism for checking and enforcing complia...](#)

[Figure 3.26 To make changes to a number of ESXi hosts at the same time, put the ...](#)

[Figure 3.27 You are able to : create both tags and tag categories from the New T...](#)

[Figure 3.28 You can add metadata to objects by creating and assigning tags.](#)

[Figure 3.29 After you've : defined a category and a tag, you can use it as searc...](#)

[Figure 3.30 You can customize statistics collection intervals to support broad o...](#)

[Figure 3.31 Licensing vCenter Server is managed through the vCenter Server Setti...](#)

[Figure 3.32 You can view logs from vCenter Server or ESXi hosts easily from the ...](#)

[Figure 3.33 These logs are for vCenter Server, a single ESXi host, and the compu...](#)

Chapter 4

[Figure 4.1 Set the owner of the database correctly when you create the database.](#)

[Figure 4.2 Place the database and log files for VUM on different physical drives...](#)

[Figure 4.3 Supply the correct username and password for the VUM database.](#)

[Figure 4.4 The VUM installation provides the option to configure proxy settings....](#)

[Figure 4.5 The default settings for VUM place the application files and the patc...](#)

[Figure 4.6 During installation, you can tell VUM to store the downloaded patches...](#)

[Figure 4.7 You must configure the UMDS utility at the command prompt.](#)

[Figure 4.8 Installing the vSphere Client plug-in is done from within the vSphere...](#)

[Figure 4.9 The tabs in the Update Manager Administration area within the vSphere...](#)

[Figure 4.10 Select patch sources so that VUM downloads only certain types of pat...](#)

[Figure 4.11 By default, VM snapshots are enabled for use with VUM.](#)

[Figure 4.12 The Events tab lists events logged by VUM during operation and can b...](#)

[Figure 4.13 Events from VUM Manager are included in the Management area of vCent...](#)

[Figure 4.14 The Patch Repository tab also offers more detailed information about...](#)

[Figure 4.15 Dynamic baselines contain a set of criteria that determine which pat...](#)

[Figure 4.16 Combining multiple dynamic baselines into a baseline group provides ...](#)

[Figure 4.17 Use baseline groups to combine host upgrade and dynamic host patch b...](#)

[Figure 4.18 A baseline group combines multiple individual baselines for a more c...](#)

[Figure 4.19 The Attach Baseline Or Group dialog box](#)

[Figure 4.20 Detaching baselines](#)

[Figure 4.21 When you're detaching a baseline or baseline group, VUM offers the o...](#)

[Figure 4.22 Different types of scans are initiated depending on the check boxes ...](#)

[Figure 4.23 When multiple baselines are attached to an object, compliance is ref...](#)

[Figure 4.24 VUM can show partial compliance when viewing objects that contain ot...](#)

[Figure 4.25 The vSphere Client reflects when the process of staging patches is c...](#)

[Figure 4.26 The Remediate dialog box allows you to select the baselines or basel...](#)

[Figure 4.27 When remediating a host, you need to specify a name for the remediat...](#)

[Figure 4.28 Host remediation options available if the host has to enter maintena...](#)

[Figure 4.29 Cluster options during host remediation](#)

[Figure 4.30 VUM supports different schedules for remediating powered-on VMs, pow...](#)

[Figure 4.31 VUM integrates with vCenter Server's snapshot functionality to allow...](#)

[Figure 4.32 Select the ESXi image to use for the host upgrade.](#)

[Figure 4.33 ESXi image import](#)

[Figure 4.34 All the packages contained in the imported ESXi image are shown.](#)

[Figure 4.35 Select the correct upgrade baseline in the right pane if multiple ve...](#)

[Figure 4.36 Upgrades can ignore third-party software on legacy hosts.](#)

[Figure 4.37 VUM PowerCLI cmdlets available](#)

[Figure 4.38 vCenter Support Tool options on DVD](#)

[Figure 4.39 vCSA services running by default](#)

[Figure 4.40 vCSA Services tab](#)

[Figure 4.41 Move the dump repository off the C: drive if possible.](#)

[Figure 4.42 Configuring a host to redirect dumps to a Dump Collector](#)

[Figure 4.43 Configuring a host to a Dump Collector via its host profile](#)

[Figure 4.44 The Network Syslog Collector registered in vCenter](#)

[Figure 4.45 Setting host syslog settings in the vSphere Web Client](#)

[Figure 4.46 Setting host syslog settings via the host's command line](#)

[Figure 4.47 Opening up the firewall ports to communicate with the Syslog Collect...](#)

Chapter 5

[Figure 5.1 Successful virtual networking is a blend of virtual and physical netw...](#)

[Figure 5.2 Virtual switches alone can't provide connectivity; they need ports or...](#)

[Figure 5.3 Virtual switches can contain two connection types: VMkernel port and ...](#)

[Figure 5.4 You can create virtual switches with both connection types on the sam...](#)

[Figure 5.5 VMs communicating through an internal-only vSwitch do not pass any tr...](#)

[Figure 5.6 A vSwitch with a single network adapter allows VMs to communicate wit...](#)

[Figure 5.7 A vSwitch using NIC teaming has multiple available adapters for data ...](#)

[Figure 5.8 Virtual switches using NIC teaming are identified by the multiple phy...](#)

[Figure 5.9 The vSphere Client offers a way to enable management networking when ...](#)

[Figure 5.10 To configure ESXi's equivalent of the Service Console port, use the ...](#)

[Figure 5.11 From the Configure Management Network menu, users can modify assigne...](#)

[Figure 5.12 The Restart Management Network option restarts ESXi's management net...](#)

[Figure 5.13 Use the Network Restore Options screen to manage network connectivit...](#)

[Figure 5.14 A VMkernel port is associated with an interface and assigned an IP a...](#)

[Figure 5.15 The network labels for VMkernel ports should be as descriptive as po...](#)

[Figure 5.16 VMkernel ports can carry IP-based storage traffic, vMotion traffic, ...](#)

[Figure 5.17 Using the CLI helps drive home the fact that the port group and the ...](#)

[Figure 5.18 The Analyze Impact section shows administrators dependencies on VMke...](#)

[Figure 5.19 TCP/IP stack settings are located with other host networking configu...](#)

[Figure 5.20 Each TCP/IP stack can have its own DNS configuration, routing inform...](#)

[Figure 5.21 VMkernel ports can be assigned to a TCP/IP stack only at the time of...](#)

[Figure 5.22 A vSwitch with a VM port group uses an associated physical network a...](#)

[Figure 5.23 Virtual LANs provide secure traffic segmentation without the cost of...](#)

[Figure 5.24 Supporting multiple networks without VLANs can increase the number o...](#)

[Figure 5.25 VLANs can reduce the number of vSwitches, uplinks, and cabling requi...](#)

[Figure 5.26 The physical switch ports must be configured as trunk ports in order...](#)

[Figure 5.27 You must specify the correct VLAN ID in order for a port group to re...](#)

[Figure 5.28 Virtual switches with multiple uplinks offer redundancy and load bal...](#)

[Figure 5.29 The vSphere Web Client shows when multiple physical network adapters...](#)

[Figure 5.30 All the physical network adapters in a NIC team must belong to the s...](#)

[Figure 5.31 Create a NIC team by adding network adapters that belong to the same...](#)

[Figure 5.32 The vSwitch port-based load-balancing policy assigns each virtual ...](#)

[Figure 5.33 The source MAC-based load-balancing policy, as the name suggests, ...](#)

[Figure 5.34 The IP hash-based policy is a more scalable load-balancing policy th...](#)

[Figure 5.35 The physical switches must be configured to support the IP hash-base...](#)

[Figure 5.36 Select the load-balancing policy for a vSwitch in the Teaming And Fa...](#)

[Figure 5.37 The beacon-probing failover-detection policy sends beacons out across...](#)

[Figure 5.38 The failover order helps determine how adapters in a NIC team are us...](#)

[Figure 5.39 Standby adapters automatically activate when an active adapter fails...](#)

[Figure 5.40 Failover order for a NIC team is determined by the order of network ...](#)

[Figure 5.41 Traffic shaping reduces the outbound bandwidth available to a port g...](#)

[Figure 5.42 Without the use of port groups and VLANs in the vSwitches, each : IP...](#)

[Figure 5.43 The use of the physically separate IP storage network limits the red...](#)

[Figure 5.44 With the use of port groups and VLANs in the vSwitches, even fewer v...](#)

[Figure 5.45 If you want to support all the features included in : vSphere 5.5, :...](#)

[Figure 5.46 The number of uplinks controls how many physical adapters from each ...](#)

[Figure 5.47 When you're working with distributed switches, the vSphere Web Clie...](#)

[Figure 5.48 All adapter-related changes to distributed switches are consolidated...](#)

[Figure 5.49 The esxcli command shows full details on the configuration of a dist...](#)

[Figure 5.50 The vSphere Web Client won't allow a host to be removed from a distr...](#)

[Figure 5.51 The vSphere Distributed Switch Health Check helps identify potential...](#)

[Figure 5.52 The New Distributed Port Group wizard gives you extensive access to ...](#)

[Figure 5.53 A distributed port group is selected as a network connection for VMs...](#)

[Figure 5.54 The vSphere Web Client provides a summary of the distributed port gr...](#)

[Figure 5.55 The Topology view for a distributed switch provides easy access to v...](#)

[Figure 5.56 You can apply both ingress and egress traffic-shaping policies to a ...](#)

[Figure 5.57 The Teaming And Failover item in the distributed port group Edit Set...](#)

[Figure 5.58 The Block policy is set to either Yes or No. Setting the Block polic...](#)

[Figure 5.59 The Manage Virtual Network Adapters screen of the wizard allows you ...](#)

[Figure 5.60 Migrating a virtual adapter involves assigning it to an existing dis...](#)

[Figure 5.61 To manage uplinks on a distributed switch, make sure only the Manage...](#)

[Figure 5.62 The Migrate Virtual Machine Networking wizard automates the process ...](#)

[Figure 5.63 You cannot migrate VMs matching your source network selection if the...](#)

[Figure 5.64 You'll need the IP address and port number for the NetFlow collector...](#)

[Figure 5.65 NetFlow is disabled by default. You enable NetFlow on a per-distribu...](#)

[Figure 5.66 LLDP support enables distributed switches to exchange discovery info...](#)

[Figure 5.67 Private VLANs can help isolate ports on the same IP subnet.](#)

[Figure 5.68 Private VLAN entries consist of a primary VLAN and one or more secon...](#)

[Figure 5.69 When a distributed port group is created with PVLANS, the distribute...](#)

[Figure 5.70 Basic LACP support in a version 5.1.0 vSphere Distributed Switch is ...](#)

[Figure 5.71 vSphere 5.5's enhanced LACP support eliminates many of the limitatio...](#)

[Figure 5.72 With a version 5.5.0 distributed switch, the LACP properties are con...](#)

[Figure 5.73 Once a LAG has been created, physical adapters can be added to it.](#)

[Figure 5.74 LAGs appear as physical uplinks to the distributed port groups.](#)

[Figure 5.75 The default security profile for a vSwitch prevents Promiscuous mode...](#)

[Figure 5.76 The default security profile for a distributed port group on a distr...](#)

[Figure 5.77 Promiscuous mode, though it reduces security, is required when using...](#)

[Figure 5.78 A VM's initial MAC address is automatically generated and listed in ...](#)

[Figure 5.79 A VM's source MAC address is the effective MAC address, which by def...](#)

[Figure 5.80 The MAC Address Changes and Forged Transmits security options deal w...](#)

Chapter 6

[Figure 6.1 When ESXi hosts are connected to that same shared storage, they share...](#)

[Figure 6.2 In a RAID 0 configuration, the data is striped across all the disks i...](#)

[Figure 6.3 This RAID 10 2+2 configuration provides good performance and good ava...](#)

[Figure 6.4 A RAID 5 4+1 configuration offers a balance between performance and e...](#)

[Figure 6.5 A RAID 6 4+2 configuration offers protection against double drive fai...](#)

[Figure 6.6 VSAN abstracts the ESXi host's local disks and presents them to the e...](#)

[Figure 6.7 A Fibre Channel SAN presents LUNs from a target array \(in this case a...](#)

[Figure 6.8 The most common Fibre Channel configuration: a switched Fibre Channel...](#)

[Figure 6.9 The Edit Multipathing Policies dialog box shows the storage runtime \(...\)](#)

[Figure 6.10 There are many ways to configure zoning. From left to right: multi-i...](#)

[Figure 6.11 FCoE simply encapsulates Fibre Channel frames into Ethernet frames f...](#)

[Figure 6.12 Using iSCSI, SCSI control and data are encapsulated in both TCP/IP a...](#)

[Figure 6.13 Notice how the topology of an iSCSI SAN is the same as a switched Fi...](#)

[Figure 6.14 The iSCSI IETF standard has several different elements.](#)

[Figure 6.15 Some parts of the stack are handled by the adapter card versus the E...](#)

[Figure 6.16 The topology of an NFS configuration is similar to iSCSI from a conn...](#)

[Figure 6.17 VMFS stores metadata in a hidden area of the first extent.](#)

[Figure 6.18 vSphere's Pluggable Storage Architecture is highly modular and exten...](#)

[Figure 6.19 Only the SATPs for the arrays to which an ESXi host is connected are...](#)

[Figure 6.20 vSphere ships with three default PSPs.](#)

[Figure 6.21 The SATP for this datastore is VMW_SATP_ALUA_CX, which is the defaul...](#)

[Figure 6.22 It is possible to adjust the advanced properties for advanced use ca...](#)

[Figure 6.23 If all hardware offload features are supported, the Hardware Acceler...](#)

[Figure 6.24 The VAAI support detail is more granular when using ESXCLI compared ...](#)

[Figure 6.25 VAAI works hand in hand with claimrules that are used by the PSA for...](#)

[Figure 6.26 The Storage Providers area is where you go to enable communication b...](#)

[Figure 6.27 The New Tag dialog box can be expanded to also create a tag category...](#)

[Figure 6.28 The VM Storage Policies area in the vSphere Web Client is one place ...](#)

[Figure 6.29 VM storage policies can match user-defined tags or vendor-specific c...](#)

[Figure 6.30 For proper iSCSI multipathing and scalability, only one uplink can b...](#)

[Figure 6.31 This storage adapter is where you will perform all the configuration...](#)

[Figure 6.32 Only compliant port groups will be listed as available to bind with ...](#)

[Figure 6.33 This configuration allows for robust multipathing and greater bandwi...](#)

[Figure 6.34 You'll choose from a list of available LUNs when creating a new VMFS...](#)

[Figure 6.35 The Current Partition Layout screen provides information on the part...](#)

[Figure 6.36 From the Datastores subsection of the Related Objects tab, you can i...](#)

[Figure 6.37 If the Expandable column reports Yes, the VMFS volume can be expande...](#)

Figure 6.38 This 20 GB data-store actually comprises two 10 GB extents.

Figure 6.39 The columns in the Datastores list can be rearranged and reordered,...

Figure 6.40 Among the other details listed for a datastore, the VMFS version is ...

Figure 6.41 From this dialog box, you can enable or disable storage policies on ...

Figure 6.42 You'll use the Edit Multipathing button in the Datastore Manage &cmd...

Figure 6.43 This datastore resides on an active-active array; specifically, an E...

Figure 6.44 NFS uses the networking stack, not the storage stack, for high avail...

Figure 6.45 The choices to configure highly available NFS datastores depend on y...

Figure 6.46 If you have a network switch that supports multi-switch link aggrega...

Figure 6.47 If you have a basic network switch without multi-switch link aggrega...

Figure 6.48 Every NFS datastore has two TCP connections to the NFS server but on...

Figure 6.49 When configuring NFS datastores, it's important to extend the ESXi h...

Figure 6.50 Mounting an NFS datastore requires that you know the IP address and ...

Figure 6.51 NFS datastores are listed in among VMFS datastores, but the informat...

Figure 6.52 This VM has both a virtual disk on a VMFS datastore and an RDM.

[Figure 6.53 A thin-provisioned virtual disk uses only as much as the guest OS in...](#)

[Figure 6.54 VMFS datastores support all three virtual disk types.](#)

[Figure 6.55 The Space Used and Provisioned Space columns tell you the current an...](#)

[Figure 6.56 The Summary tab of a VM will report the total provisioned space as w...](#)

[Figure 6.57 The Edit Settings dialog box tells you what kind of disk is configur...](#)

[Figure 6.58 There are various virtual SCSI adapters that a VM can use. You can c...](#)

[Figure 6.59 This VM storage policy requires a specific user-defined storage capa...](#)

[Figure 6.60 The Enable VM Storage Policies dialog box shows the current status o...](#)

[Figure 6.61 This VM does not have a VM storage policy assigned yet.](#)

[Figure 6.62 Each virtual disk can have its own VM storage policy, so you tailor ...](#)

[Figure 6.63 The storage capabilities specified in this VM storage policy don't m...](#)

[Figure 6.64 This VM's current storage is compliant with its assigned VM storage ...](#)

Chapter 7

[Figure 7.1 Each layer has its own forms of high availability.](#)

[Figure 7.2 An NLB cluster can contain up to 32 active nodes \(only 5 are shown he...](#)

[Figure 7.3 Server clusters are best suited for applications and services like SO...](#)

[Figure 7.4 A cluster-in-a-box configuration does not provide protection against ...](#)

[Figure 7.5 A Microsoft cluster built on VMs residing on separate ESXi hosts requ...](#)

[Figure 7.6 A node in a Microsoft Windows Server cluster requires at least two NI...](#)

[Figure 7.7 Add a new device of type RDM Disk for the first node in a cluster and...](#)

[Figure 7.8 The SCSI bus sharing for the new SCSI adapter must be set to Physical...](#)

[Figure 7.9 The RDM presented to the first cluster node is formatted and assigned...](#)

[Figure 7.10 Clustering physical machines with VM counterparts can be a cost-effe...](#)

[Figure 7.11 Using a single powerful ESXi system to host multiple failover cluste...](#)

[Figure 7.12 vSphere HA provides an automatic restart of VMs that were running on...](#)

[Figure 7.13 The status of an ESXi host as either master or slave is provided on ...](#)

[Figure 7.14 vSphere HA uses the host-X-poweron files for a slave host to notify ...](#)

[Figure 7.15 vSphere HA is enabled or disabled for an entire cluster.](#)

[Figure 7.16 As you can see in the Tasks pane, vSphere HA elects a master host wh...](#)

[Figure 7.17 Deselecting Enable Host Monitoring when performing network maintenanc...](#)

[Figure 7.18 The Admission Control Policy settings will determine how a vSphere H...](#)

[Figure 7.19 You can define cluster default VM options to customize the behavior ...](#)

[Figure 7.20 Use the VM Overrides setting to specify which VMs should be restarte...](#)

[Figure 7.21 High-priority VMs from a failed ESXi host might not be powered on be...](#)

[Figure 7.22 The option to leave VMs running when a host is isolated should be se...](#)

[Figure 7.23 You can configure vSphere HA to monitor for guest OS and application...](#)

[Figure 7.24 The Custom option provides specific control over how vSphere HA moni...](#)

[Figure 7.25 Select the shared datastores that vSphere HA should use for datastor...](#)

[Figure 7.26 This blended figure shows the difference between a VM currently list...](#)

[Figure 7.27 The vSphere HA Summary tab holds a wealth of information about vSphe...](#)

[Figure 7.28 You can turn on vSphere FT from the context menu for a VM.](#)

[Figure 7.29 Several other configuration changes are enforced when you activate v...](#)

[Figure 7.30 vSphere FT must convert existing virtual disks to Thick Provision \(e...](#)

[Figure 7.31 The darker VM icon indicates that vSphere FT is enabled for : this V...](#)

[Figure 7.32 The vSphere Web Client shows vSphere FT status information in the Fa...](#)

[Figure 7.33 Running backup agents inside the guest OS can provide application- a...](#)

[Figure 7.34 vSphere Replication can work between datacenters, as long as there i...](#)

[Figure 7.35 The network configuration for the vSphere Replication appliance happ...](#)

[Figure 7.36 New menus are often added in the vSphere Web Client when virtual app...](#)

[Figure 7.37 Always configure the recovery settings within vSphere Replication to...](#)

Chapter 8

[Figure 8.1 The vicfg-user command prompts for a password to execute the command ...](#)

[Figure 8.2 For a user, you can change the UID, username, password, and group mem...](#)

[Figure 8.3 The Security Profile area of the Configuration tab in the traditional...](#)

[Figure 8.4 Traffic to the selected network traffic on this ESXi host will be lim...](#)

[Figure 8.5 Adding the correct XML to the services.xml file allows you to customi...](#)

[Figure 8.6 vCenter Server and ESXi share a common security model for assigning a...](#)

[Figure 8.7 Custom roles strengthen management capabilities and add flexibility t...](#)

[Figure 8.8 By default, assigning a permission to an object will propagate that p...](#)

[Figure 8.9 Folder objects cannot be added to an individual ESXi host, leaving re...](#)

[Figure 8.10 As objects in the inventory, resource pools are potential levels of ...](#)

[Figure 8.11 The vSphere Client provides a breakdown of where roles are currently...](#)

[Figure 8.12 The vCenter Server default roles offer much more flexibility than an...](#)

[Figure 8.13 vCenter Server's logs are visible from within the Log Browser sectio...](#)

Chapter 9

[Figure 9.1 VMware ESXi provides both generic and virtualization-optimized hardwa...](#)

[Figure 9.2 The file browser in the vSphere Web Client shows only a single VMDK f...](#)

[Figure 9.3 There are actually two different VMDK files for every virtual hard di...](#)

[Figure 9.4 You can launch the New Virtual Machine Wizard from the context menu o...](#)

[Figure 9.5 Options for creating a new virtual machine when using the vSphere Web...](#)

[Figure 9.6 The logical folder structure selected here does not correspond to whe...](#)

[Figure 9.7 You can use storage service levels to help automate VM storage placem...](#)

[Figure 9.8 When using VM storage policies, select a compatible datastore to ensu...](#)

[Figure 9.9 Based on guest OS selection, the vSphere Web Client provides some bas...](#)

[Figure 9.10 You can configure a VM with up to four network adapters, of the same...](#)

[Figure 9.11 A virtual disk is configured automatically when you create a new vir...](#)

[Figure 9.12 vSphere 5.5 offers a number of different Disk Provisioning options w...](#)

[Figure 9.13 You can configure the virtual disk on : a number of different SCSI a...](#)

[Figure 9.14 Reviewing the configuration of the New Virtual Machine Wizard ensure...](#)

[Figure 9.15 The display name assigned to a VM is used in a variety of places.](#)

[Figure 9.16 vSphere automatically appends a number to the filename for additiona...](#)

[Figure 9.17 VMs can access optical disks physically located on the vSphere Clie...](#)

[Figure 9.18 Use the Upload button to upload ISO images for use when installing :...](#)

[Figure 9.19 Changing the hardware acceleration feature of a Windows guest OS is ...](#)

[Figure 9.20 As of vSphere 5.1, you can no longer configure properties in VMware ...](#)

[Figure 9.21 You can view details about VMware Tools, DNS name, IP address, and s...](#)

[Figure 9.22 You invoke : the Register : Virtual Machine Wizard by right-clicking...](#)

[Figure 9.23 The Power submenu allows you to power on, power off, suspend, or res...](#)

[Figure 9.24 Users can add some types of hardware while the VM is powered on. If ...](#)

[Figure 9.25 To add a new network adapter, you must select the adapter type, the ...](#)