

# Essentials *of*

## Child and Adolescent Psychopathology

Linda Wilmshurst

---

Alan S. Kaufman & Nadeen L. Kaufman, SERIES EDITORS

Second Edition

WILEY



# **Essentials of Child and Adolescent Psychopathology**

# Essentials of Behavioral Science Series

Founding Editors, Alan S. Kaufman and Nadeen L. Kaufman

*Essentials of Abnormal Psychology*

by Andrew R. Getzfeld

*Essentials of Child and Adolescent Psychopathology,  
Second Edition*

by Linda Wilmshurst

*Essentials of Psychological Testing, Second Edition*

by Susana Urbina

*Essentials of Statistics for the Social and Behavioral  
Sciences*

by Barry H. Cohen and R. Brooke Lea

*Essentials of Research Design and Methodology*

by Geoffrey R. Marczyk, David DeMatteo, and  
David S. Festinger

# Essentials

## of Child and Adolescent Psychopathology

Second Edition

Linda Wilmshurst

WILEY

Cover image: Thinkstock  
Cover design: Wiley

This book is printed on acid-free paper.

Copyright © 2015 by John Wiley & Sons, Inc. All rights reserved.

Published by John Wiley & Sons, Inc., Hoboken, New Jersey.  
Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 646-8600, or on the web at [www.copyright.com](http://www.copyright.com). Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008.

**Limit of Liability/Disclaimer of Warranty:** While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold with the understanding that the publisher is not engaged in rendering professional services. If legal, accounting, medical, psychological or any other expert assistance is required, the services of a competent professional person should be sought.

Designations used by companies to distinguish their products are often claimed as trademarks. In all instances where John Wiley & Sons, Inc. is aware of a claim, the product names appear in initial capital or all capital letters. Readers, however, should contact the appropriate companies for more complete information regarding trademarks and registration.

For general information on our other products and services please contact our Customer Care Department within the United States at (800) 762-2974, outside the United States at (317) 572-3993 or fax (317) 572-4002.

Wiley publishes in a variety of print and electronic formats and by print-on-demand. Some material included with standard print versions of this book may not be included in e-books or in print-on-demand. If this book refers to media such as a CD or DVD that is not included in the version you purchased, you may download this material at <http://booksupport.wiley.com>. For more information about Wiley products, visit [www.wiley.com](http://www.wiley.com).

***Library of Congress Cataloging-in-Publication Data:***

Wilmshurst, Linda, author.

[Essentials of child psychopathology]

Essentials of child and adolescent psychopathology / Linda Wilmshurst.—Second edition.

p. ; cm.—(Essentials of behavioral science series)

Preceded by Essentials of child psychopathology / Linda Wilmshurst. © 2005.

Includes bibliographical references and index.

ISBN 978-1-118-84019-1 (pbk. : alk. paper)

ISBN 978-1-118-84018-4 (Adobe PDF)

ISBN 978-1-118-84020-7 (ePub)

I. Title. II. Series: Essentials of behavioral science series.

[DNLM: 1. Adolescent. 2. Child. 3. Mental Disorders. 4. Adolescent Psychology—methods.

5. Child Psychology—methods. 6. Psychopathology—methods. WS 350]

RJ499

618.92'89—dc23

2014012663

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

# CONTENTS

Series Preface vii

## Part I The Foundations

- One Introduction to Child and Adolescent Psychopathology: Development, Theories, and Influences 3
- Two Issues in Child and Adolescent Psychopathology: Ethical Issues in Research and Practice 25
- Three Issues in Clinical Decision Making: Diagnosis, Assessment, and Treatment of Childhood and Adolescent Disorders 42

## Part II Neurodevelopmental Disorders

- Four Intellectual and Developmental Disabilities 73
- Five Attention-Deficit/Hyperactivity Disorder (ADHD) 93
- Six Specific Learning Disabilities 116

## Part III Internalizing Disorders

- Seven Anxiety Disorders and Obsessive-Compulsive and Related Disorders 143

Eight	Disorders of Mood: Depression and Bipolar Disorder	171
Nine	Somatic Symptom and Related Disorders	195

## **Part IV Disruptive Behavior Disorders**

Ten	Disruptive Behavior Disorders	213
-----	-------------------------------	-----

## **Part V Later-Onset Disorders**

Eleven	Feeding and Eating Disorders	231
Twelve	Substance-Related Disorders	252

## **Part VI Special Topics in Child and Adolescent Psychopathology**

Thirteen	Trauma- and Stressor-Related Disorders	273
Fourteen	Children of Diverse Cultures	294
Appendix A	Codes of Ethical Conduct	317
Appendix B	References for Assessment Instruments and Resources	319
Appendix C	Individuals with Disabilities Education Improvement Act of 2004 (IDEA 04)	323
	References	327
	Index	361

## SERIES PREFACE

In the *Essentials of Behavioral Science* series, our goal is to provide readers with books that will deliver key practical information in an efficient, accessible style. The series features books on a variety of topics, such as statistics, psychological testing, and research design and methodology, to name just a few. For the experienced professional, books in the series offer a concise yet thorough review of a specific area of expertise, including numerous tips for best practices. Students can turn to series books for a clear and concise overview of the important topics in which they must become proficient to practice skillfully, efficiently, and ethically in their chosen fields.

Wherever feasible, visual cues highlighting key points are utilized alongside systematic, step-by-step guidelines. Chapters are focused and succinct. Topics are organized for an easy understanding of the essential material related to a particular topic. Theory and research are continually woven into the fabric of each book, but always to enhance the practical application of the material, rather than to sidetrack or overwhelm readers. With this series, we aim to challenge and assist readers in the behavioral sciences to aspire to the highest level of competency by arming them with the tools they need for knowledgeable, informed practice.

*Essentials of Child and Adolescent Psychopathology*, Second Edition, provides an overview of child and adolescent disorders that begins with a look at the foundations of the discipline and the unique historical influences that played a role in the evolution of the field. This updated version of the book includes all of the changes in the criteria and conceptualization of disorders that can be found in the *Diagnostic and Statistical Manual of Mental Disorders*, Fifth Edition (*DSM-5*; American Psychiatric Association [APA], 2013). The book is divided into six parts. In Part I, readers are introduced to child and adolescent characteristics (e.g., family, school, economics, culture) that shape developmental pathways toward normal or deviant behaviors, and the role of theoretical perspectives in guiding our understanding of the underlying processes. Current trends and issues

in the areas of professional ethics, research, assessment, diagnosis, and treatment are also addressed. Part II contains three chapters (intellectual and developmental disabilities, attention-deficit/hyperactivity disorder, specific learning disabilities) that focus on disorders representing a range of neurodevelopmental impairments and functioning from global (global developmental delay) to more specific deficits (executive functioning deficits).

The focus in Part III is on the internalizing disorders (anxiety and obsessive-compulsive and related disorders, disorders of mood and somatic symptom and related disorders), whereas Part IV discusses externalizing disorders, such as oppositional defiant disorder and disorders of conduct. Disorders that most likely have onset in later childhood or adolescence, such as eating disorders and substance-related disorders, are presented in Part VI. The final section, Part VII, contains two chapters devoted to special topics: trauma- and stress-related disorders and children of diverse cultures. Finally, the book provides three additional appendices that contain important information, regarding ethical codes of conduct, references for assessment instruments and resources, and the Individuals with Disabilities Education Improvement Act of 2004 (IDEA 04).

Alan S. Kaufman, PhD, and  
Nadeen L. Kaufman, EdD,  
Founding Editors  
Yale Child Study Center,  
Yale University School of Medicine

# Part I

## The Foundations

The following three chapters provide the basic foundations for understanding child and adolescent psychopathology. In the Introduction, readers will discover how child and adolescent psychopathology evolved as a unique discipline and the growing pains that were evident in achieving the early milestones, historically. Through the use of case examples, readers will gain an increased appreciation of important developmental considerations that are required in order to make clinical decisions regarding where a child's behavior is best represented on the normal versus abnormal continuum based on important information available from developmental expectations and theoretical perspectives.

The second chapter provides important information regarding ethical issues and challenges that practitioners face in their work with young children and adolescents, whether this takes place in a clinical or research setting. Issues of confidentiality can be daunting as practitioners attempt to determine who is the legal guardian for children under 18 years of age (or the age of majority in the state where the clinician is practicing), especially in cases where information regarding the custodial parent may not be readily accessible. The chapter ends with an important discussion about common risks and protective factors that can influence the trajectory of child development.

Finally, in the third chapter, readers are introduced to issues in diagnosis, assessment, and treatment as they relate to different systems of classification (empirical versus categorical), and how the recently revised *DSM-5* has attempted to address these issues. Different methods of clinical assessment will be discussed, as well as issues of obtaining parental consent and child assent for individual assessments.



## INTRODUCTION TO CHILD AND ADOLESCENT PSYCHOPATHOLOGY

### Development, Theories, and Influences

**R**ecognition of clinical child psychology as a unique discipline has only emerged in the past 30 years, despite auspicious beginnings. The end of the 19th century ushered in an era of social reform that addressed the need to protect children's rights concerning health and education, to provide protection within the judicial system, and to free children from working within the adult workforce (Culbertson, 1991). In the wake of this movement, child labor laws and mandatory education became a reality. At the turn of the 20th century, Lightner Witmer established the first psychology clinic to treat children with learning disabilities, and by 1909 more than 450 cases had been seen at the clinic. However, Witmer fell out of favor with his colleagues, because of his refusal to adopt Terman's revision of the Stanford-Binet tests of intelligence and his reluctance to accept Freud's theories on behavior disorders.

William Healey, an English-born psychiatrist who shared America's enthusiasm for Freud's theories, opened the first child guidance clinic in Chicago in 1909. By 1933, 42 child guidance clinics were in operation at a wide variety of locations, including juvenile institutions, courts, hospitals, schools, and universities. As the popularity of the child guidance clinics grew, the emphasis shifted from delinquency to problems evident at home and at school, with a primary interest in parent-child difficulties.

The underlying philosophy of the time was that the source of children's problems could be found in parenting and the family (Horn, 1989, p. 27). In 1948, 54 child guidance clinics came together to form the American Association of Psychiatric Clinics for Children (AAPCC). According to Horn, this marked a shift from identification to training and treatment; a movement riddled with debate over standards, roles, and status among psychiatrists, psychologists, and social

workers. For a summary of the timelines in historical perspective, refer to Rapid Reference 1.1.

Despite the popular rise of the child guidance clinics, the field of clinical child psychology encountered many roadblocks that delayed the establishment of child psychopathology as a unique discipline until only 30 years ago. One reason for the delay was the fact that theories of child development were firmly entrenched in the controversy over nature versus nurture.

## Rapid Reference 1.1

### **Early Milestones in the History of Child Psychology**

- 1892 American Psychological Association founded; G. Stanley Hall is first president.
- 1896 L. Witmer founds first psychology clinic, at the University of Pennsylvania, for children with learning disabilities and academic problems.
- 1897 Witmer's clinic offers four-week summer course in child psychology.
- 1905 Binet-Simon Intelligence Scale for measuring mental abilities in children published in France.
- 1907 Witmer establishes a residential school for retarded children and founds the first clinical journal, *The Psychological Clinic*.
- 1908 H. Goddard establishes first clinical internship program at Vineland Training School (New Jersey).
- 1909 Beers, supported by psychologist W. James and psychiatrist A. Meyer, founds the National Committee for Mental Hygiene, later renamed the National Association of Mental Health (NAMH).
- 1909 W. Healey establishes the first child guidance center, the Juvenile Psychopathic Institute (Chicago), to treat and prevent mental illness in juvenile offenders; later named the Institute for Juvenile Research.
- 1909 G. Stanley Hall invites Sigmund Freud to lecture on psychoanalysis at Clark University.
- 1910 Goddard translates the Binet-Simon Intelligence Test for use with "feebleminded children" at the Vineland School.
- 1911 A. Gesell appointed director of Yale's Psychoeducational Clinic; renamed Clinic of Child Development.
- 1912 J. B. Watson publishes *Psychology as a Behaviorist Views It*.
- 1916 Terman's Stanford-Binet Intelligence Test is published.
- 1917 APA section of clinical psychology is founded.
- 1920 Watson and Raynor demonstrate that fear can be conditioned in a child called Albert.

- 1922 NAMH funds eight pilot child guidance clinics established in various cities.
- 1926 Piaget publishes *The Language and Thought of the Child*.
- 1928 Anna Freud publishes *Introduction to the Technique of Child Analysis*.
- 1930 Kanner joins Johns Hopkins University and opens first pediatric psychiatric clinic, Harriet Lane Pediatric Clinic.
- 1932 M. Klein authors *The Psychoanalysis of Children*.
- 1935 Kanner publishes first textbook on child psychiatry.
- 1937 Adolescent psychiatric ward opens at Bellevue Hospital.
- 1944 Kanner describes autistic behaviors and attributes illness to "refrigerator mother."
- 1945 Studies by R. Spitz raise concerns about negative impact of institutional life on children.
- 1948 American Association of Psychiatric Clinics for Children (AAPCC) is formed as 54 child guidance clinics come together.
- 1950s Behavior therapy emerges as a treatment alternative for child and family problems.
- 1951 Bowlby publishes on attachment.
- 1952 American Psychiatric Association (APA) publishes the *Diagnostic and Statistical Manual of Mental Disorders (DSM)*. The DSM contains two disorders of childhood: Adjustment Reaction and Childhood Schizophrenia.
- 1953 The American Academy of Child Psychiatry is established.
- 1968 *DSM-II* published and adds "hyperkinetic reaction of childhood."
- 1977 Thomas and Chess publish work on the nine categories of temperament.
- 1980 *DSM-III* is first version of *DSM* to make specific developmental recommendations regarding childhood disorders.
- 1984 Sroufe and Rutter introduce domain of child psychopathology as offshoot of developmental psychology; *Developmental Psychopathology Journal* is introduced.
- 1999 Clinical Child Psychology established as the 53rd division of American Psychological Association; renamed Society of Clinical Child and Adolescent Psychology (2001).

Note: See Nietzel, Bernstein, & Milich, 1994, and Slaff, 1989, for details.

Toward the end of the 19th century, there was a growing belief that mental illness had a biological basis, and Emil Kraepelin's (1856–1926) textbook published in 1883 argued that physical ailments could cause mental dysfunction. The disease model was a mixed blessing, with some practitioners intent on finding a cure, whereas others feared that diseases could be transmitted to others or passed on genetically to offspring. Fear and misunderstanding resulted in the placement

of adults and children with mental retardation and mental illness in institutions for the next half-century.

## CAUTION

The nature (heredity) and nurture (environment) debate has waged for centuries. John Locke, the 17th-century English philosopher, proposed that children came into the world as a blank slate (*tabula rasa*), and it was the parents' responsibility to fill the slate with the proper environmental controls and discipline. By contrast, the 18th-century French philosopher Jean-Jacques Rousseau envisioned the child as a flower that would grow and flourish, naturally, in a *laissez-faire* approach. Caring, nurturing, and opportunity were the parents' gifts to the growing child. Most psychologists today appreciate the interaction of both heredity and environment.

## DON'T FORGET

Henry Goddard is credited with establishing one of the largest training schools for the mentally retarded. However, the belief system upon which the school was constructed did much to harm attitudes about the mentally retarded. Goddard's beliefs were summarized in his fictional book that chronicled two sets of offspring of Martin Kallikak: (1) descendants from his union with a barmaid, who were plagued by feeble-mindedness, delinquency, and alcoholism, and (2) descendants of his union with a "nice girl," who all became respectable citizens.

Another roadblock to the establishment of clinical child psychology as a unique discipline was the shift in emphasis from treatment to identification. Psychologists became increasingly involved in intellectual assessments of children and adults for placement in education and the military. By 1918, psychologists had screened more than 2 million potential candidates for the army.

Abnormal behavior in children continued to be interpreted from the vantage point of adults, and thus childhood maladjustment was described in adult terms and treated with adult treatment methods (Peterson & Roberts, 1991). By the mid-1930s, child guidance clinics were firmly entrenched in linking child problems to adult problems. After years of viewing children's problems from the vantage point of adult psychopathology, the current trends are to refine our understanding of how many characteristic features of these child and adolescent disorders differ from adult disorders. Since the 1970s, several journals have emerged that are exclusively devoted to research about child and adolescent

clinical concerns (e.g., *Journal of Clinical Child Psychology*, *Journal of Abnormal Child Psychology*, *Journal of the American Academy of Child and Adolescent Psychiatry*, *Journal of Child Psychology and Psychiatry and Allied Disciplines*).

In the mid-1980s, the field of clinical child psychology witnessed the evolution of yet another stage of development. At this time, the domain of developmental psychopathology (Sroufe & Rutter, 1984) emerged as an offshoot of developmental psychology, complete with its own journal, *Development and Psychopathology*. Within this framework, atypical behavior is conceptualized as deviating from the normal developmental pathway.

Organizational principles of developmental psychopathology define a system that considers human development as *holistic* (the interactive and dynamic concept of the total child) and *hierarchical* (movement toward increasing complexity; Cicchetti & Toth, 1998). Increased emphasis has been placed on determining processes that can inhibit (protective factors) or escalate (risks) the development of maladaptive behaviors.

## DON'T FORGET

Conceptually, because normal and abnormal behaviors stem from the same developmental principles and are part of the same continuum, increased emphasis is placed on having knowledge of normal behavior (its stages and underlying processes) as a precursor to abnormal behaviors.

## PRACTICAL APPLICATIONS: CASE STUDY ILLUSTRATIONS OF CHILD AND ADOLESCENT PSYCHOPATHOLOGY

The following cases will serve as an introduction to some of the practical issues faced by clinicians working with children and youth and provide a framework for better understanding the importance of considering developmental contexts and environmental influences in understanding child psychopathology.

### The Cases of Jason, Winnie, and Brian

The psychologist is asked to observe three children in Mrs. Skill's fourth-grade classroom: Jason, Winnie, and Brian. All three children have been rated as demonstrating the following behaviors: has problems sustaining attention, loses things necessary for tasks, is easily distracted, is forgetful, is restless, doesn't seem to listen, is disorganized, doesn't complete assignments, and demonstrates poor follow-through. The psychologist's observations of the children verify information obtained from the teacher rating scales. A review of the children's

cumulative folders reveals that all three children scored within the average range on the Otis-Lennon group intellectual screening test given during the previous third-grade school year.

***Question: Is a diagnosis of attention-deficit/hyperactivity disorder (ADHD) an appropriate classification for Jason, Winnie, or Brian? Why?***

According to the *Diagnostic and Statistical Manual of Mental Disorders*, fifth edition (*DSM-5*; APA, 2013), all three children demonstrate many symptoms associated with ADHD. The psychologist has verified the teacher's ratings of these behaviors through classroom observation, has reviewed the school records, and is fairly comfortable ruling out any contributing intellectual difficulties. Furthermore, these problems have been documented on an ongoing basis.

***What's missing from this picture?***

In order for the psychologist to diagnose whether the three children have ADHD—or rule out the possibility of ADHD in favor of a different diagnosis (a process called *differential diagnosis*)—information is required from several key sources, including the home and school environments. What is missing, therefore, is information from the child's home environment. The psychologist schedules interviews with all three parents to obtain additional information.

**The Case of Brian**

According to Brian's mother, Brian has “always been this way.” His mother describes Brian as a “space cadet” who constantly misplaces things and often gets distracted when trying to do his homework. Brian eats standing up and is always on the go. His mother adds that Brian is just like his father, who is also restless, active, and distracted. Brian seems very capable (his mother and teacher both feel he is a bright boy), but he has problems completing assignments because of his distractibility. Everything seems to take his attention away from the task at hand.

After talking to the mother, the psychologist develops a *case formulation* (a hypothesis about why the problem behavior exists and how it is being maintained). The case formulation is based on information obtained from the family history, consistency in Brian's behaviors across situational contexts (home and school), and the longevity of the problem (he has always been that way). The psychologist is now more confident in suggesting that Brian does have ADHD, probably the Predominantly Inattentive Presentation, and discusses possible interventions with Brian's parents.

Based on all of the information, the psychologist makes a provisional diagnosis for Brian of ADHD, Predominantly Inattentive Presentation.

### The Case of Winnie

Winnie's mother arrives at the interview out of breath and very anxious to hear about her daughter. Her mother describes Winnie as a "real worrier" and admits that she is that way herself. Winnie has always been very timid, and as an infant she was cautious, fearful, sensitive to noises and touch, and "slow to warm up to others." Socially, Winnie has a few close friends. Homework is a painful process, as perfectionistic tendencies get in the way of completing assignments, because Winnie keeps erasing her work. Because of the extent of her fears and anxieties, Winnie is often overwhelmed by tasks and appears inattentive, distracted, and forgetful.

Winnie's provisional diagnosis is general anxiety disorder (GAD), but the psychologist also needs to rule out possible obsessive-compulsive disorder (OCD).

### The Case of Jason

Jason's foster mother arrives at the interview with her social worker. This is Jason's fourth foster placement in the past 2 years. Jason has been in his current foster placement for the past 6 months. According to the social worker, Jason was a witness to family violence from an early age. Jason's family was well known to Social Services, and Jason has been in care several times in the past for reported neglect and possible abuse. Shortly after Jason and his brother rejoined their parents 2 years ago, Jason's father shot his mother and then himself, while Jason and his younger brother slept in an adjoining bedroom. Jason has been receiving play therapy for the past 2 years. Jason continues to have trouble sleeping and is often agitated and restless. In relationships, his behavior vacillates between being overly inhibited (shy and withdrawn) or disinhibited (socially precocious). His ability to sustain his attention and concentration is impaired, and he is often forgetful and appears disorganized.

Jason's provisional diagnosis is chronic posttraumatic stress disorder (PTSD), but an attachment disorder (reactive attachment disorder [RAD] or disinhibited social engagement disorder [DSED]) and ADHD also need to be ruled out.

### Summary of the Three Child Study Cases

Although the three children demonstrated similar symptoms in the classroom and in the home environment (pervasive across situations), only one of the three children was likely demonstrating ADHD.

Given high rates of *comorbidity* (disorders occurring together) in childhood disorders and the fact that many disorders present with similar symptom clusters,

the need for developing a case formulation based on information from multiple sources cannot be overemphasized.

### **The Case of Matthew**

The next day, the psychologist is asked to observe another child in the fourth grade: Matthew, an 11-year-old who is repeating the fourth grade. Matthew has a behavior problem, and his emotions often escalate out of control. This day is no exception. When the psychologist observes Matthew in the classroom, he demonstrates a full-blown temper tantrum, throwing himself on the floor, kicking, and crying.

The psychologist makes an appointment to meet with Matthew's father. She leaves the elementary school and stops on her way home to pick up her 3-year-old daughter, Rachel, at the daycare center. To the psychologist's dismay, Rachel is lying on the floor, kicking and screaming because another child took her favorite toy from her.

When the psychologist meets with Matthew's father, he states that Matthew's behavior problems have been ongoing from an early age. Matthew can be aggressive, moody, and irritable. Tantrums are frequent and often unpredictable. Matthew is oppositional and defiant at home and at school, and he often refuses to comply with even the smallest request. Often Matthew seems to deliberately annoy others.

***Question: Are the temper tantrums produced by Matthew and Rachel indicative of a disruptive behavior disorder?***

Disruptive behavior disorders, classified as conduct disorder (CD) and oppositional defiant disorder (ODD) by the *DSM-5* (APA, 2013), are highly prevalent in children and adolescents. Of these disorders, ODD is represented by a constellation of symptoms of aggression, anger, and disobedience. Children with ODD have recurrent displays of negative behaviors toward authority that are defiant, disobedient, and hostile (APA, 2013). Matthew's provisional diagnosis is ODD or depression.

### **The Case of Rachel**

The psychologist's 3-year-old daughter throws tantrums at the daycare center when she is frustrated. These tantrums have been increasing in frequency for the past 6 months. Talking to the daycare staff, the psychologist finds out that one particular child, Arty, seems to trigger these tantrums in her daughter. Arty joined the daycare center about six months ago. Rachel does not throw tantrums

at home and is a relatively easy-to-manage child. The psychologist is aware that, developmentally, tantrum behavior in toddlers normally peaks at around three years of age. The daycare center staff members are not concerned and see Rachel's behavior as reactive to increasing frustration. The provisional diagnosis is a developmentally appropriate response to frustration.

## DON'T FORGET

Although Matthew and Rachel displayed the same behavioral response to frustration (temper tantrums), when viewed within a developmental context, tantrums are a normal expression of frustration at 3 years of age but more deviant behavior at 11 years of age.

### DISTINGUISHING NORMAL FROM ABNORMAL BEHAVIOR

Although many of the professional skills and competencies required to distinguish normal from abnormal behavior are shared by clinicians who serve adult and child populations, several unique skills and competencies distinguish these two populations as separate clinical fields.

Determining whether a behavior pattern is normal or abnormal requires, at a minimum, a fundamental understanding of normal expectations and the range of behaviors that constitute the broad limits of the average or normal range. In order to determine whether a behavior falls outside of the normal range, clinical judgment is often based on a series of decision-making strategies. One way of measuring how the behavior compares to normal expectations is the use of “the four Ds” as a guideline to evaluating the behavior: *deviance*, *dysfunction*, *distress*, and *danger* (Comer, 2013).

Rachel, the psychologist's 3-year-old daughter, was previously observed throwing a temper tantrum at the daycare center. Consider the severity of Rachel's tantrum behavior in relation to the tantrum behavior of another 3-year-old child, Arty.

The psychologist observes Rachel throwing a temper tantrum because Arty has taken her favorite toy. Rachel is lying on the floor, crying and kicking her legs into the floor mat. This behavior occurs whenever Arty takes this toy away (about twice a week) and lasts until the teacher intervenes. Rachel's mother has not seen this behavior at home. Arty also causes a similar reaction from Sara, another child in the program. Arty is constantly fighting with other children. Arty takes what he wants, when he wants it. If stopped, Arty throws temper tantrums that escalate in proportion and can last up to half an hour. On two occasions, Arty has injured a teacher by throwing an object wildly into the air. When frustrated, Arty will

strike out, and he has bitten others to get his way. Arty's mother has asked for help with managing Arty's behavior. She is afraid Arty will injure his new baby brother.

## DON'T FORGET

Clinical decisions are often based on measures of the *intensity*, *duration*, and *frequency* of a behavior relative to the norm. In addition, evaluating whether a behavior is pervasive across situations can also provide information regarding the nature and severity of the behavior in terms of eliciting *mild*, *moderate*, or *severe* levels of concern.

In evaluating Rachel's and Arty's behaviors, we know that tantrum behavior peaks at 3 years of age and that biting is not uncommon among preschoolers. However, although Rachel's tantrum behavior would likely be considered to fall within the range of normal expectations, Arty's behaviors are more concerning, because the behaviors demonstrate deviance from the norm on all measures: intensity (he has injured others), frequency (he has done so repeatedly), and duration (his tantrums last at least half an hour). In contrast, Rachel's behaviors are isolated to the school situation and to Arty's advances in particular. Rachel's tantrums would likely elicit a mild level of concern and possibly result in the development of a behavioral intervention plan to assist Rachel in coping with Arty's advances.

However, in addition to all the aforementioned concerns, Arty's behaviors would also be considered more severe because of the pervasive nature of the behavior, which is evident at home as well as at school. Furthermore, the behaviors pose a danger to those around him (he has injured a teacher), and Arty has not developed appropriate skills in areas of self-control or social relationships (dysfunction). Arty's ease of frustration, low frustration tolerance, and habitual tantrum behavior all signal high levels of distress. In addition, Arty's behaviors are disturbing and distressing to others. Based on the nature of Arty's problem behaviors, a more intensive treatment program would be required to modify his behavior.

## CAUTION

There has been an increasing awareness of the need to integrate cultural variations into our understanding of deviant behaviors and psychopathology (Fabrega, 1990; Rogler, 1999). The *DSM-5* (APA, 2013) includes sections acknowledging cultural factors and cultural reference groups in describing disorders.

## DON'T FORGET

Symptoms of inattentiveness, lack of concentration, restlessness, fidgeting, forgetfulness, and disorganization may signal a case of ADHD. However, differential diagnosis may be required to rule out anxiety, depression, post-traumatic stress disorder, child abuse, learning problems, and a host of other potential problems that share similar features.

The use of the four Ds can provide helpful guidelines in determining normal from abnormal behavior in the following ways:

- *Deviance.* Determining the degree that behaviors are deviant from the norm can be assisted through the use of informal assessment (interviews, observations, symptom rating scales) or more formal psychometric test batteries (personality assessment). Classification systems can also provide clinicians with guidelines for evaluating the degree of deviance. Clinicians working with children and adults must also be aware that several disorders can share common features, and often additional data gathering is required to rule out or confirm the existence of a specific disorder (*differential diagnosis*). In addition to disorders sharing similar features, some disorders also occur together more frequently, a condition known as *comorbidity*.
- *Dysfunction.* Once a disorder is identified, the relative impact of the disorder on the individual's functioning must be determined. Child clinicians may be interested in the degree of dysfunction in such areas as school performance (academic functioning) or social skills.
- *Distress.* An area closely related to dysfunction is the degree of distress the disorder causes. Children often have difficulty articulating feelings and may provide little information to assist the clinician in determining distress. Interviews with parents and teachers can provide additional sources of information. Some disorders may present little distress for the individual concerned but prove very distressing to others.
- *Danger.* In order to determine whether a given behavior places an individual at risk, two broad areas are evaluated: risk for self-harm and risk of harm to others. Historically, the focus has been on victimization and maltreatment of children (abuse or neglect) or the assessment of risk for self-harm (suicide intent). However, more recent events, such as the 1999 Columbine shootings and increased awareness of bullying, have raised concerns regarding children as perpetrators of harm. Accordingly, emphasis has been placed

on methods of identifying potentially dangerous children and conducting effective threat assessments.

### **Normal and Abnormal Behaviors: Developmental Considerations**

Evaluation of psychopathology from a developmental perspective requires the integration of information about child characteristics (biological and genetic) and environmental characteristics (family, peers, school, neighborhood). Therefore, understanding child psychopathology from a developmental perspective requires an understanding of the nature of cognitive, social, emotional, and physical competencies, limitations, and task expectations for each stage of development. This understanding is crucial to an awareness of how developmental issues impact psychopathology and treatment. Examples of developmental tasks, competencies, and limitations are presented in Rapid Reference 1.2.

### **The Impact of Theoretical Perspectives**

The ability to distinguish normal from abnormal behavior and to select developmentally appropriate child interventions can be guided by information obtained from various theoretical frameworks. Different theoretical perspectives can provide the clinician with guidelines concerning expectations for social, emotional, cognitive, physical, and behavioral outcomes. In addition, a therapist's theoretical assumptions will also influence how the disorder is conceptualized and guide the course of the treatment focus.

## *Rapid Reference 1.2*

### **Examples of Developmental Tasks, Competencies, and Limitations**

<b>Age or Stage of Development</b>	<b>Task or Limitations</b>
Birth to 1 year	Trust vs. mistrust (Erikson) Secure vs. insecure attachment (Bowlby) Differentiation between self and others Reciprocal socialization Development of object permanence (Piaget: objects exist when out of sight) First steps; first word

Age or Stage of Development	Task or Limitations
Toddler: 1–2.5	Autonomy vs. shame and doubt (Erikson) Increased independence, self-assertion, and pride Beginnings of self-awareness Social imitation and beginnings of empathy Beginnings of self-control Delayed imitation and symbolic thought Language increases to 100 words Increase in motor skills and exploration
Preschool: 2.5–6	Initiative vs. guilt (Erikson) Inability to decenter (Piaget: logic bound to perception; problems with appearance/reality) Egocentric (emotional and physical perspective; one emotion at a time) Increased emotion regulation (under-regulation vs. over-regulation) Increased need for rules and structure Can identify feelings: Guilt and conscience are evident Emergent anxieties, phobias, fears
School age: 6–11	Industry vs. inferiority (Erikson) Sense of competence, mastery, and efficacy Concrete operations (Piaget: no longer limited by appearance, but limited by inability to think in the abstract) Can experience blends of emotions (love-hate) Self-concept and moral conscience Realistic fears (injury, failure) and irrational fears (mice, nightmares)
Teen years	Identity vs. role confusion (Erikson) Abstract reasoning (Piaget) Emotional blends in self and others (ambiguity) Return of egocentricity (Piaget/Elkind: imaginary audience and personal fable) Self-concept relative to peer acceptance and competence

### *Neurobiological Theories*

Neurobiological and physiological theories are concerned with the impact of biological and genetic factors on individual differences. There has been increasing recognition of the interactive contribution of environmental (health, nutrition, stress) and genetic influences. Emphasis has been placed on several factors in

this area, including temperament, genetic transmission, and brain structure and function.

In defining abnormal behavior, a neurobiological model would seek to determine which parts of the body or brain were malfunctioning, whether genetics, brain chemistry, or brain anatomy. Twin studies have been instrumental in providing information concerning the role of genetics, while refined neurological approaches, such as magnetic resonance imaging (MRI), have also contributed to our knowledge of underlying brain-based differences in some disorders.

### *Psychodynamic Theories and Theories of Attachment*

Freud initially envisioned abnormal behavior resulting from fixations or regressions based on earlier unresolved stages of conflict. His psychosexual stages provide potential insight into unconscious drives and conflicts that may influence the underlying dynamics of certain pathologies. These unconscious defense mechanisms serve to protect the vulnerable ego and stem from battles between the id (more primitive pleasure principle) and the superego (moral conscience). These defense mechanisms add depth to our understanding of more primitive child defenses, such as denial, or more socially constructive defenses, such as humor.

## **DON'T FORGET**

Historically, psychoanalytic applications have been very difficult to support empirically. Influenced by Bowlby's theories of self-development and attachment, recent research by Fonagy and Target (1996) has provided empirical support for psychodynamic developmental therapy for children (PDDTC). Working through the medium of play, therapists assist children to develop skills in the self-regulation of impulses and enhanced awareness of others.

Erik Erikson (1902–1994) also supported the notion of stages; however, his psychosocial stages outline socioemotional tasks that must be mastered to allow for positive growth across the lifespan. As can be seen in Rapid Reference 1.2, theorists have adapted the concept of developmental tasks and stages of development to explain and predict a wide variety of behaviors based on competencies and limitations (social, emotional, cognitive, and physical) evident at each of the stages.

According to Erikson, in the first year of life, the major task is to develop a sense of basic trust versus mistrust. From the foundation of a secure attachment, the preschooler is free to explore the environment. Either a growing sense of autonomy develops or the insecure child may shrink from these experiences, producing

feelings of shame and self-doubt. The school-age child masters school-related subjects and peer socialization, which increase a sense of industry versus inferiority. In adolescence, the task becomes one of identity versus role confusion.

John Bowlby's (1908–1990) *adaptation theory* was influenced by Darwin's theory of evolution and Freud's emphasis on internal working models. Bowlby believed that early attachment relationships carry a profound influence throughout the lifespan. Later, Mary Ainsworth explored attachment issues using the Strange Situation experiments and revealed that securely attached infants were more independent and better problem solvers than were insecurely attached infants. Infants who demonstrated avoidant attachment rarely showed distress when separated from caregivers, whereas infants who demonstrated resistant attachment often demonstrated clingy behaviors and greater upset at separations from caregivers who responded with unpredictable behavioral extremes (love and anger). In the late 1970s, working with a population of maltreated infants, Main and Weston (1981) ultimately added a fourth category of disorganized behavior to describe distressful and frightened responses to caregivers.

## CAUTION

Although attachment theory was developed to explain how children develop an organized schema of relationships (internal working models), Main and Hesse (1990) reasoned that disorganized responses were the result of an inability to construct a schema, because attachment in these maltreated infants activated two competing and irreconcilable response systems: attachment (approach) and fear (avoidance).

### *Behavioral Theories*

Behavioral theory is based on the fundamental credo that behavior is shaped by associations (contingencies) resulting from positive (reinforcement) and negative (punishment) consequences. Consequences are *positive* if they achieve one of the following goals:

- They add a benefit (positive reinforcement; e.g., finish your work in class and you will be given 10 minutes of free activity time).
- They remove or avoid (escape) a negative consequence (negative reinforcement; e.g., if you finish your work in class, you will not have to stay after school).

## DON'T FORGET

The concept of negative reinforcement is more difficult to understand than positive reinforcement because negative reinforcement is often confused with punishment. Remember that punishments deliver negative consequences and reduce rather than increase behaviors.

Consequences are *negative* if they achieve one of the following goals:

- They add an adverse or negative consequence (punishment).
- They remove or avoid a positive consequence (penalty).

## DON'T FORGET

Behaviors can also be categorized as a *behavioral excess* (externalizing, acting-out behaviors) or a *behavioral deficit* (internalizing, withdrawn behaviors).

Some punishments can be so severe that behavior is eliminated altogether, a condition known as *extinction*. If behavior is no longer reinforced and continually punished, then extinction is often the result. Determining whether the behavior is an excess or deficit also requires knowledge of what to expect based on developmental level. Optimally, a behavioral plan will target increasing a deficit behavior rather than reducing an excessive behavior. For example, it is preferable and often more successful to attempt to increase on-task behavior than to attempt to reduce off-task behavior, because increasing the positive behavior will ultimately reduce negative consequences.

## CAUTION

Parents or teachers can be very frustrated when a child continues to engage in repeated negative behaviors despite warnings, punishments, and various other acts of negative consequences. However, what they fail to understand is that all the nagging and cajoling serves as a positive reinforcement to the child, because the outcome is increased adult attention. Therefore, the more nagging continues, the more the behavior is reinforced and will be sustained.

Although the majority of learned behavior occurs through operant conditioning or observational learning, behaviorists use the paradigm of classical conditioning to explain the

development of irrational fears or phobias. For example, a child may develop a fear of sleeping alone if he or she is awakened by a very loud thunderstorm. Furthermore, the fear might generalize to fear of the dark, fear of loud noises, or fear of his or her own bed or bedroom. Pairing the loud noise with sleeping

alone can result in the child's developing a conditioned response of fear of his or her own bed.


### *Cognitive Theories*

Cognitive theorists are primarily interested in the relationship between thoughts and behaviors and how faulty assumptions can impact on social relationships, as well as influence self-attributions in a negative way. Jean Piaget's stages of cognitive development are outlined in Rapid Reference 1.2. Piaget was highly influential in his attempts to chart the course of cognitive development. According to Piaget, children in the preoperational stage (ages 2 to 7) can be easily misled by dominant visual features because of their inability to consider two aspects simultaneously, what Piaget calls an inability to decenter. A very young child will say that there is more liquid in a tall, thin glass than a short, fat one, even though the child witnessed the same amount of liquid being poured into the two glasses. Visual dominance also contributes to difficulties separating appearance and reality (a dog wearing a cat mask is now a cat). Taking another's perspective or point of view is also very limited because of the child's egocentrism or self-focus. The school-aged child (the concrete operations stage) is capable of reasoning beyond that of the preschool child; however, this stage is limited by concrete observations. According to Piaget, abstract thinking is not achieved until adolescence, when hypothetical and deductive reasoning emerges. Although Piaget believed that all children progress through a series of fixed stages, recent research has recognized that children of differing abilities may progress at different rates and that Piaget's stage theories may not be universal.

*Social cognitive theories.* Albert Bandura's (1977, 1986) contributions to the field of social cognition stem from his early work on social learning processes, observational learning, and aggression. Bandura's (1977) understanding of the social aspects of learning has been instrumental in increasing our awareness of observational learning. Children's observation and subsequent modeling of adult behavior can have positive (nurturing and empathic caring behaviors) or negative consequences (aggressive responses; e.g., witness to domestic violence).

## **DON'T FORGET**

The concept of *triadic reciprocity* was developed by Bandura to explain the complex nature of people, behaviors, and the environment. According to Bandura, behavior not only is the outcome of the person in a given environment or situation, but it also influences the person and the environment.



Research concerning children's understanding of social relationships has also been applied to the development of social skills and problem solving in social situations. Studies in this area have revealed that children who are rejected by their peers are often aggressive, argumentative, and retaliatory toward others (Dodge, Bates, & Pettit, 1990). Furthermore, negative behaviors often resulted from tendencies to misinterpret ambivalent social situations as hostile, or what has come to be known as the *hostile attribution bias*.

## DON'T FORGET

Aggression from the social cognitive perspective might be explained by observational learning (the child is potentially a witness to violence at home; Bandura) or as resulting from an interpretation of a situation based on faulty attributions, *hostile attribution bias* (Dodge et al., 1990).

*Cognitive-behavioral theories.* The cognitive-behavioral approach seeks to understand associations between thoughts and behaviors. Therefore, emphasis is placed on understanding how the child's faulty belief system contributes to maladaptive behaviors, such as aggression, depression, and anxiety. Cognitive theorists, such as Aaron Beck (1976), posit that depression develops and is sustained by self-attributions arising from a *cognitive triad* producing thoughts of helplessness, hopelessness, and worthlessness. Seligman and Peterson (1986) suggest that learned helplessness can develop from repeated negative self-attributions, which produce feelings of powerlessness and lack of control that ultimately become a self-fulfilling prophecy.

### *Theories of Parenting and Family Systems Theory*

Baumrind (1991) also investigated *parenting styles* and found three approaches to parenting that impacted on child behaviors for better or worse. Children raised by authoritarian parents (high on structure, low on warmth) tend to react with behaviors that are aggressive and uncooperative, tend to be fearful of punishment, and are generally weak on initiative, self-esteem, and peer competence. Children who are raised in permissive households (high on warmth, low on structure) often fail to develop a sense of responsibility and self-control. Authoritative parents (high on warmth and high on structure) provide the optimum conditions for growth, and as a result children often demonstrate high degrees of self-reliance, self-esteem, and self-controlled behaviors.

*Family systems theory* is represented by a variety of approaches that emphasize the family unit as the focus of assessment and intervention. This theoretical