


WILDLIFE DNA ANALYSIS

Applications in Forensic Science



Adrian M. T. Linacre | Shanan S. Tobe

Contents

[Cover](#)

[Title Page](#)

[Copyright](#)

[Foreword](#)

[Preface](#)

[About the Authors](#)

[Acknowledgements](#)

[Chapter 1: Introduction](#)

[1.1 Importance of wildlife forensic science investigations](#)

[1.2 Role of forensic science in wildlife crimes](#)

[1.3 Legislation covering wildlife crime](#)

[1.4 Role of non-human DNA in forensic science](#)

[1.5 Development of wildlife DNA testing](#)

[1.6 Accreditation and certification](#)

[1.7 Standardisation and validation](#)

[1.8 Collection of evidential material, continuity of evidence and transportation to the laboratory](#)

[1.9 Note taking and maintenance of a casefile](#)

[1.10 Case assessment and initial testing](#)

[1.11 Scope of book](#)

[Useful websites](#)

[References](#)

[Chapter 2: DNA, Genomes and Genetic Variation](#)

[2.1 Introduction](#)

[2.2 The DNA molecule](#)

[2.3 Chromosomes and nuclear DNA](#)

[2.4 Genomes](#)

[2.5 DNA mutation and genetic variation](#)

[2.6 DNA polymorphisms leading to speciation](#)

[2.7 What is a species?](#)

[2.8 Summary](#)

[References](#)

[Chapter 3: Methods in Wildlife Forensic DNA Analysis](#)

[3.1 Introduction](#)

[3.2 Protein polymorphisms](#)

[3.3 DNA isolation, purification and concentration](#)

[3.4 DNA quantification](#)

[3.5 Restriction fragment length polymorphisms \(RFLP\)](#)

[3.6 Methods based on the polymerase chain reaction](#)

[3.7 PCR set-up](#)

[3.8 PCR clean-up](#)

[3.9 DNA sequencing](#)

[3.10 SNP typing](#)

[3.11 New generation of DNA sequence methods](#)

[Suggested reading](#)

[Chapter 4: Species Testing](#)

[4.1 Introduction](#)

[4.2 Species](#)

[4.3 Attributes of a species testing locus](#)

[4.4 Application of a locus to a species](#)

[4.5 Tests available and how they are performed](#)

[4.6 Developing a species test](#)

[4.7 Interpretation and reporting of results](#)

[4.8 Other limitations: hybrids and wild/captive bred](#)

[4.9 Future methodologies](#)

[References](#)

[Chapter 5: Genetic Linkage](#)

[5.1 Introduction](#)

[5.2 Whole genome testing](#)

[5.3 Types of individualisation testing](#)

[5.4 Identifying STR loci](#)

[5.5 Allele databases](#)

[5.6 Hardy-Weinberg equilibrium](#)

[5.7 Kinship factors and accounting for shared alleles](#)

[5.8 Assessing the suitability of STR loci](#)

[5.9 Genetic assignment: paternity testing](#)

[5.10 Concluding comments](#)
[References](#)

[Chapter 6: Interpretation, Evaluation and Reporting of Results](#)

[6.1 Introduction](#)

[6.2 Case assessment](#)

[6.3 Hierarchies of propositions](#)

[6.4 DNA evidence evaluation](#)

[6.5 Evaluation of DNA evidence in wildlife cases](#)

[6.6 Role of the expert witness](#)

[6.7 Report writing](#)

[6.8 Summary and comments](#)

[Appendix 1 Explanation of the DNA test](#)

[Appendix 1 Explanation for DNA test \(human identification\)](#)

[Appendix 2 Explanation of Beaver Test](#)

[Appendix 3 Blood pattern interpretation](#)

[Appendix 1](#)

[Appendix 1 Species-specific test](#)

[Appendix 2 Genetic assignment](#)

[References](#)

[Measurements](#)

[Glossary](#)

[Appendix A: Simulated Sample Populations](#)

[Appendix B: Useful websites](#)

[Society, NGO and legal websites](#)

[Software](#)

[Resources and databases](#)

[Index](#)

Wildlife DNA Analysis

Applications in Forensic Science

Adrian M. T. Linacre

Flinders University, Adelaide, Australia

and

Shanan S. Tobe

University of Strathclyde, Glasgow, UK

 **WILEY-BLACKWELL**

A John Wiley & Sons, Ltd., Publication

This edition first published 2013 © 2013 by John Wiley & Sons, Ltd

Wiley-Blackwell is an imprint of John Wiley & Sons, formed by the merger of Wiley's global Scientific, Technical and Medical business with Blackwell Publishing.

Registered office:

John Wiley & Sons, Ltd, The Atrium, Southern Gate,
Chichester, West Sussex,
PO19 8SQ, UK

Editorial offices:

9600 Garsington Road, Oxford, OX4 2DQ, UK
The Atrium, Southern Gate, Chichester, West Sussex, PO19
8SQ, UK

111 River Street, Hoboken, NJ 07030-5774, USA

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at www.wiley.com/wiley-blackwell.

The right of the author to be identified as the author of this work has been asserted in accordance with the UK Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book.

Limit of Liability/Disclaimer of Warranty: While the publisher and author(s) have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. It is sold on the understanding that the publisher is not engaged in rendering professional services and neither the publisher nor the author shall be liable for damages arising herefrom. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

Library of Congress Cataloging-in-Publication Data has been applied for

ISBN 978-0-4706-6595-4 (hardback) – 978-0-4706-6596-1
(paperback)

A catalogue record for this book is available from the British Library.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Cover image: Images supplied by Author & Wiley CD collection

Cover design by Dan Jubb

Foreword

On 3 March 2013, in Bangkok, the 176 Parties to the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) will start their 16th meeting of the Conference of the Parties with a celebration of the fact that the Convention was signed 40 years ago.

One of the main difficulties in the global fight against illegal trade in wild animals and plants is - and always has been - the identification of the multitude of products derived from the 5000 animal and some 30 000 plant species covered by the Convention. The (sub-)species or products indicated on CITES permits and certificates may be completely different from the shipment they cover.

In quite a number of cases, commercial trade is prohibited when specimens are taken from the wild in certain countries but not in other range states. Also, trade in captive-bred animals may be allowed while specimens taken from the wild cannot be traded. In these cases it is necessary to be able to identify an individual as originating in a given wild or captive population, which requires a more complicated in depth analysis.

Fortunately, more robust methods than those relying on the morphological characteristics of particular species are being developed to assist wildlife trade controls. Methods such as those described in this book are crucial to identify specimens of species in international trade in contravention of CITES and of national conservation legislation.

Any identification method must be rapid, easy and most importantly accurate. It is vital that tests developed be so at the highest standards to ensure that any evidential analysis is beyond reproach. Error rates acceptable in other disciplines of science are not acceptable in criminal

investigations and so comprehensive validation must be undertaken for any test used, something that is discussed in detail in this book.

Wildlife DNA Analysis: Applications in Forensic Science is a major contribution to more effective and reliable wildlife trade controls.

There is great interest in wildlife crime and interest in non-human DNA analysis is on the rise, which makes *Wildlife DNA Analysis: Applications in Forensic Science* a much needed book. It fills a gap, bringing together the relevant aspects of wildlife analysis and introducing the rigor required in forensic science.

This book is a must for all those involved in wildlife trade controls.

Willem Wijnstekers

Former Secretary-General of CITES

Preface

Wildlife forensic science is a relatively new field in both research and its use in criminal investigations. It should be acknowledged from the outset that wildlife forensic science encompasses many areas of the analytical sciences and each plays a potentially crucial role. This book is focused on the use of DNA in wildlife forensic science while noting the importance of other areas of biological and chemical testing. It is also focused primarily on mammalian and avian DNA typing, again noting the importance and relevance of other species.

The book is aimed at those with an interest in DNA for human identification who are considering developing a wildlife forensic science capability. It is also aimed at those with little DNA knowledge but share an interest in wildlife criminal investigations. Only a scant knowledge of DNA is assumed in reading this book and every effort is made to explain terms and concepts.

While the application of DNA to wildlife forensic science investigations is relatively new, requests for assistance with such investigations are only likely to increase as the availability and appreciation of the technology also increases. It is paramount that all work conducted in the criminal justice system is to the highest standards expected and that there is no reduction in the quality of the work performed because the crime is against wildlife. It only takes one poor example of work presented in court to tarnish the rest of the members of the wildlife forensic science community. On a very positive note, there is such interest among forensic practitioners to become involved in wildlife forensic science investigations; this can only be beneficial.

The six chapters that comprise this book are designed to take the reader sequentially through the process of wildlife DNA typing, starting with introducing the rationale for the book and why we have become so passionate about our research and professional work in the investigation of alleged crimes involving wildlife. There are recurring questions in wildlife forensic science: *what species is this?* and *from what individual or population did this sample originate?* These questions can be addressed by DNA typing and the science behind the analysis to address these questions is the subject for the rest of the book. Chapters 2 and 3 describe aspects of the science behind the use of DNA in wildlife forensic science. These chapters are written with the assumption that the reader has little grounding in DNA and gives a historical context for the methods in current use. The use of DNA sequence databases to determine the probability that an unknown sample is from a particular species is illustrated in Chapter 4. This chapter is also designed to show step-by-step how different software programs are used in wildlife forensic investigations. Chapter 5 addresses the other main issues with wildlife DNA forensic science such as assigning a sample to an individual or a population. This type of sample assignment requires the use of software programs and equations, which will be explained to those unfamiliar with them. The final stage in forensic science is the evaluation and reporting of the results. This is described in Chapter 6 and draws on the experience of the authors. The need for high quality standards and best practice are common throughout the book.

The authors come from a forensic science background working in the area of human identification but developed an interest in wildlife investigation and scientific research. This profile led to requests and instructions to assist with criminal cases requiring the application of non-human DNA.

We do not profess to have an in-depth knowledge of conservation genetics but wrote this book from a forensic science perspective. We very much hope that this book will lead to others gaining the same interest in this rapidly developing aspect of forensic science. We also very much hope that our work plays some part in the conservation of protected species and in the successful investigation of alleged crimes against wildlife.

About the Authors

Adrian M.T. Linacre is currently the South Australia Justice Chair in Forensic Science at Flinders University in Adelaide. His first degree was in Zoology at Edinburgh University before undertaking a PhD and three Research Fellowships at Sussex University, UK. Prior to moving to Australia he worked at the Centre for Forensic Science at the University of Strathclyde, UK for 16 years.

He has published over 90 papers in international journals with a wide range of these publications being related to wildlife research. He was chair of the International Society for Forensic Genetics Commission on the use of non-human DNA and has played a role in recommending standards and best practice in the forensic science.

He is co-author of the text *An Introduction to Forensic Genetics*, which is now in its second edition and is editor of the book *Forensic Science in Wildlife Investigations*. He has presented at a number of international conferences, is the President of the 25th Congress of the International Society of Forensic Genetics, and is Associate Editor of *Forensic Science International: Genetics*, handling non-human DNA publications. He is also on the editorial board of *Investigative Genetics*. His research is on trace DNA from both human and non-human sources.

Shanan S. Tobe is currently a Vice Chancellor's Post-Doctoral Fellow at Flinders University. He has studied forensic science for over 10 years specialising in forensic biology, genetics and in wildlife forensic science. He obtained his BSc Honours degree in Forensic Biology from Laurentian University in Canada followed by a MSc and PhD from the University of Strathclyde in Glasgow, UK.

Shanan is widely published in the area of wildlife forensic genetics and regularly presents at international scientific symposia. He holds membership with the American Academy of Forensic Sciences, the International Society for Forensic Genetics and holds professional membership with the Forensic Science Society.

His research focus is currently on the identification and individualisation of endangered species, and also on improving techniques for the recovery of DNA, both human and non-human, in relation to wildlife crime. Previously, Shanan developed a multiplex reaction capable of simultaneously identifying 18 different mammalian species common to the UK that were often associated with crime scenes.

Acknowledgements

We express special thanks to those who have helped with the development of this book.

The following all assisted with critical reading of the text: Sherryn Ciavaglia, Elaine Kellett, and Eleanor Tobe.

We are indebted to colleagues at the University of Strathclyde and Flinders University, both past and present, for their mentoring, encouragement, and access to equipment to conduct research and casework.

Our research could not be conducted without access to samples and in this regard we are grateful to Andrew Kitchener at the National Museum of Scotland and Rebecca Johnson at the Australian National Museum.

Financial support for Adrian Linacre has been provided by the Leverhulme Trust and the Department of Justice South Australia. Shanán Tobe has been provided with financial assistance from the Leverhulme Trust, University of Strathclyde and Flinders University.

1

Introduction

1.1 Importance of wildlife forensic science investigations

The scale of wildlife crime is difficult to judge accurately as so much may go undiscovered, unreported or unrecorded. The poaching of protected species by its very nature can occur in remote and isolated areas where there is little surveillance. As such, wildlife crime is more likely to be identified when samples are transported through border controls or other checkpoints.

Poaching of any kind can result in high financial rewards, a low chance of prosecution and penalties associated with convictions for wildlife crime are generally low. For these reasons there is an often quoted figure of something like: 'The illegal trade in wildlife is a US\$20 billion a year industry, second only to trade in illegal drugs' (Zhang *et al.*, 2008; Alacs *et al.*, 2010).

The monetary figure will range between US\$6 and 40 billion a year and is often attributed to Interpol, World Wide Fund for Nature (WWF) or another non-governmental organisation (NGO); however, Interpol have confirmed that they have never issued any statement to this effect (Christy, 2010). This figure, although believable (considering the cost of individual animal components), is difficult to estimate as monitoring the amount of illegal trade is itself the problem. It is at best an estimate as there are not the same international surveillance methods used in other areas of

international criminal activity, such as drug enforcement or the trade in firearms, to investigate and prosecute offences involving wildlife. Organised crime has not been proven to be linked to wildlife crime, but there are indications that this could be the case (Sellar, 2009). Another influencing factor in wildlife crime is that there is a high financial return with little chance of capture, and even if captured, the penalties are light. Rarely does the maximum penalty for the alleged event meet the potential financial gains (Li *et al.*, 2000).

These financial gains can be highlighted by a number of examples of the illegal trade in wildlife or products derived from protected species. These examples include the illegal trade in the ultra-fine fabric to make a shawl called a shahtoosh, which requires between three to five killed Tibetan antelope (*Pantholops hodgsonii*) to make one shawl and a single shawl can retail at between US\$8000 and \$10 000. Single Australian parrot eggs could fetch as much as US\$30 000 on the international market (Alacs and Georges, 2008). The cost of ivory on the black market remains high with ivory being marketed as from mammoth. Mammoth, since extinct, are exempt from international regulations and so can be imported, exported and sold legally. The cost of mammoth ivory is currently on average US\$350 per kilogram (different 'grades' of ivory sell for different amounts and the highest grade can retail for over US\$500 per kg), equivalent to US\$350 000 per tonne, and worth US\$21 million per year to the Russian economy (Martin and Martin, 2010). A clear issue is to be able to distinguish between mammoth and elephant ivory to ensure that ivory sold as mammoth is not actually from an elephant, but more importantly the need to ensure that the growing trade in what is described as 'mammoth' ivory does not lead to the increased poaching of elephants in Africa.

Traditional East Asian medicines (TEAM) still command a high price and an increasing market as populations in that

part of the world increase. Other reasons include: human food consumption, such as bushmeat and shark fins; a symbol of wealth, such as dagger handles, ornaments and skins; as tourist curios which includes coral reef or wood carvings; and the live pet trade that includes snakes, geckos, parrots, and even primate species. As the deterrent is low with low levels of detection and minimal fines or prison sentences if caught, there is reason to believe that organised crime groupings are involved with illegal trade in wildlife due to the large financial rewards. For many species poached illegally, as they become more rare in the wild so they attract a higher value on the black market, and hence the trade is more lucrative to those unconcerned with their conservation (Courchamp *et al.*, 2006). This is coupled with the problem that many highly prized (by some) species naturally occur in countries where the average wage is low and hence the financial attraction in poaching a wild animal is great. A distinction should be drawn between low level hunting by a local community who consider such activities as an ancestral right and harvesting on a commercial scale that has a detrimental effect on species numbers or activity driven by financial gain only.

The effect of trade in wildlife on particular species has been great, although in some cases the rapid decline in numbers is also associated with habitat loss. According to the recent census by the WWF only 3200 tigers (*Panthera tigris* spp.) exist in the wild. This is a reduction of over 90% from the last century, leading to more tigers existing in captivity in Texas alone than in the wild. The population of black rhino (*Diceros bicornis*) decreased by 96% between 1970 and 1992 (International Rhino Foundation); in 1970, it was estimated that there were approximately 65 000 black rhinos in Africa - but by 1993 there were only 2300 surviving in the wild. Intensive anti-poaching efforts have had encouraging results since 1996. Numbers had been

recovering in some areas but not in countries where there is limited or no protection from poaching. The increase in the desire and cost for rhino horn has recently resulted in a significant increase in the killing of rhino. In South Africa the number of rhino shot for their horn was 13 in 2007, but this rose to 83 the next year, 122 in 2009, 333 in 2010, 448 in 2011 and is over 250 for the first half of 2012 (information from Dr Cindy Harper of the University of Pretoria). The estimated black market cost for genuine rhino horn is between US \$20 000 and \$90 000 per kilogram. Survival of those rhino that remain is due in no small part to the dedication of wildlife officers in the field (see The Thin Green Line web site www.thingreenline.info). In the case of the Western Black Rhino it was officially declared extinct on 10 November 2011 by the International Union for Conservation of Nature (IUCN). The organisation stated further that two other subspecies of rhinos were close to meeting extinction. Central Africa's Northern White Rhino is possibly extinct in the wild and the Javan rhino is now thought to be extinct in Vietnam, after poachers killed the last surviving one there in 2011 for its horn. Tiger and rhino highlight the problem as they are high-profile species, but the situation is reflected with similar declines in many avian, reptilian and amphibian species. Some examples of products derived from wildlife contrary to CITES regulations are displayed in [Figure 1.1](#).

[Figure 1.1](#) Examples of the types of wildlife products seized at a busy airport (Glasgow International Airport) that are contrary to CITES and National Laws. These products are often submitted to forensic laboratories for analysis to determine if they are in violation of any laws. This includes traditional medicines and tonics (top), products made from ivory and horn (middle) and stuffed animals, clothing and wallets (bottom). © S. S. Tobe, with permission. Items shown courtesy of the UK Border Agency.



1.2 Role of forensic science in wildlife crimes

Given the estimated size of the trade in wildlife, and the threat to species, it would be assumed that there is investment in forensic science to aid in combating these illegal activities. The types of forensic science methods pertinent to the enforcement of wildlife legislation include: veterinary pathology, where persons skilled in this discipline perform a similar role as their human counterparts and determine cause and time of death; crime scene

examination, to record and collect evidence such as latent fingerprints and DNA, both of the animal and potential human DNA from the perpetrator (Tobe *et al.*, 2011); morphology/microscopy, as simple comparison of hairs, furs and feather is often the first step in determining what species is present; ballistics, in the comparison of bullets recovered from carcasses to cartridge cases found at a poaching scene and a particular firearm if seized subsequently; document examination, to determine authenticity of documents relating to the trade in species; chemical profiling, to determine possible geographical origin based on isotope ratios; and DNA analysis to determine species and potentially link to a particular individual in a similar manner as their human counterpart. It is this last part that will be the focus of this book although it is important to realise that forensic science has many techniques that can be complementary. Forensic science has a range of tools and it is essential that the appropriate tool is used to address the allegation.

1.3 Legislation covering wildlife crime

Forensic science can only be employed if there is reason to believe that a piece of legislation has been breached and that there is a need for an investigation to determine whether a crime has occurred, and if so who committed the crime. Legislation relevant to wildlife crime falls under two broad areas: international and national.

The international organisation that oversees the trade in protected species is the Convention on the International Trade in Endangered Species of Flora and Fauna (CITES). Founded in 1973 it currently has 175 countries (known as Parties) as signatures to the Convention. The role of CITES is

to monitor trade in species and recommend a ban of all trade in particular species when necessary. There are three appendices that underpin the role of CITES. Appendix I lists species that are threatened with extinction if trade is not prohibited. Trade is permitted only in exceptional circumstances such as the movement of samples/organisms for research or conservation purposes. Species on Appendix II are those that are not necessarily in danger of extinction but could become so if trade were not strictly regulated. Appendix II also contains some species that are not in themselves threatened but have similar morphology to a species that is endangered and hence allows better enforcement of trade for the endangered species. Those species on Appendix III are species which individual Parties to the Convention choose to make subject to regulations and for which the cooperation of other Parties is requested in controlling trade. Comprehensive information on the role of CITES with links to Appendices I, II and III can be found at www.cites.org. The numbers of some of the species listed currently under the three appendices are provided in [Table 1.1](#). An example of the legislation and role of CITES in the trade of timber, and particularly mahogany products, is shown in Box 1.1.

Table 1.1 Number of species in the three CITES appendices. Based on data from CITES Secretariat.

	Appendix 1	Appendix 2	Appendix 3
Mammal	297	492	44
Bird	156	1275	24
Reptile	76	582	56
Amphibian	17	113	1
Fish	15	81	-
Invertebrate	64	2142	22
Total fauna	625	4685	147
Total flora	301	29 105	119
Total species	926	33 790	266

Note this information is up to date as of 2011.

Nationally, countries are required to enact laws in order to implement and enforce CITES, and additionally many

countries have enacted laws to protect other wildlife within their borders. In Australia, the international movement of wildlife and wildlife products is regulated under Part 13A of the Environment Protection and Biodiversity Conservation Act 1999 for all wildlife, including cetaceans. The Act regulates: the export of Australian native species other than those identified as exempt; the export and import of species included in the Appendices of CITES; and the import of live plants and animals that (if they became established in Australia) could adversely affect native species or their habitats (hence a threat to the biodiversity).

Box 1.1 The trade in timber products providing details of the legislation and role of CITES to regulate trade in legally sourced timber

Recent estimates are that approximately 50% of timber exports from the Amazon Basin, Central Africa, South-East Asia and the Russian Federation originate from timber that has been logged illegally (Li *et al.*, 2008; Goncalves *et al.*, 2012). The scale of illegal logging is believed to be one of the chief causes of worldwide deforestation. Additionally the trade in illegal timber and wood products creates market disadvantages for products from legal and sustainable forestry. The WWF estimates the global costs of illegal timber at approximately €15 billion per year (www.panda.org), although this figure is an estimate and cannot be verified easily.

European Union (EU) timber regulations (No 995/2010) were enacted in December 2010 and will come into force in March 2013 to make it illegal to place illegally harvested timber and timber products on the European market. The new rules target the trade of illegally sourced timber and place responsibility on traders and importers to perform due diligence by seeking guarantees that the timber products they sell have been harvested in a sustainable way and according to the laws of the country of origin. The EU has negotiated Voluntary Partnership Agreements (VPA) with individual timber-producing countries. VPA countries agree to export to the EU only verified legal timber with a Forest Law Enforcement, Governance and Trade (FLEGT) licence. It should be noted that the new EU rules are modeled on similar legislation adopted in the United States in 2008, as an amendment of the Lacey Act. This amended Act prohibits in the United States all trade in plants and plant products, including timber and timber products, that are sourced illegally from any US State or foreign country. Further, the amended Act requires importers to declare the country of harvest and the species name of all plants contained in their products. This maximizes the opportunity of tracking legally traded timber to the place of origin.

The trade in mahogany species is regulated by CITES with members of the genus *Swietenia* on Appendix II. Species on this Appendix allows commercial trade from some plantations only if subject to appropriate controls. Examples of these include the prohibition of all imports into the EU of *Swietenia macrophylla* from Bolivia (enacted in August 2010). The problem of identification of mahogany species and products from these trees has led to CITES regulating the trade in look-alike species.

In the United Kingdom, the Wildlife and Countryside Act 1981 and recent amendments (1985, 1991 and 2010) are the main pieces of legislation for the protection of wildlife.

Additionally, separate Acts have been established for particular species (e.g. seals and badgers (1970, 1992)) or activities, such as hunting or scientific research. Most countries have their own laws pertaining to the enforcement of CITES and the protection of wildlife within their borders. Examples include the Indian Wildlife (Protection) Act (1972) amended in 1993 and 2002; the United States Endangered Species Act 1973; in Canada there is the Canada Wildlife Act 1985, Wild Animal and Plant Protection and Regulation of International and Interprovincial Trade Act 1992 and Wild Animal and Plant Trade Regulations 2009; Ireland has the Wildlife Act 1976; and Thailand has the Royal Decree for Wildlife Preservation and Protection B.E. 2535 (1992) amended 2003.

In addition to national and international legislation the European Union also has an Environment Directorate General

(http://ec.europa.eu/environment/cites/home_en.htm) that regulates trade into and out of the 27 member states. There are several regulations that have been enacted for different aspects of wildlife protection and conservation. These include:

- Council Regulation (EC) No 338/97 of 9 December 1996 on the protection of species of wild fauna and flora by regulating trade therein, in (EC) No 338/97 1997: European Union.
- Council Regulation (EC) No 812/2004 of 26.4.2004 laying down measures concerning incidental catches of cetaceans in fisheries and amending Regulation (EC) No 88/98, in 812/2004. 2004: European Union. p. 1-20.
- Commission Regulation (EC) No 1579/2001 of 1 August 2001 amending Council Regulation (EC) No 338/97 on the protection of species of wild fauna and flora by regulating trade therein, in (EC) No 1579/2001. 2001: European Union.

- Council Directive 79/409/EEC of 2 April 1979 on the conservation of wild birds, in 79/409/EEC. 1979: European Union.
- Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora, in 92/43/EEC. 1992: European Union.

In order to aid in the enforcement of wildlife crime the CITES Secretariat has a Memorandum of Understanding with the US National Fish and Wildlife Forensics Laboratory (www.labs.fws.gov) in Oregon. This laboratory is devoted entirely to the investigation of wildlife crime and provides a free service to any Party of CITES. There are few such dedicated wildlife forensic science laboratories in existence; normally much of the investigation, if performed, is sent to the operational police laboratories or units within universities. The UK Partnership Against Wildlife Crime (PAW) provides financial assistance with wildlife crime cases. More recently the Society for Wildlife Forensic Science (www.wildlifeforensicsscience.org) (see Section 1.7 for more details on relevant societies) has been established to bring together those with a common interest in this particular area of forensic science. A common phenomenon with specialist wildlife laboratories is that they can be underutilised as they can only examine the samples that are collected and submitted. It is the examination of crime scenes in remote areas that is more of a problem. This is particularly evident in underdeveloped countries where crimes against people and property may not be examined due to lack of resources, far less alleged wildlife crimes.

The wording of any relevant legislation is essential as this forms the question to which forensic tests are addressed. The purpose of any further testing is to determine whether there is scientific support for the allegation or whether the scientific data supports a credible alternative scenario. The

allegation must relate back to a particular piece of legislation.

1.4 Role of non-human DNA in forensic science

The use of DNA in a forensic investigation from species other than human is widespread and falls under broad themes.

The first theme is where non-human DNA is associative evidence in crimes against people or property. Pets are common in many households in North America and Western Europe with 77.5 million domestic dogs living in the United States alone (American Pet Products Association (APPA), 2010). Since most breeds of domesticated dogs and cats shed hairs readily, it would be difficult to enter such a home and not have pet hairs transferred to clothing. These hairs can then be deposited elsewhere and hence pet hairs are frequently found associated with crime scenes. The first use of animal hairs in a forensic investigation was that of Snowball the cat, as a result of the pioneering work of Menotti-Raymond and colleagues (Menotti-Raymond *et al.*, 1997). In this instance, genetic testing of a known cat called Snowball was linked to cat hairs on a jacket in relation to a homicide investigation in Canada. Since then canine DNA typing has been used to link dog as associative evidence in a number of forensic investigations (Wetton *et al.*, 2003, Berger *et al.*, 2008). These types of analyses now open the chance to use DNA from domestic species in mainstream forensic DNA typing (Halverson and Basten, 2005). Other associative evidence includes pollen, leaf or pine needles. Botanical evidence is an underutilised resource, yet is commonly found on evidential items and can be a rich

source of DNA (Azad and Bhadauria, 2008, Craft *et al.*, 2007, Tsai *et al.*, 2006b).

The second theme is in regard to crimes against animals, whether by humans or by another animal at the direction of humans. This can include for example thefts, cruelty, hunting, fighting, worrying and poaching, whether for meat, pleasure or trade. In the United Kingdom fox hunting, hare coursing and badger baiting, which all use dogs to either hunt or fight with another animal, have all been deemed illegal; however these activities still take place. Being able to identify the DNA of dog on a fox carcass, for example, could indicate that fox hunting took place. If that dog DNA could be profiled and matched to an individual dog then police could proceed with filing charges. Similarly, poaching is a problem in many countries, and not just with protected or endangered species, and recent research has demonstrated that human DNA can be recovered from animal remains, which when coupled with identifying traces of the poached animal on a suspect can prove strong evidence (Tobe *et al.*, 2011, Tobe and Linacre, 2007).

The third and final theme is in the movement and trafficking of wildlife. This relates not only to protected and controlled species, but also uncontrolled and unprotected species. Countries such as Australia, invest a large amount of money and resources into keeping unwanted and potentially invasive species out of their borders. Investigations into the possession of protected or controlled species may now use DNA as part of the forensic tool kit. An example includes illegally logged tress (Eurlings *et al.*, 2010, Finkeldey *et al.*, 2010, Stambuk *et al.*, 2007). Agarwood is an example where all members of the two genera that produce agarwood (*Aquilaria* and *Gyrinops*) are listed on CITES Appendix II. As it is a commercially grown crop, DNA testing is used in an attempt to distinguish cultivated agarwood from illegally logged samples. DNA testing has