Shabnum Nabi

Toxic Effects of Mercury



Toxic Effects of Mercury

Shabnum Nabi

Toxic Effects of Mercury



Shabnum Nabi Interdisciplinary Brain Research Centre (IBRC) Jawaharlal Nehru Medical College Aligarh Muslim University Aligarh, UP, India

ISBN 978-81-322-1921-7 ISBN 978-81-322-1922-4 (eBook) DOI 10.1007/978-81-322-1922-4 Springer New Delhi Heidelberg New York Dordrecht London

Library of Congress Control Number: 2014942337

© Springer India 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

The largest pond is as sensitive to atmospheric changes as the globule of mercury in its tube.

(Henry David Thoreau)

Dedicated to my parents and brothers for their endless affection and support

Foreword

It gives me immense pleasure and delight when I received a request from *Dr. Shabnum Nabi* to write a brief foreword to the book entitled *Toxic Effects* of *Mercury* written by her under the auspices of Springer publishing house. The work she has produced throughout these years in the form of books, book chapters and research papers is not only commendable but informative for one and all. The book deals with mercury toxicity and its ill hazards to our environment in general and humans in particular with a prime focus on oxidative stress in the degeneration of nervous and non-nervous tissues. The book further throws light on the severity of mercury through consumption of contaminated fish and other food products. It is worth to mention over here that methylmercury became a prime environmental health issue during 1950s. In spite of decades of research, the toxic mechanisms of methylmercury still remain an enigma. This book, therefore, has a wide scope, utility and potential as mercury is being used in agriculture, forestry and many potential industries, especially cosmetic industry.

In short, it is surely a work to treasure and valuable source of information for medical practitioners, toxicologists, clinical biochemists, researchers, scientists, and general public in particular.

froons.

(**Dr**. **Tariq Ahmad**) Sr. Assistant Professor Entomology Research Division P. G. Department of Zoology University of Kashmir, Srinagar-190006 (J & K), India

Preface

The words of Mercury are harsh after the songs of Apollo.

(William Shakespeare)

Mercury is among the best known most puzzling metals in the environment. It is a unique element that, unlike many metals, has no biological function. It is liquid at room temperature and is 13.6 times heavier than water. It occurs in all media in several forms, both organic and inorganic. It is relatively uncommon in the Earth's crust, from which it is liberated by natural processes such as erosion and volcanism as well as by mining. All mercury compounds are toxic to humans and animals, but the organic forms, particularly methylmercury and dimethylmercury, have the highest toxicity. Methylmercury is the form found most widely in nature, and it bioaccumulates in the food chain. It is the form to which most human exposure occurs. Mercury has potent compromising effects upon the immune system and is also associated with chronic overgrowth of Candida, anemia, forgetfulness, tremors, depression, drowsiness, insomnia, headache, loss of energy etc. Chronically its toxicity causes low body temperature, bleeding gums, loosening of teeth and other mouth sores, sore throat, joint pain, high blood pressure, nutritional disturbances, urinary disturbances etc., to list just a few of the 42 conditions identified. Mercury poisoning is involved in five categories of pathology: (1) neurological diseases, (2) cardiovascular diseases, (3) collagen diseases, (4) immunological diseases, and (5) allergies.

Many of us vividly recall the devastating effects of point source of mercury (Hg) pollution in Minimata Bay, Japan, documented by poignant photos of mothers caring for their children afflicted with crippling deformities. From 1952 to 1968, Hg waste from the production of acetaldehyde and vinyl chloride was discharged (200–600 t) into Minimata Bay. This resulted in Hg bioaccumulation by marine fish and shellfish, biomagnification in the marine food web, and subsequent ingestion by humans. Although this was perhaps the most severe case in history, the processes determining the fate of Hg in the environment are common to all aquatic ecosystems.

The Minimata catastrophe also revealed that the neurotoxicological effects on fetal development from pregnant women ingesting Hg-contaminated fish could be especially severe. This finding, as well as research over subsequent decades on the process of Hg bioaccumulation and biomagnification in aquatic and marine ecosystems, has led to today's warnings by many public health agencies about pregnant women limiting their consumption of fish like tuna, swordfish, shark, and other species that feed on the top of food chains.

Yet, as with most environmentally mediated health risks involving either chemical or biological agents, the ecological dimensions and health effects of Hg are far more subtle than either the tragic Minimata case or the health warnings suggest. This was illustrated more recently by pioneering transdisciplinary and participatory research carried out in Brazil to address chronic, low-level mercury exposure. These efforts demonstrated the efficacy of an "ecosystem approach" in revealing how deforestation and farming practices in the Amazon led to subclinical but nonetheless debilitating neurological manifestations. Few environmental health issues demand a transdisciplinary research agenda that spans such a wide range of disciplines – from biogeochemistry and ecosystem ecology to epidemiology and participatory action research – as environmental health issues involving human and wildlife exposures to persistent and global contaminants (e.g., lead and organochlorides), MeHg remains the least resolved, in terms of both science and policy.

In 1997, the U.S. Environmental Protection Agency (EPA) issued two reports to the U.S. congress on mercury (Hg) and its effects on public health. The first of these reports, the mercury study report to congress, assessed the source and amount of mercury emissions in the United States, the detrimental effects of Hg on humans and wildlife and the feasibility of control technologies. The second report, the utility hazardous air pollutant report to congress, looked specifically at emissions from utility companies and cited Hg as a major contaminant, especially in emissions from coal-fired power plants. Once in the environment, Hg can be converted to MeHg, which bioaccumulates in the food chain. Such bioaccumulation can lead to high concentrations of MeHg in predatory fish. Because of concerns about MeHg exposure levels in the United States from the consumption of contaminated fish, particularly among sensitive populations, questions have arisen among federal agencies over what is an acceptable level of exposure to MeHg. Because of gaps in the scientific data regarding Hg toxicity, particularly MeHg, the potentially widespread implications from human health, and the high financial costs and feasibility problems associated with further regulating Hg emissions, Congress directed EPA in the House Appropriations Report for EPA'S Fiscal 1999 funding to contract with the national research council (NRC) to prepare recommendations on the appropriate reference dose for Hg exposure.

International conference on Mercury as a global pollutant (ICMGP) provides a needed global forum for the exchange of innovative ideas, and it provides an opportunity to communicate research results to public policy makers, industry experts and public representatives in order to promote the direct use of scientific and technical data to environmental protection and control. Intense interest in mercury is evident from the recommendations adopted by the European Union Mercury Strategy in June 2005; also, a Global Mercury Assessment was approved by the governing council of the United Nations environmental program in early 2002. The 7th ICMGP was held in Ljubljana Slovenia, the location of the second largest mercury mine in the world – the Idrija mercury mine. Although the mercury mine was the

basis of prosperity of the town of Idrija for five centuries, it also caused extensive contamination of the town and its surroundings, leading to high levels of mercury exposure of the miners and the other inhabitants. The mercury mine was closed in the mid-1980s to avoid further releases of mercury to the environment. Mercury research in Slovenia was initiated by the Jozef Stefan institute in the early 1960s as a result of environmental and health concerns related to the operation of the mine. Initially, the main goal of the institute was to address the health status of the miners. Studies of the effects of mercury on the environment soon followed, and results have been published widely in the scientific literature.

In the summer of 2006, the "Eighth International Conference on Mercury as a Global Pollutant" was held in Madison, Wisconsin, to which over 1,000 scientists from around the world came to share their understanding of the environmental fate of this pervasive contaminant. The global nature of Hg is due to a number of factors: (1) it is generated largely from coal-fired power plants which are increasing worldwide; (2) it is atmospherically transported from these sources to eventual deposition on all land and water surfaces; and (3) it is transferred to humans through fish consumption which knows no international or socioeconomic boundaries.

Mercury in combination with allergens has a tendency to rupture white blood cells, precipitating allergic reactivity. The connection is made between dental mercury amalgams and chronic fatigue/immune depression syndrome. Mercury crosses the placental barrier to contaminate a developing fetus. Mercury exposure is not something to ignore.

The quicksilver of creativity will not be solidified by legal pronouncement; it will necessarily flow into new and sometimes frightening fields (Mathew Tobriner)

Aligarh, India

Shabnum Nabi

Acknowledgements

Real life isn't always going to be perfect or go our way, but the recurring acknowledgement of what is working in our lives can help us not only to survive but surmount our difficulties.

(Sarah Ban Breatrnach)

All thanks are due to Allah – The creator, cherisher and sustainer of the universe. He created man and "taught him that which he knew not" (Al-Quran). He is most Gracious and most Merciful to all his creations. He endowed me with the requisite knowledge and ability to embark upon this piece of work and bestowed upon me the courage, patience and strength to carry it to its completion. It is indeed a great pleasure to acknowledge my humble sense of gratitude to Springer for encouraging me to pen down this work in the form of a book. Their encouragement to young budding authors and researchers for writing manuscripts, monographs and books without any financial implications to the authors is greatly appreciated. I thank my Lord for giving me such polite Parents whose adore, forfeits and sustained endeavors enabled me to acquire knowledge. Whatever I am today is the result of their prayers, love, care and sincere efforts. To my extended family, I hardly know from where to begin but here it goes. I sincerely acknowledge the generous help rendered by my elder biological brothers Mr. Mushtaq Ahmad, Mr. Parvez Ahmad and Er. Mohammad Lateef. Words seem to be inadequate for the immense appreciation and gratitude to my brother Dr. Tariq who encouraged, helped, tolerated and supported me in all stages of my endeavour and without his active cooperation this book would not have seen the light of day.

I strongly feel that no word of formal acknowledgement can possibly express the help rendered by my supervisors *Dr. Anjum Ara* (Reader, Department of Zoology, AMU, Aligarh) and *Dr. Shamim J. Rizvi* (Director, Interdisciplinary Brain Research Centre, J.N. Medical College, AMU, Aligarh). The support provided by them certainly deserves special mention. I thankfully acknowledge my debt to *Prof. Irfan Ahmad* (Chairman, Department of Zoology, AMU, Aligarh) and *Dr. G.G.H.A. Shadab* (Sr. Assistant Professor, Department of Zoology, AMU, Aligarh) for their continuous encouragement and valuable advice during the preparation of the manuscript.

I recognize the contributions of many of my *learned friends and colleagues* who kindly shared their special knowledge with me and volunteered their intellectual capabilities in shaping this book. Surely, there are too many to name, but finally I would like to dedicate this book to all those who indirectly

provided indispensable support and continuous backup, showered with lots of affection and prayers. Distinctive thanks to them for immensely boosting my morality.

Knowledge is the end based on acknowledgement.

(Ludwig Wittgenstein)

Shabnum Nabi

Contents

Part I History of Mercury Toxicology

Mercury Element (The Liquid Metal) Properties History Occurrence Releases in the Environment	
References	
2 Estimated Applications Present Use Proposed Uses Historic Uses References	
3 Distribution, Metabolism, and Excretion Biochemical Aspects Effect on Enzymes and Other Biochemical Paramete References	
4 Toxic Effects and Remedy	
5 Antioxidant Drugs Mitigating Toxicity Vitamin E (An Antioxidant Drug) Acetyl-L-Carnitine References	
6 Mercury and Cognition Methylmercury and Behavior Plasticity Conclusion References	

Part II Review of Literature

7	Exposure, Sources, and Intoxication	51
	Methylmercury Exposure	52
	Sources of Exposure	52
	Methylmercury in the Environment	53
	Methylmercury Toxicity	55
	References	60
8	Methylmercury and Oxidative Stress	65
	Inhibition of Protein Synthesis	65
	Concluding Remarks	67
	References	68

Part III Toxicity Evaluation Methodology

9	Materials and Analytical Procedures	73
	Animals and Administration Procedure	73
	Analytical Procedures	74
	Dissection of Rats and Collection of Different Organs	74
	Collection of Blood for Plasma "Total Antioxidant Power"	
	and "Xanthine Oxidase Activity"	74
	Collection of Bone Marrow for Cytogenetic Study	75
	References	75
10	Biochemical Estimation Techniques	77
	Biochemical Studies	77
	Estimation of Lipid Peroxide	77
	Estimation of Lipid Hydroperoxide	78
	Estimation of Total Sulfhydryl Group (TSH)	78
	Estimation of Free Sulfhydryl Group (GSH)	79
	Estimation of Superoxide Dismutase (SOD)	79
	Estimation of Catalase (H_2O_2 : H_2O_2 Oxidoreductase,	
	EC 1.11.1.6)	80
	Protein Estimation	80
	Measurement of FRAP of Plasma	
	(Total Antioxidant Power)	81
	Assay of Xanthine Oxidase Activity	82
	Glutathione Peroxidase (GSH-Px) Assay in Plasma	82
	Observation of Body Weight, Food Intake,	
	Water Intake, and Tissue Weight	82
	References	83
11	Neurobehavioral Assessment Models	85
	Behavioral Experiments	85
	Despair Based	87
	Anxiety Based	90
	Statistical Evaluation	90
	References	90

Part IV Free Radical Stress

		~ ~
12	Mercury as a Source of Reactive Oxygen Species	95
	Signaling and Damaging Effects	96
	Oxidative Damage	97
	Internal Production	97
	References	98
13	Promotion of Peroxidation	
	and Hydroperoxidation of Lipids	101
	References	103
14	Results and Conclusions	105
14		105
	Protocol	105
	Results	105
	Lipid Hydroperoxidation	107
	Protein	108
	Effect of Methylmercury, Vitamin E, and Acetyl-L-Carnitine	100
	on Tissue Weight of Rats	108
	Discussion	110
	Conclusion	112
	References	112
1 ai	t V Toxic Responses of Antioxidant	
15	Defense System	117
15	Endogenous Antioxidants	117
15	·	117 120
15 16	Endogenous Antioxidants References Deregulation of Antioxidant Activities	
	Endogenous Antioxidants References	120
	Endogenous Antioxidants References Deregulation of Antioxidant Activities Protocol Results	120 121
	Endogenous Antioxidants References Deregulation of Antioxidant Activities Protocol	120 121 121
	Endogenous Antioxidants References Deregulation of Antioxidant Activities Protocol Results	120 121 121 122
	Endogenous Antioxidants References Deregulation of Antioxidant Activities Protocol Results Superoxide Dismutase (SOD)	120 121 121 122 122
	Endogenous Antioxidants	 120 121 121 122 122 123
	Endogenous Antioxidants	120 121 121 122 122 123 124
	Endogenous Antioxidants	120 121 121 122 122 123 124 125
	Endogenous Antioxidants	120 121 121 122 122 123 124 125 125
	Endogenous Antioxidants	120 121 121 122 122 123 124 125 125 126
16	Endogenous Antioxidants	120 121 121 122 122 123 124 125 125 126
16	Endogenous Antioxidants	120 121 121 122 122 123 124 125 125 126
16 Par	Endogenous Antioxidants	120 121 121 122 122 123 124 125 125 126
16 Par	Endogenous Antioxidants	120 121 121 122 122 123 124 125 125 126 127

18	Toxic Responses of the Plasma Xanthine Oxidase (XO)	135
	Protocol	135
	Results	136
	Discussion	136
	Conclusion	137
	References	137
19	Toxic Responses of the Plasma Glutathione	
19	Toxic Responses of the Plasma Glutathione Peroxidase (GSH-Px)	139
19	•	139 139
19	Peroxidase (GSH-Px)	107
19	Peroxidase (GSH-Px) Results	139

Part VII Neurobehavioral Toxicology

20	Impairment of Emotional Behavior	147
	Open-Field Behavior (OFB) Apparatus	149
	Protocol	149
	OFB Procedure	149
	Results	150
	Discussion	152
	Conclusion	153
	References	154
21	Connection to Anxiolytic Behavior and Reflex Movements	157
#1	Behavioral Testing Procedure	157
	Results	157
	Discussion	158
		162
	Conclusion	162
	References	102
22	Effects on Depression-Like Behavior	163
	Protocol	163
	Results	164
	Discussion	165
	Conclusion	167
	References	167

Part VIII Genetic Toxicology

23	Micronucleus Test (MNT)	171
	Protocol	172
	Results	173
	Discussion	174
	Conclusion	175
	References	175
24	Chromosomal Aberrations	179
	Protocol	180
	Results	180
	Chromosomal Aberrations: Methylmercury Connection	180

Discussion	180
Conclusion	182
References	182

Part IX Methylmercury Toxicity and Linked Diseases

25	Methylmercury and Minamata Disease	187
	1908–1955	187
	1956–1959	188
	Finding the Cause	189
	Identification of Mercury	189
	1959	190
	Compensation of Fishermen and Patients, 1959	190
	Wastewater Treatment	191
	1959–1969	192
	Continued Pollution	192
	Congenital Minamata Disease	192
	Outbreak of Niigata Minamata Disease	193
	1969–1973	194
	Struggle for a New Agreement	194
	Uncertified Patients' Fight to Be Recognized	196
	Victims	196
	Democratizing Effects	197
	Media	197
	In Popular Culture	198
	Minamata Disease Today	198
	References	199
26	Methylmercury and Alzheimer's Disease	201
	Experimental Mercury Effects and Alzheimer's Disease	203
	References	207
27	Methylmercury and Parkinson's Disease	211
	Huggins Total Dental Revision Protocol	216
	Tests Suggested by Huggins/Levy (35) for Evaluation	
	and Treatment of Mercury Toxicity	216
	Test Results Indicating Mercury/Metals Toxicity	217
	References	218
28	Methylmercury and Thimerosal	219
	What Is Thimerosal?	219
	Why Is Thimerosal Used as a Preservative in Vaccines?	219
	How Does Thimerosal Work in the Body?	220
	Is Thimerosal Safe?	220
	What Are the Possible Side Effects of Thimerosal?	220
	Does Thimerosal Cause Autism?	220
	Do MMR Vaccines Contain Thimerosal?	220
	Do All Flu Vaccines Contain Thimerosal?	220
	Thimerosal in Vaccines	220
	Preservatives in Vaccines	223
	Thimerosal as a Preservative	224

	Guidelines on Exposure to Organomercurials Thimerosal Toxicity Recent and Future FDA Action The Safety Review of Thimerosal-Containing Vaccines and Neurodevelopmental Disorders Conducted by the Institute of Medicine	224 227 228 229
	Establishment Safety Debate: Thimerosal in Vaccines Versus Admittedly Dangerous Methylmercury	230
	References	232
29	Thimerosal and Occurrence of Autism	233
	Banned Around the World, But Not in the United States	233
	Links Between Autism and Thimerosal	234
	Statistical Evidence Links Thimerosal	
	with Nervous System Disorders	234
	Merck Continues Selling Vaccines with Thimerosal	235
	Grassroots Action Against Vaccine Manufacturers	235
	The Thimerosal Debate Continues	236
	The Experts Speak on Mercury, Vaccines, and Thimerosal	237
	References	241
30	Methylmercury and Lupus	243
50	Systemic Lupus Erythematosus	243
	The Incidence of Lupus	243
	What Is Lupus?	244
	Allopathic Medicine: The Diagnosis and Treatment of SLE	245
	Natural Medicine: The Case for Metal Toxicity	210
	as a Cause of Lupus	245
	The Causative Role of Mercury in Immune	
	Dysfunction in Lupus	246
	Mercury and the Neurological Symptoms of Lupus	246
	Heredity and Lupus	246
	The Symptoms of Mercury Poisoning	
	and Lupus Are the Same	247
	Lupus Symptoms Improve When Amalgam	
	Fillings Are Removed	247
	Mercury Impairs Detoxification	247
	Epidemiological Evidence Supports Mercury	
	Toxicity as a Cause of Lupus	248
	The Natural Medicine View of SLE.	248
	A Quick Synopsis of Common Lupus Symptoms	249
21	Mathylmonouny and Amyotrophia Lateral Solonosis	251
31	Methylmercury and Amyotrophic Lateral Sclerosis Documentation of High Common Exposures	231
	and Accumulation of Mercury in Motor Neurons	252
	Effects of Exposure to Mercury and Toxic Metals	252
	Prevention and Treatment of ALS	252 259
		259
32	Mercury Pollution Prevention	263
	Mercury Pollution Prevention	263
	What DEQ Is Doing to Prevent Mercury Pollution	263
	What You Can Do to Prevent Mercury Pollution	264

Buy Mercury-Free	264
Discard Products Safely	264
Avoid Exposure to Mercury at Home, School, and Work	264
Introduction	265
Common Uses of Mercury in Healthcare Settings	265
Memorandum of Understanding	265
Taking the Mercury-Free Pledge	266
Solutions and Strategies for Pollution Prevention	266
Mercury Source Reduction	266
Mercury Substitution	266
Strategies for Managing Mercury in Healthcare Facilities	266
Mercury Spill Prevention	267
Mercury Spill Response	267
What Can I Do to Prevent Mercury Pollution?	267
Dentists	268

About the Author

Dr. Shabnum has obtained her Ph.D. degree in Zoology (Cytogenetics) in 2012. The prime focus of her research has been neurotoxicity, genotoxicity and neurobehavioral toxicity. She is the author of several papers published in reputed and peer-reviewed journals. Besides having National and International conferences to her credit, she is the member of Zoological Society of India. She has participated as a young scientist in a congregation of Nobel Prize Winners at IIIT Allahabad. She has also availed a Research Fellowship (JRF) from University Grants Commission (UGC), New Delhi.

Part I

History of Mercury Toxicology

