

TECHNOLOGIES FOR THE WIRELESS FUTURE

Wireless World Research Forum
(WWRF)

Volume 2

Edited by

Rahim Tafazolli

The University of Surrey, UK

Main Contributors

Mikko Uusitalo

WWRF chair 2004–, Nokia, Finland

Angela Sasse

WWRF WG1 chair 2004–2005, University College London, UK

Stefan Arbanowski

WWRF WG2 chair 2004–2005, Fraunhofer Fokus, Germany

David Falconer

WWRF WG4 chair 2004–2005, Carleton University, Canada

Gerhard Fettweis

WWRF WG5 chair 2004–2005, University of Dresden, Germany

Panagiotis Demestichas

WWRF WG6 chair 2004–, University of Piraeus, Greece

Mario Hoffmann

WWRF SIG2 chair 2004–, Fraunhofer, Germany

Amardeo Sarma

WWRF SIG3 chair 2004–, NEC, Germany


WIRELESS WORLD
RESEARCH FORUM



John Wiley & Sons, Ltd

TECHNOLOGIES FOR THE WIRELESS FUTURE

TECHNOLOGIES FOR THE WIRELESS FUTURE

Wireless World Research Forum (WWRF)

Volume 2

Edited by

Rahim Tafazolli

The University of Surrey, UK

Main Contributors

Mikko Uusitalo

WWRF chair 2004–, Nokia, Finland

Angela Sasse

WWRF WG1 chair 2004–2005, University College London, UK

Stefan Arbanowski

WWRF WG2 chair 2004–2005, Fraunhofer Fokus, Germany

David Falconer

WWRF WG4 chair 2004–2005, Carleton University, Canada

Gerhard Fettweis

WWRF WG5 chair 2004–2005, University of Dresden, Germany

Panagiotis Demestichas

WWRF WG6 chair 2004–, University of Piraeus, Greece

Mario Hoffmann

WWRF SIG2 chair 2004–, Fraunhofer, Germany

Amardeo Sarma

WWRF SIG3 chair 2004–, NEC, Germany



John Wiley & Sons, Ltd

Copyright © 2006 Wireless World Research Forum (WWRF)

Published in 2006 by John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester,
West Sussex PO19 8SQ, England

Telephone (+44) 1243 779777

Email (for orders and customer service enquiries): cs-books@wiley.co.uk
Visit our Home Page on www.wiley.com

All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except under the terms of the Copyright, Designs and Patents Act 1988 or under the terms of a licence issued by the Copyright Licensing Agency Ltd, 90 Tottenham Court Road, London W1T 4LP, UK, without the permission in writing of the Publisher. Requests to the Publisher should be addressed to the Permissions Department, John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex PO19 8SQ, England, or emailed to permreq@wiley.co.uk, or faxed to (+44) 1243 770620.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The Publisher is not associated with any product or vendor mentioned in this book.

This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the Publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

Other Wiley Editorial Offices

John Wiley & Sons Inc., 111 River Street, Hoboken, NJ 07030, USA

Jossey-Bass, 989 Market Street, San Francisco, CA 94103-1741, USA

Wiley-VCH Verlag GmbH, Boschstr. 12, D-69469 Weinheim, Germany

John Wiley & Sons Australia Ltd, 42 McDougall Street, Milton, Queensland 4064, Australia

John Wiley & Sons (Asia) Pte Ltd, 2 Clementi Loop #02-01, Jin Xing Distripark, Singapore 129809

John Wiley & Sons Canada Ltd, 22 Worcester Road, Etobicoke, Ontario, Canada M9W 1L1

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library

ISBN-13 978-0-470-02905-3 (HB)

ISBN-10 0-470-02905-6 (HB)

Typeset in 10/12pt Times by Laserwords Private Limited, Chennai, India.
Printed and bound in Great Britain by Antony Rowe Ltd, Chippenham, Wiltshire.
This book is printed on acid-free paper responsibly manufactured from sustainable forestry in which at least two trees are planted for each one used for paper production.

Contents

List of Figures	xi
List of Tables	xix
List of Contributors	xxi
Foreword by Nim Cheung	xxvii
Foreword by Xiao-Hu You	xxix
Preface	xxxii
Acknowledgements	xxxiii
1 Introduction	1
<i>Edited by Mikko Uusitalo (Nokia)</i>	
1.1 Goals and Objectives – Shaping the Global Wireless Future	2
1.2 Structure of WWRF	3
1.3 The International Context and B3G/4G Activities	4
1.3.1 International Initiatives	5
1.3.2 Regional Initiatives	6
1.3.3 Standardization Initiatives	9
1.4 Acknowledgement	10
References	10
2 Vision and Requirements of the Wireless World	11
<i>Edited by Mikko Uusitalo (Nokia)</i>	
2.1 What we are Observing Today in 2005	11
2.2 What is on the Way for 2010?	12
2.3 Projection for 2017	12
2.3.1 User Perspectives	12
2.3.2 Technological Perspectives	14
2.4 Acknowledgement	14
3 User Requirements and Expectations	15
<i>Edited by Angela Sasse (University College London, UK)</i>	
3.1 Introduction	15
3.2 The Role of Scenarios in The Development of Future Wireless Technologies and Services	15

3.2.1	<i>Background</i>	16
3.2.2	<i>Scenarios for Developing Future Wireless Technologies and Services</i>	19
3.2.3	<i>How Scenarios Should Be Used in The Development of Future Wireless Technologies</i>	25
3.2.4	<i>Summary</i>	31
3.3	Advanced User Interfaces for Future Mobile Devices	32
3.3.1	<i>Description of the Problem</i>	33
3.3.2	<i>UI-related User Needs</i>	36
3.3.3	<i>Current State in UI</i>	38
3.3.4	<i>Future Interfaces</i>	46
3.3.5	<i>Recommendations</i>	55
3.3.6	<i>Summary</i>	56
3.4	Acknowledgment	57
	References	57
4	Service Infrastructures	59
	<i>Edited by Stefan Arbanowski (Fraunhofer FOKUS, Germany) and Wolfgang Kellerer (DoCoMo Euro-Labs, Germany)</i>	
4.1	Introduction	59
4.2	Requirements for Future Service Platform Architectures	60
4.2.1	<i>Challenges in Future Service Provisioning and Interaction</i>	61
4.2.2	<i>Functional Requirements</i>	66
4.2.3	<i>Summary</i>	76
4.3	Generic Service Elements and Enabling Technologies	78
4.3.1	<i>Generic Service Elements</i>	79
4.3.2	<i>Enabling Middleware Technologies for the GSE-concept</i>	92
4.3.3	<i>Semantic Support</i>	97
4.3.4	<i>Future Research and Development</i>	107
4.3.5	<i>Summary</i>	108
4.4	Acknowledgment	109
	References	109
5	Security and Trust	111
	<i>Edited by Mario Hoffmann (Fraunhofer SIT), Christos Xenakis, Stauraleni Kontopoulou (University of Athens), Markus Eisenhauer (Fraunhofer FIT), Seppo Heikkinen (Elisa R&D), Antonio Pescape (University of Naples) and Hu Wang (Huawei)</i>	
5.1	Introduction	111
5.2	Trust Management in Ubiquitous Computing	112
5.2.1	<i>Trust Requirements</i>	113
5.2.2	<i>Trust Life Cycle</i>	113
5.2.3	<i>Trust Management</i>	114
5.2.4	<i>Research Issues</i>	115
5.3	Identity Management	116
5.3.1	<i>Benefits of Identity Management</i>	119

5.3.2	<i>Examples of Identity Management</i>	119
5.3.3	<i>Principles and Requirements</i>	120
5.3.4	<i>Research Issues</i>	121
5.4	Malicious Code	121
5.4.1	<i>What is Malicious Code?</i>	122
5.4.2	<i>Background</i>	122
5.4.3	<i>Requirements and Research Issues</i>	123
5.5	Future Steps	126
5.5.1	<i>Usable Security</i>	127
5.5.2	<i>Trusted Computing Platforms in Mobile Devices</i>	128
5.5.3	<i>Security for Fast Intra/Inter-technology and Intra/Inter-domain Handover</i>	128
5.5.4	<i>Trust Development and Management in Dynamically Changing Networks</i>	128
5.5.5	<i>Security for Ambient Communication Networks</i>	129
5.6	Acknowledgement	129
	References	129
6	New Air-interface Technologies and Deployment Concepts	131
	<i>Edited by David Falconer (Carleton University), Angeliki Alexiou (Lucent Technologies), Stefan Kaiser (DoCoMo Euro-Labs), Martin Haardt (Ilmenau University of Technology) and Tommi Jämsä (Elektrobit Testing Ltd)</i>	
6.1	Introduction	131
6.2	Broadband Frequency-domain-based Air-interfaces	132
6.2.1	<i>Frequency-domain-based Systems</i>	133
6.2.2	<i>Generalized Multicarrier Signals</i>	134
6.2.3	<i>BER Performance of Parallel- and Serial-modulated Systems</i>	138
6.2.4	<i>Single- and Multicarrier CDMA</i>	139
6.2.5	<i>Zero-padded OFDM (ZP-OFDM) and Pseudorandom-postfix OFDM (PRP-OFDM)</i>	141
6.2.6	<i>OFDM/OffsetQAM (OFDM/OQAM) and IOTA-OFDM</i>	142
6.2.7	<i>Effect of Phase Noise and Frequency Offsets</i>	143
6.2.8	<i>Power Amplifier Efficiency</i>	143
6.2.9	<i>Spectrum Flexibility</i>	146
6.2.10	<i>Some Issues for Further Research</i>	149
6.2.11	<i>Summary and Recommendations</i>	149
6.3	Smart Antennas, MIMO Systems and Related Technologies	150
6.3.1	<i>Benefits of Smart Antennas</i>	151
6.3.2	<i>MIMO Transceivers</i>	154
6.3.3	<i>Reconfigurable MIMO Transceivers</i>	156
6.3.4	<i>Multiuser MIMO Downlink Precoding</i>	161
6.3.5	<i>Smart Antenna Cross-layer Optimization</i>	166
6.3.6	<i>Realistic Performance Evaluation</i>	167
6.3.7	<i>Deployment of Smart Antennas in Future Systems – Implementation Issues</i>	169

6.3.8 <i>Summary</i>	170
6.4 Duplexing, Resource Allocation and Inter-cell Coordination	170
6.4.1 <i>Duplexing</i>	171
6.4.2 <i>Scheduling and Resource Allocation within a Cell</i>	177
6.4.3 <i>Interference and Inter-cell Coordination</i>	184
6.4.4 <i>Summary</i>	187
6.5 Multidimensional Radio Channel Measurement and Modeling	188
6.5.1 <i>State of the Art</i>	190
6.5.2 <i>Channel Modeling Process</i>	206
6.5.3 <i>Open Issues and Research Topics</i>	213
6.5.4 <i>Summary</i>	215
6.6 Acknowledgment	216
References	216
7 Short-range Wireless Communications	227
<i>Edited by Gerhard Fettweis (Vodafone Chair, TU Dresden), Ernesto Zimmermann (Vodafone Chair, TU Dresden), Ben Allen (King's College London), Dominic C. O'Brien (University of Oxford) and Pierre Chevillat (IBM Research GmbH, Zurich Research Laboratory)</i>	
7.1 Introduction	227
7.2 MIMO–OFDM in the TDD Mode	228
7.2.1 <i>Application Scenarios and Requirements</i>	229
7.2.2 <i>Operating Principle of the Air Interface</i>	230
7.2.3 <i>MIMO</i>	231
7.2.4 <i>OFDM</i>	236
7.2.5 <i>TDD</i>	241
7.2.6 <i>Cross-layer Design</i>	244
7.2.7 <i>Real-time Implementation</i>	247
7.2.8 <i>Summary and Main Research Challenges</i>	248
7.3 Ultra-wideband: Technology and Future Perspectives	249
7.3.1 <i>Setting the Scene</i>	250
7.3.2 <i>Applications</i>	254
7.3.3 <i>Technology</i>	260
7.3.4 <i>UWB MAC Considerations</i>	266
7.3.5 <i>Spectrum Landing Zones</i>	272
7.3.6 <i>What is Next?</i>	276
7.3.7 <i>Summary</i>	276
7.4 Wireless Optical Communication	277
7.4.1 <i>Introduction</i>	277
7.4.2 <i>Optical Wireless Communications as a Complementary Technology for Short-range Communications</i>	278
7.4.3 <i>Link Budget Models</i>	284
7.4.4 <i>Applications Areas for Optical Wireless</i>	288
7.4.5 <i>Outlook for Optical Wireless</i>	295
7.4.6 <i>Research Directions</i>	296
7.5 Wireless Sensor Networks	296

7.5.1	<i>Scenarios and Applications</i>	298
7.5.2	<i>WSN Characteristics and Challenges</i>	299
7.5.3	<i>Standardization</i>	302
7.5.4	<i>Summary</i>	303
7.6	Acknowledgment	303
	References	304
8	Reconfigurability	313
	<i>Edited by Panagiotis Demestichas (University of Piraeus), George Dimitrakopoulos (University of Piraeus), Klaus Mößner (CCSR, University of Surrey), Terence Dodgson (Samsung Electronics) and Didier Bourse (Motorola Labs)</i>	
8.1	Introduction	313
8.2	Application Scenarios for Reconfigurability	314
8.2.1	<i>Methodology for Scenario Analysis</i>	314
8.2.2	<i>Scenarios Evaluation</i>	317
8.2.3	<i>System Requirements</i>	318
8.2.4	<i>Roadmaps for Reconfigurability</i>	319
8.2.5	<i>Summary</i>	325
8.3	Element Management, Flexible Air Interfaces and SDR	325
8.3.1	<i>Element Management</i>	327
8.3.2	<i>Flexible Air Interfaces</i>	350
8.3.3	<i>SDR</i>	356
8.4	Network Architecture and Support Services	365
8.4.1	<i>Approaches and Research Ideas</i>	367
8.4.2	<i>Summary</i>	387
8.5	Cognitive Radio, Spectrum and Radio Resource Management	387
8.5.1	<i>RRM in a Reconfigurability Context</i>	389
8.5.2	<i>Spectrum Management</i>	391
8.5.3	<i>Joint Radio Resource Management</i>	404
8.5.4	<i>Network Planning for Reconfigurable Networks</i>	410
8.5.5	<i>Cognitive Radio</i>	411
8.5.6	<i>Summary</i>	413
8.6	Acknowledgement	415
	References	416
9	Self-organization in Communication Networks	423
	<i>Edited by Amardeo Sarma (NEC), Christian Bettstetter (DoCoMo) and Sudhir Dixit (Nokia)</i>	
9.1	Introduction and Motivation	423
9.2	Self-organization in Today's Internet	424
9.2.1	<i>Self-configuration in the Internet</i>	424
9.2.2	<i>Peer-to-peer Networking</i>	429
9.2.3	<i>Open-content Web Sites</i>	432
9.3	Self-organization in Ad Hoc and Sensor Networks	433
9.3.1	<i>Cooperation and Fairness</i>	434

9.3.2 <i>Distributed Topology Control</i>	436
9.3.3 <i>Address Self-configuration</i>	440
9.4 Self-organization in Network Management	441
9.4.1 <i>Policy-based Management</i>	441
9.4.2 <i>Pattern-based Management</i>	442
9.4.3 <i>Knowledge Plane</i>	443
9.5 Graph-theoretical Aspects of Self-organization	443
9.5.1 <i>Random Graphs</i>	444
9.5.2 <i>Small-world Phenomenon</i>	445
9.5.3 <i>Scale-free Graphs</i>	446
9.5.4 <i>Application of Graph-theoretical Aspects to Communication Networks</i>	447
9.6 Potential and Limitations of Self-organization	448
9.7 Acknowledgement	449
References	449
Appendix: Glossary	453
Index	463

List of Figures

Figure 1.1	Structure of WWRF	4
Figure 3.1	Scenarios covering possible futures	17
Figure 3.2	The ‘iceberg model’	18
Figure 3.3	Scenarios in the user-centred design process (in theory)	19
Figure 3.4	Scenarios in the design process (in practice)	20
Figure 3.5	Scenarios in the design process (The self-fulfilling prophecy)	21
Figure 3.6	Full scenario development	26
Figure 3.7	The FLOWS Scenarios	30
Figure 3.8	Scenario Connections from Stewart et al., 2002 [31]	31
Figure 4.1	Target area of the WG2 architecture work shown in the reference model	60
Figure 4.2	Platforms, networks and roles in architectural view	62
Figure 4.3	Service execution environment	79
Figure 4.4	GSE interfaces: Open Service API vs. internal interfaces	80
Figure 4.5	Distributed GSEs	81
Figure 4.6	General model of the event source and event listener	84
Figure 4.7	Basic concept of a broker	85
Figure 4.8	Service aggregation by a broker	86
Figure 4.9	Dynamic combination and aggregation of services by a broker	87
Figure 4.10	Sketch of GSE functionalities in support of ambient awareness	91
Figure 4.11	Service adaptation loop	92
Figure 4.12	The three concepts of OWL-S	99
Figure 4.13	Example ontology fragments for the integration	101
Figure 4.14	Example ontology fragments to be merged	105
Figure 4.15	Example ontology after the merge	106
Figure 4.16	Example event model taxonomy	106
Figure 4.17	Basic concepts of rule-based systems	107
Figure 4.18	Application example for a rule-based system	108
Figure 5.1	The trust life cycle	114

Figure 5.2	Some facets of identity and potential handles	117
Figure 5.3	Use case for identity management	118
Figure 5.4	Top 10 security challenges	124
Figure 5.5	Convergent networks require <i>resilient</i> security mechanisms	127
Figure 6.1	Generalized multicarrier transmitter (FFT means fast Fourier transform operation)	135
Figure 6.2	Details of the pre-matrix time-frequency selector in Figure 6.1 (dashed boxes are optional)	136
Figure 6.3	Generalized multicarrier receiver	138
Figure 6.4	(from [48]) Bit-error-rate performance for pragmatic TCM-coded SC-FDE (solid lines) and BICM-coded OFDM; \circ : QPSK, rate 1/2; \square : 16QAM, rate 1/2; \diamond : 16QAM, rate 3/4; \triangle : 64QAM, rate 2/3; \triangleright : 64QAM, rate 5/6. Part A shows BER versus average E_b/N_0 ; part B shows BER versus <i>peak</i> E_b/N_0	139
Figure 6.5	Illustrations of multiuser GMC signals: OFDMA, OFDM-TDMA, MC-CDMA, FDOSS	140
Figure 6.6	Distribution functions of instantaneous average power ratio (IAPR) of $S = 1$ sub-band OFDMA and serial-modulated signals, $N_c = 2048$, $M_N = 256$, $S = 1$	144
Figure 6.7	Output power spectra of signals passed through a Rapp model $p = 2$ nonlinearity; Backoffs of OFDMA and serial-modulated signals are adjusted to produce approximately -48 dB relative spectral sidelobe levels. Scaled ETSI 3GPP mask is also shown	145
Figure 6.8	Illustration of spectrum-sharing each user's is represented by a different color. A new user's spectrum is tailored to fit into the temporarily unoccupied 'white space' denoted by the dashed lines. Such a segmented spectrum can be generated by a suitable time-frequency selector matrix	147
Figure 6.9	Illustration of a multiband line spectrum	147
Figure 6.10	Power spectra for $S = 2$, $N_c = 2048$, $M_N = 256$ for OFDMA and serial modulation	148
Figure 6.11	Taxonomy of smart antenna techniques	152
Figure 6.12	Single-Input Single-Output (SISO) capacity limit label	153
Figure 6.13	Adding an antenna array at the receiver (Single-Input Multiple-Output – SIMO) provides logarithmic growth of the bandwidth efficiency limit	153
Figure 6.14	A Multiple-Input Multiple-Output (MIMO) provides linear growth of the bandwidth efficiency limit	154
Figure 6.15	Spectral efficiency versus number of antennas	154

Figure 6.16	MIMO transceiver	155
Figure 6.17	Adaptive beamforming principle	157
Figure 6.18	Reconfigurable transmission scheme combining space-time block codes and a linear transformation designed with reference to channel knowledge available at the transmitter	158
Figure 6.19	Reconfigurability to antenna correlation	160
Figure 6.20	IlmProp channel model. Three mobiles (M1, M2, and M3) move on linear trajectories around a BS. Scattering clusters provide a delay-spread of 1 μ s	163
Figure 6.21	BER performance comparison of BD, SO THP and SMMSE in configuration $\{2, 2\} \times 4$	164
Figure 6.22	10% outage capacity performance of BD and SMMSE, with and without scheduling	165
Figure 6.23	BER performance comparison of BD and SMMSE in configuration $\{2, 2\} \times 4$, with and without scheduling	165
Figure 6.24	Guard bands in FDD	173
Figure 6.25	Guard bands in TDD	173
Figure 6.26	Band switching duplexing	175
Figure 6.27	Frequency planning	176
Figure 6.28	Cell structure of HDD systems	176
Figure 6.29	Interferences in HDD systems	180
Figure 6.30	Terminal locations within a cell	181
Figure 6.31	Scheduling algorithm based on user locations	181
Figure 6.32	Illustration of the partial handoff region	185
Figure 6.33	NB, WB, and UWB channels	189
Figure 6.34	Channel modeling process	190
Figure 6.35	Communication system with M -transmit and N -receive antennas and a $M \times N$ MIMO radio channel. Spatial correlation matrices RTX and RRX define the inter-antenna correlation properties	191
Figure 6.36	Block diagram of a switched multidimensional radio channel sounding system	196
Figure 6.37	3-D Dual-polarized antenna array for 5.25 GHz. Source: Elektrobit Testing Ltd	197
Figure 6.38	Dual-polarized 4×4 antenna arrays for 5.25 GHz. Source: Elektrobit Testing Ltd	197
Figure 6.39	Vertical polarized circular dipole array (UCA32). Source: Technische Universität Ilmenau	198

Figure 6.40	Stacked polarimetric uniform circular patch array (SPUCPA4 × 24). Source: Technische Universität Ilmenau	199
Figure 6.41	Spherical array with 32 dual-polarized elements. Source: Helsinki University of Technology	200
Figure 6.42	Spherical array. Sources: Helsinki University of Technology and Elektrobite Microwave Ltd	201
Figure 6.43	Wideband spherical array of monopole elements. Source: Aalborg University/Antennas and Propagation	202
Figure 6.44	Rural area measurements in Tynävä, Finland	202
Figure 6.45	Urban macrocell measurements in Stockholm, Sweden	203
Figure 6.46	Dependence between shadow-fading and angle spread (Stockholm, Sweden)	203
Figure 6.47	Information rates at example location for SISO (vertical to vertical ‘x’, vertical to horizontal ‘o’), MISO (‘+’), SIMO (‘*’), diversity MIMO (‘∇’) and information MIMO (‘Δ’)	204
Figure 6.48	Comparison of MISO, SIMO, diversity MIMO and information MIMO	205
Figure 6.49	Example result of playback simulation	206
Figure 7.1	In the time-division duplex mode, the channel information for the downlink can be made available at the transmitter by using the reciprocal channel information from the uplink, or vice versa	229
Figure 7.3	Measured indoor MIMO capacities versus the numbers of antennas (from [6])	232
Figure 7.2	Concept for the PHY and MAC layers	233
Figure 7.4	Broadband MIMO systems promise wire-like quality-of-service (see text)	234
Figure 7.5	Singular value distributions in three scenarios, compared to the theory	234
Figure 7.6	Standard transceivers lose the reciprocity in the base-band (a). A reciprocal transceiver may reuse all components in both link directions, using a transfer switch (b)	240
Figure 7.7	(a) Reconstructed data signals after reordering them in the frequency domain (yellow: antenna 1, green: antenna 2). (b) In the captured channel, the multipath fading corrupts the signals in the USB, while it provides good conditions in the LSB	248
Figure 7.8	UWB data throughput – typically quoted system performance	249
Figure 7.9	Effect of a complex indoor environment on impulse transmission over 30-m range, non–line-of-sight conditions	254
Figure 7.10	Home-networking setup using UWB	258

Figure 7.11	MB-OFDM sub-bands used in Mode 1 (a) and Mode 2 (b) devices	263
Figure 7.12	OSI layered communications model	269
Figure 7.13	Illustration of position measurement error. Isotropic channels are described by circle and real channels by randomized geometric surface	270
Figure 7.14	Principle of the two-way ranging	271
Figure 7.15	UWB radiation mask defined by FCC and provisional CEPT/ETSI proposal	274
Figure 7.16	Optical wireless configurations. (a) Diffuse system, (b) Wide LOS system, (c) Narrow LOS system with tracking, (d) Narrow LOS system using multiple beams to obtain coverage, (e) Quasi-diffuse system, (f) Receiver configuration: single-channel receiver, (g) Receiver configuration: angle diversity receiver, (h) Receiver configuration: imaging diversity receiver	279
Figure 7.17	Allowed emitted power for class 1 eye safe operation of transmitter as a function of beam divergence	280
Figure 7.18	Optical communications link geometries	286
Figure 7.19	Communications channel model	287
Figure 7.20	Comparison of RF and optical link performance for point and shoot links	289
Figure 7.21	High-bandwidth ‘Hot-spot’	291
Figure 7.22	Comparison of RF and optical communications for ‘Hot-spot’ using solid-state lighting for communications	293
Figure 7.23	Comparison of 60 GHz and solid-state illumination hot-spot	294
Figure 7.24	Evolution and penetration of WSNs and WBANs	297
Figure 7.25	Scenarios and applications for WSNs	298
Figure 7.26	Wireless sensors in the smart home environment	299
Figure 8.1	Scenarios analysis process	315
Figure 8.2	Actors in end-to-end reconfigurable systems	321
Figure 8.3	Deployment roadmaps for incremental introduction of reconfigurability applications	322
Figure 8.4	High-level view of the management and control of equipment in an E2R system	326
Figure 8.5	Reconfigurable protocol stack framework (RPS_FW)	328
Figure 8.6	Security architecture	332
Figure 8.7	Security domains	334
Figure 8.8	Execution environment architecture	336

Figure 8.9	Software updates installation	340
Figure 8.10	Running the schedule of protocol suite tasks	341
Figure 8.11	Secure diagnostic	342
Figure 8.12	Terminal-initiated SW download management	344
Figure 8.13	Network-initiated trigger for downloading reconfiguration procedure	345
Figure 8.14	Overview on the internal relations between the modules	346
Figure 8.15	The multimode protocol architecture, facilitating transition between modes (intermode HO) and coexistence of modes (in relay stations connecting different modes) by way of the cross-stack management supported by the modes convergence manager of a layer or stack	351
Figure 8.16	Composition of a layer (N) from generic and specific functions. The composition and (re-)configuration is handled by the (N)-MCM. The (N)-MCM is controlled by a layer-external stack management entity, namely, the Stack-MCM	352
Figure 8.17	Exemplary composition of a layer (N). Two extremes are depicted	354
Figure 8.18	Abstract functional view	360
Figure 8.19	UML structure of the hardware abstraction	362
Figure 8.20	Parallel interference cancellation detector example on a heterogeneous DSP–FPGA system. Interconnect among modules may reduce system performance	363
Figure 8.21	Programmable multi-cluster stream processor architecture with FPGA co-processor highlighting interconnect challenges between functional units and register files	364
Figure 8.22	RMP architecture	370
Figure 8.23	Radio RSF architecture	373
Figure 8.24	Reconfiguration process phases	374
Figure 8.25	Unified protocol at a receiver	378
Figure 8.26	Unified protocol at the source	379
Figure 8.27	Plot of convergence to available bottleneck data rate of layered and equation-based multicast, compared to TCP	383
Figure 8.28	Volumetric depiction of memory usage for the unified protocol approach (a) at the source, (b) at a receiver; alternatively, for a form of bridging between protocols (c) at the source, (d) at a receiver	383

Figure 8.29	Transmission efficiency over leaf-node links for the ‘whole download’ and ‘block’ parity coding approaches. $k = 1000$, $p = 0.01$, and $R = 1000$, although these are varied in turn in the plots	385
Figure 8.30	Two parity transmission approaches for our unified protocol (these also apply for reliable multicast downloads in general)	386
Figure 8.31	Packet transmission order for the layered multicast	387
Figure 8.32	Technical scope on spectrum management approaches	392
Figure 8.33	Harmonisation versus Technology Neutrality	398
Figure 8.34	RNAP implementation scenario	399
Figure 8.35	Scenario 1 for mobile handset implementation	399
Figure 8.36	Scenario 2 for mobile handset implementation	400
Figure 8.37	Illustration of use cases of JRRM and radio multi-homing	405
Figure 8.38	Overview on procedure of traffic splitting over tightly coupled sub-networks	407
Figure 8.39	Key technology components of policy-based cognitive radio needed for dynamic frequency selection	412
Figure 9.1	Stateless IPv6 auto-configuration	425
Figure 9.2	Stateful IPv6 auto-configuration via DHCPv6	425
Figure 9.3	Service location protocol (SLP)	427
Figure 9.4	Peer-to-peer networking	429
Figure 9.5	Wikipedia (wikipedia.org)	432
Figure 9.6	Ad hoc networking	434
Figure 9.7	Topology control as a self-organizing paradigm	436
Figure 9.8	Direct transmission and use of a relay w	437
Figure 9.9	Direct transmission and use of a relays for multi-hop communication	438
Figure 9.10	The knowledge plane	444
Figure 9.11	(a) Regular ($p = 0$), (b) small-world ($p = 0.5$), and (c) random graph ($p = 1$)	445
Figure 9.12	Normalized average path length L and clustering coefficient C as a function of re-wiring probability p	446
Figure 9.13	Using growth and preferential attachment to create a scale-free graph	447
Figure 9.14	Power-law degree distribution for a scale-free network with $n = 4000$ nodes	448

List of Tables

Table 3.1	Uncertainties in scenario planning	17
Table 3.2	UI-related user needs	39
Table 4.1	J2ME optional packages	93
Table 6.1	Measurement parameters	209
Table 7.1	Contents and requirements for home networking and computing	259
Table 7.2	FCC radiation limits for indoor and outdoor (handheld UWB systems) communication applications (dBm/MHz)	273
Table 7.3	Power consumption for different communications standards	290
Table 8.1	Capabilities list	316
Table 8.2	Comparison of configuration components in FP5 projects with E2R	358
Table 8.3	Current and emerging enabling technologies for ADC	413
Table 8.4	Current and emerging enabling technologies for antennas	413
Table 8.5	Current and emerging enabling technologies for some RF front-end modules	414
Table 8.6	Current and emerging enabling technologies for digital processing	415
Table 9.1	Main features of the various approaches to TC	440

List of Contributors

Chapter 1 editors Authors

Mikko Uusitalo (Nokia)
Sudhir Dixit (Nokia)
George Dimitrakopoulos and Panagiotis Demestichas
(University of Piraeus)
Sung Y. Kim and Byung K. Yi (LGE)
Larry Swanson (Intel)

Chapter 2 editor Authors

Mikko Uusitalo (Nokia)
Mikko Uusitalo (Nokia)

Chapter 3 editors Authors

Angela Sasse (University College London, UK)
James Stewart (University of Edinburgh, UK)
Andy Aftelak (Motorola, UK)
Hans Nelissen (Vodafone, NL)
Jae-Young Ahn (ETRI, Korea)
Axel Steinhage (Infineon Technologies, Germany)
Maria Farrugia (Vodafone Group R&D, UK)
David Pollington (Vodafone Group R&D, UK)

Chapter 4 editors Authors

Stefan Arbanowski (Fraunhofer FOKUS, Germany) and
Wolfgang Kellerer (DoCoMo Euro-Labs, Germany)
Stefan Gessler (NEC Europe, Germany)
Mika Kemettinen (Nokia, Finland)
Michael Lipka (Siemens, Germany)
Kimmo Raatikainen (High Intensity Interval Training
(HIIT)/University of Helsinki/Nokia, Finland)
Olaf Droegehorn (University of Kassel, Germany)
Klaus David (University of Kassel, Germany)
François Carrez (Alcatel CIT, France)
Heikki Helin (TeliaSonera, Finland)
Sasu Tarkoma (HIIT/University Helsinki, Finland)
Herma Van Kranenburg (Telematica Instituut, The
Netherlands)
Roch Glitho (Ericsson Canada/Concordia University,
Canada)
Seppo Heikkinen (Elisa, Finland)
Miquel Martin (NEC Europe, Germany)

Nicola Blefari Melazzi (Università degli Studi di
Roma – Tor Vergata, Italy)
Jukka Salo, Vilho Räsänen (Nokia, Finland)
Stephan Steglich (TU Berlin, Germany)
Harold Teunissen (Lucent Technologies, Netherlands)

Chapter 5 editors

Mario Hoffmann (Fraunhofer SIT), Christos Xenakis,
Stauraleni Kontopoulou (University of Athens),
Markus Eisenhauer (Fraunhofer FIT),
Seppo Heikkinen (Elisa R&D), Antonio Pescape
(University of Naples) and Hu Wang (Huawei)

Authors

Mario Hoffmann (Fraunhofer SIT), Christos Xenakis,
Stauraleni Kontopoulou (University of Athens),
Markus Eisenhauer (Fraunhofer FIT),
Seppo Heikkinen (Elisa R&D), Antonio Pescape
(University of Naples) and Hu Wang (Huawei)

Chapter 6 editors

David Falconer (Carleton University), Angeliki Alexiou
(Lucent Technologies), Stefan Kaiser (DoCoMo
Euro-Labs), Martin Haardt (Ilmenau University of
Technology) and Tommi Jämsä (Elektrobit Testing
Ltd)

Authors

Reiner S. Thomä, Marko Milojevic (Technische
Universität Ilmenau)
Bernard H. Fleury, Jørgen Bach Andersen, Patrick C. F.
Eggers, Jesper Ø. Nielsen, István Z. Kovács (Aalborg
University, Denmark)
Juha Ylitalo, Pekka Kyösti, Jukka-Pekka Nuutinen,
Xiongwen Zhao (Elektrobit Testing, Finland)
Daniel Baum, Azadeh Etefagh (ETH Zürich,
Switzerland)
Moshe Ran (Holon Academic Institute of Technology,
Israel)
Kimmo Kalliola, Terhi Rautiainen (Nokia Research
Center, Finland)
Dean Kitchener (Nortel Networks, UK)
Mats Bengtsson, Per Zetterberg (Royal Institute of
Technology – KTH, Sweden)
Marcos Katz (Samsung Electronics, Korea)
Matti Hämäläinen, Markku Juntti, Tadashi Matsumoto,
Juha Ylitalo (University of Oulu/CWC, Finland)
Nicolai Czink (Vienna University of Technology,
Austria)

Chapter 7 editors

Gerhard Fettweis, Ernesto Zimmermann (TU Dresden),
Ben Allen (King's College London),
Dominic C. O'Brien (University of Oxford) and
P. Chevillat (IBM Research GmbH, Zurich Research
Laboratory)

Authors

Volker Jungnickel, Eduard Jorswiek (Fraunhofer Institute
for Telecommunications, Heinrich-Hertz Institut,
Germany)

Peter Zillmann, Denis Petrovic, Katja Schwieger, Marcus
Windisch (TU Dresden, Germany)

Olivier Seller, Pierre Siohan, Frédéric Lallemand,
Guy Salingue, Jean-Benoît Pierrot (France Télécom
R&D)

Merouane Debbah, David Gesbert, Raymond Knopp
(Institut Eurécom, Sophia Antipolis, France)

Liesbet van der Perre (IMEC Belgium)

Tony Brown, David Zhang (University of Manchester,
UK)

Wasim Malik, David Edwards, Christopher Stevens
(University of Oxford, UK)

Laurent Ouvry, Dominique Morche (LETI, France)

Ian Opperma, Ulrico Celentano (University of Oulu,
Finland)

Marcos Katz (Samsung, Korea)

Peter Wang, Kari Kalliojarvi (Nokia Research Centre)

Shlomi Arnon (Ben-Gurion University of the Negev,
Israel)

Mitsuji Matsumoto (Waseda, Japan)

Roger Green (University of Warwick, UK)

Svetla Jivkova (Bulgarian Academy of Sciences,
Bulgaria)

P. Coronel, W. Schott, T. Zasowski (IBM Research
GmbH, Zurich Research Laboratory, Switzerland)

Mohammad Ghavami, Ru He (King's College London,
UK)

Werner Sorgel, Christiane Kuhnert, Werner Wiesbeck
(IHE, Germany)

Marco Hernandez (Yokohama National University,
Japan)

Kazimierz Siwiak (Time Derivative Inc, USA)

Ben Manny (Intel Corp, USA)

Lorenzo Mucchi, Simone Morosi (University of
Florence, Italy)

M. Ran (Holon Academic Institute of Technology,
Israel)

Chapter 8 editors

Panagiotis Demestichas (University of Piraeus),
George Dimitrakopoulos (University of Piraeus),
Klaus Mößner (CCSR, University of Surrey),
Terence Dodgson (Samsung Electronics) and
Didier Bourse (Motorola Labs)

Authors

Vera Stavroulaki, George Dimitrakopoulos Flora
Malamateniou, Apostolos Katidiotis, Kostas Tsagkaris
(University of Piraeus, Greece)

Karim El Khazen, David Grandblaise, Christophe
Beaujean, Soodesh Buljore, Pierre Roux, Guillaume
Vivier (Motorola Labs, France)

Stephen Hope (France Télécom, UK)

Jörg Brakensiek, Dominik Lenz, Ulf Lucking, Bernd
Steinke (Nokia, Germany)

Hamid Aghvami, Nikolas Olaziregi, Oliver Holland, Qi
Fan (King's College London, UK)

Nancy Alonistioti, Fotis Foukalas, Kostas Kafounis,
Alexandros Kaloxylos, Makis Stamatelatos, Zachos
Boufidis (University of Athens, Greece)

Jim Hoffmeyer (Western Telecom Consultants, Inc,
USA)

Markus Dillinger, Eiman Mohyeldin, Jijun Luo, Egon
Schulz, Rainer Falk, Christian Menzel (Siemens,
Germany)

Ramon Agusti, Oriol Sallent (Universitat Politecnica de
Catalunya Barcelona, Spain)

Miguel Alvarez, Raquel Garcia – Perez, Luis M.
Campoy, Jose Emilio Vila, W. Warzansky (Telefonica,
Spain)

Byron Alex Bakaimis (Samsung Electronics, UK)

Lars Berlemann, Jelena Mirkovic (RWTH Aachen
University, Germany)

Alexis Bisiaux (Mitsubishi, France)

Alexandre de Baynast, Michael C., Joseph, R. Cavallaro,
Predrag Radosavljevic (Rice University, USA)

Antoine Delautre, JE. Goubard (Thales Land & Joint
Systems, France)

Tim Farnham, Shi Zhong, Craig Dolwin (Toshiba, UK)

Peter Dornbush, Michael Fahrmaier (University of
Munich, Germany)

Stoytcho Gultchev (CCSR, University of Surrey, UK)

Mirsad Halimic, Shailen Patel (Panasonic, UK)

Syed Naveen (I2R, Singapore)

Jorg Vogler, Gerald Pfeiffer, Fernando Berzosa, Thomas
Wiebke (Panasonic, Germany)

Christian Prehofer, Qing Wei (DoCoMo, Germany)

Jacques Pulous, Peter Stuckmann, Pascal Cordier,
Delphine Lugara (FTRD, France)
Gianluca Ravasio (Siemens IT, Italy)

Chapter 9 editors

Amardeo Sarma (NEC), Christian Bettstetter (DoCoMo)
and Sudhir Dixit (Nokia)

Authors

G. Kunzmann, R. Schollmeier (TU Munich, Germany)

J. Nielsen (Ericsson, Sweden)

P. Santi (IIT/CNR, Italy)

R. Schmitz, M. Stiemerling, D. Westhoff (NEC,
Germany)

A. Timm-Giel (University Bremen, Germany)

Foreword by Nim Cheung

Nim CHEUNG
President, IEEE Communications Society

On behalf of the IEEE Communications Society (ComSoc), I would like to congratulate the Wireless World Research Forum (WWRF) for publishing its 3rd book titled ‘Technologies for the Wireless Future – Volume 2’. This book contains the up-to-date collection of WWRF’s white papers developed during the past 12 to 18 months. The materials cover contributions by hundreds of experts around the world from virtually every sector of the communications and information industry. The book includes an in-depth coverage of technology topics such as ultra wide band, air interfaces, advanced modulation and antenna systems, and multidimensional radio channel measurement and modeling. This is accompanied by an equally rich set of systems chapters on architecture, user interface, network and service management, and emerging areas such as self-organization, cognitive radio, and spectrum management. I am glad to see a chapter on security, trust, malicious code, and identity management. This chapter is particularly timely to address vulnerability issues for the open air interface. I also enjoyed reading the survey of international and regional initiatives in B3G and 4G activities, as well as the projected landscape of the wireless world circa 2005, 2010, and 2017. While it is almost impossible to predict what will happen 12 years from today, I am intrigued by the statement ‘7 trillion wireless devices serving 7 billion people by 2017’ – the designated key technological vision of WWRF. Overall, I believe this book will serve as a useful reference for both experienced researchers and professionals new in the field.

The IEEE Communications Society has been partnering with WWRF in a wide range of publication and conference activities over the past several years. ComSoc’s former president Roberto de Marca and WWRF’s Rahim Tafazolli and Mikko Uusitalo coedited a special issue in the IEEE Communications Magazine entitled ‘WWRF Visions and Research Challenges for Future Wireless World’ in September 2004. WWRF was a technical cosponsor of ComSoc’s highly successful Symposium on New Frontiers in Dynamic Spectrum Access Networks (IEEE DySPAN 2005) at Baltimore, Maryland in November 2005. I look forward to continuing the collaborations between our two organizations in the dissemination of research and development results in advanced wireless technology. Such collaborations will undoubtedly accelerate the realization of WWRF’s goal that ‘future systems should be developed mainly from the user perspective with respect to potential services and applications’.

