

BIONANOTECHNOLOGY

Lessons from Nature

David S. Goodsell, Ph.D.

Department of Molecular Biology
The Scripps Research Institute
La Jolla, California



A JOHN WILEY & SONS, INC., PUBLICATION

BIONANOTECHNOLOGY

BIONANOTECHNOLOGY

Lessons from Nature

David S. Goodsell, Ph.D.

Department of Molecular Biology
The Scripps Research Institute
La Jolla, California



A JOHN WILEY & SONS, INC., PUBLICATION

Copyright © 2004 by Wiley-Liss, Inc., Hoboken, New Jersey. All rights reserved.

Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470, or on the web at www.copyright.com. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008, e-mail: permreq@wiley.com.

Limit of Liability/Disclaimer of Warranty: While the publisher and author have used their best efforts in preparing this book, they make no representation or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss of profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

For general information on our other products and services please contact our Customer Care Department within the U.S. at 877-762-2974, outside the U.S. at 317-572-3993 or fax 317-572-4002.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print, however, may not be available in electronic format.

Library of Congress Cataloging-in-Publication Data:

Goodsell, David S.

Biotechnology : lessons from nature / David S. Goodsell.

p. : cm.

Includes bibliographical references and index.

ISBN 0-471-41719-X (cloth : alk. paper)

1. Biomolecules. 2. Nanotechnology. 3. Biotechnology.

[DNLM: 1. Biotechnology. 2. Nanotechnology. QT 36 G655b 2004] I.

Title.

QP514.2.G658 2004

660.6—dc21

2003006943

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

CONTENTS

1	The Quest for Nanotechnology	1
	Biotechnology and the Two-Week Revolution	3
	From Biotechnology to Bionanotechnology	4
	What is Bionanotechnology?	6
2	Bionanomachines in Action	9
	The Unfamiliar World of Bionanomachines	10
	Gravity and inertia are negligible at the nanoscale	10
	Nanomachines show atomic granularity	11
	Thermal motion is a significant force at the nanoscale	12
	Bionanomachines require a water environment	13
	Modern Biomaterials	14
	Most natural bionanomachines are composed of protein	15
	Nucleic acids carry information	21
	Lipids are used for infrastructure	24
	Polysaccharides are used in specialized structural roles	27
	The Legacy of Evolution	28
	Evolution has placed significant limitations on the properties of natural biomolecules	31
	Guided Tour of Natural Bionanomachinery	32
3	Biomolecular Design and Biotechnology	43
	Recombinant DNA Technology	45
	DNA may be engineered with commercially available enzymes	46
	Site-directed mutagenesis makes specific changes in the genome	52
	Fusion proteins combine two functions	52

Monoclonal Antibodies	54
Biomolecular Structure Determination	57
X-ray crystallography provides atomic structures	58
NMR spectroscopy may be used to derive atomic structures	61
Electron microscopy reveals molecular morphology	62
Atomic force microscopy probes the surface of biomolecules	64
Molecular Modeling	66
Bionanomachines are visualized with computer graphics	67
Computer modeling is used to predict biomolecular structure and function	68
The protein folding problem	69
Docking simulations predict the modes of biomolecular interaction	72
New functionalities are developed with computer-assisted molecular design	74
4 Structural Principles of Bionanotechnology	75
Natural Bionanomachinery is Designed for a Specific Environment	76
A Hierarchical Strategy Allows Construction of Nanomachines	77
The Raw Materials: Biomolecular Structure and Stability	80
Molecules are composed of atoms linked by covalent bonds	80
Dispersion and repulsion forces act at close range	84
Hydrogen bonds provide stability and specificity	86
Electrostatic interactions are formed between charged atoms	87
The hydrophobic effect stabilizes biomolecules in water	89
Protein Folding	91
Not all protein sequences adopt stable structures	93
Globular proteins have a hierarchical structure	93
Stable globular structure requires a combination of design strategies	95
Chaperones provide the optimal environment for folding	98
Rigidity can make proteins more stable at high temperatures	100
Many proteins make use of disorder	101

Self-Assembly	103
Symmetry allows self-assembly of stable complexes with defined size	105
Quasisymmetry is used to build assemblies too large for perfect symmetry	113
Crowded conditions promote self-assembly	115
Self-Organization	116
Lipids self-organize into bilayers	117
Lipid bilayers are fluid	118
Proteins may be designed to self-organize with lipid bilayers	119
Molecular Recognition	121
Crane principles for molecular recognition	122
Atomicity limits the tolerance of combining sites	127
Flexibility	129
Biomolecules show flexibility at all levels	130
Flexibility poses great challenges for the design of bionanomachines	134
5 Functional Principles of Bionanotechnology	135
Information-Driven Nanoassembly	136
Nucleic acids carry genetic information	136
Ribosomes construct proteins	140
Information is stored in very compact form	142
Energetics	145
Chemical energy is transferred by carrier molecules	146
Light is captured with specialized small molecules	149
Protein pathways transfer single electrons	151
Electrical conduction and charge transfer have been observed in DNA	155
Electrochemical gradients are created across membranes	156
Chemical Transformation	158
Enzymes reduce the entropy of a chemical reaction	162
Enzymes create environments that stabilize transition states	163
Enzymes use chemical tools to perform a reaction	164

Regulation	167
Protein activity may be regulated through allosteric motions	167
Protein action may be regulated by covalent modification	171
Biomaterials	173
Helical assembly of subunits forms filaments and fibrils	174
Microscale infrastructure is built from fibrous components	177
Minerals are combined with biomaterials for special applications	181
Elastic proteins use disordered chains	184
Cells make specific and general adhesives	187
Biomolecular Motors	189
ATP powers linear motors	190
ATP synthase and flagellar motors are rotary motors	194
Brownian ratchets rectify random thermal motions	201
Traffic Across Membranes	203
Potassium channels use a selectivity filter	205
ABC transporters use a flip-flop mechanism	207
Bacteriorhodopsin uses light to pump protons	207
Biomolecular Sensing	211
Smell and taste detect specific molecules	212
Light is sensed by monitoring light-sensitive motions in retinal	213
Mechanosensory receptors sense motion across a membrane	213
Bacteria sense chemical gradients by rectification of random motion	216
Self-Replication	216
Cells are autonomous self-replicators	217
The basic design of cells is shaped by the processes of evolution	220
Machine-Phase Bionanotechnology	221
Muscle sarcomeres	221
Nerves	224
6 Bionanotechnology Today	227
Basic Capabilities	228
Natural proteins may be simplified	228
Proteins are being designed from scratch	230
Proteins may be constructed with nonnatural amino acids	232

Peptide nucleic acids provide a stable alternative to DNA and RNA	235
Nanomedicine Today	237
Computer-aided drug design has produced effective anti-AIDS drugs	238
Immunotoxins are targeted cell killers	240
Drugs may be delivered with liposomes	241
Artificial blood saves lives	243
Gene therapy will correct genetic defects	245
General medicine is changing into personalized medicine	247
Self-Assembly at Many Scales	248
Self-assembling DNA scaffolds have been constructed	248
Cyclic peptides form nanotubes	250
Fusion proteins self-assemble into extended structures	252
Small organic molecules self-assemble into large structures	252
Larger objects may be self-assembled	254
Harnessing Molecular Motors	257
ATP synthase is used as a rotary motor	257
Molecular machines have been built of DNA	259
DNA Computers	261
The first DNA computer solved a traveling salesman problem	262
Satisfiability problems are solved by DNA computing	264
A Turing machine has been built with DNA	265
Molecular Design Using Biological Selection	266
Antibodies may be turned into enzymes	267
Peptides may be screened with bacteriophage display libraries	271
Nucleic acids with novel functions may be selected	273
Functional bionanomachines are surprisingly common	277
Artificial Life	277
Artificial protocells reproduce by budding	278
Self-replicating molecules are an elusive goal	280
ATP is made with an artificial photosynthetic liposome	281
Poliovirus has been created with only a genetic blueprint	283
Hybrid Materials	285
Nanoscale conductive metal wires may be constructed with DNA	285

Patterned aggregates of gold nanoparticles are formed with DNA	286
DNA flexes a sensitive mechanical lever	287
Researchers are harnessing biomineralization	288
Biosensors	290
Antibodies are widely used as biosensors	291
Biosensors detect glucose levels for management of diabetes	292
Engineered nanopores detect specific DNA sequences	294
7 The Future of Bionanotechnology	295
A Timetable for Bionanotechnology	296
Lessons for Molecular Nanotechnology	298
Three Case Studies	300
Case study: Nanotube synthase	301
Case study: A general nanoscale assembler	303
Case study: Nanosurveillance	305
Ethical Considerations	309
Respect for life	309
Potential dangers	310
Final thoughts	311
Literature	313
Sources	320
Index	323

PREFACE

Today is the most exciting time to be working in nanotechnology, and bionanotechnology in particular. Chemistry, biology, and physics have revealed an immense amount of information on molecular structure and function, and now we are poised to make use of it for atomic-level engineering. New discoveries are being made every day, and clever people are pressing these discoveries into service in every imaginable (and unimaginable) way.

In this book, I present many of the lessons that may be learned from biology and how they are being applied to nanotechnology. The book is divided into three basic parts. In the first part, I explore the properties of the nanomachines that are available in cells. In Chapter 2, I present the unfamiliar world of bionanomachines and go on a short tour of the natural nanomachinery that is available for our use. Chapter 3 provides an overview of the techniques that are available in biotechnology for harnessing and modifying these nanomachines.

In the second part, I look to these natural nanomachines for guidance in the building of our own nanomachinery. By surveying what is known about biological molecules, we can isolate the general principles of structure and function that are used to construct functional nanomachines. These include general structural principles, presented in Chapter 4, and functional principles, described in Chapter 5.

The book finishes with two chapters on applications. Chapter 6 surveys some of the exciting applications of bionanotechnology that are currently under study. The final chapter looks to the future, speculating about what we might expect.

Bionanotechnology is a rapidly evolving field, which encompasses a diverse collection of disciplines. This book necessarily omits entire sectors of research and interest and is unavoidably biased by my own interests and

my own background as a structural biologist. Biomolecular science still holds many deep mysteries and exciting avenues for study, which should provide even more source material for bionanotechnology in the coming decades. I invite you to explore the growing literature in this field, using this book as an invitation for further reading.

I thank Arthur J. Olson for many useful discussions during the writing of this book.

DAVID S. GOODSSELL

THE QUEST FOR NANOTECHNOLOGY

1

The principles of physics, as far as I can see, do not speak against the possibility of maneuvering things atom by atom. It is not an attempt to violate any laws; it is something, in principle, that can be done; but in practice, it has not been done because we are too big.

—Richard Feynman*

Nanotechnology is available, today, to anyone with a laboratory and imagination. You can create custom nanomachines with commercially available kits and reagents. You can design and build nanoscale assemblers that synthesize interesting molecules. You can construct tiny machines that seek out cancer cells and kill them. You can build molecule-size sensors for detecting light, acidity, or trace amounts of poisonous metals. Nanotechnology is a reality today, and nanotechnology is accessible with remarkably modest resources.

What is nanotechnology? Nanotechnology is the ability to build and shape matter one atom at a time. The idea of nanotechnology was first presented by physicist Richard Feynman. In a lecture entitled “Room at the Bottom,” he unveiled the possibilities available in the molecular world. Because ordinary matter is built of so many atoms, he showed that there is a

*All opening quotes are taken from Richard P. Feynman’s 1959 talk at the California Institute of Technology, as published in the February 1960 issue of CalTech’s *Engineering and Science*.

remarkable amount of space within which to build. Feynman's vision spawned the discipline of nanotechnology, and we are now amassing the tools to make his dream a reality.

But atoms are almost unbelievably small; a million times smaller than objects in our familiar world. Their properties are utterly foreign, so our natural intuition and knowledge of the meter-scale world is useless at best and misleading at worst. How can we approach the problem of engineering at the atomic scale?

When men and women first restructured matter to fit their needs, an approach opposite from nanotechnology was taken. Instead of building an object from the bottom up, atom-by-atom, early craftsmen invented a top-down approach. They used tools to shape and transform existing matter. Clay, plant fibers, and metals were shaped, pounded, and carved into vessels, clothing, and weapons. With some added sophistication, this approach still accounts for the bulk of all products created by mankind. We still take raw materials from the earth and physically shape them into functional products.

Mankind did not make any concerted effort to shape the atoms in manufactured products until medieval times, when alchemists sowed the seeds of the modern science of chemistry. During their search for the secrets of immortality and the transmutation of lead to gold, they developed methods for the willful combination of atoms. Chemical reaction, purification, and characterization are all tools of the alchemists. Today, chemists build molecules of defined shape and specified properties. Chemical reactions are understood, and tailored, at the atomic level. Most of chemistry, however, is performed at a bulk level. Large quantities of pure materials are mixed and reacted, and the desired product is purified from the mixture of molecules that are formed. Nonetheless, chemistry is nanotechnology—the willful combination of atoms to form a desired molecule. But it is nanotechnology on a bulk scale, controlled by statistical mechanics rather than controlled atom-by-atom at the nanometer scale.

We are now in the midst of the second major revolution of nanotechnology. Now, scientists are attempting modify matter one atom at a time.

Some envision a nanotechnology closely modeled after our own macroscopic technology. This new field has been dubbed *molecular nanotechnology*

for its focus on creating molecules individually atom-by-atom. K. Eric Drexler has proposed methods of constructing molecules by forcibly pressing atoms together into the desired molecular shapes, in a process dubbed “mechanosynthesis” for its parallels with macroscopic machinery and engineering. With simple raw materials, he envisions building objects in an assembly-line manner by directly bonding individual atoms. The idea is compelling. The engineer retains direct control over the synthesis, through a physical connection between the atomic realm and our macroscopic world.

Central to the idea of mechanosynthesis is the construction of an *assembler*. This is a nanometer-scale machine that assembles objects atom-by-atom according to defined instructions. Nanotechnology aficionados have speculated that the creation of just a single working assembler would lead immediately to the “Two-Week Revolution.” They tell us that as soon as a single assembler is built, all of the dreams of nanotechnology would be realized within days. Researchers could immediately direct this first assembler to build additional new assemblers. These assemblers would immediately allow construction of large-scale factories, filled with level upon level of assemblers for building macroscale objects. Nanotechnology would explode to fill every need and utterly change our way of life. Unfortunately, assemblers based on mechanosynthesis currently remain only an evocative idea.

The subject of this book is another approach to nanotechnology, which is available today to anyone with a moderately equipped laboratory. This is *bionanotechnology*, nanotechnology that looks to nature for its start. Modern cells build thousands of working nanomachines, which may be harnessed and modified to perform our own custom nanotechnological tasks. Modern cells provide us with an elaborate, efficient set of molecular machines that restructure matter atom-by-atom, exactly to our specifications. And with the well-tested techniques of biotechnology, we can extend the function of these machines for our own goals, modifying existing biomolecular nanomachines or designing entirely new ones.

BIOTECHNOLOGY AND THE TWO-WEEK REVOLUTION

The Two-Week Revolution has already occurred, although it has lasted for decades instead of weeks. Biotechnology uses the ready-made assemblers

available in living cells to build thousands of custom-designed molecules to atomic specifications, including the construction of new assemblers. This has led to myriad applications, including commercial production of hormones and drugs, elegant methods for diagnosing and curing infectious and genetic diseases, and engineering of organisms for specialized tasks such as bioremediation and disease resistance.

Biotechnology took several decades to gather momentum. The primary impediment has been the lack of basic knowledge of biomolecular processes and mechanisms. We have been given an incredible toolbox of molecular machinery, and we are only now beginning to learn how to use it. The key enabling technology, recombinant DNA, made the natural protein assembler of the cell available for use. The subsequent years have yielded numerous refinements on the technology, and numerous ideas on how it might be exploited.

Biotechnology has grown, and is still growing, with each new discovery in molecular biology. Further research into viral biology has led to improved vectors for delivering new genetic material. An explosion of enzymes for clipping, editing, ligating, and copying DNA, as well as efficient techniques for the chemical synthesis of DNA, has allowed the creation of complicated new genetic constructs. Engineered bacteria now create large quantities of natural proteins for medicinal use, mutated proteins for research, hybrid chimeric proteins for specialized applications, and entirely new proteins, if a researcher is bold enough to design a protein from scratch.

FROM BIOTECHNOLOGY TO BIONANOTECHNOLOGY

We are now poised to extend biotechnology into bionanotechnology. What is bionanotechnology, and how is it different from biotechnology? The two terms currently share an overlapped field of topics. I will define bionanotechnology here as applications that require human design and construction at the nanoscale level and will label projects as biotechnology when nanoscale understanding and design are not necessary. Biotechnology grew from the use of natural enzymes to manipulate the genetic code, which was then used to modify entire organisms. The atomic details were not really

important—existing functionalities were combined to achieve the end goal. Today, we have the ability to work at a much finer level with a more detailed level of understanding and control. We have the tools to create biological machines atom-by-atom according to our own plans. Now, we must flex our imagination and venture into the unknown.

Bionanotechnology has many different faces, but all share a central concept: the ability to design molecular machinery to atomic specifications. Today, individual bionanomachines are being designed and created to perform specific nanoscale tasks, such as the targeting of a cancer cell or the solution of a simple computational task. Many are toy problems, designed to test our understanding and control of these tiny machines. As bionanotechnology matures, we will redesign the biomolecular machinery of the cell to perform large-scale tasks for human health and technology. Macroscopic structures will be built to atomic precision with existing biomolecular assemblers or by using biological models for assembly. Looking to cells, we can find atomically precise molecule-sized motors, girders, random-access memory, sensors, and a host of other useful mechanisms, all ready to be harnessed by bionanotechnology. And the technology for designing and constructing these machines in bulk scale is well worked out and ready for application today.

Nanomedicine will be the biggest winner. Bionanomachines work best in the environment of a living cell and so are tailored for medical applications. Complex molecules that seek out diseased or cancerous cells are already a reality. Sensors for diagnosing diseased states are under development. Replacement therapy, with custom-constructed molecules, is used today to treat diabetes and growth hormone deficiencies, with many other applications on the horizon.

Biomaterials are another major application of bionanotechnology. We already use biomaterials extensively. Look around the room and notice how much wood is used to build your shelter and furnishing and how much cotton, wool, and other natural fibers are used in your clothing and books. Biomaterials address our growing ecological sensitivity—biomaterials are strong but biodegradable. Biomaterials also integrate perfectly with living tissue, so they are ideal for medical applications.

The production of hybrid machines, part biological and part inorganic,

is another active area of research in bionanotechnology that promises to yield great fruits. Bionanomachines, such as light sensors or antibodies, are readily combined with silicon devices created by microlithography. These hybrids provide a link between the nanoscale world of bionanomachines and the macroscale world of computers, allowing direct sensing and control of nanoscale events.

Finally, Drexler and others have seen biological molecules as an avenue to reach their own goal of mechanosynthesis using nanorobots. Certainly, biology provides the tools for building objects one atom at a time. Perhaps as our understanding grows, bionanomachines will be coaxed into building objects that are completely foreign to the biological blueprint.

This book explores these bionanomachines: their properties, their design principles, and the way they have been harnessed for our own applications. An exponentially growing body of information is being amassed, revealing the structure and function of individual biomolecules and their interactions within living cells. This information is a key resource for understanding the basic principles of nanomachinery: its structure, its function, and its integration into any larger application of nanotechnology. These existing, working nanomachines provide important lessons for the construction of our own nanotechnology, whether based directly on biology or constructed completely from our own imagination.

WHAT IS BIONANOTECHNOLOGY?

Nanotechnology and bionanotechnology are entirely new concepts, invented late in the twentieth century, and biotechnology has only been around for a few decades, so the scope of these fields is still being defined. With so many clever researchers working on all aspects of nanoscale structure, construction, and function, new examples that cross existing conceptual boundaries are appearing daily. Before getting started, it is worth spending a moment to compare the many technologies working at small scales and try to define the current scope of bionanotechnology.

Chemistry was the first science to manipulate molecules, starting when the first human beings cooked their food. Today, chemists design molecules and perform extensive, controlled syntheses to create them. Chemistry dif-




Figure 1-1 How big is bionanotechnology? Since the Industrial Revolution, scientists and engineers have constructed machines at an ever-smaller scale. Machines in our familiar world have moving parts in the range of millimeters to meters. As machining capabilities improved, tiny machines, such as the movement of a fine watch, extended the precision of machining to a fraction of a millimeter. Computer technology, with its ever-present pressure to miniaturize in order to improve performance, has driven the construction of tiny structures to even smaller ranges, with micrometer-scale construction of electronic components and tiny machines, like these tiny gears, created at the Sandia National Laboratories. Bionanotechnology operates at the smallest level, with machines in the range of 10 nm in dimension. The bacterium shown builds thousands of different bionanomachines, including a working nanoscale assembler, the ribosome, shown at lower right. Because these bionanomachines are composed of a finite, defined number of atoms, they represent a limit to the possible miniaturization of machinery. [MEMS gear photomicrograph from <http://mems.sandia.gov/scripts/images.asp>].

fers from bionanotechnology because it does not work at the level of individual molecules. There is no localization at the atomic level and no ability to address individual molecules. As a consequence of the bulk nature of chemistry, the molecules produced are generally limited to under a hundred atoms or so—syntheses of larger molecules are plagued by too many side reactions that form competing impurities.

Photolithography is widely used for the creation of computer hardware, and the growing field of MEMS is applying these technologies to the creation of microscale machines. Our entire information and communication technology relies on these methods. It relies on photographic techniques for reduction of scale and random deposition of atoms within the mask. Thus it is a macroscale technique scaled down to its finest limits.

Biotechnology harnesses biological processes and uses them for our own applications. In this book, I will limit the scope of biotechnology to applications that do not require atomic specification of biomolecules. For instance, researchers routinely use purified enzymes to cut and paste genetic instructions and add these back into cells. Knowledge of the atomic details are unimportant, just as knowledge of the type of ink used to print this page is not important for understanding of the words printed here.

Nanotechnology has been defined as engineering and manufacturing at nanometer scales, with atomic precision. The theoretical constructions popularized by K. Eric Drexler and the Foresight Institute are perhaps the most visible examples, and these are often further classified as “molecular nanotechnology.” The positioning of individual argon atoms on a crystal surface by researchers at IBM is a successful example of nanotechnology.

Bionanotechnology is a subset of nanotechnology: atom-level engineering and manufacturing using biological precedents for guidance. It is also closely married to biotechnology but adds the ability to design and modify the atomic-level details of the objects created. Bionanomachines are designed to atomic specifications, they perform a well-defined three-dimensional molecular task, and, in the best applications, they contain mechanisms for individual control embedded in their structure.

BIONANOMACHINES IN ACTION

2

I am inspired by the biological phenomena in which chemical forces are used in repetitious fashion to produce all kinds of weird effects (one of which is the author).

—Richard Feynman

As you read these words, 10,000 different nanomachines are at work inside your body. These are true nanomachines. Each one is a machine built to nanoscale specifications, with each atom precisely placed and connected to its neighbors. Your body is arguably the most complex mechanism in the known universe, and most of the action occurs at the nanoscale level. These nanomachines work in concert to orchestrate the many processes of life—eating and breathing, growing and repairing, sensing danger and responding to it, and reproducing.

Remarkably, many of these nanomachines will still perform their atom-sized functions after they are isolated and purified, provided that the environment is not too harsh. They do not have to be sequestered safely inside cells. Each one is a self-sufficient molecular machine. Already, these nanomachines have been pressed into service. Natural digestive enzymes like pepsin and lysozyme are so tough that they can be added to laundry detergent to help digest away stains. Amylases are used on an industrial scale to convert powdery starch into sweet corn syrup. The entire field of genetic engineering and biotechnology is made possible by a collection of DNA-

manipulating nanomachines, now available commercially. In general, natural bionanomachines are remarkably robust.

This chapter explores the bionanomachines made by living cells. They are different from the machines in our familiar world in many ways. They have been developed by the process of evolution (instead of intelligent design), which places unfamiliar restrictions on the process of design and the form of the final machine. Bionanomachines are also selected to perform their tasks in a very specific environment and are subject to the unfamiliar forces imposed by this environment. We must keep these differences in mind when trying to understand natural biomolecules, and we must keep these differences in mind when we use these natural bionanomachines as the starting point for our own bionanotechnology.

THE UNFAMILIAR WORLD OF BIONANOMACHINES

Biological machinery is different from anything we build with our familiar, human-sized technology. Natural biomolecules have organic, visceral, and often unbelievable shapes, unlike the tidy designs of toasters and tractors. They perform their jobs in a foreign environment, where jittery thermal motion is constantly pushing and pulling on their component parts. They are held together by a complex collection of bonding and nonbonding forces. At their small scale, bionanomachines are almost immune to the laws of gravity and inertia that dominate our machines. The world of bionanotechnology is an unfamiliar, shifting world that plays by different rules.

Gravity and Inertia are Negligible at the Nanoscale

Macroscopic objects, like bicycles and bridges, are dominated by the properties of mass. For centimeter-sized and meter-sized objects, physical properties such as friction, tensile strength, adhesion, and shear strength are comparable in magnitude to the forces imposed by inertia and gravity. So we can design picture hooks that are strong enough to hold up pictures and tires that will not fly apart when rotated at rapid speed. This balance changes, however, when we move to larger or smaller objects. As we move to larger objects, scaling laws shift the balance. Mass increases with the cube

of the size of an object, and properties such as strength and friction increase linearly or with the square of size. The increase in inertia or weight can quickly overcome the increase in strength in a large structure such as a building. These scaling laws are quite familiar, and it is common sense to add extra support as we build larger and larger structures. We do not expect to be able to build a skyscraper a mile tall.

These scaling laws also apply in the opposite direction, with the opposite effect as we go to smaller and smaller machines. Micrometer-sized objects, like individual grains of sand or individual cells, already interact differently from macroscopic objects. Inertia is no longer a relevant property, so our intuition may lead to inappropriate conclusions. For example, E. M. Purcell described the surprising properties of bacterial cells swimming in water. These cells use a long corkscrew-shaped flagellum to propel themselves through the water. When the cell stops turning the flagellum, we might expect that the cell would slowly coast to a stop, like a submarine does in the ocean. However, because of the inertia scales differently relative to the viscous forces within the surrounding water, the cell actually stops in less than the diameter of an atom.

Gravity is also a negligible force when dealing with small objects. The actions of small objects are dominated by their interaction with neighboring objects. The molecules in water and air are in constant motion, continually battering small objects from all sides. So, fine dust stays suspended in the air instead of dropping quickly to the floor, and objects in water, if you look at them with a microscope, undergo random Brownian motion. The attractive forces between small objects are also stronger than the force of gravity. Flies take advantage of these attractive forces and can crawl up walls. Similarly, water droplets can hang from the ceiling because of these attractive forces.

Nanomachines Show Atomic Granularity

Nanoscale objects are built of discrete combinations of atoms that interact through specific atom-atom interactions. We cannot design nanomachines in a smoothly graded range of sizes. They must be composed of an integral number of atoms. For instance, we cannot design a nanoscale rotary motor

like a macroscale motor, with a smooth ring surrounding an axle undergoing a smooth rotary motion. Instead, existing nanoscale rotary motors, such as ATP synthase or the bacterial flagellar motor, adopt several discrete rotary states that cycle one after the other (described in Chapter 5). There is not a smooth transition from one state to the next. Instead, the motor jumps from state to state when the appropriate chemical energy is applied. (Note that although smooth atom-scale motion is not observed in natural systems, theoretical nanoscale versions of axles and bearings have been proposed in molecular nanotechnology that take advantage of a mismatch in the number of atoms to smooth out atomic granularity.)

Because of atomic granularity, the typical continuous representations used in engineering are not appropriate. Bulk properties such as viscosity and friction are not defined for discrete atomic ensembles. Instead, individual atomic properties must be used. Quantum mechanics provides a deep understanding of the properties of atoms within biomolecules, but, fortunately, most of the basic properties may be understood qualitatively, through the use of a set of simplified rules. The central concept is the existence of covalent bonds, which connect atoms into stable molecules of defined geometry. Addition of a few rules to describe the interaction of atoms that are not bonded together—steric repulsion of nonbonded atoms, electrostatic interactions, and hydrogen bonds—allows understanding of most aspects of biomolecular structure and interaction. In general, biomolecules may be thought of as articulated chains of atoms that interact in a few well-defined ways. These qualitative rules are described in more detail in Chapter 4.

Thermal Motion is a Significant Force at the Nanoscale

Molecular nanotechnology seeks to create a “machine-phase” environment, with individual nanomachines organized like clockwork to form microscale and macroscale objects. Natural bionanomachinery takes a different approach, creating atomically precise nanomachinery but then enclosing them in a cellular space. The individual parts then interact through random motion and diffusion. In specialized applications machine-phase bionanostructures are used (two examples are presented in Chapter 5), but the bulk of

the work done in cells is performed in the context of random, diffusive motion.

Bionanomachines operate in a chaotic environment. They are bombarded continually by water molecules. They will scatter randomly if not firmly held in place. Bionanomachines operate by forming interactions with other bionanomachines, fitting together and breaking apart in the course of action. If two molecules fit closely together and have the appropriate matching of chemical groups, they will interact over long periods of time. If the interactions are weaker, they will form only a temporary interaction before moving on to the next. By careful design of the strength of these interactions, bionanomachines can form stable molecular girders that last for years or delicate biosensors that fleetingly sense trace amounts of a molecule.

Cells are complex, with millions of individual proteins, and you might wonder whether diffusive motion is sufficient to allow interaction between the proper partners amidst all the competition. At the scale of the cell, diffusive motion is remarkably fast, so once again our intuition may play us false. If you release a typical protein inside a bacterial cell, within one-hundredth of a second, it is equally likely to be found anywhere in the cell. Place two molecules on opposite sides of the cell, and they are likely to interact within one second. As articulated by Hess and Mikhailov: "This result is remarkable: It tells us that *any* two molecules within a micrometer-size cell meet each other every second."

Bionanomachines Require a Water Environment

The form and function of biomolecules is dominated by two things: the chemistry of their component atoms and the unusual properties of the water surrounding them. The energetics of this interaction are quite different from anything we experience in our macroscopic world.

Water is an unusual substance, with specific preferences. Water molecules interact strongly with one another through hydrogen bonds. They do not lightly separate and interact with other molecules, unless these other molecules have something to offer. In biomolecules, regions that carry electronic charges and regions that are rich in nitrogen and oxygen atoms interact favorably with water. These regions easily dissolve into water solution.

Regions that are rich in carbon, however, cannot form the requisite hydrogen bonds and tend to be forced together in oily drops, minimizing contact with the surrounding water. This process has been termed the “hydrophobic effect,” with the term hydrophobic referring to the “water-fearing” carbon atoms that avoid contact with water. Perhaps a better image is to think of water as an exclusive social clique that has no interest in carbon-rich conversation. The hydrophobic effect is described in more detail in Chapter 4.

The hydrophobic effect strongly shapes the form and function of a biological molecule. The geometry of the molecular chain alone allows a large range of conformations to be formed. If this were the whole story, life would not be possible—chains would only rarely form a single, defined structure. But when placed in water, biomolecules respond to the environment by folding into a conformation with the hydrophobic regions tucked away inside and the surface decorated with more water-loving groups. For proteins, the chain is most often forced into a compact globule. For DNA, the base pairs are sequestered safely inside, leaving the strongly charged phosphates on the surface. For lipids, many individual molecules are forced together to form membranes, with their hydrophobic atoms sandwiched between sheets of water-loving charged atoms. If designed carefully (as are all natural biological molecules), only a single structure is formed, creating a nanoscale machine with exactly the proper conformation to perform its duty (Figure 2-1).

MODERN BIOMATERIALS

Four basic molecular plans were developed through evolution over 3 billion years ago and are still used by all living things today. Modern cells use proteins, nucleic acids (such as DNA), polysaccharides, and lipids for nearly all tasks. A handful of other small molecules are specially synthesized for particular needs, but the everyday work of the cell is performed by these four basic plans. Of course, in bionanotechnology we are not forced to stay within these existing plans, but there are many advantages to exploring them first. Most notably, we can use the thousands of working natural bionanomachines as a starting point to build our own practical nanotechnology.




Figure 2-1 Oxygen is stored differently at the meter scale and at the nanoscale. At the meter scale, we store oxygen in high-pressure tanks. The oxygen is delivered into and out of these tanks in a continuous stream through tubes. The flow is controlled by smoothly machined valves. In contrast, at the nanoscale we transport oxygen molecule by molecule instead of in bulk. In red blood cells, the protein hemoglobin stores large amounts of oxygen at body temperature and without the need for high pressure. Individual oxygen molecules encounter hemoglobin by random diffusion, binding tightly when they meet. A complex shift in the orientation of the four subunits, mediated by the precise mating of atoms along the interface between subunits, allows hemoglobin to increase the gain on the interaction. This allows hemoglobin to gather oxygen efficiently when levels rise and to discharge all of the oxygen when levels drop.

Most Natural Bionanomachines Are Composed of Protein

Protein is the most versatile of the natural biomolecular plans. Protein is used to build nanomachines, nanostructures, and nanosensors with diverse properties. Proteins are modular, constructed of a linear chain of amino acids that folds into a defined structure, as shown in Figure 2-2. The longest protein chain (thus far) is titin with over 26,000 amino acids, and peptides with less than a dozen amino acids are used as hormones for cell signaling.




Figure 2-2 Proteins are constructed as chains of amino acids, which then fold into compact globular structures.

Typical soluble proteins have chains in the range of about 200 to 500 amino acids.

Amino acids are composed of a central α -carbon atom with three attachments: an amino group, a carboxylic acid group, and a side chain. Each successive amino acid is connected through an amide linkage between the amine of one amino acid and the carboxyl of the next amino acid in the chain. The amide linkage is rigid, strongly preferring a planar conformation of the four amide atoms and the flanking carbon atoms. The rigidity of the amide group is essential for the construction of nanomachinery with defined conformations. The rigid amide limits the number of conformations available to the chain. A more flexible chain, like the strings of aliphatic carbon atoms used in many plastics, is able to adopt many compact conformations of similar stability instead of forming a single folded structure with the desired conformation.

The combination of the rigid planar group and the exposed hydrogen