

# Forest Growth and Yield Modeling

Aaron R. Weiskittel

David W. Hann

John A. Kershaw, Jr.

Jerome K. Vanclay



 WILEY-BLACKWELL





# **Forest Growth and Yield Modeling**



# Forest Growth and Yield Modeling

## **Aaron R. Weiskittel, PhD**

*Assistant Professor of Forest Biometrics and Modeling, Irving Chair of Forest Ecosystem Management, School of Forest Resources, University of Maine, Orono, ME 04469, USA*

## **David W. Hann, PhD**

*Professor of Forest Modeling, Department of Forest Engineering, Resources, and Management, College of Forestry, Oregon State University, Corvallis, OR 97331, USA*

## **John A. Kershaw, Jr., PhD**

*Professor of Forest Mensuration, Faculty of Forestry and Environmental Management, University of New Brunswick, PO Box 4400, 28 Dineen Dr., Fredericton, New Brunswick E3B 5A3, Canada*

## **Jerome K. Vanclay, PhD**

*Professor of Sustainable Forestry, School of Environmental Science and Management, Southern Cross University, PO Box 157, Lismore, NSW 2480, Australia*

 **WILEY-BLACKWELL**

A John Wiley & Sons, Ltd., Publication

This edition first published 2011 © 2011 by John Wiley & Sons, Ltd.

Wiley-Blackwell is an imprint of John Wiley & Sons, formed by the merger of Wiley's global Scientific, Technical and Medical business with Blackwell Publishing.

*Registered office:* John Wiley & Sons, Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

*Editorial offices:* 9600 Garsington Road, Oxford, OX4 2DQ, UK  
The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK  
111 River Street, Hoboken, NJ 07030-5774, USA

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at [www.wiley.com/wiley-blackwell](http://www.wiley.com/wiley-blackwell).

The right of the author to be identified as the author of this work has been asserted in accordance with the UK Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book. This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

*Library of Congress Cataloging-in-Publication Data*

Forest growth and yield modeling / Aaron R. Weiskittel... [et al.].

p. cm.

Includes index.

ISBN 978-0-470-66500-8 (hardback)

1. Trees—Growth—Computer simulation. 2. Forest productivity—Computer simulation.  
3. Trees—Growth—Mathematical models. 4. Forest productivity—Mathematical models. I. Weiskittel, Aaron R.

SD396.F66 2011

634'.0441—dc23

2011014943

A catalogue record for this book is available from the British Library.

This book is published in the following electronic format: ePDF 9781119998525; Wiley Online Library 9781119998518; ePub 9781119971504; Mobi 9781119971511

Set in 10.5/13 pt Times Roman by Thomson Digital, Noida, India

First Impression 2011

# Contents

<b>Preface</b>	<b>xi</b>
<b>Acknowledgements</b>	<b>xiii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Model development and validation	7
1.2 Important uses	8
1.3 Overview of the book	13
<b>2 Indices of competition</b>	<b>15</b>
2.1 Introduction	15
2.2 Two-sided competition	16
2.2.1 Distance-independent	16
2.2.2 Distance-dependent	22
2.3 One-sided competition	22
2.3.1 Distance-independent	23
2.3.2 Distance-dependent	24
2.4 Limitations	31
2.4.1 Low predictive power	32
2.4.2 Distance-independent vs. distance-dependent	32
2.4.3 Influence of sampling design	34
2.5 Summary	35
<b>3 Forest site evaluation</b>	<b>37</b>
3.1 Introduction	37
3.2 Phytocentric measures of site quality	38
3.2.1 Site index	38
3.2.2 Plant indicators	44
3.2.3 Other phytocentric measures	45
3.3 Geocentric measures of site productivity	47
3.3.1 Physiographic measures	48

3.3.2	Climatic measures	49
3.3.3	Soil measures	50
3.4	Summary	52
<b>4</b>	<b>Whole-stand and size-class models</b>	<b>53</b>
4.1	Introduction	53
4.2	Whole-stand models	53
4.2.1	Yield tables and equations	54
4.2.2	Compatible growth and yield equations	56
4.2.3	Systems of equations	59
4.2.4	State-space models	59
4.2.5	Transition matrix models	61
4.3	Size-class models	61
4.3.1	Stand table projection	61
4.3.2	Matrix models	64
4.3.3	Diameter-class models	66
4.3.4	Cohort models	67
4.4	Summary	68
<b>5</b>	<b>Tree-level models</b>	<b>69</b>
5.1	Introduction	69
5.2	Single-tree distance-dependent models	70
5.2.1	Example models	72
5.3	Tree-list distance-independent models	77
5.3.1	Example models	81
5.4	Summary	83
<b>6</b>	<b>Components of tree-list models</b>	<b>85</b>
6.1	Introduction	85
6.2	Diameter increment	87
6.2.1	Potential diameter increment equations with multiplicative modifiers	89
6.2.2	Realized diameter increment equations	92
6.3	Height increment	101
6.3.1	Potential height increment equations with multiplicative modifiers	101
6.3.2	Realized height increment equations	105
6.4	Crown recession	108
6.4.1	Individual-tree crown recession models	108
6.4.2	Branch-level crown recession models	111
6.5	Summary	114



<b>7 Individual-tree static equations</b>	<b>115</b>
7.1 Introduction	115
7.2 Total height	115
7.3 Crown length	119
7.4 Crown width and profile	123
7.5 Stem volume and taper	127
7.6 Biomass	130
7.7 Use of static equations to predict missing values	132
7.8 Summary	137
<b>8 Mortality</b>	<b>139</b>
8.1 Introduction	139
8.2 Stand-level mortality	140
8.3 Individual-tree-level mortality	142
8.4 Mechanistic models of mortality	148
8.5 Development and application of mortality equations	148
8.6 Summary	154
<b>9 Seeding, regeneration, and recruitment</b>	<b>157</b>
9.1 Introduction	157
9.2 Seeding	158
9.2.1 Flowering and pollination	158
9.2.2 Seed production	158
9.2.3 Seed dispersal	160
9.2.4 Seed germination	160
9.3 Regeneration	161
9.4 Recruitment	163
9.4.1 Static	163
9.4.2 Dynamic	164
9.5 Summary	166
<b>10 Linking growth models of different resolutions</b>	<b>169</b>
10.1 Introduction	169
10.2 Linked stand- and size-class models	169
10.2.1 Parameter recovery	170
10.2.2 Modified stand table projection	173
10.3 Linked stand- and tree-models	174
10.3.1 Disaggregation	174
10.3.2 Constrained	180
10.3.3 Combined	181
10.4 Summary	182

<b>11 Modeling silvicultural treatments</b>	<b>183</b>
11.1 Introduction	183
11.2 Genetic improvements	188
11.2.1 Stand-level	188
11.2.2 Tree-level	189
11.3 Early stand treatments	191
11.3.1 Stand-level	191
11.3.2 Tree-level	192
11.4 Thinning	193
11.4.1 Stand-level	194
11.4.2 Tree-level	204
11.5 Fertilization	208
11.5.1 Stand-level	209
11.5.2 Tree-level	217
11.6 Combined thinning and fertilization	221
11.6.1 Stand-level	221
11.6.2 Tree-level	222
11.7 Harvesting	222
11.7.1 Stand-level	223
11.7.2 Tree-level	223
11.8 Summary	224
<b>12 Process-based models</b>	<b>227</b>
12.1 Introduction	227
12.2 Key physiological processes	228
12.2.1 Light interception	228
12.2.2 Photosynthesis	231
12.2.3 Stomatal conductance	233
12.2.4 Respiration	235
12.2.5 Carbon allocation	236
12.2.6 Soil water and nutrients	238
12.3 Example models	240
12.3.1 Forest-BGC	240
12.3.2 CenW	244
12.3.3 BALANCE	245
12.4 Limitations	247
12.4.1 Initialization	247
12.4.2 Parameterization	249
12.4.3 Scale	250
12.4.4 Sensitivity	250
12.5 Summary	252

<b>13 Hybrid models of forest growth and yield</b>	<b>253</b>
13.1 Introduction	253
13.2 Types of hybrid models	254
13.2.1 Statistical growth equations with physiologically derived covariate	254
13.2.2 Statistical growth equations with physiologically derived external modifier	258
13.2.3 Allometric models	259
13.3 Comparison to statistical models	263
13.4 Summary	264
<b>14 Model construction</b>	<b>265</b>
14.1 Introduction	265
14.2 Data requirements	266
14.2.1 Stem analysis	266
14.2.2 Temporary plots	267
14.2.3 Permanent plots	271
14.3 Model form	279
14.4 Parameter estimation	281
14.4.1 Regression	282
14.4.2 Quantile regression	285
14.4.3 Generalized linear regression models	285
14.4.4 Mixed models	287
14.4.5 Generalized algebraic difference approach	289
14.4.6 System of equations	290
14.4.7 Bayesian	292
14.4.8 Nonparametric	292
14.4.9 Annualization	293
14.5 Summary	294
<b>15 Model evaluation and calibration</b>	<b>295</b>
15.1 Introduction	295
15.2 Model criticism	296
15.2.1 Model form and parameterization	298
15.2.2 Variable selection and model simplicity	298
15.2.3 Biological realism	299
15.2.4 Compatibility	303
15.2.5 Reliability	303
15.2.6 Adaptability	304
15.3 Model benchmarking	305
15.3.1 Statistical tests	305
15.3.2 Model error characterization	307

15.4	Model calibration	307
15.5	Summary	308
<b>16</b>	<b>Implementation and use</b>	<b>311</b>
16.1	Introduction	311
16.2	Collection of appropriate data	312
16.3	Generation of appropriate data	314
16.4	Temporal scale	315
16.5	Spatial scale	316
16.6	Computer interface	317
16.7	Visualization	318
16.8	Output	319
16.9	Summary	320
<b>17</b>	<b>Future directions</b>	<b>321</b>
17.1	Improving predictions	321
17.2	Improving input data	323
17.3	Improving software	324
17.4	Summary	324
	<b>Bibliography</b>	<b>327</b>
	<b>Appendix 1: List of species used in the text</b>	<b>397</b>
	<b>Appendix 2: Expanded outline for ORGANON growth and yield model</b>	<b>399</b>
	<b>Index</b>	<b>405</b>

# Preface

In 1994, Jerome Vanclay published a comprehensive and definitive text on forest growth and yield modeling. Since then, significant changes in data availability, computing power, and statistical techniques have largely changed the state of forest growth and yield modeling in a rather short time period. This new book attempts to build on the successful approach of the 1994 book and provide a broad perspective on all aspects of forest growth and yield modeling.

Most foresters, students, and even researchers treat forest growth and yield models as incomprehensible and outdated black boxes that are frustrating to use and with predictions that can be inaccurate. Yet, growth and yield predictions are still central to answering a variety of practical and research questions on a daily basis, often with little appreciation of how the models actually operate, their key assumptions, and the difficulty of the task at hand. As with the previous edition, this book attempts to make growth models more accessible to a wider audience by exploring their individual components, discussing aspects of their construction, and, most importantly, describing their limitations. Specific attention is given to individual tree growth models because they are the tool most commonly used for practical decisions. For each type of growth model, several example growth models from different regions of the world are described in detail so that the differences between modeling approaches are better illustrated and the black-box nature of specific models is lessened.

The text is intended for practitioners, researchers, and students alike. Given their relative lack of coverage in other books, two detailed chapters on measuring site productivity and competition are given, which could be used in several undergraduate and graduate-level university courses. There are also individual chapters that describe whole-stand/size-class, individual tree, process-based, and hybrid models. The key growth model components discussed in detail are increment equations, static equations, mortality, and regeneration/recruitment. Other chapters include combining models of different resolutions, modeling silvicultural treatments, and potential future directions. Finally, chapters on model evaluation, model development, and model use are given to guide future efforts. The extensive bibliography should serve as a useful guide for specific references on more advanced topics.

A team of authors with a diverse background and expertise was assembled to provide a comprehensive and international perspective. The book's original author, Dr. Jerome Vanclay, provided expertise on all aspects of growth models, particularly models developed in the southern hemisphere and for tropical forests. Dr. John Kershaw, a co-author on Wiley's fourth edition of the *Forest Mensuration* book, brought a perspective on growth and yield models used in North America, particularly Canada. Dr. David Hann has an extensive career working on forest growth and yield models and is the developer of the ORGANON growth model, which is widely used in the US Pacific Northwest. Finally, Dr. Aaron Weiskittel has spent time working with process and hybrid models and is currently developing an individual tree growth model for the northeastern North America.

# Acknowledgements

The authors acknowledge the help of many friends and colleagues during the preparation of this book. Drs. Peter Marshall (University of British Columbia), David Marshall (Weyerhaeuser Company), and Quang Cao (Louisiana State University) provided useful feedback on the content and organization of the text. Greg Johnson (Weyerhaeuser Company), Jim Goudie (Canadian Forest Service), Dr. Robert Monserud (retired, US Forest Service), Dr. Rongxia Li (University of Maine), University of Washington Stand Management Cooperative (SMC), US Forest Service, and New Brunswick Department of Natural Resources provided data useful in the construction of several figures.

Dr. Phil Radtke (Virginia Polytechnic Institute and State University), Dr. Peter Gould (US Forest Service), Dr. Laura Leites (Pennsylvania State University), Dr. Jeff Gove (US Forest Service), Dr. Martin Ritchie (US Forest Service), Dr. Jeremy Wilson (University of Maine), Dr. Thomas Ledermann (Austria Federal Forest Office), Dr. Laura Kenefic (US Forest Service), Dr. Duncan Wilson (Oklahoma State University), Matthew Russell (University of Maine), Joshua Sjostrom (University of Maine), Elijah Shank (University of Maine), and Elizabeth McGarrigle (University of New Brunswick) reviewed several chapters. Special thanks to Drs. Robert Curtis (US Forest Service), Oscar García (University of Northern British Columbia), and Dave Hyink (retired, Weyerhaeuser Company) for extensive reviews of the book. Special thanks are due Clare Lendrem for an outstanding job as copy-editor.

Finally, thanks to the encouragement, patience, and understanding of friends and family.






# 1

## Introduction

All models are an abstraction of reality that attempt to conceptualize key relationships of a system. Models can be both quantitative and conceptual in nature, but all models are integrators of multiple fields of knowledge. Consequently, models generally have several important and varied uses. Forest growth and yield models are no different. Foresters often have a general sense of a stand's developmental trajectory and what can be done to alter it. However, it generally takes years of experience to achieve this level of expertise and, even then, quantifying the predictions can be difficult. Forest growth models attempt to bridge this gap by providing model users the ability to predict the future condition of the forest. Ultimately, growth models are the quantitative generalizations on the knowledge of forest stand development and their response to silvicultural treatments.

Forest growth and yield models have a long, and rapidly expanding, history of development (Figure 1.1, 1.2). Their development and use has particularly increased in the last two decades, due in part to the greater availability of personal computers to perform both data analysis and complex simulations (Figure 1.2). This has resulted in a wide array of modeling approaches, each with their own advantages and disadvantages. In particular, models differ in the type of data used and the method of construction. This book attempts to provide an overview of the primary concepts involved in forest modeling, the various techniques used to represent the determinants of growth, and the techniques needed to both develop and use a growth model properly.


Although the concepts of forest growth and yield have long been a part of forestry, they have been defined and named in various ways, particularly in the US (Bruce, 1981). In this book, *increment* is defined as the difference between tree or stand dimensions from one time period to the next, while *growth* is the final dimension from one time period to the next. In other words, increment is determined by either solving a growth equation or by observing growth at two points of time (Bruce, 1981).




**Figure 1.1** Number of publications on growth and yield, by publication year, based on a keyword search of the CAB Direct database ([www.cabdirect.org](http://www.cabdirect.org), accessed December 21, 2010).

This book is focused on models that predict the development of a single forest stand (Figure 1.3). Although a distinction between empirical and mechanistic models is often made (e.g. Taylor *et al.*, 2009), this is not a useful metric of differentiation, as all models are on a spectrum of empiricism. Instead, this book groups forest stand development models into four broad categories: (1) statistical models; (2) process; (3) hybrid; and (4) gap (Table 1.1; Figure 1.4).

Statistical models rely on the collection and analysis of data that will characterize the targeted population in a manner that allows statistical variability to be estimated for parameters. The primary intent of statistical models is for prediction of forest stand development and yield over time. Process models represent key physiological processes (e.g. light interception, photosynthesis), often for understanding and exploring system behavior, which are then combined to characterize both tree and stand development. Hybrid models merge features of statistical and process models and are used both for understanding and for prediction. Gap models are designed to explore long-term ecological processes, generally for understanding interactions that control forest species succession. Models that integrate the development of multiple forest stands, such as landscape models, exist (e.g. Mladenoff, 2004), but will not be covered in this book.



**Figure 1.2** Key milestones in model development and associated concepts and techniques.



**Figure 1.3** Types of forest vegetation prediction models. Adapted from Taylor *et al.* (2009).

Within any given model category, models differ in their resolution (both spatial and temporally), spatial dependence, and degree of determinism. Spatial resolution refers to the basic unit for predictions, with the simplest being a whole-stand approach (Chapter 4), and the individual-tree approach is the most detailed (Chapter 5). A size-class model is a compromise between the whole-stand and individual-tree approaches (Chapter 4). Some process models even have a spatial resolution of an individual leaf within a tree crown. In addition, a significant amount of effort has been made in combining predictions from models with different spatial resolutions (Chapter 10).


Temporal resolution is the basic time step for model predictions. Several process models have daily or even hourly time steps, while statistical models generally have 1- to 10-year temporal resolutions. Models also vary in their use of spatial information. Distance-dependent or spatially explicit models require spatial location information; often individual-tree  $x$ - $y$  coordinates are needed. Distance-independent or spatially implicit models do not require this information.

Finally, models differ in their use of deterministic approaches, which means that a particular function will always return the same output return value for any given set of input values. In contrast, stochastic approaches incorporate some purely random element and will give different return values in successive runs with any given set of input values. Stochasticity can be an important element of forest modeling, as some relevant factors like natural disturbances that ultimately govern the growth and yield of a particular stand can be random or unpredictable. However, a model with too many stochastic elements can make interpretation a challenge.

Stochasticity is one approach for addressing the variability that is inherent in all aspects of modeling. Even models in fundamental sciences like physics and chemistry have purely random elements. However, biological systems are even more variable and models need to

**Table 1.1** Categories of quantitative single stand forest development models and their definition, use, advantages, and disadvantages.

Type of model	Definition	Important uses	Advantages	Disadvantages	Key references
Statistical	Utilize empirical data and statistical techniques like regression to derive quantitative relationships	Update forest inventories; compare forest silvicultural treatments; estimate sustainable harvests	Robust; long history of development; rely on data generally available; output geared for operational decisions; can represent a wide range of conditions and sampling schemes	Require high quality empirical data; can extrapolate poorly; generally insensitive to climate	Taylor <i>et al.</i> (2009)
Process	Represent key plant physiological processes like photosynthesis, which are then scaled to the stand-level to estimate growth	Understand the underlying mechanisms influencing growth; test hypotheses about plant behavior; predict potential forest productivity	Can theoretically extrapolate to novel situations; sensitive to climate; mechanistic	Dependent on several difficult-to-measure parameters; input data not widely available; high computational demand; output often unusable for operational decisions	Mäkelä <i>et al.</i> (2000a); Landsberg (2003)
Hybrid	Combine statistical and process approaches in attempt to take advantage of the strengths of both approaches	Predict growth using climatic factors; prediction of novel forest silvicultural treatments	Robust; sensitive to climate; minimize the number of required parameters; can use traditional forest inventory data	Accuracy improvements can be minimal when compared to a purely statistical approach; climate and soils input data not widely available	Monserud (2003)
Gap	Rely heavily on ecological theory and interpretation of species dynamics relative to both competition and environmental conditions	Predict long-term forest succession; test ecological theories	Incorporate a variety of natural disturbance agents; long time scales	Prediction accuracy is often low compared to statistical models; difficult to initialize with forest inventory data; several subjective parameters	Bugmann (2001); Shugart (2002)



**Figure 1.4** Types of forest vegetation prediction models that are focused on the stand-level.

recognize the important sources. Therefore, the models examined in this book have a framework that is based upon our current biological knowledge and are parameterized with the knowledge that the parameters are uncertain.

Forest growth models have several components. At minimum, forest stand development models must represent growth (Chapter 6) and mortality (Chapter 8). Models must also have components that relate the traditional tree measurements of diameter and height to other attributes like total volume or biomass with the use of static equations (Chapter 7). Comprehensive growth models include components to predict regeneration and ingrowth (Chapter 9) and representation of silvicultural treatments (Chapter 11). In addition, understanding the key biological determinants of growth and yield, namely competition (Chapter 2) and site potential productivity (Chapter 3), is important.

## 1.1 Model development and validation

As with most fields, forest modeling is both an art and a science. Ideally, the development of any model involves a comprehensive understanding of the system and an approach for detecting the crucial relationships. This often means that modelers must be multidisciplinary. In addition, model development is often an iterative and collaborative effort between modelers, fundamental scientists, and model users. The process of modeling is an assessment of current understanding of forests, information needed for management, and crucial knowledge gaps.

Consequently, research questions can often be generated by assessment of model strengths and weaknesses. This also illustrates an important modeling distinction, namely the use of models for prediction versus understanding, which will be further discussed below. Although there are important general modeling philosophies like Occam's principle of parsimony, which suggests that models should be as simple as possible, but as complex as necessary (Kimmins *et al.*, 2008), achieving this is often easier said than done.


Regardless of modeling approach, empirical data of one type or another will be required for either model construction (Chapter 14) or model evaluation (Chapter 15). Data can often vary greatly in its quality and overall usefulness for modeling. Among others, data quality is influenced by how well the data represents the population of interest, the variables collected, and the degree of measurement error, which is often an overlooked yet important determinant of predictability (e.g. Hasenauer and Monserud, 1997). The statistical tools used to construct models are continually changing and evolving. Chapter 14 provides a brief overview of the key statistical techniques in order to give a better context to statistical forest growth and yield models.

To be useful for a given purpose, a model must be representative of reality to some degree. Consequently, a variety of methods have been used to verify model predictions (Chapter 15). This has ranged from simple statistical tests to complex stochastic simulations. Each has their own merits, but, in general, models must be verified using

multiple approaches to ensure full reliability. If model predictions are found to be inadequate, a larger question quickly becomes how to fix or re-calibrate the model. This can often be a complicated undertaking, but emerging approaches may simplify the process.

## 1.2 Important uses

Models are tools designed to be used in a variety of ways (Chapter 16). The key uses of any well-developed model are prediction and education in its broadest sense (Figure 1.5). In forestry, some key prediction roles of growth models are (1) update forest inventories; (2) assess alternative forest silvicultural systems; (3) determine the influence of disturbance agents like insects or disease; (4) estimate sustainable yield of forest products; and (5) generalize regional trends. Growth and yield information is required to make all major forest management decisions. Some of the basic decisions that require accurate growth and yield information include: (1) even-aged stand-level decisions; (2) uneven-aged stand-level decisions; (3) forest- or ownership-level decisions; and (4) regional and national decisions. The type of information needed from a forest growth and yield model



**Figure 1.5** The role of growth models in decision making, forest management, and the formation of forest policy. Adapted from Nix and Gillison (1985).



**Table 1.2** Uses of growth and yield models to aid in key forest management decisions.

Type of decision	Important factors to consider	Reference
Even-aged stand-level	Planting density; thinning strategy; fertilization strategy; species or species mix; rotation length	Hann and Brodie (1980)
Uneven-aged stand-level	Sustainable diameter distribution; cutting cycle length; species mix; fertilization strategy; conversion strategy	Hann and Bare (1979)
Forest or ownership level	Schedule of stand treatments; allowable harvest; wildlife habitat; aesthetics	Bettinger <i>et al.</i> (2009)
Regional or national level	Carbon sequestration potential; allowable harvest; wildlife habitat	Bettinger <i>et al.</i> (2005)

to make these different decisions depends on the spatial and temporal level at which information is needed (Table 1.2).

For example, a silviculturist would primarily use a growth and yield model to project the development of the stand under alternative treatment strategies such as thinning or fertilization regimes. A forest planner would likely use a growth and yield model to stratify individual stands in a forest into homogeneous units, project the development of each stratum, and use a harvest scheduler to determine the optimal silvicultural system and allowable harvest. A policy-maker would generally use a growth and yield model to depict regional or national trends like carbon sequestration potential or sustainable harvest levels to set effective policies. In fact, growth models were used in the United States, by the Chicago Climate Exchange and the California Climate Action Registry, to set standards for carbon credit trading and greenhouse gas registries at regional and national scales.

Additional uses of models are the visualization of management alternatives and the assessment of forest stand dynamics on wildlife habitat and streamside conditions for fish habitat. Consequently, the implications of basing decisions on a growth and yield model at any level are often quite significant, which both model developers and users need to be aware of.

There are several complex issues facing the practice of forestry today, like assessing the effects of climate change, forest carbon neutrality, and long-term sustainability. Answering these open questions with empirical data is often difficult, requires long-term investment, or is impossible. Consequently, growth and yield models are widely used by scientists as research tools to test hypotheses and understand system behavior. For example, the ORGANON growth and yield model (Hann, 2011) has been widely used by scientists to answer several research questions on a broad array of topics ranging from forest management, planning, and economics, to conservation issues (Table 1.3).

Models are good research tools as they allow the construction of what-if scenarios and experimentation with different parameter settings. In addition, the development and

**Table 1.3** Examples of the applied uses of the ORGANON growth and yield model.

Study	Purpose
<b>Forest management</b>	
Maguire <i>et al.</i> (1991)	Examine the influence of alternative management on wood quality
Welty <i>et al.</i> (2002)	Assess strategies for managing riparian zones
Wilson and Oliver (2000)	Strategies for density management to ensure stability
Sessions <i>et al.</i> (2004)	Manage the consequences of wildfire
<b>Forest planning</b>	
Johnson <i>et al.</i> (2007a)	Develop large-scale, long-term plans for usage of forested landscapes
Sessions <i>et al.</i> (2000)	Develop mature forest habitat
Shillinger <i>et al.</i> (2003)	Predict future timber supply
Johnson <i>et al.</i> (2007b)	Large-scale assessment of socioeconomic effects on forest structure and timber production
<b>Economics</b>	
Birch and Johnson (1992)	Determine the economic impact of green tree retention
Fight <i>et al.</i> (1993)	Conduct a financial analysis of pruning alternatives
Busby <i>et al.</i> (2007)	Evaluate the opportunity cost of forest certification
Latta and Montgomery (2004)	Create cost-effective older stand structures
<b>Wildlife</b>	
Hayes <i>et al.</i> (1997)	Evaluate response of wildlife to thinning
Calkin <i>et al.</i> (2002)	Managing for wildlife biodiversity
Lichtenstein and Montgomery (2003)	Assessing influence of timber management on wildlife biodiversity
Andrews <i>et al.</i> (2005)	Strategies for creating northern spotted owl nesting sites
Nalle <i>et al.</i> (2004)	Strategies for joint management of timber and wildlife

construction of any growth model often leads to new and interesting research questions. This is because model development largely requires making and testing key assumptions, assessing patterns, and providing full disclosure, which are all basic tenets of the scientific method. In other words, developing a model requires the processes or system being modeled to be conceptualized and understood.

Forest growth and yield models are useful tools for education, a role that ORGANON has often played (Marshall *et al.*, 1997). This is because models require hands-on interaction, synthesis of multiple concepts, and critical thinking skills to assess the

**Table 1.4** Model name, type, resolution, distance dependence, stochasticity, region, primary species, and reference for example models considered in the text.

Model name	Model type	Resolution		Distance dependent	Stochastic	Region/country	Primary species <sup>a</sup>	Reference
		Spatial	Temporal					
3-PG	Hybrid	Whole stand	Monthly	No	No	Several	DF, LP, EG, EN, NS, RP, SP, SS, WL	Landsberg and Waring (1997)
BALANCE	Process	Individual tree	One year	Yes	No	Germany	EB, NS	Grote and Pretzsch (2002)
CABALA	Hybrid	Whole stand	Monthly	No	No	Australia	EG	Battaglia <i>et al.</i> (2004)
CenW	Process	Whole stand	Monthly	No	User's choice	Australia	ED, RP	Kirschbaum (1999)
DFSIM	Statistical	Whole stand	Five year	No	No	Pacific Northwest, United States	DF	Curtis <i>et al.</i> (1981)
FIBER	Statistical	Size class		No	No	Northeast, United States	AB, BF, RS, BS, WS, EH, NC, SM, RM, YB, PB, QA, RO, TA, WA, WP	Solomon <i>et al.</i> (1995)
Forest-BGC	Process	Whole stand	Daily	No	No	Several	—	Running and Coughlan (1988); Running and Gower (1991)

(continued)

**Table 1.4** (Continued)

Model name	Model type	Resolution		Distance dependent	Stochastic	Region/country	Primary species <sup>a</sup>	Reference
		Spatial	Temporal					
JABOWA	Gap	Individual tree	One year	No	Yes	Northeast, United States	AE, AB, BC, BF, BP, BW, BT, BN, RS, BS, WS, EH, NC, SM, RM, YB, PB, QA, RO, TA, WA, WO, WP	Botkin <i>et al.</i> (1972a, b)
ORGANON	Statistical	Individual tree	Five year, One year	No	User's choice	Pacific Northwest, United States	PM, BM, BO, LO, GC, OO, DF, RA, TO, WL, GF, IC, PY, PP, PL, WH, WF	Hann (2011)
CROBAS	Hybrid	Size class	One year	No	No	Finland; Quebec	JP, SP, NS	Mäkelä (1997)
PROGNAUS	Statistical	Individual tree	Five year	No	User's choice	Austria	NS, WF, EL, TP, SP, EB	Monserud <i>et al.</i> (1997)
Scube	Statistical	Whole stand	One year	No	No	British Columbia, Canada	WS, ES	García (2011)
SILVA	Statistical	Individual tree	Five year	Yes	Yes	Germany	BP, NS, WF, EB, SP, SO	Pretzsch <i>et al.</i> (2002)
SORTIE	Gap	Individual tree	One year	Yes	Yes	Northeast, United States; Quebec and British Columbia, Canada	AB, EH, JP, LP, SM, RM, TA, WA, WP, WH, YB	Pacala <i>et al.</i> (1993; 1996); Coates <i>et al.</i> (2003)
TASS	Statistical	Individual tree	One year	Yes	Yes	Pacific Northwest, Canada	DF, WS	Mitchell (1969; 1975)

<sup>a</sup>See Appendix 1 for species codes.

appropriateness of output. In addition, combining model prediction with visualization tools (Chapter 16) allows visual demonstration of key concepts like stand structure and stratification, which can be difficult to achieve with just words or in the field.

## 1.3 Overview of the book

Forest growth modeling is an evolving and comprehensive field that can be difficult to describe fully. Previous books on forest growth modeling have either become outdated (e.g. Vanclay, 1994), focused primarily on one geographic region (e.g. Hasenauer, 2006), or are specific to a particular modeling approach (e.g. Landsberg and Sands, 2011). This book attempts to provide a comprehensive overview of forest models from multiple perspectives in order to be useful to model developers, scientists, students, and model users alike.

The book is divided into 17 individual chapters that give an overview of the key concepts determining growth and yield (Chapters 2, 3), the different types of modeling approaches (Chapters 4, 5, 12, 13), and the various dimensions of developing, validating, and using a growth model (Chapter 14, 15, 16). Example models are described in detail for each modeling approach to illustrate key differences and provide information on some of the more widely used models (Table 1.4).

In particular, the components of statistical, distance-independent, individual-tree models are discussed in detail (Chapters 6, 7). Attention is given to this type of modeling approach because it has been widely adopted and extensively used for operational management planning. For example, statistical, distance-independent, individual-tree models are currently available and used throughout the United States (Crookston and Dixon, 2005), western Canada (e.g. Temesgen and LeMay, 1999), central Canada (e.g. Bokalo *et al.*, in review), eastern Canada (e.g. Woods and Penner, 2007), central Europe (e.g. Monserud *et al.*, 1997), and northern Europe (e.g. Hynynen *et al.*, 2002). The approach has been preferred because it can be used in a wide range of stand structures, particularly in uneven-aged (Peng, 2000) and mixed species stands (Porté and Bartelink, 2002). Throughout the book, specific attention is given to the ORGANON growth and yield model of the United States Pacific Northwest (Hann, 2011), as it has a long history of continuous development, is applicable to a large number of conifer and hardwood species in a wide array of stand conditions, and has been rigorously tested.

It is our hope that the book can help promote a more comprehensive understanding of forest models, and guide future modeling efforts.

