

Mobile and Pervasive Computing in Construction

Mobile and Pervasive Computing in Construction

Edited by

Professor Chimay J. Anumba

Professor of Architectural Engineering and Head of Department Department of Architectural Engineering The Pennsylvania State University, USA

Professor Xiangyu Wang

Professor of the Built Environment School of the Built Environment Curtin University, Australia



This edition first published 2012 ©2012 by John Wiley & Sons Ltd

Wiley-Blackwell is an imprint of John Wiley & Sons, formed by the merger of Wiley's global Scientific, Technical and Medical business with Blackwell Publishing.

Registered office

John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, United Kingdom

Editorial offices

9600 Garsington Road, Oxford, OX4 2DQ, United Kingdom 2121 State Avenue, Ames, Iowa 50014-8300, USA

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at www.wiley.com/wiley-blackwell.

The right of the author to be identified as the author of this work has been asserted in accordance with the UK Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book. This publication is designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

Library of Congress Cataloging-in-Publication Data

Mobile and pervasive computing in construction / edited by Chimay J. Anumba, Xiangyu Wang. p. cm.

Includes bibliographical references and index.

ISBN 978-0-470-65801-7 (hardcover : alk. paper)

1. Building–Data processing. 2. Ubiquitous computing. I. Anumba, C. J. (Chimay J.) II. Wang, Xiangyu.

TH437.M485 2012

624.0285–dc23

2011050011

A catalogue record for this book is available from the British Library.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Set in 9.5/12.5pt Minion by Thomson Digital, Noida, India

Cover image courtesy of iStockPhoto Cover design by Edge Creative

Contents

| Con | tributo | rs | ix |
|------|---------|--|------|
| Pref | ace | | xiii |
| Ack | nowledg | gments | xvii |
| 1 | Mob | ile and Pervasive Computing in Construction: | |
| | an Ir | ntroduction | 1 |
| | Chin | ay J. Anumba and Xiangyu Wang | |
| | 1.1 | Background | 1 |
| | 1.2 | Fundamental Characteristics of Mobile Computing | 2 |
| | 1.3 | Pervasive Computing | 7 |
| | 1.4 | Summary | 9 |
| | Refer | ences | 9 |
| 2 | Mob | ile and Semantic Web-Based Delivery of Context-Aware | |
| | Infor | mation and Services in Construction | 11 |
| | Chin | ay J. Anumba, Zeeshan Aziz and Darshan Ruikar | |
| | 2.1 | Introduction | 11 |
| | 2.2 | Limitations of Current Processes and Technologies | 12 |
| | 2.3 | Integrated Service Delivery Architecture | 15 |
| | 2.4 | Prototype System Implementation | 17 |
| | 2.5 | Development of the Project Repository | 18 |
| | 2.6 | OntoWise | 19 |
| | 2.7 | Deployment Case Studies | 21 |
| | 2.8 | Summary and Conclusions | 24 |
| | Refer | ences | 25 |
| 3 | Com | munication Technology in Mobile and Pervasive | |
| | Com | puting | 26 |
| | Jerke | r Delsing | |
| | 3.1 | Introduction | 26 |
| | 3.2 | Mobile and Pervasive Devices | 26 |
| | 3.3 | Communication Basics | 27 |
| | 3.4 | Communication Protocols | 31 |
| | 3.5 | Service Protocols | 33 |
| | 3.6 | Proprietary Buses and Protocols | 34 |
| | 3.7 | Summary | 35 |
| | Refer | rences | 35 |

| 4 | | amework for Designing Mobile Virtual Training Systems | 37 |
|---|-------|--|-----|
| | | gyu Wang and Phillip S. Dunston | |
| | 4.1 | Introduction | 37 |
| | 4.2 | Taxonomy for Defining Virtual Training Systems | 39 |
| | 4.3 | Relating Virtual Technologies to Training Skills | 47 |
| | 4.4 | | 51 |
| | Refer | ences | 52 |
| 5 | Mobi | ile and Pervasive Construction Visualization Using Outdoor | |
| | Augn | nented Reality | 54 |
| | Amir | H. Behzadan, Suyang Dong and Vineet R. Kamat | |
| | 5.1 | Introduction | 54 |
| | 5.2 | Prior Related Work in Construction Visualization | 56 |
| | 5.3 | Main Contributions | 57 |
| | 5.4 | Technical Approach to Create AR Animations | 58 |
| | 5.5 | ARVISCOPE Animation Authoring Language | 60 |
| | 5.6 | Creating an AR Animation Trace File from a DES Model | 63 |
| | 5.7 | ARVISCOPE Language Design Issues | 66 |
| | 5.8 | Examples of Pervasive Outdoor AR Visualization | 76 |
| | 5.9 | Summary and Conclusions | 82 |
| | Ackn | owledgments | 83 |
| | Refer | ences | 83 |
| 6 | Ubiq | uitous User Localization for Pervasive Context-Aware | |
| | Cons | truction Applications | 86 |
| | Hian | ı M. Khoury, Manu Akula and Vineet R. Kamat | |
| | 6.1 | Introduction | 86 |
| | 6.2 | Current State of Knowledge | 88 |
| | 6.3 | User Tracking in Construction Environments | 92 |
| | 6.4 | Validation of Accuracy in 3D Spatial User Tracking | 106 |
| | 6.5 | Integration of GPS and Inertial Navigation | 116 |
| | 6.6 | Summary and Conclusions | 124 |
| | Ackn | owledgments | 124 |
| | Refer | ences | 125 |
| 7 | | on-oriented Mobile Information System Enhancing | |
| | _ | neering Communication in Construction Processes | 128 |
| | Dani | jel Rebolj and Aleš Magdič | |
| | 7.1 | Introduction | 128 |
| | 7.2 | Considering People in Processes | 131 |
| | 7.3 | Dynamic Communication Environment (DyCE) | 134 |
| | 7.4 | On-site Evaluation | 139 |
| | 7.5 | Conclusions | 144 |
| | 7.6 | Future Work | 144 |
| | Refer | ences | 146 |

vii

| 12 | Clou | d Computing Support for Construction Collaboration | 237 |
|-------|-------|--|-----|
| | Jack | C.P. Cheng and Bimal Kumar | |
| | 12.1 | Introduction | 237 |
| | 12.2 | What is Cloud Computing? | 239 |
| | 12.3 | Cloud Computing as a Construction Collaboration | |
| | | Enabling Technology | 243 |
| | 12.4 | Potential Benefits of Cloud Computing in the | |
| | | Construction Industry | 244 |
| | 12.5 | Challenges of Cloud Computing Adoption in the | |
| | | Construction Industry | 247 |
| | 12.6 | Proposed Collaboration Framework | 250 |
| | 12.7 | Summary | 252 |
| | Refer | ences | 252 |
| 13 | Conc | cluding Notes | 255 |
| | Chin | ay J. Anumba and Xiangyu Wang | |
| | 13.1 | Introduction | 255 |
| | 13.2 | Summary | 255 |
| | 13.3 | Benefits of Mobile and Pervasive Computing to Construction | |
| | | Sector Organizations | 256 |
| | 13.4 | Considerations in the Effective Deployment of Mobile and | |
| | | Pervasive Computing in Construction | 257 |
| | 13.5 | Future Directions | 257 |
| | Refer | ences | 259 |
| Inde: | x | | 261 |

Contributors

Manu Akula

PhD Student

Department of Civil and Environmental Engineering, University of Michigan, USA

Email: akulaman@umich.edu

Professor Chimay J. Anumba

Professor of Architectural Engineering and Head of Department Department of Architectural Engineering, Pennsylvania State University, USA Email: anumba@engr.psu.edu

Dr Zeeshan Aziz

Lecturer

School of the Built Environment, University of Salford, UK

Email: z.aziz@salford.ac.uk

Dr Amir H. Behzadan

Wharton Smith Faculty Fellow and Assistant Professor Department of Civil, Environmental, and Construction Engineering, University of Central Florida, USA Email: amir.behzadan@ucf.edu

Dr Ioannis Brilakis

Assistant Professor Georgia Institute of Technology, USA Email: brilakis@gatech.edu

Professor Jiannong Cao

Chair Professor and Head of Department Department of Computing, Hong Kong Polytechnic University, Hong Kong Email: csjcao@comp.polyu.edu.hk

Dr Jack C.P. Cheng

Assistant Professor

Hong Kong University of Science and Technology, Hong Kong

Email: cejcheng@ust.hk

Professor Jerker Delsing

Scientific Director of EISLAB and Professor of Industrial Electronics

Department of Computer Science, Electrical and Space Engineering, Luleå University of Technology, Sweden

Email: Jerker.Delsing@ltu.se

Suyang Dong

PhD Student

Department of Civil and Environmental Engineering, University of Michigan, USA

Email: dsuyang@umich.edu

Dr Ning Gu

Senior Lecturer in Architecture

School of Architecture and Built Environment, University of Newcastle, Australia

Email: ning.gu@newcastle.edu.au

Dr Vineet R. Kamat

Associate Professor

Department of Civil and Environmental Engineering, University of Michigan, USA

Email: vkamat@umich.edu

Professor Shih-Chung Kang

Associate Professor

Department of Civil Engineering, National Taiwan University, Taiwan

Email: sckang@ntu.edu.tw

Dr Hiam M. Khoury

Assistant Professor

Department of Civil and Environmental Engineering, American University of Beirut, Lebanon

Email: hk50@aub.edu.lb

Professor Mi Jeong Kim

Assistant Professor

Department of Housing and Interior Design, Kyung Hee University, Republic of Korea

Email: meijen.mijeong@gmail.com

Professor Bimal Kumar

Professor

School of Engineering and Built Environment, Glasgow Caledonian University, UK Email: B.Kumar@gcu.ac.uk

Xuefeng Liu

Senior Personnel

Department of Computing, The Hong Kong Polytechnic University, Hong Kong Email: csxfliu@comp.polyu.edu.hk

Dr Aleš Magdič

Doctor of Construction Information Science Construction Informatics Centre, University of Maribor, Slovenia Email: ales.magdic@zim.si

Professor Mary Lou Maher

Senior Research Scientist, Human Computer Interaction Lab, University of Maryland, USA

Honorary Professor of Design Computing, Faculty of Architecture, Design, and Planning, University of Sydney, Australia

Email: marylou.maher@gmail.com

Professor Danijel Rebolj

Professor of Construction and Transportation Informatics Construction Informatics Centre, University of Maribor, Slovenia Email: danijel.rebolj@uni-mb.si

Dr Darshan Ruikar

Arup, UK

Visiting Fellow, University of Loughborough, UK

Email: darshan.ruikar@arup.com

Meng-Han Tsai

PhD Candidate

Department of Civil Engineering, National Taiwan University, Taiwan Email: menghan@caece.net

Professor Xiangyu Wang

Professor of the Built Environment School of the Built Environment, Curtin University, Australia Email: xiangyu.wang@curtin.edu.au

Kai-Chen Yeh

Graduate Student

Department of Civil Engineering, National Taiwan University, Taiwan

Email: bluemint@caece.net

Preface

In the recent past a variety of research has explored the possibilities of mobile and pervasive computing. Mobile and pervasive computing technologies play an increasing role in architecture and construction. From a review of work in similar areas, it was found that there is no publication that focuses on mobile and pervasive computing in construction. Mobile and pervasive computing systems were conventionally developed by computer experts with limited appreciation of the real needs in architecture, construction and the built environment. However, more researchers are now applying mobile and pervasive computing in the construction sector and there is the need for a book that summarizes the current state-of-the-art for both researchers and industry practitioners. The objective of the book is to introduce the use of mobile and pervasive computing in construction through a discussion of construction issues and the applications that seek to address them. The book is a research-oriented reference book that not only acts as meta-book in the field to define and frame mobile and pervasive computing for construction industry but also addresses up-coming trends and emerging directions of the field.

This book offers a comprehensive reference volume to the state-of-the-art in the area of mobile and pervasive computing in construction. It is based on contributions from a mix of leading researchers and experts from academia and industry. The book provides up-to-date insights into the current research topics in this field as well as the latest technological advancements and the best working examples. Many of these results and ideas are also applicable to other industry sectors. Predominantly, the chapters introduce recent research projects on the theories, applications and solutions of mobile and pervasive computing for construction. More specifically, the central focus is on the manner in which these technologies can be applied to influence practices in construction and construction-related industries.

Overall, this book offers an excellent reference for the postgraduate students, the researchers and the practitioners who need to understand the potential of mobile and pervasive computing in construction.

The book starts with Chapter 1, *Mobile and pervasive computing: an Introduction*, by Chimay Anumba and Xiangyu Wang, which gives an overview on the fundamental technical and social issues of mobile and pervasive computing and their impact on the construction industry. This overview sets the context and frames the scope of the book. It discusses how mobile and pervasive computing has led to new ways for engineers and constructors to carry out their operations.

Chapter 2 by C. Anumba, Z. Aziz and D. Ruikar, *Mobile and Semantic Web-based Delivery of Context-Aware Information and Services in Construction*, describes the context and methods for deployment of mobile and semantic web-based context-aware services in the construction sector.

J. Delsing, in Chapter 3, *Communication technology in mobile and pervasive computing*, discusses how the concept of mobility and pervasiveness can be applied to industrial applications and discusses three different classes of mobile and pervasive devices.

As for using mobile computing technologies in different construction on-site training schemes, Chapter 4, A Framework for Designing Mobile Virtual Training System through Virtual Modeling Technology, by X. Wang et al., presents a systematic taxonomy formulated to identify some of the distinctions; it distinguishes between some of the constraints imposed by different training scenario environments and is applicable to the design of mobile virtual training programs.

A. Behzadan, S. Dong and V. Kamat describe and demonstrate, in Chapter 5, *Mobile and Pervasive Construction Visualization using Outdoor Augmented Reality*, the ability of the ARVISCOPE animation authoring language to create pervasive dynamic AR animations of construction operations. Although the main focus of this chapter is on construction processes, most of the findings of this research are generic and widely applicable to other fields of science and engineering where the need to animate and communicate simulated operations is as important as that in construction.

Chapter 6, by H. Khoury, M. Akula and V. Kamat, *Ubiquitous User Localization* for Pervasive Context-Aware Construction Applications, studies several tracking technologies, and designed methods and algorithms to track mobile users in congested environments such as those found on construction sites. The research described presents GPS technology and compares three different wireless technologies (WLAN, UWB and Indoor GPS) that can be used for tracking mobile users' position on outdoor and indoor construction sites.

Sophisticated personal context-aware assistance is also critical to the success of mobile computing in construction. Chapter 7, by D. Rebolj and A. Magdič, *Person-oriented mobile information system enhancing engineering communication in construction processes*, proposes an approach focusing on people and effective linking of their knowledge, experience and capability. Also presented are two case studies and a social network analysis that was used to validate the approach.

On-site information retrieval is critical to aspect of mobile computing in construction. *The iHelmet: an AR-enhanced wearable display for BIM information*, by K. Yeh, M. Tsai and S. Kang (Chapter 8), describes a wearable device named the iHelmet that can project construction drawings and related information on the site, answering to the needs of the users. The authors believed that the AEC industry may benefit from the iHelmet's improved efficiency in browsing information and its offer of more visualized information to the user.

As an effort to study how designers learn design in Collaborative Virtual Environments (CVEs), in Chapter 9, *Mobile and Pervasive Computing: The Future for Design Collaboration*, M. Kim, M. Maher and N. Gu report on their experience of teaching the design of virtual worlds as a design subject, and discuss the principles for designing interactive virtual worlds.

The automated detection of structural elements from visual data can be used to facilitate many construction and maintenance applications. Chapter 10, by I. Brilakis, Visual Pattern Recognition Technologies for Mobile Systems at

Construction Site, explores and compares different approaches for construction site surveying, which is a very critical technological component for effective mobile and pervasive computing platforms.

In Chapter 11, Structural Health Monitoring using Wireless Sensor Networks, J. Cao and X. Liu give a summary review of the recent advances of using wireless sensor nodes for structural health monitoring. Instead of listing the hardware prototypes and software design of existing wireless sensor network-based structure health monitoring systems, the chapter identifies the main challenges of using wireless sensor network-based structure health monitoring systems and also summarizes the corresponding techniques.

Chapter 12, Cloud Computing Support for Construction Collaboration, by J. Cheng and B. Kumar, discusses the potential and implication of cloud computing technology in the construction industry to facilitate communication and collaboration among distributed construction project stakeholders. A distributed cloud-based collaboration model that is designed for construction collaboration and management is proposed.

The final chapter, by Chimay Anumba and Xiangyu Wang, provides some concluding notes by highlighting the benefits, challenges and future directions in the adoption of mobile and pervasive computing in construction.

Chimay Anumba and Xiangyu Wang

Acknowledgments

We are grateful to all contributors for their enthusiasm to contribute their research as published here. Thanks also go to Ms Rui Wang, for providing assistance in collating some of the book chapters and checking the resolution quality of the figures. We thank our loved ones for providing the necessary support and distractions to make this worthwhile.

Professor Chimay J. Anumba Professor Xiangyu Wang

Mobile and Pervasive Computing in Construction: an Introduction

Chimay J. Anumba and Xiangyu Wang

1.1 Background

Generally speaking, the purpose of mobile computing is to provide a computing service to anyone authorized, anytime, anywhere. Simple examples of mobile computing devices which have been widely used by the general public are personal digital assistants (PDAs) and laptops. Projects in the construction industries normally produce a large quantity of information that needs to be accessed by different stakeholders, such as architects, engineers, project managers and superintendents, even foremen. This information usually has to be retrieved in a remote manner from numerous locations inside or outside the construction site, and even under varied conditions. In current practice a field team's project information access and retrieval, information editing and decision making are still limited to 2D paper-based technical drawings and specifications. However, as economics drive the industry towards more digital information management, more information technology (IT) tools are needed for accessing, storing and conveying digital project information (Wang and Dunston, 2006a). Gartner Analysts (2004) predicts that by 2014 more than 30% of mobile workers will be equipped with wearable augmented computing devices. Mobile computing technology holds great potential in this regard and has been explored to improve construction processes (Magdič et al., 2002; Saidi et al., 2002; Hammad et al., 2003; Reinhardt et al., 2004). For example, equipment management in the construction site is a process that monitors the operating condition of equipment, maintains and repairs equipment components and also inputs log data for future access. The current practice of the field crew heavily refers to technical specifications. The field crew often faces the problem of not finding the right information in a convenient and timely manner, which makes this approach labor intensive (Wang et al., 2006). Mobile devices such as the PDA and wearable computers are being explored for storing, conveying and accessing information instead of relying on paper media. One of main challenges is the way information is presented by these mobile computing devices, because it is essential to operational effectiveness for the crew and supervisors from the perspective of human factors.

There are many decisions regarding design and implementation that have to be made on the basis of user–computer interactions. Identifying these decision factors should be the first step in fulfilling the maximum potential of mobile computing in construction use. Wang and Dunston (2006) developed a framework for considering feasibility and usability issues of mobile computing technology under varied construction operations and conditions. The objective of this framework is to provide a theory of task–technology mapping for mobile information systems. The work mainly focused on the human factors issues related to hardware devices and collaboration. Other issues, such as strategies for system development, development cost and infrastructure standards, were not considered. Table 1.1 describes mobile computing device capabilities with the "high" and "low" end device examples given.

The field characteristics of construction operations and activities must be considered as well. As shown in Table 1.2, Wang and Dunston (2006) identified the factors in construction task requirements that should be considered when adopting a mobile computing system. Each factor can influence the feasibility and usability of proposed mobile computing systems.

1.2 Fundamental characteristics of mobile computing

The concept of mobile computing is to enable workers to roam seamlessly with computing and communication functionalities in an uninterrupted way. Mobile computing has many constraints that make it different from the conventional office-based desktop computing setup, for example a desktop PC. The followings are the major noted differences (Satyanarayanan, 1996):

- Mobile computing tends to be more resource constrained than its static counterparts. For example, mobile computers used in a large roaming construction site require a source of electrical energy supplied by battery packs. These packs usually cannot last long and need to be charged on a regular basis.
- Mobile computers are vulnerable. Since mobile computers accompany their
 users everywhere, they are much more likely to be lost, just like the ease with
 which cell phones are lost. Furthermore, they are more likely to be subjected to
 rough environments. This is particularly true in a construction site, where the
 site conditions are usually not safe and involve potential danger to devices.
- Mobile connectivity can be highly unstable in bandwidth and latency. Disconnections often happens in a concrete-framed buildings where construction activities are being carried out.

From the technological standpoint, the following aspects of mobile computing are introduced in this chapter:

| Device capability | Descriptions | "High" end examples | "Low" end examples |
|----------------------------|---|---|------------------------------|
| Technical Functionality | Technical features such as limited processing, memory and communication capacities, mobile communication, personal touch, time-critical services (Yuan and Zhang, 2003) | Wearable computers, bluetooth | PDA |
| Portability | Devices differ in size, weight, performance, storage capacity, display and input mechanism, and other form factors. As a general rule, intuitive user interfaces and simple menu structures should be deployed (Chan et al., 2002). | Pocket PCs, head- mounted display, data glove | Laptop, keyboard, mice |
| Situational awareness | Includes location awareness and identity awareness. Location awareness refers to situations where information about the location of a user or collaborators is important. Identity awareness refers to situations where the identity of a user or collaborators matters (Junglas and Watson, 2003). | GPS | Paging system, cell phone |

Table 1.1 Characteristics of mobile computing device capabilities (Wang and Dunston, 2006)

- Adaptability
- Mobility management
- Information dissemination and management
- Sensor network
- Security.

1.2.1 Adaptability

As is widely known, living environments have the capability of adapting themselves to the behaviors of human beings. Likewise, adaptability is an inherent feature of mobile computing, because mobile computing devices serve the changing needs of mobile users under varied conditions. Computer scientists, computer engineers, and human factors researchers have long been concerned with how to embed this notion of adaptability into mobile computing devices.

The basic mobile computing architecture is the client–server (CS) model. Typically, servers provide services, such as data retrieval from a database and upload of real-time data, to usually a large group of clients. Conversely, a client dynamically selects the server from which to request the service. There are two ways in which mobile devices can be made adaptable: functionality and data. Adapting functionality means to dynamically change the functions on the

Table 1.2 Profiles of construction tasks (Wang et al., 2006a)

| Task profile factors | Profile factor descriptions | Construction cases |
|-----------------------|--|--|
| Mental requirements | Relevant to perceptual and cognitive tasks involved in performing a construction task. Perceptual tasks are those attributable to sensory comprehension. Cognitive tasks are those involved in the reasoning and volitional processes that translate between perception and action. | Identifying and detecting an object of interest among a cluster of objects could influence the user's focus of attention. There is need for a means of drawing the worker's attention to specific design or construction features. |
| Physical requirements | The wearing of mobile systems while performing a construction task may increase physical occupancy. | A worker with hand(s) preoccupied by an assembly task may have difficulty in simultaneously using mobile computing systems. |
| Working environment | Factors include situational awareness requirements, indoor/ outdoor location, noise level, work area hazards, working volume etc. | Aural display and speech recognition devices do not work in noisy working environments. |
| Task difficulty | Refers to the degree of difficulty for performing a task. The difficulty of the task could be as high as strategic planning which is characterized by unstructured decision making and the application of creativity. It could also be as low as operational tasks characterized by the fact that tasks, goals, and resources have been carefully defined. | Upper management involved in the strategic planning routine might need high sophistication of mobile computing devices in every regard, especially the coordination functionalities among different parties. |
| Task interdependence | The degree to which a task is related to other tasks, and as a result the extent to which coordination with other tasks is required (Thompson, 1967). | Tasks with high interdependence, such as project management, generally require a significant amount of coordination. |
| Hazards issues | Safety issues can play a role and limit the attention that a user can devote to a mobile system, such as when they are driving a vehicle (Tarasewich, 2003). | If the construction task is to be performed under potentially dangerous conditions, where workers need to keep high situational awareness and update knowledge of the surroundings in real time, the peripheral devices should be wearable enough so that they may not occupy too much of the worker's mobility. |
| Time criticality | Defined as the importance with which a task needs to be performed promptly (urgency). | Some mobile systems can support urgent tasks by providing the notification of maintenance staff about such emergency situations as equipment breakdown. |
| Physical disposition | The physical disposition for the work task should be considered in terms of such factors as motion, body position etc. The physical disposition may determine the appropriateness of certain interaction tools or mechanisms. | In a clustered or congested working volume (e.g. HVAC piping corridor or around special equipment), a body-based human–mobile system interaction metaphor is not as appropriate. |

applications in response to changes in the operation conditions. For example, in enclosed settings (such as in a concrete-framed building) mobile devices may disconnect easily, whereas during good connectivity outside the building mobile devices depend heavily on the fixed network, which is either located in the construction site or is a public service. Another way to adapt is though varying data fidelity. Fidelity is defined as the "degree to which a copy of data presented for use at the client matches the reference copy at the server" (Noble and Satyanarayanan, 1999). This kind of adaptation is widely accepted as useful in mobile information access applications. One of the important requirements for such applications "ideally, a data item being accessed on a mobile client should be indistinguishable from that available to the application if it were to execute on the server storing the data" (Noble and Satyanarayanan, 1999). Generally speaking, there is a trade-off between higher performance and highest quality information in a mobile computing environment.

1.2.2 Mobility management

Maintaining the current location of every mobile device is location management. Conceptually, a mobile location management scheme consists of two operations: search and update (Pitoura and Samaras, 1998). The search operation is usually triggered by one computing device trying to make a connection with another mobile computing device with unknown location. The update operation is to update the system with the current location of each mobile computing device. Such an update operation can enable a more efficient search operation.

Location information can be maintained at various fidelity levels or granularities. If the location information is maintained at a coarser granularity, for example in a construction field site which only contains a limited number of cells, the computing cost associated with searching increases because any time that a cell needs to be created, most of other cells have to be called upon to determine the exact location of the mobile computing device. On the other hand, in a basic cellular system a cell is the finest granularity which is maintainable. The way the location information is updated is to transit information from one cell to the other as the mobile devices move. Always the nearest cell is recognized to provide the update of the location information. Therefore, the granularity has a lot to do with the accuracy and frequency of location information.

1.2.3 Information dissemination and management

Accurate and in-time information is critical for the daily work on a construction site. Some information can be distributed via email, telephone calls and so on. Some information can be request-on-demand. Every time information is needed, an inquiry is sent through mobile computing devices to an information resource or provider. Certainly, every time this back and forth communication occurs there will be an associated cost, either monetary or in-kind.

The most common use of mobile devices in construction is to access information on remote data or file servers. For example, Building Information

Models (BIM) have much potential to be located in file servers to be downloadable. The client sends an inquiry to the server and then waits for responses. Then the server sends the requested data as a response to the client. In this process, apparently both the computing power and the wireless bandwidth are consumed. More resources will be occupied and consumed if a large number of clients access the server and the size of data transferred is large as well. This is a very typical phenomenon in a construction site, where you have many different types of mobile personnel working on different activities. All have to access different types of information from the server and usually the information needed is large.

1.2.4 Sensor networks

Wireless networks of smart sensors have become feasible for many applications because of technological advances in semiconductors, energy efficient wireless communication and reduced power budgets for computational devices, as well as the development of novel sensing materials (Akyildiz *et al.*, 2002). The following are the common properties of the sensor networks:

- Sensor nodes are usually designed to directly interact with the physical world and to perform computational tasks based on the confirmation gathered from the surrounding environment (Estrin *et al.*, 2001).
- Usually they are special purpose devices, such as biological sensors, thermal sensors, acoustic sensors vibration sensors, light sensors, chemical sensors and magnetic sensors.
- It becomes a special challenge that there usually are very limited resources in wireless computing which have limited communication bandwidth. These resources have to be shared among numerous sensors.
- There needs to be a specialized routing pattern to enable the communication to occur between sensors at adjacent levels.

1.2.5 Security

Security is a critical issue in mobile computing as it concerns the interested parties using the technology. There are different aspects of security in mobile computing. There are four common security issues (Schneier, 1996):

- (i) System integrity or data integrity: a system provides integrity if it performs its intended function in an unimpaired manner, free from deliberate or inadvertent unauthorized manipulation of the system.
- (ii) Confidentiality: data are provided when only intended recipients can read the data.
- (iii) Nonrepudiation: it is a property of data and means that the sender should not be able to falsely deny sending the data. This property is important for e-bidding in construction procurement, because owners do not want contractors or subcontractors to be able to deny that they had bid with a price.

(iv) Availability: it is a property of systems where a third party with no access should not be able to block legitimate parties from using a resource.

1.3 Pervasive computing

Weiser (2002) described a pervasive computing world in which virtually every object has processing power with wireless or wired connections to a global network. The term pervasive computing also goes by the name *ubiquitous computing* and has very close relationship in technical implementation with mobile computing. Mobile computing is a necessary component of pervasive computing. This is why there are many common research interests across these two areas and technologies. Maybe one of the most unique features of pervasive computing is invisibility (i.e. being embedded into objects everywhere). There are many prominent concepts created based on pervasive computing; for example, smart cities, smart homes, smart cars and so on. One the most reputed examples is Digital Cities, which is a concept that inhabitants in cities can interact and share knowledge, interests and life experience. For example, the city of Lancaster in the United Kingdom used wireless devices to improve services for both visitors and residents based on Wi-Fi applications. Kyoto, Japan, is another example in which the digital city complements and corresponds to the physical city (Ishida, 2002). Pervasive computing could have a range of applications, many of which may not yet have been identified. Applications exist in environmental monitoring, healthcare, domiciliary care and intelligent transportation systems.

Pervasive computing has considerable potential in the built environment, just as many other emerging and prominent technologies have. For example, a mobile worker should be able to access the procurement or inventory information of a specific type of construction material at a nearby location without necessarily having to connect to the office service via a network. All they may need is a local embedded information service onto the piece of material. This can help workers access these resources without having to reconfigure their devices. The facility manager can monitor the building's equipment use and energy consumption status through reports. Data can then be analysed based on dimensions such as time, the type of equipment and use conditions to reveal the trends of use as well as giving suggestions of how to use them in a more efficient way.

1.3.1 Pervasive computing technologies

Pervasive Computing Devices

The forms and sizes of pervasive computing devices vary. They can range from mobile phones to computing units embedded into normal and daily objects, such as clothing and books. Examples of objects and devices include barcodes, e-tags, RFID, PDAs (personal digital assistants) and laptops with sensing capacities, and information appliances such as digital cameras. Pervasive computing also uses internet and wireless communications. A global wireless connection like a mobile

phone is not always required. The devices of pervasive computing could interact with each and with the users. Or even made invisible!

Some of these devices function as sensing devices that can recognize changes in the context; for example, the changes from the surrounding environment, human behaviors and so on. Some devices function by reasoning and interpreting the behaviors or changes from outside based on continuously sensed data input. Some devices function as output that can trigger or initialize an effect on the surrounding environment or objects.

Human-Computer Interfaces

Novel human—computer interfaces are needed to meet the requirements of the pervasive computing. The conventional mouse, keyboard and monitor will not work anymore. Future interfaces will be interactive, user friendly and embedded into objects. Augmented Reality (AR) is very promising as an effective visual information tool, as it can insert the digital information directly into the user's real world view. This concept is coincident with pervasive computing, as both of them rely on daily physical objects as the information embedding vehicles. Other interfaces should extensively consider multisensory channels, such as audio, haptic, smell and so on, as they are all related to our daily life.

Privacy and Security

The privacy and security issues in pervasive computing are the same as for mobile computing. There is scope to access users' everyday interactions, movements, preferences and attitudes, without user intervention or consent; and to retrieve and use information from large databases of stored data; alter the environment via actuating devices (EU Directive, 1998). There are three areas that are the most popularly researched issues (IST, 2005):

- (i) keeping the volume of transmitted data to a minimum;
- (ii) encrypting and sending anonymously data that require transmission;
- (iii) treating security as a continuing and integral element of pervasive computing.

Context Awareness in Pervasive Computing

What the context means in mobile and pervasive system has been explained. Context awareness refers to capturing a broad range of contextual attributes to better understand what the consumer needs, and what products or services he or she might possibly be interested in (Sadeh, 2002). Context awareness is part of contextual computing, which refers to the enhancement of a user's interactions by understanding the user, the context and the applications and information being used, typically across a wide set of user goals (Pitkow *et al.*, 2002). Context-aware pervasive computing system involves the following issues:

- How is context defined and represented?
- How is this context information combined and stored within the pervasive application?

- How often should the data on context be collected and reasoned upon?
- What is the nature of the services that a surrounding environment needs to provide to realize context awareness?

1.4 Summary

This introductory chapter has covered the basic aspects of mobile and pervasive computing in construction, introducing the factors that should be considered in human—computer interaction, the factors in construction site operations and activities that should be considered and also the fundamentals and principles of mobile and pervasive computing. It has prepared audiences to better understand the paradigms, theories, metaphors in the other technical chapters in this book.

References

- Akyildiz, I.F., Weilian S., Sankarasubramaniam, Y., and Cayirci, E. (2002) A survey on sensor networks. *IEEE Communications Magazine*, **40**(8), 102–114.
- Chan, S.S., Fang, X., Brzezinski, J., Zhou, Y., Xu, S. and Lam, J. (2002) Usability for Mobile Commerce Across Multiple Form Factors. *Journal of Electronic Commerce Research*, 3(3), 187–199.
- Estrin, D., Girod, L., Pottie, G. and Srivastava, M. (2001) Instrumenting the world with wireless sensor networks. In: Proceedings of 2001 IEEE International conference on Acoustics, Speech, and Signal Processing, May 7–11, 2001, Salt Lake City, UT, vol.4, pp. 2033–2036. Institute of Electrical and Electronics Engineers (IEEE), New York EU Directive 94/46 (1998). Implemented in UK law as the UK Data Protection Act 1998. Garnter Analysts (2004). http://www.gartner.com/ (Accessed February 2012).
- Hammad, A., Garrett, J.H. and Karimi, H.A. (2003) Mobile Infrastructure Management Support System Considering Location and Task Awareness. In: *Towards a Vision for Information Technology in Civil Engineering*, Proceedings of the Fourth Joint International Symposium on Information Technology in Civil Engineering, 15–16 November, Nashville, TN. American Society of Civil Engineers (ASCE).
- Ishida, T. (2002) Digital City Kyoto: Social Information Infrastructure for Everyday Life. Communications of the ACM (CACM), 45(7), 76–81.
- IST (Information Society Technologies) (2005) Safeguards in a World of Ambient Intelligence (SWAMI), Information Society Technologies, European Commission, Brussels, Belgium.
- Junglas, I.A. and Watson, R.T. (2003) U-Commerce: A Conceptual Extension of E-Commerce and M-Commerce. In: Proceedings of the Twenty-Fourth International Conference on Information Systems (ICIS 2003), Seattle, WA, pp. 667–677. Association for Information Systems, Atlanta, GA.
- Magdic, A., Rebolj, D., CusBabic, N. and Radosavljevic, M. (2002) Mobile Computing in Construction. In: *Proceedings of International Council for Research and Innovation in Building and Construction (CIB) W78 Conference*, June 2002, pp. 12–14. Aarhus School of Architecture, Denmark.
- Noble, B. and Satyanarayanan, M. (1999) Experience with adaptive mobile applications in Odyssey. *Mobile Networks and Applications*, **4**(4), 245–254.