

# THE ECG IN PREHOSPITAL EMERGENCY CARE

EDITED BY

WILLIAM J. BRADY

KORIN B. HUDSON

ROBIN NAPLES

AMITA SUDHIR

STEVEN H. MITCHELL

JEFFREY D. FERGUSON

ROBERT C. REISER



 WILEY-BLACKWELL

# Table of Contents

[Title Page](#)

[Copyright](#)

[Dedication](#)

[List of Contributors](#)

[Foreword](#)

[Preface](#)

## [Section 1: The ECG in Prehospital Patient Care](#)

[Chapter 1: Clinical Applications of the Electrocardiogram \(ECG\)](#)

[Electrocardiogram Evaluation of Rhythm Disturbances](#)

[Electrocardiographic Evaluation in the Setting of Acute Coronary Syndrome](#)

[Electrocardiographic Evaluation in the Setting of Non-Acute Coronary Syndrome Pathology](#)

[Chapter 2: Clinical Impact of the Electrocardiogram \(ECG\)](#)



[Management of the Patient with Dysrhythmia](#)  
[Management of the Patient with Acute Coronary Syndrome](#)  
[Management of Non-ACS Presentations](#)  
[Ambulatory Electrocardiogram Monitoring](#)  
[Computer Interpretation of the Electrocardiogram](#)

## [Chapter 3: Interpretation of the Electrocardiogram—Single-, Multi-, and 12-Lead Analysis](#)

[Introduction](#)  
[Rate](#)  
[Rhythm](#)  
[Axis](#)  
[Intervals](#)  
[Morphology](#)

## [Chapter 4: Variants of the Normal, Lead Misplacement, and Electrocardiographic Artifact Encountered in Clinical Practice](#)

[Benign Early Repolarization](#)  
[T Wave Inversion](#)  
[Sinus Arrhythmia](#)  
[Conditions Encountered in Athletes](#)  
[Lead Misplacement](#)  
[Artifact](#)

## Section 2: Cardiac Rhythms and Cardiac Dysrhythmias

### Chapter 5: Cardiac Rhythms with Normal Rates

Acknowledgment

Further Reading

### Chapter 6: Narrow QRS Complex Tachycardia

Regular Narrow Complex Tachycardia

Irregular Narrow Complex Tachycardias

Further Reading

### Chapter 7: Wide QRS Complex Tachycardia

Ventricular Tachycardia—Monomorphic and Polymorphic

Ventricular Fibrillation

Supraventricular Tachycardia with Aberrant Conduction

Further Reading

### Chapter 8: Bradycardia

Sinus Bradycardia

Junctional Rhythm

Idioventricular Rhythm

Sinoventricular Rhythm of Severe Hyperkalemia

Other Bradycardias

[Acknowledgment](#)  
[Further Reading](#)

## [Chapter 9: Atrioventricular Conduction Block](#)

[First-Degree Atrioventricular Block](#)  
[Second-Degree Atrioventricular Block](#)  
[Third-Degree Atrioventricular Block](#)  
[Atrioventricular Dissociation](#)

## [Chapter 10: Intraventricular Conduction Block: Bundle Branch Block and Other Conduction Abnormalities](#)

[The Bundle Branch Blocks](#)  
[The Hemiblocks \(Left Anterior and Left Posterior Hemiblocks\)](#)  
[Bifascicular and Trifascicular Blocks](#)  
[Non-Specific Intraventricular Conduction Abnormality](#)

## [Chapter 11: Atrial and Ventricular Ectopic Beats](#)

[Premature Atrial Contractions](#)  
[Premature Junctional Contractions](#)  
[Premature Ventricular Contractions](#)

## [Section 3: Acute Coronary Syndrome and the 12-Lead ECG](#)



## Chapter 12: Ischemic Heart Disease: Anatomic and Physiologic Considerations

Cardiac Anatomy and Basic Physiology of  
Depolarization

Coronary Anatomy and Electrocardiographic  
Regional Anatomic Issues

Cardiac Pathophysiology

## Chapter 13: Historical Development of the Prehospital Electrocardiogram (ECG)

Indications for Prehospital 12-Lead  
Electrocardiogram

Benefits of the 12-Lead Electrocardiogram in the  
Acute Coronary Syndrome Patient

Conclusion

References

## Chapter 14: Electrocardiographic Findings in Acute Coronary Syndrome

Introduction

The 12-Lead Electrocardiogram in ST Segment  
Elevation Myocardial Infarction—Evolution of  
Electrocardiogram Abnormalities

The 12-Lead Electrocardiogram in Non-ST  
Segment Elevation Myocardial Infarction  
Presentations

Electrocardiogram ST Segment Elevation  
Myocardial Infarction mimickers and Confounders

Further Reading

# Section 4: Special Populations, High-Risk Presentation Scenarios, and Advanced Electrocardiographic Techniques

## Chapter 15: The Electrocardiogram in the Pediatric Patient

Rate and Rhythm

QRS Axis

T Waves

Intervals

Common Dysrhythmias

## Chapter 16: The Electrocardiogram in the Poisoned Patient

Potassium Efflux Blocking Agents

Sodium Channel Blocking Agents

Cardiac Glycoside Toxicity

Calcium Channel Blocker Toxicity

β-Adrenergic Blocker Toxicity

## Chapter 17: The Electrocardiogram in Hyperkalemia

Electrocardiographic Manifestations

## Chapter 18: Life-Threatening Electrocardiographic Patterns

Wellens' Syndrome

Brugada Syndrome

Hypertrophic Obstructive Cardiomyopathy

Long QT Syndrome

## Chapter 19: The Electrocardiogram in Patients with Implanted Devices

The Paced Electrocardiogram

Pacemaker Malfunction

The Paced Rhythm and Acute Myocardial Infarction

## Chapter 20: Electrocardiographic Tools in Prehospital Care

Additional Electrocardiographic Leads

Serial Electrocardiography

## Chapter 21: Wolff-Parkinson-White Syndrome

## Chapter 22: Cardiac Arrest Rhythms

Asystole

Pulseless Electrical Activity

Pulseless Ventricular Tachycardia

Ventricular Fibrillation

## Section 5: Electrocardiographic Differential Diagnosis of Common



# ECG Presentations

Chapter 23: Electrocardiographic  
Differential Diagnosis of Narrow Complex  
Tachycardia

Chapter 24: Electrocardiographic  
Differential Diagnosis of Wide Complex  
Tachycardia

Ventricular Tachycardia

Ventricular Tachycardia versus Supraventricular  
Tachycardia with Aberrant Conduction

Chapter 25: Electrocardiographic  
Differential Diagnosis of Bradyarrhythmia

Chapter 26: Electrocardiographic  
Differential Diagnosis of ST Segment  
Elevation

Chapter 27: Electrocardiographic  
Differential Diagnosis of ST Segment  
Depression

Acute Coronary Syndromes

Left Bundle Branch Block

Left Ventricular Hypertrophy

Rate-Related ST Depression

Other Causes

[Chapter 28: Electrocardiographic  
Differential Diagnosis of T Wave  
Abnormalities: The Prominent T Wave and  
T Wave Inversions](#)

[Prominent T Waves](#)

[T Wave Inversion](#)

[Index](#)

# The ECG in Prehospital Emergency Care

EDITED BY

**William J. Brady,** | MD, EMT-B, FACEP, FAAEM

**Korin B. Hudson,** | MD, NREMT-P, FACEP

**Robin Naples,** | MD, FACEP

**Amita Sudhir,** | MD, FACEP

**Steven H. Mitchell,** | MD, NREMT-P, FACEP

**Jeffrey D. Ferguson,** | MD, NREMT-P, FACEP

**Robert C. Reiser,** | MD, FACEP

ADVISORY EDITORS

**Kostas Alibertis, CC EMT-P**

**James Brady, EMT-P**

**Christopher Kroboth, EMT-P**

**Stewart Lawson, MD**

**Amal Mattu, MD**

**Mark Sochor, MD**

**Benjamin Sojka, EMT-P**

**Sara Sutherland, MD**

 **WILEY-BLACKWELL**

A John Wiley & Sons, Ltd. Publication



A JOHN WILEY & SONS, LTD., PUBLICATION

This edition first published 2013, © 2013 by Blackwell Publishing Ltd.

Blackwell Publishing was acquired by John Wiley & Sons in February 2007. Blackwell's publishing program has been merged with Wiley's global Scientific, Technical and Medical business to form Wiley-Blackwell.

*Registered office:* John Wiley & Sons, Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

*Editorial offices:* 9600 Garsington Road, Oxford, OX4 2DQ, UK

The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

111 River Street, Hoboken, NJ 07030-5774, USA

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at [www.wiley.com/wiley-blackwell](http://www.wiley.com/wiley-blackwell).

The right of the author to be identified as the author of this work has been asserted in accordance with the UK Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book. This publication is

designed to provide accurate and authoritative information in regard to the subject matter covered. It is sold on the understanding that the publisher is not engaged in rendering professional services. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

***Library of Congress Cataloging-in-Publication Data***

The ECG in prehospital emergency care / William J. Brady ...  
[et al.] ;

associate editors, Kostas Alibertis ... [*et al.*].

p. ; cm.

Includes bibliographical references and index.

ISBN 978-1-4051-8577-6 (pbk.)

I. Brady, William, 1960- II. Alibertis, Kostas.

[DNLM: 1. Electrocardiography- methods. 2. Emergency Medical Services. 3. Emergency Treatment- methods.

4. Heart- physiopathology. 5. Heart Diseases-diagnosis. WG 140]

616.1'207547- dc23

2012027338

A catalogue record for this book is available from the British Library.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Cover design by: Fortiori Design Ltd.

1 2013



**William Brady**—To my wife, King Brady, my partner and a truly amazing person; to my children, Lauren, Anne, Chip, and Katherine, my inspiration; and to my mother, Joann Brady, for all that she has done (and continues to do) for me.

**Korin Hudson**—I would like to thank my husband for his unwavering support and patience; my parents for inspiring a career in academics; and my mentors and colleagues who demonstrate excellence in clinical medicine and patient care every day

**Robin Naples**—To my parents for raising me, my sister for pushing me, my husband for understanding me, and my kids for being my everything.

**Amita Sudhir**—Thank you to my husband, Aaron, my children, Anisha and Anand, and my parents, Romila and Sudhir for their support. Thank you also to Bill Brady for his educating me about ECGs during residency, and for his continued mentorship ever since.

**Steven Mitchell**—Thank you to my best friend and wife, Kara, for her love and support in this process.

**Jeffrey Ferguson**—To my wife, Lauren, my parents, friends, and mentors for their years support and education: Thank you.

**Robert Reiser**—For my wife Bernie, my constant support and inspiration. Thank you.

# List of Contributors

## Editors

### **William J. Brady, MD, FACEP, FAAEM**

Professor of Emergency Medicine and Medicine, Chair, Resuscitation Committee, Medical Director, Emergency Preparedness and Response, University of Virginia School of Medicine; Operational Medical Director, Charlottesville-Albemarle Rescue Squad and Albemarle County Fire Rescue, Charlottesville, USA

### **Korin B. Hudson, MD, FACEP, NREMT-P**

Assistant Professor, Department of Emergency Medicine, Medical Director, Georgetown Emergency Response Medical Service, Georgetown University Hospital, Washington, USA

### **Robin Naples, MD, FACEP**

Assistant Professor, Temple University School of Medicine, Philadelphia, USA

### **Amita Sudhir, MD, FACEP**

Assistant Professor of Emergency Medicine, University of Virginia School of Medicine, Charlottesville, USA

### **Steven H. Mitchell, MD, NREMT-P, FACEP**

Assistant Professor, Associate Medical Director of Emergency Services, Harborview Medical Center, University of Washington School of Medicine, Seattle, USA

**Jeffrey D. Ferguson, MD, NREMT-P, FACEP**

Assistant Professor of Emergency Medicine, Brody School of Medicine, Medical Director, EastCare Critical Care Transport, Assistant Medical Director, Pitt County Emergency Services, East Carolina University, Greenville, USA

**Robert C. Reiser, MD, FACEP**

Associate Professor of Emergency Medicine, University of Virginia School of Medicine, Charlottesville, USA

## **Advisory Editors**

**Kostas Alibertis, CC EMT-P**

Instructor and Advanced Life Support Training Coordinator, Emergency Preparedness and Response, University of Virginia Medical Center, Charlottesville, USA; Chief, Western Albemarle Rescue Squad, Crozet, USA

**James Brady, EMT-P**

Captain, Training Division, Albemarle County Fire Rescue, Charlottesville, USA

**Christopher Kroboth, EMT-P**

Firefighter and Paramedic, Fairfax County Fire Rescue, Fairfax, USA

**Stewart Lawson, MD**

Associate Professor of Anesthesiology and Surgery Director, Critical Care Anesthesia Director, Critical Care Fellowship, University of Virginia School of Medicine Charlottesville, USA

**Amal Mattu, MD**

Professor and Vice Chair of Emergency Medicine, University of Maryland School of Medicine, Baltimore, USA

**Mark Sochor, MD**

Associate Professor of Emergency Medicine, University of Virginia School of Medicine; Associate Professor of Mechanical Engineering, University of Virginia Engineering School, Charlottesville, USA

**Benjamin Sojka, EMT-P**

Assistant Chief, Charlottesville-Albemarle Rescue Squad, Charlottesville, USA

**Sara Sutherland, MD**

Assistant Professor of Emergency Medicine, University of Virginia School of Medicine, Charlottesville, USA

**Authors**

**J. Aidan Boswick, BA, EMT-B**

Simulation Program Manager, Catholic Health Services Inc., Melville, USA

**David Carlberg, MD**

Chief Resident, Department of Emergency Medicine, University of Virginia School of Medicine, Charlottesville, USA

**Christopher P. Holstege, MD**

Associate Professor of Emergency Medicine and Pediatrics, Director, Division of Medical Toxicology, University of Virginia School of Medicine, Charlottesville, USA

**Erik Iszkula, MD**

Senior Resident, Department of Emergency Medicine, University of Virginia School of Medicine, Charlottesville, USA

**Michael Levy, MD, FACEP, FACP**

Medical Director, Anchorage Fire Department, Anchorage, USA

**Peter Monteleone, MD**

Clinical Instructor and Chief Resident, Department of Medicine, University of Virginia School of Medicine, Charlottesville, USA

**Francis X. Nolan Jr, BS, MICP**

Chief Medical Officer, Anchorage Fire Department, Anchorage, USA

**Peter Pollak, MD**

Senior Fellow, Cardiovascular Medicine, Department of Medicine, University of Virginia School of Medicine, Charlottesville, USA

**Robert Rutherford, MD**

Attending Physician, Swedish Medical Center-Edmonds Campus, Edmonds, USA

**Courtney B. Saunders, MD**

Fellow in the Adult Cardiovascular Disease, Joan C. Edwards School of Medicine, Marshall University, Huntington, USA

**Robert C. Schutt, MD**

Clinical Instructor, Department of Medicine, University of Virginia School of Medicine, Charlottesville, USA

**Megan Starling, MD**

Assistant Professor of Emergency Medicine, University of Virginia School of Medicine, Charlottesville, USA; Attending Physician, Culpeper Memorial Hospital, Culpeper, USA

**Richard B. Utarnachitt, MD, MS**

Assistant Professor, Associate Clerkship Director, Medical Director, Airlift Northwest, Harborview Medical Center, University of Washington School of Medicine, Seattle, USA

**Alvin Wang, DO, NREMT-P**

Assistant Professor, Associate Medical Director, Division of EMS, Temple University School of Medicine, Philadelphia, USA

**Kelly Williamson, MD**

Chief Resident, Department of Emergency Medicine, Northwestern University School of Medicine, Chicago, USA

# Foreword

## The Prehospital ECG: It's not just about STEMIs.....

Single lead or three lead cardiac monitoring was the sole means for EMS personnel to assess cardiac rhythm in the prehospital setting for many years. Resourceful EMS providers would use all three channels to verify rhythm, check for axis abnormalities and conduction disturbances, and even attempt to identify ST-T wave abnormalities in patients at risk for acute coronary syndrome. However, for most of EMS, the primary use of cardiac monitoring was to monitor the rhythm in the stable patient, or to determine which ACLS algorithm should be followed in cases of cardiopulmonary arrest.

With the advent of fibrinolysis, EMS personnel and ED staff began to recognize the importance of early identification of STEMI patients as a means to reduce the “door-to-drug” time. When patients arrived by EMS with a diagnostic ECG having already been performed, patients received fibrinolysis much more quickly than if an ECG had not been done, or if the patient had arrived by private vehicle.

Fibrinolysis required preparation of the drug and patient screening for contraindications, but was otherwise less resource intense than PCI, which became widely used in the mid to latter 1990s. Like fibrinolysis, PCI is time critical, with “door to balloon” times serving as one of the crucial process metrics. Assembling a team for PCI consumed significant resources, including opening of a catheterization laboratory and the presence of the interventional cardiologist and other personnel who could perform the PCI. Mobilizing these

resources during nights and weekends had the potential to engender significant time delays. STEMI systems began to mobilize the catheterization laboratory team based solely on the prehospital ECG interpretation. Many of these systems would rely on paramedic interpretation without a physician's interpretation of the ECG, due to the excellent interpretative skills developed by many EMS providers. The ability to perform 12-lead ECGs in the field has become a required skill in most EMS systems, and is now considered standard for STEMI systems to rely on EMS ECG interpretation to determine not only the destination hospital but also to activate the catheterization laboratory.

As paramedics have become skilled at recognition of STEMI, their interpretation skills in other clinical syndromes have developed. The prehospital ECG is not only administered to patients with suspected ACS, but is also used to better define rate, rhythm, or axis abnormalities first suspected on the single lead cardiac monitor. The 12-lead ECG is better able to define varying degrees of heart block as well as other conduction disturbances. Electrolyte abnormalities can be readily identified and dysrhythmias can be better recognized, thus allowing prehospital providers to tailor treatment to the underlying disorder.

The purpose of this text is to advance the interpretation skills of prehospital providers so that the ECG can be used as a diagnostic instrument for more than just the STEMI. In the same way that prehospital ECGs has reduced the “door-to-drug” and “door-to-balloon” times for STEMI, we are now in the era when the ECG can be used to speed the time to treatment of premalignant dysrhythmias or life-threatening electrolyte abnormalities. Readers of this book will benefit from the expertise of the authors, who have devoted a significant portion of their careers to teaching others the finer points of ECG interpretation. The diagnostic utility of the 12-lead ECG is vast, and after completing this book,



readers will come to understand that the prehospital ECG is not only used to diagnose STEMI, but can be used to identify many other clinical condition, which if left untreated, would seriously compromise the health of the patient.

Robert E. O'Connor, MD, MPH

*Dr. O'Connor is professor and chair of Emergency Medicine at the University of Virginia in Charlottesville. He is a past President of the National Association of EMS Physicians, a past Chair of the Emergency Cardiac Care Committee for the American Heart Association, and is a current board member of the American College of Emergency Physicians.*

# Preface

Electrocardiographic monitoring is one of the most widely applied diagnostic tests in clinical medicine today; its first application to the patient occurs in the prehospital setting and its use continues on into the hospital. The electrocardiogram, whether in monitor mode using single or multichannel rhythm monitoring or in diagnostic mode using the 12-lead ECG, is an amazing tool; it assists in establishing a diagnosis, ruling-out various ailments, guiding the diagnostic and management strategies in the evaluation, providing indication for certain therapies, offering risk assessment, and assessing end-organ impact of a syndrome. As noted in this impressive list of applications, it provides significant insight regarding the patient's condition in a range of presentations, whether it be the chest pain patient with ST segment elevation myocardial infarction (STEMI), the patient in cardiac arrest with ventricular tachycardia, the poisoned patient with bradycardia, or the renal failure patient with rhythm and morphologic findings consistent with hyperkalemia, among many, many others.... This extremely useful tool is noninvasive, portable, inexpensive, quickly obtained, and easily performed. Yet, its interpretation is not as easily performed and, in fact, requires considerable skill and experience as well as an awareness of its use in the appropriate clinical settings and limitations of patient data supplied.

This textbook has been prepared to assist the prehospital provider with the interpretation of the electrocardiogram and a solid understanding of its use across the range of presentations and applications. This textbook is arranged into five sections. Section one is a brief introduction and

review of the ECG in the clinical setting. Section two focuses on the ECG and rhythm diagnosis, considering the electrocardiographic findings from an in-depth differential diagnostic perspective—in other words, rhythms with normal rates as well as bradycardia and tachycardia, allowing for the QRS complex width and regularity. Section three reviews the 12-lead ECG in patients suspected of acute coronary syndrome, including ST segment elevation myocardial infarction. Section four discusses the range of special presentations, patient populations, and uses of the electrocardiogram. Section five is a listing of various electrocardiographic findings, again from the differential diagnostic perspective; in this section, various rhythm and morphologic presentations are discussed, such as the narrow and wide complex tachycardias and ST segment elevation syndromes.

This textbook addresses the use of the ECG in its many forms by the prehospital provider, whether 911 ground EMS response, aeromedical transport, or interfacility critical care transfer. The novice electrocardiographer can use this text as his or her primary ECG reference; additionally, the experienced interpreter can use this textbook to expand his or her knowledge base. This work stresses the value of the ECG in the range of clinical situations encountered daily by prehospital providers—it illustrates the appropriate applications of the electrocardiogram in acute and critical care EMS settings.

Most importantly, this textbook is written by clinicians for clinicians, with an emphasis on the reality of the prehospital setting. I and my coeditors, advisory editors, and authors have enjoyed its creation—we hope that you the prehospital clinician will not only enjoy its content but also find it of value in the care of your patients. We thank you for what you do every day.

William J. Brady, MD  
Charlottesville, USA  
July 2012

# Section 1

## The ECG in Prehospital Patient Care

# Chapter 1

## Clinical Applications of the Electrocardiogram (ECG)

*Robert C. Schutt<sup>1</sup>, William J. Brady<sup>2</sup>, and Steven H.  
Mitchell<sup>3</sup>*

<sup>1</sup>Department of Medicine, University of Virginia School of  
Medicine, Charlottesville, USA


<sup>2</sup>Departments of Emergency Medicine and Medicine,  
University of Virginia School of Medicine, Charlottesville,  
USA

<sup>3</sup>Emergency Services, Harborview Medical Center,  
University of Washington School of Medicine, Seattle, USA

The electrocardiogram (ECG) has become a mainstay of medical care since Einthoven first introduced the concept of electrical imaging of the heart in 1903. He named the five electrical deflections of an “electrical heart beat” with the now well-known descriptors—P, Q, R, S, and T ([Figure 1.1](#)). Accurate interpretation of the ECG has become a necessary skill for every clinician who cares for acutely ill patients. The ECG is a non-invasive, inexpensive, easily performed test that allows a clinician to view the electrical activity in the heart. The ECG provides information not only about a patient's heart rhythm, but also about both cardiac (e.g., acute coronary syndrome [ACS] or myopericarditis) and non-

cardiac conditions (e.g., electrolyte disorders, toxic ingestions, and pulmonary embolism).

**Figure 1.1** The PQRST complex—a single “electrical heart beat.”



## Electrocardiogram Evaluation of Rhythm Disturbances

The rapid and accurate detection of ventricular fibrillation leading to sudden cardiac death has led to the development of prehospital emergency medical service (EMS) systems worldwide since the late 1960s. The use of ECG monitoring has grown from this early important step to become a mainstay of patient evaluation, not only for cardiac arrest but also for many other conditions. The ECG is the primary tool for evaluating the underlying rhythm of the heart. The ability to evaluate the heart rhythm is critical as cardiac dysrhythmias often are symptomatic and require immediate

treatment. However, even if the dysrhythmia is not symptomatic, treatment may still be required to prevent future complications. Atrial fibrillation is a good example of a cardiac dysrhythmia easily identified on ECG, where symptoms may be completely absent or may be severe requiring immediate intervention. Depending on the rate (either fast or slow), the patient's symptoms may range from a benign fluttering in the chest to more serious symptoms of fatigue, chest pain, or syncope. [Figure 1.2](#) is an example of atrial fibrillation with rapid ventricular response. A patient who experiences heart block may be symptom free or at risk for syncope or cardiac arrest with a high-degree atrioventricular (AV) block, as seen in [Figure 1.3](#). Even when a patient is stable and without active symptoms, the ECG may provide clues that a patient is at risk for a potentially malignant rhythm. The patient depicted in [Figure 1.4](#) is an example of long QT syndrome complicated by malignant ventricular dysrhythmia. The recognition of a prolonged QT interval is critical as patients with this electrocardiographic finding are at higher risk for dysrhythmia and sudden cardiac death ([Figure 1.4](#)).

**[Figure 1.2](#)** Atrial fibrillation with rapid ventricular response; note the “irregularly irregular” rhythm.

