



A Guide to Forensic DNA Profiling

Editors-in-Chief

Allan Jamieson

Scott Bader

WILEY

Table of Contents

[Cover](#)

[Title Page](#)

[Copyright](#)

[Contributors](#)

[Foreword](#)

[Preface](#)

[Glossary](#)

[Abbreviations and Acronyms](#)

[Part A: Background](#)

[Chapter 1: Introduction to Forensic Genetics](#)

[The Ideal Forensic Material—Individualization](#)

[DNA—The Molecule](#)

[DNA in Populations](#)

[The Scientific Expert](#)

[Forensic DNA](#)

[Related Articles in EFS Online](#)

[Chapter 2: DNA: An Overview](#)

[History of DNA Profiling](#)

[STR Analysis](#)

[DNA Extraction](#)

[DNA Quantification](#)

[DNA Profile Interpretation](#)

[Low Template DNA Profiling](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 3: DNA](#)

[Introduction](#)

[Fundamental Human Anatomy](#)

[Fundamental Genetics](#)

[Fundamental Molecular Biology](#)

[Summary](#)

[References](#)

[Related Articles](#)

[Chapter 4: Introduction to Forensic DNA Profiling — The Electropherogram \(epg\)](#)

[Notation and Descriptions of Profiles](#)

[Separation](#)

[The Kit](#)

[Relative Fluorescence Units, Peak Height, and
Peak Area](#)

[Controls](#)

[References](#)

[Chapter 5: Biological Stains](#)

[Introduction](#)

[Locating Potential Biological Material](#)

[Other Body Fluids and Secretions](#)

[Trace Biological Material](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 6: Sources of DNA](#)

[Introduction](#)

[Blood](#)

[The Vaginal Tract](#)

[Semen](#)

[Trace DNA](#)

[Low Copy Number and Single Cells](#)

[Saliva](#)

[Fingernails](#)

[Fingerprints](#)

[Hair](#)

[Teeth and Bone](#)

[Formalin-Fixed Paraffin-Embedded Tissue Samples](#)

[Fecal Material](#)

[Unusual Sources](#)

[Plant Material as Forensic Evidence](#)

[Summary](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 7: Identification and Individualization](#)

[Identity, Identification, and Individualization](#)

[DNA Evidence and Individualization](#)

[Uniqueness](#)

[Reporting Identification Evidence in Court](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 8: Transfer](#)

[Introduction](#)

[Transfer of Trace DNA](#)

[Factors Affecting the Detection of Transferred DNA](#)

[Evaluation of DNA Transfer in Forensic Casework](#)

[Potential Contamination Issues](#)

[Conclusion](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 9: Laboratory Accreditation](#)

[Introduction and Background](#)

[Accreditation](#)

[Accreditation Schemes](#)

[ISO17025](#)

[Accreditation in the Forensic Context](#)

[Defense Expert Accreditation](#)

[Conclusion](#)

[End Notes](#)

[References](#)

[Chapter 10: Validation](#)

[Introduction](#)

[Validation Defined](#)

[Types of Validations](#)

[Governing Bodies and Guidelines](#)

[Internal Validations Process](#)

[Sample Selection](#)

[Sample Size](#)

[Setting Thresholds](#)

[Performance Checks and Material Modifications](#)

[Challenges of Validation Process](#)

[Testimony and Training](#)

[References](#)

[Further Reading](#)

[Related Articles](#)

[Related Articles in EFS Online](#)

[Part B: Analysis & Interpretation](#)

[Chapter 11: Extraction](#)

[Introduction](#)

[Differential Extraction](#)

[Solid-Phase Extraction Technologies](#)

[Solutions for Specific Sample Types](#)

[Contamination](#)

[Automated Extraction](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 12: Quantitation](#)

[Introduction](#)

[Background](#)

[Principles of Real-Time PCR](#)

[Quantitation of Low-Level DNA Analysis](#)

[References](#)

[Chapter 13: Amplification](#)

[References](#)

[Chapter 14: Interpretation of Mixtures; Graphical](#)

[Identifying and Interpreting Mixtures](#)

[Mixed Samples; Analysis of Mixtures](#)

[Major/Minor Mixtures](#)

[Complex Mixtures](#)

[Stutter](#)

[Low-Template Mixtures](#)

[Partial Profiles](#)

[Degraded Samples](#)

[References](#)

[Chapter 15: DNA Mixture Interpretation](#)

[Introduction](#)

[Conventional Mixture Deconvolution](#)

[Probabilistic Approaches](#)

[Semi-Continuous Probabilistic Genotyping Approaches](#)

[Fully Continuous Probabilistic Genotyping Approaches](#)

[Black Boxes and Due Process: Transparency in Expert Software Systems](#)

[References](#)

[Chapter 16: Degraded Samples](#)

[Introduction](#)

[**Characteristics of Degraded DNA Samples**](#)

[Objectively Identifying Potential Degradation/Inhibition](#)

[Mini-STRs](#)

[Y-STR Testing](#)

[Low Copy Number Testing](#)

[Addressing Inhibition](#)

[The Coroner's Inquest into the Death of Jaidyn Leskie](#)

[Conclusions](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 17: Ceiling Principle: DNA](#)

[Introduction](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 18: Y-Chromosome Short Tandem Repeats](#)

[Introduction](#)

[Commonly Used Y-STR Markers](#)

[Interpretation of a Y-STR Match](#)

[Casework Applications](#)

[References](#)

[Chapter 19: Expert Systems in DNA Interpretation](#)

[Introduction](#)

[Challenges in DNA Interpretation](#)

[The Likelihood Ratio Framework](#)

[The Need for Expert Systems](#)

[Currently Available Expert Systems](#)

[Further Evaluation of the Evidence](#)

[Comparative Studies](#)

[Validation](#)

[Remaining Challenges](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 20: Paternity Testing](#)

[History of Markers Used for Paternity Testing](#)

[Legal Aspects of Paternity Testing](#)

[Practical Process](#)

[Data Analysis](#)

[Testing with or without a Sample of the Mother](#)

[Mutation Events](#)

[Gonosomal Marker and Paternity Testing](#)

[Statistical Evaluation](#)

[Kinship Cases](#)

[Paternity Tests in Case of Immigration](#)

[Quality Management in Paternity Testing Laboratories](#)

[References](#)

[Related Articles](#)

[Chapter 21: Observer Effects](#)

[Introduction](#)

[Underlying Psychological Phenomenon](#)

[Minimizing Observer Effects](#)

[Empirical Studies of Observer Effects in Forensic Science](#)

[Case Managers and Sequential Unmasking](#)

[References](#)

[Related Articles](#)

[Related Articles in EFS Online](#)

[Part C: Applications](#)

[Chapter 22: Databases](#)

[Introduction](#)

[A Brief Summary of National DNA Database Programs](#)

[Operational Impact of Forensic DNA Databases](#)

[Investigative and Intelligence Use of Forensic DNA Databases](#)

[Familial Searching](#)

[Cold Case Review and Postconviction Testing](#)

[Socio-Legal Issues Associated with Forensic DNA Databases](#)

[Summary](#)

[Acknowledgment](#)

[References](#)

[Related Articles](#)

[Chapter 23: Missing Persons and Paternity: DNA](#)

[Introduction](#)

[Measures of Inbreeding and Relatedness](#)

[Frequencies of Sets of Alleles](#)

[Parentage Testing](#)

[Missing Person Calculations](#)

[Discussion](#)

[Acknowledgment](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 24: Familial Searching](#)

[Familial Searching: Definition](#)

[Kinship Indices](#)

[Strategies for Autosomal Familial Searches](#)

[Further Statistical Issues](#)

[Ethical Aspects](#)

[End Notes](#)

[References](#)

[Chapter 25: Single Nucleotide Polymorphism](#)

[Introduction](#)

[Challenges in Forensic Genetics](#)

[SNP Typing Methods](#)

[SNPs as Investigative Leads](#)

[References](#)

[Related Articles](#)

[Related Articles in EFS Online](#)

[Chapter 26: Mini-STRs](#)

[Emergence of Mini-STRs as a Forensic Tool](#)

[Challenges to Mini-STR Development](#)

[Conclusions](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 27: Phenotype](#)

[Introduction](#)

[Indirect Method of Phenotype Inference](#)

[Direct Method](#)

[Acknowledgments](#)

[End Notes](#)

[References](#)

[Chapter 28: Mitochondrial DNA: Profiling](#)

[Introduction](#)

[mtDNA Biology](#)

[Nonforensic Uses](#)

[Laboratory Practices](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 29: Geographical Identification by Viral Genotyping](#)

[Introduction](#)

[Relations between Parasitic Genotype and Geographic Area](#)

[Detection of Parasitic Genotypes from Forensic Samples](#)

[Estimation of Geographic Origin](#)

[Potential New Approaches toward Geographical Identification Using Human Parasites](#)

[References](#)

[Further Reading](#)

[Related Articles in EFS Online](#)

[Chapter 30: Microbial Forensics](#)

[Introduction](#)

[Detection and Identification Capabilities](#)

[Interpretation of Microbial Forensic Results](#)

[Conclusion](#)

[References](#)

[Further Reading](#)

[Chapter 31: Wildlife Crime](#)

[Introduction](#)

[Species Identification](#)

[DNA Profiling](#)

[Limits of Detection](#)

[Emerging Techniques](#)

[Standards](#)

[Acknowledgments](#)

[References](#)

[Related Articles](#)

[Related Articles in EFS Online](#)

[Part D: Court](#)

[Chapter 32: DNA Databases - The Significance of Unique Hits and the Database Controversy.](#)

[Introduction and the Controversy.](#)

[Posterior Odds](#)

[How Do Courts Deal with the Issue?](#)

[Some Final Remarks and Conclusion](#)

[Appendix](#)

[References](#)

[Related Articles](#)

[Chapter 33: DNA Databases and Evidentiary Issues](#)

[Introduction](#)

[Adventitious Matches](#)

[Estimation of DNA Match Statistics after a Database Search](#)

[Conclusion](#)

[End Notes](#)

[References](#)

[Related Articles](#)

[Chapter 34: Communicating Probabilistic Forensic Evidence in Court](#)

[Characterizations of a Match](#)

[How Do Jurors Think About and Use Match Statistics?](#)

[How Should a Forensic Scientist Communicate Match Statistics?](#)

[End Notes](#)

[References](#)

[Related Articles](#)

[Chapter 35: Report Writing for Courts](#)

[Introduction](#)

[Legal Requirements of an Expert Report](#)

[Acknowledgments](#)

[End Notes](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 36: Discovery of Expert Findings](#)

[Introduction](#)

[Discovery in Common and Civil Law Systems](#)

[Criminal and Civil Law Procedures](#)

[Discovery in Criminal Matters](#)

[Discovery in Civil Matters](#)

[Conclusion](#)

[Acknowledgments](#)

[End Notes](#)

[References](#)

[Related Articles in EFS Online](#)

[Chapter 37: Ethical Rules of Expert Behavior](#)

[Introduction](#)

[Defining Ethics](#)

[Fact Settings Presenting Potential Ethical Problems](#)

[Sanctions against Experts for Unethical Conduct](#)

[Conclusion](#)

[End Notes](#)

[Chapter 38: Verbal Scales: A Legal Perspective](#)

[Helpfulness](#)

[The *Davie* principle](#)

[“Sufficiently Reliable to be Admitted”](#)

[The “range of opinion” rule](#)

[References](#)

[Chapter 39: Direct Examination of Experts](#)

[Nature, Purpose, and Scope](#)

[Expert Witnesses and Opinion Evidence](#)

[Eliciting the Testimony of the Expert on Direct Examination](#)

[Related Articles](#)

[Related Articles in EFS Online](#)

[Chapter 40: Cross-Examination of Experts](#)

[Nature, Purpose, and Scope](#)

[Cross-Examination—Some Additional Concepts](#)

[Cross-Examining the Qualifications of the Witness](#)

[Cross-Examining with Contrary Opinions](#)

[Expressed in the Expert's Professional Literature](#)

[Redirect and Re-Cross-Examination](#)

[Related Articles](#)

[Related Articles in EFS Online](#)

[Chapter 41: DNA in the UK Courts](#)

[Introduction](#)

[Admissibility](#)

[Statistics and DNA Profiles](#)

[Statistics, Experience, and Expertise](#)

[Low Template DNA \(LTDNA\) Evidence](#)

[Transfer and Persistence of DNA](#)

[Recent Jurisprudence](#)

[Scotland—Different Jurisdiction, Different Standard?](#)

[Overall](#)

[End Notes](#)

[References](#)

[Related Articles](#)

[Related Articles in EFS Online](#)

Chapter 42: Legal Issues with Forensic DNA in the USA

Building the Database Empire

Opting Out—Private Databases

Focusing on Sensitivity over Accuracy

An Example: *The NYOCME and US v Johnny Morgan*^{be}

US v. Johnny Morgan

Shifting Standards

Legal Controversy and Implications

Closing Off DNA from Defense Scrutiny

Conclusion

End Notes

Chapter 43: Issues in Forensic DNA

Introduction

Issues

Experience

Conclusion

End Notes

References

Chapter 44: Future Technologies and Challenges

Crime Scene

Laboratory Analysis

Interpretation

Evaluation

“Blue Sky” Thinking

End Notes

References

Index

List of Illustrations

Chapter 2: DNA: An Overview

[Figure 1 Example of typical stutter pattern of alleles 24 and 26 at STR locus FGA](#)

Chapter 3: DNA

[Figure 1 Diagrammatic representation of mitosis, the process of cell replication for adult or somatic cells](#)

[Figure 2 Diagrammatic representation of meiosis, the process of cell replication for germline cells or gametes](#)

[Figure 3 An example of the effect of assortment in generating haploid diversity. If there are three pairs of blue chromosomes \(I, II, and III\) which are duplicated during prophase to give three pink duplicate chromosome pairs. There are four different ways in which these three pairs of pairs can align at the equator of the cell during metaphase \(a-d\). After the two rounds of meiotic division this produces eight different possible haploid sets \(1-8\). The number of theoretical possibilities in a diploid organism is equal to \$2^n\$, where \$n\$ is the number of chromosomes in the haploid gamete](#)

[Figure 4 Representation of recombination showing its effect in shuffling the distribution of genetic material in the resultant gametes](#)

[Figure 5 A nucleotide unit \(or monomer\). The nitrogenous base is either a purine or a pyrimidine. Nucleotide units are linked through a phosphodiester](#)

[bond via successive phosphate residues and the free oxygen on the 3' carbon](#)

Chapter 4: Introduction to Forensic DNA Profiling — The Electropherogram (epg)

[Figure 1 SGM+ epg](#)

[Figure 2 Portion of epg, labeled](#)

[Figure 3 Raw data](#)

[Figure 4 Operating parameters for gel run](#)

[Figure 5 Example of linear regression](#)

[Figure 6 Illustration of exponential and moving average representations](#)

[Figure 7 Baseline noise](#)

[Figure 8 D21 locus at “standard” zoom](#)

[Figure 9 Zoom of D21 locus](#)

[Figure 10 Peak limit markers](#)

[Figure 11 Allelic ladder](#)

[Figure 12 Internal standard](#)

[Figure 13 Stutter illustration](#)

Chapter 5: Biological Stains

[Figure 1 The catalytic conversion mechanism of presumptive color reagents for the presumptive detection of blood, using tetramethylbenzidine as a typical substrate](#)

[Figure 2 Immunochromatographic membrane testing of blood using monoclonal antibodies specific to human hemoglobin](#)

[Figure 3 The enzymatic breakdown of \$\alpha\$ -naphthol phosphate by acid phosphatase is the basis for the](#)

[presumptive color test for seminal fluid](#)

[Figure 4 A single sperm cell with its tail among vaginal cells stained with the Christmas Tree reagents](#)

[Figure 5 Morphological changes of sperm cells as they degrade](#)

[Figure 6 Mapping of underwear for acid phosphatase \(a\) and amylase \(b\). Purple \(dark\)-stained areas \(a\) demonstrate acid phosphatase distribution. \(b\) White \(light\) areas demonstrate the distribution of amylase](#)

[Figure 7 Creatinine color change at 5 and 10 min](#)

[Figure 8 Urobilinogen test for the presumptive detection of fecal material. Tubes \(from left\) blank, positive fecal sample, and control](#)

Chapter 10: Validation

[Figure 1 Process map of validation considerations](#)

[Figure 2 Governing bodies influencing validations in the USA](#)

[Figure 3 Testing sample categories](#)

Chapter 12: Quantitation

[Figure 1 Cycle thresholds plotted against the logarithm of the concentration of DNA produce a standard curve](#)

[Figure 2 Quantity vs. the \$R^2\$ value. As the \$R^2\$ value changes there is no corresponding change in the measurement of the quantity of DNA in the corresponding run. Therefore, \$R^2\$ is not a good measure of accuracy \[10\]](#)

[Figure 3 Quantity vs. slope. From this plot variations in the values of the slope do not correlate to changes](#)

in the corresponding quantity of DNA [10]

Figure 4 Y-intercept vs. quantity. Unlike the other two factors, there is a direct correlation between the quantity of DNA and the curves corresponding to the Y-intercept [10]

Chapter 14: Interpretation of Mixtures; Graphical

Figure 1 Profile with unequal peak heights: 15 15 and a 16 16, or a 15 16 and a 15 15?

Figure 2 A three-allele locus

Figure 3 Two-person mixture at a single locus (the unlabeled peak is considered stutter)

Figure 4 Peak height imbalance

Figure 5 Major/minor locus

Figure 6 D2 locus

Figure 7 THO1 locus

Figure 8 vWA locus where defendant is 17 17

Figure 9 Allelic peaks at the same level as stutter

Figure 10 Illustration of one channel of a profile from "degraded" DNA [7]

Figure 11 Illustration of mixture with one contributor degraded

Chapter 15: DNA Mixture Interpretation

Figure 1 Partial electropherograms of two single-source samples and their corresponding 1:2 mixture. Allelic designations for each peak appear immediately below it with corresponding peak height information (in relative fluorescence units, RFUs) immediately below that. Locus names are in the boxes above.

Chapter 16: Degraded Samples

[Figure 1 An electropherogram exhibiting signs of degradation or inhibition. Degradation and inhibition are marked by observing progressively falling peak heights as the size of the DNA product increases \(left to right\).](#)

[Figure 2 Electropherograms associated with a high-quality genomic DNA template \(a\) and with the condom sample from the rape investigation \(b\) that qualifies as being inconsistent with the sampling of positive controls](#)

Chapter 18: Y-Chromosome Short Tandem Repeats

[Figure 1 Y-STR profile using the Applied Biosystems AmpF/STR[®] Yfiler[™] Amplification Kit. 17 Y-STR loci are coamplified in a single reaction, separated by capillary electrophoresis, and displayed as an electropherogram. The x axis represents fragment size \(base pairs\) and the y axis represents signal intensity \(relative fluorescence intensity \(RFU\)\). Each locus is labeled with a fluorescent dye: top channel—6-FAM \(blue\); second channel—VIC \(green\); third channel—NED \(black\); fourth channel—PET \(red\); bottom channel—LIZ \(orange\)—internal size standard](#)

Chapter 20: Paternity Testing

[Figure 1 Male DNA profile - multiplex PCR including 16 variable STR marker and Amelogenin \(gender typing marker “XY”\).](#)

[Figure 2 Examples of DNA profiles from a mother, a child and two alleged fathers.](#)

[Figure 3 Schematic presentation of a family tree in a deficiency case.](#)

Chapter 22: Databases

Figure 1 Summary of functionality of a standard DNA database system

Chapter 25: Single Nucleotide Polymorphism

Figure 1 Examples of how point mutations in the last nucleotide of codons can alter the protein sequence

Figure 2 The cyclic SBE reaction. Double-stranded PCR products are denatured at high temperature, the SBE primers anneal to the PCR products at low temperature, and single base extension of the SBE primer is made at the optimal temperature of the Taq DNA polymerase. The SBE primer anneals to the single-stranded PCR product immediately upstream of the SNP position, and a fluorescently labeled dideoxynucleotide complementary to the nucleotide in the SNP position is added to the SBE primer. The dideoxynucleotides are labeled with four different fluorophores. The SBE products can be analyzed by CE where the length of the SBE primer identifies the SNP locus and the color of the fluorescent label identifies the SNP allele

Figure 3 Next-generation sequencing. (a) Nucleotides are added sequentially to the sequencing reaction and incorporated into the DNA strand by the DNA polymerase. In the example, dATP is added to the reaction and the DNA is extended with two dATPs. This releases two pyrophosphates (PP_i) and two protons (H^+) that may be detected by the 454 sequencer and the Ion Torrent platform, respectively. (b) All nucleotides are added to the sequencing reaction. The nucleotides are labeled with four different fluorophores and blocked to prevent further extension. In the example, the DNA strand is extended with one fluorescent dATP. The fluorophore is detected by the Illumina platform and the block is

subsequently removed prior to a new round of extension

Figure 4 Phylogeographic studies allow a detailed picture of the mtDNA (a) and Y chromosome (b) haplogroups and their geographical distribution. The letters used to designate the mtDNA and Y chromosome haplogroups were defined independently of each other and, therefore, there is no geographical or genetic relationship between, e.g., the mtDNA haplogroup A and the Y chromosome haplogroup A

Figure 5 Transmission patterns of the sex chromosomes (X and Y) and the mtDNA (relative sizes are for illustration only and are not to scale). Unlike autosomes, lineage markers are transmitted directly without any recombination. The Y chromosome is only transmitted from fathers to sons, while the mtDNA is transmitted from mothers, to both sons and daughters. Regarding the X chromosome, there is difference in the number of chromosomes present in each sex: females have two copies while males have only one X chromosome and one Y chromosome. Therefore, men inherit the X chromosome from their mothers (an X chromosome that has suffered recombination before being transmitted), whereas women inherit one X chromosome from each parent. The paternal X chromosome is transmitted to the daughters without suffering recombination in the majority of its extension

Figure 6 Examples of eye colors

Chapter 26: Mini-STRs

Figure 1

Figure 2

Chapter 27: Phenotype

Figure 1 Global apportionment of Y haplogroup diversity. Pie charts illustrate the proportion of haplogroups as identified in the legend at the bottom. Populations are identified with a two-letter code/defined by the legend to the right

Figure 2 Geographical distribution of skin melanin levels. Higher values correspond to darker colors [Reproduced with permission from Cengage Learning © 2000]

Figure 3 Individual genomic ancestry estimates portrayed with a tetrahedron plot. (a) The most likely estimate (MLE) for an individual is shown with a spot (red) which corresponds to specific percentages shown in the upper right-hand box. The percentages are obtained in four-dimensional space with an algorithm, but can be displayed on a two-dimensional piece of paper using this plot diagram; projecting the MLE spot perpendicularly on the each of the three axes within any of the four subtriangles (arrows) gives the corresponding percentage. The closer the spot is to the triangle vertices (labeled European, sub-Saharan African, East Asian, or Native American), the higher the percentage admixture corresponding to that type of ancestry. (b) Plot of numerous MLEs for individuals of color-coded self-described ancestry (legend upper right) obtained using the 176 AIM panel described in the text. Though continental Africans show predominantly African admixture, this African-American sample shows considerable European admixture and the Puerto Rican sample shows even more

Figure 4 Individual genomic ancestry admixture estimates among Europeans with respect to a five-population European model. The 1346 European AIM panel described in the text was used to generate the data. For each individual, the proportional ancestry derived from these five parental European populations is represented with a bar, using colors coding for each ancestry type and the scaling on the left. Markers and genotype data were derived from the work published by Bauchet *et al.* [11] [Reproduced from Ref. [11]. © Elsevier, 2007]

Figure 5 Regression of eumelanin value (M) from skin measurement on African individual genomic ancestry estimates in a population of (a) African Americans, European Americans, and Afro-Caribbean samples, obtained using a 30-AIM panel [12] and (b) Puerto Ricans, obtained using the 176-AIM panel described in the text [3, 10]. Each spot represents the point estimate of African admixture for an individual. Higher M values correspond to darker skin colors (higher concentration of eumelanin per unit skin area).

Figure 6 Regression of iris eumelanin scores from digital photographs on European individual genomic ancestry estimates in a population predominantly of self-described "Caucasians". Each spot represents a point estimate of European admixture for an individual. Higher color scores correspond to lighter colors (less eumelanin).

Figure 7 Example of an admixture database entry. Entries in this particular database (www.dnawitness.net) included a digital photograph taken under standardized conditions, country of origin, that of their mother, father, and their maternal

grandmother (MGM) and paternal grandmother (PGM) as well as maternal grandfather (MGF) and paternal grandfather (PGF). Similarly, the self-reported “ethnic identity” is provided by each subject. The laboratory that administers this database took the photograph and determined the admixture profile with respect to a global four-population model using the 176-AIM panel discussed in the text. The database had 4700 entries as of August 2007

Figure 8 Examples of iris color inference enabled with the 33 marker/iris color database described in the text. Iris color is inferred using the average color exhibited by samples in the database with matching diplotypes and an interval is provided around this point estimate using the range of colors exhibited or a default range, whichever is larger. This inferred range is then used to query the database and all of the irides falling within the range are presented. This typically produces tens or hundreds of irides of similar overall color from a distance (determined by eumelanin content) though of different pattern, depending on the color and database size. Shown here are returns for 27 test subjects. Six representatives of the inferred iris color score range are provided for each of the 27 test irides below the line and the actual color of the test iris is shown above the line

Chapter 29: Geographical Identification by Viral Genotyping

Figure 1 Phylogenetic analysis of JCV genome; 610 bp hypervariable region (IG region) of JCV genome was phylogenetically analyzed. Open circle, African isolates; closed circle, European isolates; and closed triangle, Asian isolates

[Figure 2 Phylogenetic analysis of HHV-1 genome; 666 bp hypervariable region of HHV-1 genome was phylogenetically analyzed. Open circle, African isolates; closed circle, European isolates; and closed triangle, Asian isolates](#)

Chapter 30: Microbial Forensics

[Figure 1 General schematic approach to a disease outbreak involving public health and/or law enforcement](#)

Chapter 43: Issues in Forensic DNA

[Figure 1 Illustration of the mixture problem—six “suspect profiles” from only two actual contributors](#)

[Figure 2 CPI illustration](#)

List of Tables

Chapter 2: DNA: An Overview

[Table 1 Characteristics of SGM Plus STR loci^a](#)

[Table 2 STR loci included in newly developed commercial STR profiling kits](#)

[Table 3 List of materials commonly collected for DNA analysis during forensic investigations with reference to extraction methods](#)

Chapter 14: Interpretation of Mixtures; Graphical

[Table 1 Hypothetical scenario from intimate swab](#)

[Table 2 Calculation of “foreign” alleles from swab](#)

[Table 3 Comparison of foreign alleles with suspect](#)

[Table 4 Possible contributors to two-person profile](#)

Chapter 18: Y-Chromosome Short Tandem Repeats

[Table 1 Commercial Y-STR Multiplex Amplification Kits](#)

Chapter 19: Expert Systems in DNA Interpretation

[Table 1 Summary of the currently available interpretation systems](#)

[Table 2 Summary of the published studies comparing the performance of different expert systems](#)

Chapter 20: Paternity Testing

[Table 1 Results of a paternity test involving a mother, a child, and two alleged fathers](#)

[Table 2 Results of a half-sibling test using X-chromosomal markers](#)

[Table 3 Genotypes of the child, the mother, and the alleged father and the resulting paternity index formulas](#)

[Table 4 Genotypes of the child and the alleged father and the resulting paternity index formulas](#)

Chapter 23: Missing Persons and Paternity: DNA

[Table 1 Identity by descent measures for noninbred relatives](#)

[Table 2 Genotype-pair probabilities for noninbred relatives \(different subscripts denote different alleles\)](#)

[Table 3 Paternity index calculations when \$H_d\$ is that alleged father is related to the father](#)

[Table 4 Paternity index values for a population with evolutionary relatedness](#)

[Table 5 An example of a missing person calculation](#)

[Table 6 An example of a missing person calculation](#)

Chapter 29: Geographical Identification by Viral Genotyping

[Table 1 Distribution of JCV genotypes in the Old World](#)

[Table 2 Distribution of BKV genotypes in the Old World](#)

Chapter 33: DNA Databases and Evidentiary Issues

[Table 1 Summary of the size and effectiveness of major DNA database programs](#)

[Table 2 Crude demonstration of expected number of adventitious matches in databases of varying sizes](#)

A GUIDE TO FORENSIC DNA PROFILING

Editors

Allan Jamieson

Scott Bader

The Forensic Institute, Glasgow, UK



WILEY