

Rebecca A. Fisher
Kamran Ahmed
Prokar Dasgupta
Editors

Introduction to Surgery for Students

 Springer

Introduction to Surgery for Students

Rebecca A. Fisher
Kamran Ahmed • Prokar Dasgupta
Editors

Introduction to Surgery for Students

 Springer

Editors

Rebecca A. Fisher
University of Edinburgh
Edinburgh, UK

Prokar Dasgupta
MRC Centre for Transplantation
King's College London
London, UK

Kamran Ahmed
MRC Centre for Transplantation
King's College London
London, UK

ISBN 978-3-319-43209-0 ISBN 978-3-319-43210-6 (eBook)
DOI 10.1007/978-3-319-43210-6

Library of Congress Control Number: 2017939143

© Springer International Publishing Switzerland 2017

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by Springer Nature
The registered company is Springer International Publishing AG
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Foreword

I would like to congratulate the authors of this remarkable book for their initiative in spotting the niche that it occupies. The contents serve two key purposes. The first is to maximise the benefit that medical students derive from surgical placements. All too often time is wasted feeling bewildered and in trying to understand how the system works. Access to a guide such as this should prove invaluable in providing orientation and a scaffold of basic knowledge that will allow students to focus on learning from their placements. The second is to inform postgraduate trainees considering surgery as their choice of specialty. It is so crucial that trainees make the most informed choice possible, rather than stumbling into a specialist area almost by accident. The contents of this book provide a rich mine of information that will assist trainees in navigating through the complex choices that they need to make.

At a personal level, while I was attracted to surgery, I did not have access to all the facts that would have allowed me to make a fully informed decision. My surgical skills had to wait until my PhD research when I learnt to transplant kidneys, in rodents! If I had been given a copy of this excellent book, who knows what career choice I might have made!

King's College London, London, UK
King's Health Partners Academic
Health Sciences Centre, London, UK

Robert Lechler

Introduction

This book was borne out of a passion for surgery amongst medical students at King's College London sitting the Surgical Sciences intercalated BSc course. Although there is a wealth of books covering surgical topics, we felt that for a medical student with an interest in surgery there was no go-to book to consult that we could be confident was aimed at the right level, and that would cover the basics we need to appreciate what is going on in clinical practice. This was especially clear when approaching placements in theatre, as in our experience most medical schools teach surgical skills in a patchy way, with students arriving in theatre expected to already know how to scrub and how to behave in a sterile environment. From this, we decided that students needed a one-stop resource for surgery that will help them learn the basics of their surgical placements, whilst nurturing an interest in surgery and helping interested students to move into a surgical career.

Although time in theatre will always appeal to those keen for a career in surgery, most students feel like their days spent there are not productive, and their time can be better spent elsewhere. We hope to increase your productivity by helping you understand what's going on in the procedure, with each specialty providing a brief step-by-step guide to what happens in some of their most common operations. We hope that having our guide with you whilst on a surgical rotation will help you orientate yourself, and arm you with the knowledge to make the most out of your placement.

This book has been written by a team of 73 students, trainees and consultants who have worked together to provide information that is crucial for undergraduate medical exams and reflects current practice in the UK. We hope that students being involved in writing means the content will be the perfect companion to your medical studies and for building the foundations of your future surgical career.

Edinburgh, UK
London, UK

Rebecca A. Fisher, BSc(Hons)
Kamran Ahmed

Acknowledgements

Rebecca would like to thank Catherine Lovegrove, Cameron Kuronen-Stewart and Aminah N. Ahmad for their enthusiasm during the conception of this rather unlikely book, and the Fisher family, Ed Cooke and Fraser Allan for endless support during the writing and editing process. Thanks for believing in me.

For individual chapters, we would like to thank Mr. K M N Kunzru for his assistance on the History of Surgery chapter; David Sinclair (Professor of Anatomy, RCSEd) and Gordon Findlater (Professor of Anatomy, The University of Edinburgh) for casting a critical eye over the anatomy chapter; Dr. John Curtis and Dr. Pradesh Kumar for advice on the radiology chapter; Abdullatif Aydin and Ben Challacombe for advice and equipment in the Preparing the Surgeon chapter; Steth2Scalpel for providing suture pads for the suturing picture guides (<http://www.steth2scalpel.com>); Professor Simon Maxwell; Luke Devey for assistance with the Transplantation and Immunology chapter; Dr. Roy Harris for advice on the Anaesthetics chapter. We would also like to thank Prof. O James Garden for sharing his publishing expertise.

We would also like to thank the lecturers at King's College London's Surgical Sciences iBSc course, whose lectures were used as a framework for many chapters in our book. They are:

Professor Kaspar Althoefer
Dr. Abdullatif Aydin
Dr. Ali Bahsoun
Mr. James Brewin
Mr. Christian Brown
Mr. Declan Cahill
Mrs. Ruth Cochrane
Mr. Oussama Elhage
Mr. Saied Froghi
Mrs. Jenny Geh
Mr. James Gossage
Mr. Aryn Haji
Mr. Michael Ibrahim
Mr. Adeboye Jolaoso
Dr. Paul Kelly
Mr. Fahd Khan
Dr. Reenam Khan
Mr. M Shamim Khan OBE

Mr. K M N Kunzru
Dr. Peter Lovell
Mr. Omar Mahroo
Dr. Rizwan Mahmood
Mr. Trevor Marsh
Professor Daniele Minardi
Mr. Bijan Modarai
Professor Ameet Patel
Mr. Christopher Rao
Mr. Shibby Robati
Mr. Arun Sahai
Mr. Alexis Schizas
Dr. Stephen Thompson
Mr. Hide Yamamoto
Miss Rhana Zakri

Contents

1	The History of Surgery	1
	Lydia L. Thurston	
2	Anatomy for Surgeons	17
	Ross A. Jones and Jeremy W. Mortimer	
3	Radiology for Surgeons	31
	Benjamin L. Jones, Priyan Tantrige, and Oliver V. Cawley	
4	Role of the Surgeon	41
	Catherine E. Lovegrove and Vanash Patel	
5	Preoperative Care	49
	Catherine E. Lovegrove and Fahd Khan	
6	Anaesthetics	57
	Edward T. Robinson and Akhil Gupta	
7	Perioperative Care	67
	Oliver Brunckhorst	
8	Patient Safety	75
	Anam Parand	
9	Preparing the Surgeon	77
	Ankit Mishra and Michael C.B. Morgan	
10	Post-operative Care	121
	Aminah N. Ahmad and Fahd Khan	
11	Minimally Invasive Surgery (MIS)	133
	Mollika K. Chakravorty, Eilidh S. Bruce, Faisal I.A. Ghumman, Benjamin J. Challacombe, and Martin Sheriff	
12	Principles of Surgical Oncology and Pathology	145
	Abhinav Mathur	
13	Neurosurgery	153
	Fraser S. Brown and Andreas Demetriades	
14	Ophthalmology	163
	Omar A. Mahroo, Ammar Yusuf, and Rachel T. Mercer	

15	ENT Surgery	175
	Deep P. Sarode, Carl R. Mulholland, Margaret Johnston, and Craig Murray	
16	Oral & Maxillofacial Surgery	187
	Rizwan Mahmood	
17	Cardiothoracic Surgery	197
	Aminah N. Ahmad and Michael Ibrahim	
18	Vascular Surgery	213
	Aminah N. Ahmad and Rachel Bell	
19	General and Emergency Surgery	225
	Anisha Sukha, Charlotte Ratcliff, Chiara Ventre, Gregory Ekatah, Rebecca A. Fisher, and Rebecca Ross-Browne	
20	Urology	261
	Catherine E. Lovegrove, Andrea Tay, and Majed Shabbir	
21	Orthopaedic Surgery	273
	Shibby Robati and Mark Maher	
22	Plastic Surgery	283
	Evelyn W.Y. Chou and Duncan Atherton	
23	Obstetrics and Gynaecology	297
	Rahee R. Mapara and Ruth M. Cochrane	
24	Paediatric Surgery	311
	Mollika K. Chakravorty, Caroline M. Smith, and Richard M. Lindley	
25	Transplantation and Immunology	325
	Samuel P. Williams and James Richards	
26	I Want to Be a Surgeon: What Next?	335
	Angela E. Fanshawe and Michael E. Ibrahim	
27	Surgical Research	341
	Angela E. Fanshawe and Michael E. Ibrahim	
28	Surgical Training, Simulation and Assessment	349
	Abdullatif Aydin, Cameron Kuronen-Stewart, Rebecca A. Fisher, and Kamran Ahmed	
29	Careers	361
	Fahd Khan and Noman Saghir	
30	International Careers: Training and Working Abroad	373
	Charlotte K. Gunner, David Bunting, Syed Joharn Raza, David W. Drevna, Rishi Patel, Alisa Jiwani, Ruhith Ariyapala, Fahd Khan, and Noman Saghir	
31	The NHS and Private Healthcare	389
	Tobias A. Rowland and Christopher Rao	
	Glossary	397
	Index	401

Contributors

Editors

Rebecca A. Fisher, BSc(Hons) Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Kamran Ahmed, MRCS PhD MRC Centre for Transplantation, Guy's Hospital, King's College London, Great Maze Pond, London, UK

Prokar Dasgupta, MD MSc FRCS FEBU MRC Centre for Transplantation, Guy's Hospital, King's College London, Great Maze Pond, London, UK

Junior Editorial Team

Eilidh S. Bruce, BSc Hons Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Margaret Johnston, BSc (Hons) Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Roshni Mansfield, BA Hons. (Cantab.) Oxford University Clinical School, Magdalen College, Oxford OX1 4AU, UK

Luke McElroy Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Maria Chiara Ruddy, BMedSci Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Elizabeth Tan, MBChB BA Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Luke Walls, BMedSci Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Authors

Aminah N. Ahmad, BSc (Hons) GKT School of Medical Education, King's College London, Great Maze Pond, London SE1 3QD, UK

Ruhith Ariyapala, BMedSci Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Duncan Atherton, BSc MBBS MRCS MD FRCS(Plast) St Thomas' Hospital, Westminster Bridge Road, London SE1 7EH, UK

Abdullatif Aydin, BSc MBBS MRC Centre for Transplantation, Guy's Hospital, King's College London, Great Maze Pond, London SE1 9RT, UK

Rachel Bell, MS FRCS Vascular Surgery, Guy's and St Thomas' NHS Foundation Trust, Westminster Bridge Road, London SE1 7EH, UK

Fraser S. Brown, BMedSci (Hons) Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Eilidh S. Bruce, BSc Hons Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Oliver Brunckhorst, MBBS BSc (Hons) West Middlesex University Hospital, Twickenham Road, London TW7 6AF, UK

David Bunting, MBBS MSc MRCS Derriford Hospital, Plymouth PL6 8DH, UK

Oliver V. Cawley, BSc GKT School of Medical Education, King's College London, Great Maze Pond, London SE1 3QD, UK

Mollika K. Chakravorty, MBChB BSc (Hons.) Darent Valley Hospital, Dartford and Gravesham NHS Foundation Trust, Darenth Wood Road, Dartford, Kent DA2 8DA, UK

Benjamin J. Challacombe, MBBS BSc(Hons) MS FRCS(Urol) Urology, Guy's Hospital, Guy's and St Thomas' NHS Foundation Trust, Great Maze Pond, Southwark, London SE1 9RT, UK

Evelyn W.Y. Chou, BSc Hons GKT School of Medical Education, King's College London, Great Maze Pond, London SE1 3QD, UK

Ruth M. Cochrane, MD FRCOG DA Obstetrics and Gynecology, Lewisham and Greenwich NHS Trust, Lewisham High Street, London SE13 6LH, UK

Andreas Demetriades, BSc (Hons) MB BChir MPhil FRCS Western General Hospital, Crew Road South, Edinburgh EH4 2XU, UK

David W. Drevna Northeast Ohio Medical University, Rootstown, OH, USA

Michaela M. Durbacz, MBChB BSc Southmead Hospital, Southmead Road, Bristol BS10 5NB, UK

Gregory Ekatah, MSc(Hons) MBChB MRCS (Glas) MSC Edinburgh Breast Unit, Western General Hospital, South East Scotland Deanery, Crewe Road South, Edinburgh EH4 2XU, UK

Angela E. Fanshawe, MA MBBS MRCS General Surgery, Northwick Park Hospital, Watford Road, Harrow HA1 3UJ, UK

Charlotte K. Gunner Sheffield Teaching Hospitals NHS Trust, The Old Smith, Rivelin Glen Quarry, Rivelin Valley Road, Sheffield S6 5SE, UK

Akhil Gupta, BSc MBBS FRCA Department of Anaesthetics, Great Ormond Street Hospital, Great Ormond Street, London WC1N 3JH, UK

Michael Ibrahim, MA MBBS AICSM PhD Division of Cardiovascular Surgery, Hospital of the University of Pennsylvania, 3400 Spruce Street, Philadelphia 19104, PA, USA

Alisa Jiwani, BSc (Hons) Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Margaret Johnston, BSc (Hons) Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Benjamin L. Jones, MBBS BSc FRCR Radiology, Aintree University Hospital, Longmoor Lane, Liverpool L9 7AL, UK

Ross A. Jones, BSc MSc MBChB MRCS(Eng) North West Deanery, Manchester, UK
The University of Edinburgh, Edinburgh, UK

Fahd Khan, MD, MRCS (Eng), MCh MIS(Hons) St James's University Hospital, Leeds, UK

Cameron Kuronen-Stewart, BSc(Hons) Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Richard M. Lindley, MBChB BMedSci MD FRCS(Paed Surg) Paediatric Surgery, Sheffield Children's Hospital NHS Foundation Trust, Sheffield S10 2TH, UK

Catherine E. Lovegrove, BSc (Hons.) GKT School of Medical Education, King's College London, Great Maze Pond, London SE1 3QD, UK

Mark Maher, BSc(Hons) GKT School of Medical Education, King's College London, Great Maze Pond, London SE1 3QD, UK

Rizwan Mahmood, BDS MFDS MSc Oral and Maxillofacial Surgery, Royal London Hospital, Whitechapel Road, London E1 1BB, UK

Omar A. Mahroo, MB BChir PhD FRCOphth FHEA Moorfields Eye Hospital, 162 City Road, London EC1V 2PD, UK

Rahee R. Mapara, MBBS BSc Department of Medicine, Maidstone and Tunbridge Wells NHS Trust Tunbridge Road, Tunbridge Wells, Kent TN2 4QJ, UK

Abhinav Mathur, BMedSci (Hons) AMRSB College of Medicine and Veterinary Medicine, University of Edinburgh, 47 Little France Crescent, Edinburgh EH16 4TJ, UK

Rachel T. Mercer College of Medicine, University of Edinburgh, Edinburgh, UK

Ankit Mishra, BSc (Hons) GKT School of Medical Education, King's College London, Great Maze Pond, London SE1 3QD, UK

Michael C. B. Morgan, BSc (Hons) GKT School of Medical Education, King's College London, Great Maze Pond, London SE1 3QD, UK

Jeremy W. Mortimer, BMedSci(Hons) MSc BMBS MRCS(Eng) The University of Edinburgh, Edinburgh, UK

Carl R. Mulholland Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Craig Murray, BSc(Hons) MBChB FRCS(ORL) MFSTEd ENT Department, Royal Alexandra Hospital, NHS Greater Glasgow and Clyde, Corsebar Road, Paisley PA2 9PN, UK

Anam Parand, BSc MSc PhD Department of Surgery and Cancer, Imperial College London, Norfolk Place, London W2 1PG, UK

Rishi Patel, MBChB BSc (Hons.) Emergency Medicine, Caloundra Hospital, Sunshine Coast Hospital and Health Service, Caloundra, QLD, Australia

Vanash Patel, MBBS MRCS MSc PhD Imperial College London, London, UK

Christopher Rao, MRCS PhD University Hospital Lewisham, Lewisham and Greenwich NHS Trust, High Street, London, SE13 6LH, UK

Charlotte Ratcliff, MBBS BSc (Hons) James Cook University Hospital, Marton Road, Middlesbrough, TS4 3BW, UK

Syed Joharn Raza, MD MRCS (Glas) FCPS (Urol.) Roswell Park Cancer Institute, Buffalo, NY, USA

James Richards, MBChB MRCS(Ed) PhD Department of Surgery, University of Cambridge, Hills Road, Cambridge, CB2 0QQ, UK

Shibby Robati, MSc MRCS MBBS Trauma and Orthopaedics, Eastbourne Hospital, Kings Drive, Eastbourne, East Sussex, BN21 2UD, UK

Edward T. Robinson, Bsc (Hons) GKT School of Medical Education, King's College London, Great Maze Pond, London SE1 3QD, UK

Rebecca Ross-Browne, BMedSci Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Tobias A. Rowland, MBBS BSc Accident and Emergency, West Middlesex University Hospital, Twickenham Road, London TW7 6AF, UK

Noman Saghir, BSc (Hons) Department of Medicine, Sheffield University, Sheffield, UK

Deep P. Sarode, BMedSci (Hons) Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Majed Shabbir, BSc (Hons) MBBS MD FRCS (Urol) Urology, Guy's and St Thomas's' Foundation Hospital Trust, Great Maze Pond, London SE1 9RT, UK

Shahab Shahid, BSc (Hons) St George's Medical School, London, UK

Martin Sheriff, MBBS PhD FRCS FRCS(Urol) FEBU Urology, Medway Maritime Hospital, Medway NHS Foundation Trust, Windmill Rd, Gillingham, Kent ME7 5NY, UK

Caroline M. Smith, MSc MRCS Paediatric Surgery, Sheffield Children's Hospital NHS Foundation Trust, Sheffield, S10 2TH, UK

Anisha Sukha, MBChB BSc (Hons) MRCS General Surgery, St Mary's Hospital, Paddington, London W2 1NY, UK

Priyan Tantrige, MBBS BSc MRCS Radiology, King's College Hospital, Denmark Hill, London SE5 9RS, UK

Andrea Tay, MBBS MRCS Department of Urology, Guy's and St Thomas' Foundation Hospital Trust, Great Maze Pond, London SE1 9RT, UK

Lydia L. Thurston, MBChB BA (Hons) DHMSA Health Education England – Thames Valley, Warneford Hospital, Oxford, OX3 7JX, UK

Chiara Ventre, BMedSci Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Samuel P. Williams, BMedSci (Hons) Edinburgh Medical School, The University of Edinburgh, 49 Little France Crescent, Edinburgh EH16 4SB, UK

Ammar Yusuf, MBBS Royal Free Hospital, Pond Street, London NE3 2QG, UK

Lydia L. Thurston

Introduction

“It has been said that there are only two periods in the history of surgery – before Lister and after Lister”

Harvey Graham (1939-)

Surgery has come a long way since the days of Hippocrates when operations were often deemed to be the last resort, and doctors preferred to practice conservative measures before reaching for the knife. The past 2000 years have seen huge paradigm shifts in the theories of science and medicine, and surgery was by no means separated from this. Without the advent of germ theory, the discovery of both asepsis and antibiotics, and the development of anaesthesia, surgery as we know it today would simply not exist. However, surgery did not only have these scientific barriers to deal with, but it also had to overcome millennia of negative publicity surrounding the profession.

Despite these hurdles, the practice of surgery can be traced back as far as pre-historic times, before the advent of written historical records. Indeed, excavations of Ancient Egyptian burial sites have revealed splints made of bark which were used to immobilise a fractured forearm, and ancient tomb paintings reveal the practice of

circumcision [3]. The pictures of a variety of surgical instruments inscribed onto the tomb of Kom Ombo, suggest that the repertoire of the Ancient Egyptian surgeon spanned beyond just those two procedures [2] (Fig. 1.1).

The origin of the word surgery comes from the Latin ‘*chirurgia*’, which in turn comes from the Greek ‘*cheir-*’ and ‘*ergon*’, literally meaning ‘hand’ and ‘work’. The name itself sets the precedent for the general opinion of the speciality from Antiquity until the eighteenth century. Surgery was thought to be ‘handiwork’, suitable for craftsmen who might be just as deft at lithotomy as they were at carpentry. The profession had a massive fight on its hands to become recognised as a true partner to medicine.

Ayurveda

“The patient who has been fed, does not faint, and he who is rendered intoxicated, does not feel the pain of the operation”

Suśruta (c.600 BC)

In Ancient India, around 1500 BC, brotherhoods of priests existed who preached the Sanskrit philosophy of *Veda* (“knowledge”). Vedic writings reveal macro-religious ideas about health and medicine and the worship of individual deities to prevent certain diseases. As well as herbs being used as remedies for illness, some forms of surgery are recorded, such as urinary

L.L. Thurston, MBChB, BA (Hons), DHMSA
Health Education England – Thames Valley,
Warneford Hospital, Oxford, OX3 7JX, UK
e-mail: Lydia.thurston@doctors.org.uk




Fig. 1.1 Egyptian surgical instruments – on a bas-relief in the “Birth House” at Kom Ombos, Egypt, B.C. 146 (Wellcome Library, London. Wellcome Images)

catheterisation with reeds to relieve urinary retention, and the cauterisation of wounds to stem bleeding.

Ayurvedic medicine was established hundreds of years later, not long after the birth of Christ. The first and most defining texts of Ayurvedic medicine are the *Caraka Samhita* and the *Suśrutasamhitā*. The latter is attributed to Suśruta, a physician who taught surgery and advocated the use of dead animals and vegetables for practising various procedures. In reality, the text has been revised many times, and is unlikely to be written by Suśruta’s own hand but is thought to be based on his oral teaching (Fig. 1.2). Surgical procedures discussed in his text include cataract couching and forehead rhinoplasty, whereby he remodels the nose of a patient using skin from their forehead. Over one hundred surgical instruments are described in the *Suśruta*, including details about their manufacture, but unfortunately

none of these ancient instruments have survived. One theory is that surgery was given up by caste Brahmins and delegated to other artisan surgeons who continued to practise well into the mid-twentieth century [8].

The Classical Period

“He who wishes to be a surgeon should go to war”
Hippocrates (460–371 BC)

Legend has it that Hippocrates (460–371 BC) was born on the island of Cos and was a true descendent of Asclepius, the Greek God of Medicine. As well as being revered as the ‘father of modern medicine’, Hippocrates’ name is also attributed to the Hippocratic Corpus; a body of around sixty medical manuscripts that were actually drawn together around 250 BC, long




Fig. 1.2 Portrait of Suśruta by H. Solomon (Wellcome Library, London. Wellcome Images)

after Hippocrates' death. How much of the *Corpus* was actually written by Hippocrates himself is a subject for debate, but nevertheless it formed the foundations of medical knowledge for the next thousand or so years. The *Corpus* contains some advice on the management of surgical conditions, in particular head injuries, wounds, fractures, bladder stones and gangrenous limbs. However, it mostly advocated conservative medical treatment over 'dangerous' surgical intervention. For example, catheterisation was opted for over lithotomy for bladder stones, and amputation was only performed as a last resort. In fact, the Hippocratic Oath itself seems to forbid the practice of cutting by

physicians: "I will not cut, and certainly not those suffering from stone, but I will cede this to men who are practitioners of this activity". However, there has been much discussion about whether this denotes surgery as a whole, or is an early concept of surgical specialism [4].

Hippocratic medical theory was based on *vis medicatrix naturae* ("the healing power of nature") and the balance of the four 'humours', namely phlegm, blood, bile and black bile. The equal distribution of these bodily fluids in the human microcosm was deemed essential for health. Illness struck when there was an imbalance, therefore treatment was focused on maintaining an equilibrium [1].



Fig. 1.3 Line engraving of Galen (Wellcome Library, London. Wellcome Images)

A few hundred years later in Ancient Rome, Celsus (25 BC–AD 50) wrote *Artes*, essentially an encyclopaedia of medical and surgical theories. His work is divided into eight books, the last two of which discuss surgical conditions and their treatment. Celsus is the author of the terms *calor*, *dolor*, *rubor* and *tumor*, which every doctor is familiar with today as the cardinal signs of inflammation.

Perhaps the most famous physician of the Roman period was Galen (AD 129–c. 216). Born in Pergammon, Galen (Fig. 1.3) conducted his medical studies in Alexandria, before returning to his home city, where he became an expert in trauma surgery by working as a surgeon to the gladiators. He arrived in Rome in AD 162 where he truly made his name. Galen was an avid dissector, and his works formed the basis of anatomical knowledge until the Renaissance period. He wrote almost 350 separate works, all of which were based on Hippocratic medicine and Humoral theory.

Surgical reflections are spread throughout some of these, including a description of the removal of nasal polyps [3].

The Medieval Period

“It is impossible to be a good surgeon if one is not familiar with the foundations and general rules of medicine [and] it is impossible for anyone to be a good physician who is absolutely ignorant of the art of surgery”

Henri de Mondeville (1260–1320)

It would be wrong to discuss medicine in the medieval period without mentioning the developments in medicine and surgery that were taking place in the Middle East. At the time, the Arab World had found itself under a variety of ethnic influences, especially from the Byzantine Empire and the persecuted Syriac-speaking Christians. These groups passed on the principles of medical knowledge, which had mostly been acquired from the teachings of Greek medicine in Alexandria. In the ninth century the Greco-Arabic translation movement got underway, and the majority of Greek medical texts were translated into Arabic; forming the foundations of the development of Islamic medicine. Key figures in this development include the famous Avicenna (d. 1037) (Fig. 1.4), whose *Canon of medicine* (a medical encyclopaedia divided into five books) was hugely successful, and was still used as a textbook in European universities up until the eighteenth century; Ibn al-Nafīs (d. 1288), an Arabic philosopher and physician who discovered the pulmonary transit centuries before Realdo Colombo (1516–1559) and William Harvey (1578–1657); and Al-Rāzī (c. 865–925), a physician who lived and worked in Baghdad and wrote a multitude of treaties on medicine and philosophy [7]. Lists of surgical instruments and operations performed can be found in some surviving Byzantine manuscripts, and al-Rāzī discusses surgical procedures in many of his works. However, there is no evidence that the surgery discussed was actually ever carried out [10].



Fig. 1.4 Portrait of Avicenna (Wellcome Library, London. Wellcome Images)

Albucasis (c. 936–1013) was a Muslim physician who practised in Cordoba, and is recognised for his contribution to surgery, in particular his illustrations of surgical instruments used at the time. He specialised in cautery, ‘incisions and perforations’, and bone-setting [6].

Significant surgeons in the ‘Medieval West’ included Henri de Mondeville (1260–1320), Guy de Chauliac (1298–1368) and John of Arderne (1307–1370). Mondeville was born in Normandy and studied in Bologna, before moving back to France. He was a military surgeon to the French royal family and lectured extensively on surgery. He developed a new technique for wound healing; simple bathing of the wound, immediate closure and dry dressings, thus

promoting dry healing without suppuration, which had been advocated by Hippocrates. Chauliac wrote the *Chirurgia Magna*, an extensive reference in which he tried to portray surgery as a learned art. John of Arderne was an English surgeon who developed a treatment for anal fistulas, performed by placing the patient in the lithotomy position.

In Northern Europe in particular, there remained a wide gulf between surgeons and physicians, and the teaching of surgery was mainly organised on a guild basis. In Paris, a surgeons’ organisation was established at the College of St Cosme (1210), with practical training and the opportunity to gain a degree and licence to practise. The Fellowship of Surgeons was founded in London in 1368, and a Company of Barbers in 1376. It wasn’t until 1540 that this Company joined with the Guild of Surgeons, forming the Barber-Surgeons Company, which was chartered by Henry VIII (Fig. 1.5).

The Renaissance Period

“A chirurgien should have three diverse properties in his person... that is to say, a heart as the heart of a lion, his eye like the eyes of a hawk, and his hands as the hands of a woman”

John Halle (1529–1568)

The Renaissance period involved the cultural rebirth of classical ideas and theories, across all academic fields. It was the age of philosophical revival and the celebration of classical works. This resulted in the mass re-translation of original Greek and Latin texts, aided by the recent invention of the printing press (1450) and spurred by the fear that several medical mistranslations had occurred throughout the ages. The resurgence of the classics also spread to the world of art, which celebrated the form of the human body, and sparked interest in anatomy. Galen’s *de anatomicis administrandis* (“On the handling of anatomical matter”) was discovered anew in 1531, and contained a step-by-step guide on how




Fig. 1.6 Portrait of Andreas Vesalius 1572 by Phillippe Galle (Wellcome Library, London. Wellcome Images)

Wiseman (1621–1676), who is known as the ‘father of early English surgery’. Wiseman gained his experience in the Civil War and wrote eight treatises on military and naval trauma surgery [8].

Perhaps the most renowned surgeon of this era is the French military surgeon, Ambroise Paré (1510–1590) (Fig. 1.7). Paré started his career at the Hôtel Dieu in Paris, and was later appointed military surgeon in France’s campaign against Italy in 1537. During this campaign he made a great discovery on the treatment of gunshot wounds, which had until that point in time been bathed in burning oil. Paré ran out of hot oil, and had to suffice with rose oil, turpentine and egg yolk, which to his great surprise proved to give much better success rates. As well as his work on wound healing, he also introduced the ligature technique to stem bleeding during a limb amputation. Prior to this, hot irons had been used to cauterise the bleeding, and patients had been left with



Fig. 1.7 Ambroise Paré using the ligature when amputating on the battlefield at the siege of Bramvilliers, 1552. Oil painting by Ernest Board (Wellcome, Library, London. Wellcome Images)

extensive burns, not to forget yet more pain to add to an already agonising procedure (before the advent of anaesthesia). Paré’s work became so famous that he was appointed to the service of King Henri II of France, being present as one of his surgeons when the King was fatally wounded in a jousting match in 1559 [5].

Renaissance surgical procedures were mostly simple, routine and principally safe, with wound dressings and blood-letting remaining the most common. There were some attempts at more extreme procedures, such as Gaspare Tagliacozzi’s (1545–1599) rhinoplasty technique (Fig. 1.8), which was borrowed from Ayurvedic practice and involved attaching a skin flap from the patient’s arm, whilst still attached to their arm, to their nose. The patient had to keep this uncomfortable position for 14 days, until the flap was detached [8].



Fig. 1.8 Gaspare Tagliacozzi's rhinoplasty technique 1597 (Wellcome Library, London. Wellcome Images)

The Eighteenth Century

"I have made many mistakes myself... the best surgeon, like the best general, is he who makes the fewest mistakes"

Astley Paston Cooper (1768–1841)

The eighteenth century covers a period also known as the Age of Enlightenment. The Enlightenment was an era of scientific exploration and discovery, whereby old ideas were challenged, and rationality prevailed. In relation to medicine and surgery, this meant a transition from Hippocrates' age-old humoral theory of medicine to a scientific and observation-based medicine, influenced by the advancement of pathology. This era saw the development of new therapies and treatments such as inoculation and vaccination, as well as the development of new institutions such as hospitals and medical societies as well as the revival of Hippocratic bedside teaching.

There were also some improvements in surgical techniques, such as Jacques de Beaulieu's (1651–1719) lateral cystolithotomy for the treatment of bladder stones, which was quicker and involved less damage to the prostate gland than previous techniques. The method was also adopted by William Cheselden (1688–1752), a London surgeon who worked at St Thomas' Hospital and prided himself on his speed, claiming to be able to remove a bladder stone in under 1 min. Jacques Daviel (1696–1762), a French ophthalmic surgeon, also developed a new technique for cataract removal.

The eighteenth century saw some rise (albeit small) in the standing of surgery, especially in France. The teaching of the subject switched from being apprenticeship-based to being taught in the format of lectures and anatomy demonstrations. In 1724, the College of St Côme was given permission by King Louis XV to teach surgical courses, which led to the establishment of a surgical school. Perhaps the King's affection for the surgeons had been influenced by his predecessor King Louis XIV, whose anal fistula was successfully operated on by the surgeon C. F. Félix (1650–1703) in 1678. By 1794, medicine and surgery were taught to all French students as a combined subject, thereby putting an end to surgery's venerable struggle for recognition.

Although much of the enlightenment took place in France and Continental Europe, England and Scotland were not far behind. Alexander Munro (1697–1767) was a Scottish surgeon who transformed Edinburgh into a major centre for the teaching of medicine and surgery by the creation of Edinburgh Medical School. Munro was responsible for the training of William Cullen (1710–1790), a naval surgeon who went on to become a Professor of Medicine at Glasgow University and was in turn responsible for the teaching of William Hunter (1718–1783). William Hunter established a successful school of anatomy, first in Covent Garden and then in Piccadilly, where his younger brother, John Hunter (1728–1793) (Fig. 1.9) became a fervent dissector and established himself as the leading surgeon of the eighteenth century. His contribution to the study of anatomy and physiology



Fig. 1.9 John Hunter (1728–1793), surgeon and anatomist. Oil painting after Sir Joshua Reynolds (Wellcome Library, London. Wellcome Images)

helped to increase surgery’s professional standing as a scientific discipline. He was also a seasoned, albeit nervous lecturer, teaching the likes of Edward Jenner (1749–1823) who was responsible for the discovery of smallpox vaccination, and Astley Cooper (1768–1841), a surgeon based at Guy’s Hospital in London who twice served as President to the Royal College of Surgeons, and was greatly responsible for the passing of the Anatomy Act which allowed legal procurement of cadavers for dissection [8].

The Nineteenth Century

“If a man came in with a compound fracture, he got erysipelas. It was considered part of hospital life”

George Dock (1860–1951)

The momentous scientific discoveries of the nineteenth century caused a revolution in the world of surgery. This was the age that surgeons had dreamed of for centuries, the age of

anaesthesia and antisepsis. The Enlightenment had resulted in the Hospital Movement: the development of large teaching hospitals throughout Europe. These provided the perfect playgrounds for modern surgeons, and operations became shows, open to the public and medical students alike to watch.

Influential surgeons in nineteenth century England included George James Guthrie (1765–1856), a military surgeon who specialised in ophthalmic surgery and the treatment of chest wounds, and who advocated battlefield amputations. In France, there was Dominique Jean Larrey (1766–1842), Napoleon’s Surgeon General who advocated hypothermia for battlefield amputations, developed the concept of the field hospital, and invented the ‘ambulance volante’, a horse drawn ambulance used to evacuate casualties from the battlefield (Fig. 1.10). Over the border in Germany, Johan Friedricj Diffenbach (1794–1847), a Professor at the Berlin Charité, developed a technique for cleft palate surgery. Across the pond in America, gynaecological surgery was also developing. Ephraim McDowell (1771–1830) performed the first ever ovariectomy, and James Marion Sims (1813–1883) established a treatment for vesicovaginal fistulas.

Until the nineteenth century, “anaesthesia” was achieved with very limited success using alcohol and opium, and relied on the sheer speed of the surgeon operating: the quicker, the better. In October 1846, William Thomas Green Morton (1819–1868), an American dentist, demonstrated the anaesthetic properties of inhaled ether whilst removing a neck tumour from a patient. The procedure was a success and news of this anaesthetic spread like wildfire, with the London surgeon Robert Liston (1794–1847) successfully amputating a thigh from a patient under the effects of ether, as early as December that same year (Fig. 1.11). Ether was found to be irritating to the lungs, and so when James Simpson (1811–1870) discovered the sleep-inducing effects of chloroform, it was used as a replacement. A key moment in the history of anaesthesia occurred when Queen Victoria was given chloroform to help her give birth to Prince Leopold in 1853. The anaesthetic



Fig. 1.10 A model of the 'flying ambulance' invented by Larrey in the 1790s (Wellcome Library, London. Wellcome Images)




Fig. 1.11 Robert Liston operating, by Ernest Board, circa 1912 (Wellcome Library, London. Wellcome Images)




Fig. 1.12 Portrait of The Right Honourable Joseph Lister by Elliot & Fry c.1900 (Wellcome Library, London. Wellcome Images)

was administered by John Snow (1813–1858), and was laced with controversy and public outcry, since women had been giving birth for centuries without the need for pain relief, birth was seen by many Christians as God’s punishment for the sin of Eve. The development of local anaesthetic soon followed in 1885, when Carol Koller (1857–1944) succeeded in using cocaine to numb the eye in ophthalmic surgery [11].

Infection was the second major barrier to the development of surgery. At the start of the century, post-operative mortality remained at approximately 40%, largely due to infection. On 16th March 1867, Joseph Lister (1827–1912) published the results of his first antiseptis trial (Fig. 1.12). When Lister dressed eleven cases of compound fractures with his concoction of lint soaked in linseed oil and carbolic acid, none of the patients died. Continuing to use the same technique, Lister found that his death rates post limb amputation dropped significantly from 45.7% without antiseptis, to 15.0% with antiseptis [8].

Lister’s antiseptis was initially met with some opposition. His ideas were controversial as they came out before Louis Pasteur (1822–1895) had argued his case for germ theory. Prior to this there had been two schools of thought with regards to infection: miasma theory and contagion theory. The first presumed the existence of ‘bad air’, caused by rotting vegetation, which in turn led to infection and disease. Contagion theory was the idea that infection and disease could spread from person to person (as in smallpox, or the Black Death), with the concept of spontaneous generation accompanying this theory (the notion that ‘animalcules’ or tiny disease-causing particles were spontaneously generated by God). Lister was a fan of Pasteur’s early work, and believed that there were microbes living in the air that caused sepsis. Pasteur published his germ theory in 1878 in front of the French Academy of Medicine. Germ theory was strengthened by Robert Koch (1844–1910) and his meticulous work on microscopy and bacterial culture. His four postulates still form the basis of microbiology today.

Surgical rubber gloves were introduced in 1889 by the American surgeon William Halsted (1852–1922) to overcome the phenol dermatitis of his scrub nurse, and fiancée, Caroline Hampton. Ernst von Bergmann of Prussia (1836–1907) was the first to use the concept of steam sterilisation for dressings, gowns and instruments in 1886, whilst the Polish surgeon Johannes von Mikulicz (1850–1905) was the first surgeon to wear a surgical mask in 1897. Other attempts at asepsis took a while to catch on, and many surgeons continued to wear their own clothes or old and blood-stained surgical cloaks (Fig. 1.14).

The Twentieth Century and the Evolution of Modern Surgery

The course of surgery probably changed more in the few years after Lister than it had during the previous two millennia. Suddenly a whole new world had opened up to the surgeon. With anaesthesia and a better understanding of postoperative




Fig. 1.13 Photographic portrait of Robert Lawson Tait in 1885 (Wellcome Library, London. Wellcome Images)

sepsis, the world was their oyster. Open surgery, which had up until then been unheard of due to high mortality rates, suddenly became plausible. The routine procedures that the specialty had been associated with for hundreds of years took a definite backseat. Procedures that had hitherto been too complex or dangerous to carry out, such as cardiothoracic, abdominal or intracranial surgery, became possible. This was an exciting time for surgery and surgeons found their profile increasing overnight.

Some important figures at the start of this era were:

- The Mayo brothers: William (1861–1939) and Charles (1865–1939). They were famous for William's abdominal and Charles' thyroid surgery. They established the Mayo Clinic in Rochester (Minnesota), carrying out an astounding 23,628 operations in the year 1924.
- Theodor Billroth (1829–1894), a pioneering German surgeon who carried out the first

Gastrectomy in 1881 and became known as the founder of modern abdominal surgery. He was also the first to advocate regular postoperative temperature monitoring.

- Robert Lawson Tait (1845–1899) performed the first English appendicectomy in 1880 (Fig. 1.13).
- Carl Langenbuch (1846–1901) was a German surgeon who carried out the first cholecystectomy in 1882, in Berlin.
- E. B. Wolcott (1804–1880) performed the first known nephrectomy to remove a large kidney tumour in 1861.

There are countless names of surgeons who made their mark by being the first to perform new operations. The new profile of surgery developed an attitude that surgery was the answer to any medical problem. This caused a vogue for certain bizarre operations, such as hysterectomies to cure female neuroses.

The progression of surgery was further aided by new diagnostic techniques, such as endoscopy. The first oesophagoscope was introduced by John Bevan, a surgeon at Guy's Hospital, London, in 1868, followed by the first gastroscope that same year. Karl Wilhelm Röntgen's discovery of X-rays in 1896 also opened up a whole new world of exploration for surgeons, and the first barium swallow was carried out in 1904. Ultrasound developed later in the century, followed by Godfrey Hounsfield's invention of computerised axial tomography, or CT scan as we know it today. PETT (positron emission transaxial tomography) and MRI (magnetic resonance imaging) soon followed suit. The ability to look inside the body without reaching for the knife changed the face of diagnostics and allowed surgeons to prepare better for operations.

New diagnostic techniques led to the formation of new surgical specialties, such as thoracic surgery and neurosurgery. Victor Horsley (1857–1916) became the world's first specialist neurosurgeon and worked at Queen's Square Hospital, London (Fig. 1.15). Harvey Cushing (1869–1939) was also a leading neurosurgeon in America, claiming to have successfully removed thousands of brain tumours.




Fig. 1.14 Photograph of Mount Stuart Royal Naval Hospital in Bute. Depicts surgical staff performing an operation without gloves or masks (Wellcome Library, London. Wellcome Images)

Cardiac surgery was another daunting new field which developed quickly. Cardiac catheterisation was first carried out on a patient in 1940 by the American physicians, André Cournand (1895–1959) and Dickinson Richards (1895–1973), although a German medical student named Werner Forssmann (1904–1979) had already successfully inserted a catheter into his own right atrium in 1929. Angioplasty soon followed in 1964, by the Swiss surgeon Andreas Grünzig (1939–1985). Helen Taussig (1898–1986) was an American paediatric cardiologist who made the important discovery that babies who had both Tetralogy of Fallot and a patent ductus arteriosus seemed to be less symptomatic than those who just had Tetralogy of Fallot alone. She deduced that the patent ductus must allow some of the blood to bypass the pulmonary artery stenosis and reach the lungs for oxygenation. She consulted with Alfred Blalock (1899–1964), a cardiothoracic surgeon, who with

the help of his research technician, Vivien Thomas (1910–1985), successfully developed a procedure for creating a shunt between the subclavian and pulmonary artery. They performed their first successful operation in 1944 and over the next decade helped to significantly decrease the mortality rate of these ‘blue babies’.

The First World War spurred the development of skin transplants as an answer to treating horrific burns and facial injuries. Harold Gillies (1882–1960) being a pioneer in this field, established a plastic surgery unit at Aldershot. The field of transplant surgery developed further with research into immunosuppression and organ rejection. In 1954, the first successful kidney transplant was performed on identical twins by J. Hartwell Harrison and Joseph Murray; and 1967 saw the first ever successful heart transplant by Christian Barnard (1922–2001) in Cape Town, South Africa.



THE OPERATING THEATRE, QUEEN SQUARE, 1906.

Wellcome Images

Fig. 1.15 Photograph of Victor Horsley operating at Queen Square, London. 1905 (Wellcome Library, London. Wellcome Images)

Orthopaedic surgery also expanded beyond the days of bone-setting and war wounds. The first total hip replacement in the UK was performed in 1938 by Philip Wiles (1899–1966) at the Middlesex Hospital. Wiles performed six of these operations but his results were lost to follow-up as the Second World War intervened. In the 1950s, Kenneth McKee (1906–1991) was the first to use metal on metal hip replacements, using screw fixation for the cup and a modified Thompson's femoral prosthesis. In the next decade, John Charnley (1911–1982) developed a successful total hip replacement formed of a metal femur with a high-density polyethylene (HDP) acetabulum. Charnley also commandeered the use of bone cement to fixate the prosthesis. Since then further developments in engineering and prosthetic materials, such as

higher density plastics and ceramics, have revolutionised the world of orthopaedics and joint replacements [9].

Further Reading

This chapter is intended to be a very brief introduction to the history of surgery. It does not by any means mention every individual who played a role in the development of the specialty, nor does it discuss every event or procedure. The history of surgery is a fascinating and extensive subject in its own right which is well worth investing time in studying further. If you find that this chapter has whet your appetite to find out more, please do refer to the bibliography for further reading.

References

1. Bynum WF. The history of medicine: a very short introduction. Oxford: Oxford University Press; 2008.
2. David AR. Handbook to life in ancient Egypt. New York; [Great Britain]: Facts On File; 2003.
3. Ellis H. A history of surgery. London: Greenwich Medical Media; 2001.
4. Miles SH. The Hippocratic Oath and the ethics of medicine. Oxford: Oxford University Press; 2004.
5. Packard FR. Life and Times of Ambroise Pare\0301, 1510–1590. With a new translation of his Apology and an account of his journeys in divers places ... With ... twenty-seven ... plates and two folded maps of Paris, etc. London; printed in USA: Humphrey Milford; 1922.
6. Pormann PEA. The oriental tradition of Pael of Aegina's Pragmaiteia. Leiden: Brill; 2004.
7. Pormann PEA. The mirror of health: discovering medicine in the golden age of Islam. London: Royal College of Physicians of London; 2013.
8. Porter R. The greatest benefit to mankind: a medical history of humanity from Antiquity to the present. London: Fontana Press; 1999.
9. Reynolds L, Tansey EM. Early development of total hip replacement . Wellcome witnesses to twentieth century medicine. Volume 29_ Seminar Transcript; 2007.
10. Savage-Smith E. The practice of surgery in Islamic lands: myth and reality. Soc Hist Med. 2000;13: 307–21.
11. Snow SJ. Blessed days of anaesthesia: how anaesthetics changed the world. Oxford: Oxford University Press; 2008.