

Web Information Systems Engineering and Internet
Technologies Book Series

Ning Zhong
Jianhua Ma
Jiming Liu
Runhe Huang
Xiaohui Tao *Editors*

Wisdom Web of Things

 Springer

Web Information Systems Engineering and Internet Technologies Book Series

Series editor

Yanchun Zhang, Victoria University, Australia

Editorial Board

Robin Chen, AT&T

Umeshwar Dayal, HP

Arun Iyengar, IBM

Keith Jeffery, Rutherford Appleton Lab

Xiaohua Jia, City University of Hong Kong

Yahiko Kambayashi[†], Kyoto University

Masaru Kitsuregawa, Tokyo University

Qing Li, City University of Hong Kong

Philip Yu, IBM

Hongjun Lu, HKUST

John Mylopoulos, University of Toronto

Erich Neuhold, IPSI

Tamer Ozsu, Waterloo University

Maria Orłowska, DSTC

Gultekin Ozsoyoglu, Case Western Reserve University

Michael Papazoglou, Tilburg University

Marek Rusinkiewicz, Telcordia Technology

Stefano Spaccapietra, EPFL

Vijay Varadharajan, Macquarie University

Marianne Winslett, University of Illinois at Urbana-Champaign

Xiaofang Chen, University of Queensland

More information about this series at <http://www.springer.com/series/6970>

Ning Zhong · Jianhua Ma · Jiming Liu
Runhe Huang · Xiaohui Tao
Editors

Wisdom Web of Things

 Springer

Editors

Ning Zhong
Department of Life Science and Informatics
Maebashi Institute of Technology
Maebashi
Japan

Jiming Liu
Department of Computer Science
Hong Kong Baptist University
Kowloon Tong
Hong Kong

and

Beijing Advanced Innovation Center
for Future Internet Technology
The International WIC Institute
Beijing University of Technology
Beijing
China

Runhe Huang
Faculty of Computer and Information
Science
Hosei University
Tokyo
Japan

Jianhua Ma
Faculty of Computer and Information
Sciences
Hosei University
Tokyo
Japan

Xiaohui Tao
Department of Mathematics and Computing
University of Southern Queensland
Toowoomba, QLD
Australia

Web Information Systems Engineering and Internet Technologies Book Series
ISBN 978-3-319-44196-2 ISBN 978-3-319-44198-6 (eBook)
DOI 10.1007/978-3-319-44198-6

Library of Congress Control Number: 2016949111

© Springer International Publishing Switzerland 2016

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

This Springer imprint is published by Springer Nature
The registered company is Springer International Publishing AG
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

*To Artificial Intelligence and our pioneers
who have been working hard to make it
happen—without them we would not have
as much excitement as we have today.*

Preface

This book is the first monograph on Wisdom Web of Things (W2T) coherently written by multi-authors. The book contains 15 chapters structured into four parts: W2T foundation, W2T and humanity, W2T technologies, and future vision of W2T. The book has presented the recent study on the framework and methodology of W2T, as well as applications of W2T in different problem domains such as intelligent businesses, brain informatics, and healthcare. Aiming at promoting people's understanding of W2T and facilitating the related research including the holistic, intelligent methodology, the book has addressed emerging issues such as: “*What are fundamental issues and challenges in W2T?*”, “*Where are the solutions lying on?*”, and “*What are potential applications?*”

We would like to specifically dedicate this book to the celebration of the 60th anniversary of Artificial Intelligence (AI). Aiming at creating computers and computer software capacity of intelligent behavior, throughout the sixty years of journey many amazing achievements have been made, including the recent AlphaGo, an intelligent computer program that beat Lee Sedol, a 9-dan professional player in a five-game match of Go. Such a task was considered an impossible mission if looking back in just a decade ago. Web Intelligence (WI) has extended and made use of Artificial Intelligence for new products, services, and frameworks that are empowered by the World Wide Web. Wisdom Web of Things is then born as an extension of the Web Intelligence research in the IoT/WoT (Internet of Things/Web of Things) era. The book is recommended by the Web Intelligence Consortium (WIC, www.wi-consortium.org) as a consecutive book to the Web Intelligence monograph published by Springer in spring 2003. The WIC was formed in spring 2002 as an international, nonprofit organization endeavoring to advance worldwide scientific research and industrial development in the field of Web Intelligence. The scope of its activities covers encouraging deep collaborations among the WIC research centers around the world, supporting organizational and individual members, steering advanced research and technology showcases at the international IEEE/WIC/ACM conferences and workshops, and producing official publications. The book is a collaborative effort involving many leading researchers and practitioners in the field of WI who have contributed chapters on their areas of

expertise. We wish to express our gratitude to all authors and reviewers for their contributions.

We are very grateful to people who joined or supported the W2T-related research activities, in particular, the WIC Advisory Board members, Edward Feigenbaum, Setsuo Ohsuga, Joseph Sifakis, Andrzej Skowron, Benjamin Wah, Philip Yu, and all the WIC Technical Committee members. We thank them for their strong and constant support—without such, this book is impossible.

Last, but not least, we thank Jennifer Malat of Springer US and Yanchun Zhang for their helps in coordinating the publication of this monograph and editorial assistance.

Maebashi, Japan
May 2016

Ning Zhong
Jianhua Ma
Jiming Liu
Runhe Huang
Xiaohui Tao

Contents

Part I Foundation of Wisdom Web of Things

1 Research Challenges and Perspectives on Wisdom Web of Things (W2T)	3
Ning Zhong, Jianhua Ma, Runhe Huang, Jiming Liu, Yiyu Yao, Yaoxue Zhang and Jianhui Chen	
2 WaaS—Wisdom as a Service	27
Jianhui Chen, Jianhua Ma, Ning Zhong, Yiyu Yao, Jiming Liu, Runhe Huang, Wenbin Li, Zhisheng Huang and Yang Gao	
3 Towards W2T Foundations: Interactive Granular Computing and Adaptive Judgement	47
Andrzej Skowron and Andrzej Jankowski	
4 Towards a Situation-Aware Architecture for the Wisdom Web of Things	73
Akihiro Eguchi, Hung Nguyen, Craig Thompson and Wesley Deneke	
5 Context-Awareness in Autonomic Communication and in Accessing Web Information: Issues and Challenges	107
Francesco Chiti, Romano Fantacci, Gabriella Pasi and Francesco Tisato	

Part II Wisdom Web of Things and Humanity

6 Ontology-Based Model for Mining User's Emotions on the Wisdom Web	121
Jing Chen, Bin Hu, Philip Moore and Xiaowei Zhang	
7 Multi-level Big Data Content Services for Mental Health Care	155
Jianhui Chen, Jian Han, Yue Deng, Han Zhong, Ningning Wang, Youjun Li, Zhijiang Wan, Taihei Kotake, Dongsheng Wang, Xiaohui Tao and Ning Zhong	

8	Leveraging Neurodata to Support Web User Behavior Analysis	181
	Pablo Loyola, Enzo Brunetti, Gustavo Martinez, Juan D. Velásquez and Pedro Maldonado	
9	W2T Framework Based U-Pillbox System Towards U-Healthcare for the Elderly	209
	Jianhua Ma, Neil Y. Yen, Runhe Huang and Xin Zhao	
10	Hot Topic Detection in News Blog Based on W2T Methodology	237
	Erzhong Zhou, Ning Zhong, Yuefeng Li and Jiajin Huang	
Part III Wisdom Web of Things and Technologies		
11	Attention Inspired Resource Allocation for Heterogeneous Sensors in Internet of Things	261
	Huansheng Ning, Hong Liu, Ali Li and Laurence T. Yang	
12	Mining Multiplex Structural Patterns from Complex Networks	275
	Bo Yang and Jiming Liu	
13	Suitable Route Recommendation Inspired by Cognition	303
	Hui Wang, Jiajin Huang, Erzhong Zhou, Zhisheng Huang and Ning Zhong	
14	A Monitoring System for the Safety of Building Structure Based on W2T Methodology	323
	Haiyuan Wang, Zhisheng Huang, Ning Zhong, Jiajin Huang, Yuzhong Han and Feng Zhang	
Part IV Future Vision of W2T		
15	Brain Big Data in Wisdom Web of Things	339
	Ning Zhong, Stephen S. Yau, Jianhua Ma, Shinsuke Shimojo, Marcel Just, Bin Hu, Guoyin Wang, Kazuhiro Oiwa and Yuichiro Anzai	

Contributors

Yuichiro Anzai Japan Society for the Promotion of Science, Tokyo, Japan

Enzo Brunetti Neurosystems Laboratory, Institute of Biomedical Sciences, Faculty of Medicine, University of Chile, Santiago, Chile

Jianhui Chen International WIC Institute, Beijing University of Technology, Beijing, China; Department of Computer Science and Technology, Tsinghua University, Beijing, China

Jing Chen School of Information Science and Engineering, Lanzhou University, Lanzhou, China

Francesco Chiti Università degli Studi di Firenze, Firenze, Italy

Wesley Deneke Department of Computer Science and Industrial Technology, Southeastern Louisiana University, Hammond, LA, USA

Yue Deng The Industry Innovation Center for Web Intelligence, Suzhou, China

Akihiro Eguchi Oxford Centre for Theoretical Neuroscience and Artificial Intelligence, University of Oxford, Oxford, UK

Romano Fantacci Università degli Studi di Firenze, Firenze, Italy

Yang Gao Department of Computer Science, Nanjing University, Nanjing, China

Jian Han The International WIC Institute, Beijing University of Technology, Beijing, China

Yuzhong Han China Academy of Building Research, Beijing, China

Bin Hu School of Information Science and Engineering, Lanzhou University, Lanzhou, China

Jiajin Huang International WIC Institute, Beijing University of Technology, Beijing, China

Runhe Huang Faculty of Computer and Information Science, Hosei University, Tokyo, Japan

Zhisheng Huang International WIC Institute, Beijing University of Technology, Beijing, China; Department of Computer Science, Vrije University Amsterdam, Amsterdam, The Netherlands

Andrzej Jankowski The Dziubanski Foundation of Knowledge Technology, Warsaw, Poland

Marcel Just Carnegie Mellon University, Pittsburgh, USA

Taihei Kotake The Department of Life Science and Informatics, Maebashi Institute of Technology, Maebashi, Japan

Ali Li University of Science and Technology Beijing, Beijing, China

Wenbin Li Shijiazhuang, China

Youjun Li The International WIC Institute, Beijing University of Technology, Beijing, China

Yuefeng Li Faculty of Science and Technology, Queensland University of Technology, Brisbane, QLD, Australia

Hong Liu Engineering Laboratory, Run Technologies Co., Ltd. Beijing, Beijing, China

Jiming Liu International WIC Institute, Beijing University of Technology, Beijing, China; Department of Computer Science, Hong Kong Baptist University, Kowloon Tong, Hong Kong SAR

Pablo Loyola Web Intelligence Centre, Industrial Engineering Department, University of Chile, Santiago, Chile

Jianhua Ma Faculty of Computer and Information Science, Hosei University, Tokyo, Japan

Pedro Maldonado Neurosystems Laboratory, Institute of Biomedical Sciences, Faculty of Medicine, University of Chile, Santiago, Chile

Gustavo Martinez Web Intelligence Centre, Industrial Engineering Department, University of Chile, Santiago, Chile

Philip Moore School of Information Science and Engineering, Lanzhou University, Lanzhou, China

Hung Nguyen Department of Computer Science and Computer Engineering, University of Arkansas, Fayetteville, AR, USA

Huansheng Ning University of Science and Technology Beijing, Beijing, China

Kazuhiro Oiwa National Institute of Information and Communication Technology, Koganei, Japan

Gabriella Pasi Università degli Studi di Milano Bicocca, Milan, Italy

Shinsuke Shimojo California Institute of Technology, Pasadena, USA

Andrzej Skowron Institute of Mathematics, Warsaw University, Warsaw, Poland; Systems Research Institute, Polish Academy of Sciences, Warsaw, Poland

Xiaohui Tao Faculty of Health, Engineering and Sciences, The University of Southern Queensland, Toowoomba, Australia

Craig Thompson Department of Computer Science and Computer Engineering, University of Arkansas, Fayetteville, AR, USA

Francesco Tisato Università degli Studi di Milano Bicocca, Milan, Italy

Juan D. Velásquez Web Intelligence Centre, Industrial Engineering Department, University of Chile, Santiago, Chile

Zhijiang Wan The International WIC Institute, Beijing University of Technology, Beijing, China; The Department of Life Science and Informatics, Maebashi Institute of Technology, Maebashi, Japan

Dongsheng Wang The International WIC Institute, Beijing University of Technology, Beijing, China; Institute of Intelligent Transport System, School of Computer Science and Engineering, Jiangsu University of Science of Technology, Zhenjiang, China

Guoyin Wang Chongqing University of Posts and Telecommunications, Chongqing, China

Haiyuan Wang International WIC Institute, Beijing University of Technology, Beijing, China

Hui Wang International WIC Institute, Beijing University of Technology, Beijing, China

Ningning Wang The International WIC Institute, Beijing University of Technology, Beijing, China

Bo Yang School of Computer Science and Technology, Jilin University, Changchun, China

Laurence T. Yang Huazhong University of Science and Technology, Wuhan, China; St. Francis Xavier University, Antigonish, Canada

Yiyu Yao International WIC Institute, Beijing University of Technology, Beijing, China; Department of Computer Science, University of Regina, Regina, SK, Canada

Stephen S. Yau Arizona State University, Tempe, USA

Neil Y. Yen School of Computer Science and Engineering, The University of Aizu, Fukushima, Japan

Feng Zhang China Academy of Building Research, Beijing, China

Xiaowei Zhang School of Information Science and Engineering, Lanzhou University, Lanzhou, China

Yaoxue Zhang Key Laboratory of Pervasive Computing, Ministry of Education, and Tsinghua National Laboratory for Information Science and Technology, Department of Computer Science and Technology, Tsinghua University, Beijing, China

Xin Zhao Faculty of Computer and Information Science, Hosei University, Tokyo, Japan

Han Zhong The International WIC Institute, Beijing University of Technology, Beijing, China

Ning Zhong Department of Life Science and Informatics, Maebashi Institute of Technology, Maebashi, Japan; Beijing Advanced Innovation Center for Future Internet Technology, The International WIC Institute, Beijing University of Technology, Beijing, China

Erzhong Zhou International WIC Institute, Beijing University of Technology, Beijing, China

Acronyms

AI	Artificial Intelligence
EEG	Electroencephalogram
IRGC	Interactive Rough Granular Computing
IT	Information Technology
W2T	Wisdom Web of Things
WaaS	Wisdom as a Service
WI	Web Intelligence
WWW	World Wide Web

Part I
Foundation of Wisdom Web of Things

Chapter 1

Research Challenges and Perspectives on Wisdom Web of Things (W2T)

Ning Zhong, Jianhua Ma, Runhe Huang, Jiming Liu, Yiyu Yao,
Yaoxue Zhang and Jianhui Chen

Abstract The rapid development of the Internet and the Internet of Things accelerates the emergence of the hyper world. It has become a pressing research issue to realize the organic amalgamation and harmonious symbiosis among humans, computers and things in the hyper world, which consists of the social world, the physical world and the information world (cyber world). In this chapter, the notion of *Wisdom Web of Things* (W2T) is proposed in order to address this issue. As inspired by the material cycle in the physical world, the W2T focuses on the data cycle, namely “from things to data, information, knowledge, wisdom, services, humans, and then back to things.” A W2T data cycle system is designed to implement such a cycle, which is, technologically speaking, a practical way to realize the harmonious symbiosis of humans, computers and things in the emergin hyper world.

N. Zhong (✉)

Department of Life Science and Informatics, Maebashi Institute of Technology,
460-1 Kamisadori-Cho, Maebashi-City 371-0816, Japan
e-mail: zhong@maebashi-it.ac.jp; zhongn@bjut.edu.cn

N. Zhong

Beijing Advanced Innovation Center for Future Internet Technology, The
International WIC Institute, Beijing University of Technology, Beijing, China

J. Liu · Y. Yao · J. Chen

International WIC Institute, Beijing University of Technology,
Beijing 100124, China

J. Liu

Department of Computer Science, Hong Kong Baptist University,
Kowloon Tong, Hong Kong SAR
e-mail: jiming@comp.hkbu.edu.hk

Y. Yao

Department of Computer Science, University of Regina, Regina S4S 0A2,
SK, Canada
e-mail: yyao@cs.uregina.ca

J. Chen

Department of Computer Science and Technology, Tsinghua University, Beijing
100084, China
e-mail: chenjianhui@bjut.edu.cn; chenjnhn@mail.tsinghua.edu.cn

© Springer International Publishing Switzerland 2016

N. Zhong et al. (eds.), *Wisdom Web of Things*, Web Information
Systems Engineering and Internet Technologies Book Series,
DOI 10.1007/978-3-319-44198-6_1

1.1 Introduction

The Internet connects dispersive computers into a global network. On this network, the World Wide Web (Web) provides a global platform for information storage, resource sharing, service publishing, etc. An information world, called the cyber world, comes into being between the social and physical worlds.

In recent years, advanced information technologies accelerate the development of the cyber world [38, 39]. On one hand, various new Internet/Web based technologies, such as semantic Web [3, 11, 12], grid computing [13, 14], service-oriented computing [51], and cloud computing [2, 17], make the cyber world become not only a research/service platform but also a global communication and cooperation space in which various virtual communities, associations and organizations have been established. The cyber world is constantly expanding towards a social world. On the other hand, embedded technologies, automated recognition based on Radio Frequency Identification (RFID) technologies, wireless data communication technologies and ubiquitous computing technologies impel the forming of the Internet of Things (IoT) [5, 62]. A large number of sensor nets, embedded appliance nets and actuator nets (SEA-nets) have been constructed. Transparent computing technologies [55, 71–73, 85] ensure the effective deployment and publishing of resources/services on these heterogeneous nets. Furthermore, these SEA-nets are integrated and connected into the Internet through various gateways. The Web of Things (WoT) [10, 52] is emerging on the IoT to integrate the sensor data coming from various SEA-nets into the Web. The cyber world is also extending towards a physical world.

At present, various Internet/Web and IoT based applications, such as Web 2.0 [47, 48], Web 3.0 [20, 30], smart world [39, 45], smart planet [24], green/eco computing [29, 64], etc., accelerate the amalgamation among the cyber, social and physical worlds. It can be predicted that the cyber world composed of computers will be gradually syncretized with the social world composed of humans and the physical world composed of things in the near future. A *hyper world* [28, 37] will come into being on the IoT/WoT. It consists of the cyber, social and physical worlds, and uses data as a bridge to connect humans, computers and things. Such a data based hyper world will bring a profound influence in both work and life to the whole human

J. Ma · R. Huang

Faculty of Computer and Information Sciences, Hosei University,
Tokyo 184-8584, Japan
e-mail: jianhua@hosei.ac.jp

R. Huang

e-mail: rhuang@hosei.ac.jp

Y. Zhang

Key Laboratory of Pervasive Computing, Ministry of Education, and Tsinghua National
Laboratory for Information Science and Technology, Department of Computer Science
and Technology, Tsinghua University, Beijing 100084, China
e-mail: zhangyx@mail.tsinghua.edu.cn

society and every member in it. Multi-domain experts should closely cooperate to cope with the subsequent research challenges and opportunities.

The core research challenge brought by the hyper world is to realize the organic amalgamation and harmonious symbiosis among humans, computers and things using the Internet/Web based technologies, ubiquitous computing technologies and intelligence technologies, i.e., to make every thing in the hyper world more “intelligent” or “smart” by computers or cells with storage and computing capabilities, to provide active, transparent, safe and reliable services for individuals or communities in the hyper world. Though various theories and technologies have been developed to realize different levels of intelligent services on the Internet/Web and various SEA-nets, they do not fit well in the hyper world that is built on top of the IoT.

This chapter proposes the notion of *Wisdom Web of Things* (W2T) that represents a holistic intelligence methodology for realizing the harmonious symbiosis of humans, computers and things in the hyper world. A W2T data cycle system is also designed to implement such a cycle, namely “from things to data, information, knowledge, wisdom, services, humans, and then back to things.” The W2T provides a practical technological way to realize the harmonious symbiosis of humans, computers and things in the emerging hyper world. The rest of the chapter is organized as follows. Section 1.2 discusses fundamental issues on intelligence in the hyper world. Section 1.3 proposes the W2T as a holistic intelligence methodology in the hyper world. For realizing the W2T, Sect. 1.4 describes a W2T data cycle system. Three use cases are introduced in Sect. 1.5. Finally, Sect. 1.6 gives concluding remarks.

1.2 Intelligence in the Hyper World

1.2.1 Web Intelligence (WI) and Brain Informatics (BI)

The Web significantly affects both academic research and daily life, revolutionizing the gathering, storage, processing, presentation, sharing, and utilization of data/information/knowledge. It offers great research opportunities and challenges in many areas, including business, commerce, marketing, finance, publishing, education, and research and development.

Web Intelligence (WI) [67, 74, 77, 81, 83] may be viewed as an enhancement or an extension of Artificial Intelligence (AI) and Information Technology (IT) on a totally new domain—the Web. It focuses on the research and development of new generations of Web-based information processing technologies and advanced applications to push technologies towards manipulating the meaning of data and creating distributed intelligence.

The tangible goals of WI can be refined as the development of Wisdom Web [75, 76], which is involved with the following top 10 problems [34, 35]:

- Goal-directed services (best means/ends),
- Personalization (identity),

- Social & psychological context (sensitivity),
- PSML, i.e., Problem Solver Markup Language (representation),
- Coordination (global behavior),
- Meta-knowledge (planning control),
- Semantics (relationships),
- Association (roles),
- Reproduction (population),
- Self-aggregation (feedback).

Though many efforts [16, 22, 31, 53] have been made to solve these problems, it is difficult to develop the Wisdom Web by using only the existing AI and IT technologies.

Brain Informatics (BI) [79, 80, 82] is an emerging interdisciplinary field to study human information processing mechanism systematically from both macro and micro points of view by cooperatively using experimental, theoretical, cognitive neuroscience and WI centric advanced information technology. It emphasizes on a systematic approach to an in-depth understanding of human intelligence. On the one hand, WI based portal techniques (e.g., the wisdom Web, data mining, multi-agent, and data/knowledge grids) will provide a new powerful platform [78] for BI; On the other hand, new understandings and discoveries of human intelligence in BI, as well as other domains of brain sciences (e.g., cognitive science and neuroscience) will yield new WI researches and developments. At present, some new human-inspired intelligent techniques and strategies [69, 70] have been developed to offset the disadvantages of existing intelligence technologies, especially logic-based technologies.

1.2.2 Ubiquitous Intelligence (UI) and Cyber-Individual (CI)

The development of RFID technologies and wireless data communication technologies impels the forming of IoT. The real physical things are called u-things if they are attached, embedded or blended with computers, networks, and/or some other devices such as sensors, actors, e-tags and so on [38]. The IoT makes it possible to connect u-things dispersed in various SEA-nets and ubiquitous computing applications for realizing a Ubiquitous Intelligence.

Ubiquitous Intelligence (UI) [39, 59], generally speaking, is that intelligent things are everywhere. It means pervasion of smart u-things in the real world, which would evolve towards the smart world filled with all kinds of smart u-things in a harmonious way [38–40]. The construction of smart u-things is a core issue in the UI. So-called smart u-things are the active/reactive/proactive u-things, which are with different levels of intelligence from low to high. Ideally, a smart u-thing should be able to act adaptively and automatically. Its construction is involved with the following 7 challenges [38, 40, 41]:

- Surrounding situations (context),
- Users' needs,

- Things' relations,
- Common knowledge,
- Self awareness,
- Looped decisions,
- Ubiquitous safety (UbiSafe).

Constructing such a smart u-thing is involved with various challenging topics, including the collecting and mining of logs [42], context modeling [21, 26, 27, 58], user modeling [4, 18, 19, 56], etc. However, there are many challenges due to the real world complexity. For realizing the UI, the human essence in the cyber world needs to be re-examined and analyzed. The research of Cyber-Individual (Cyber-I or CI) [63] is emphasized on re-examining and analyzing the human essence and creating cyber individuals in the cyber world. A Cyber-I is a real individual's counterpart in the cyber space. It is a unique and full description of human being in the digital world. On the one hand, ubiquitous computing technologies make it possible to collect individual's information anytime and anywhere. With the increasing power of computers, networks, ubiquitous sensors and massive storages, it is no longer a dream that everyone on this planet can have a Cyber-I going with and even beyond his/her own whole life. On the other hand, a comprehensive and exact Cyber-I can effectively guide smart u-things to provide active and transparent services for realizing the UI.

1.2.3 The Holistic Intelligence in the Hyper World

For realizing the harmonious symbiosis of humans, computers and things, u-things in the hyper world should be intelligent and able to provide active, transparent, safe and reliable services. This intelligentizing will realize not only individual intelligence but also holistic intelligence, i.e., all of related u-things can intelligently cooperate with each other for each application. Realizing such holistic intelligence will bring new challenges and opportunities for intelligence researches:

- The hyper world is involved with heterogeneous networks, service types, data forms and contents, efficiency/accuracy requirements, etc. Thus, it is impossible to realize holistic intelligence in such a complex environment by only separately using the WI, BI, UI and CI. For WI supported by BI, though the ubiquitous computing oriented data/services have been mentioned at the beginning, its related researches and developments are mainly focused on Web based data/services because of lacking the IoT and WoT, which can provide an effective approach to dynamically and largely gather the real-time sensor data coming from different SEA-nets, and realize active and transparent services anytime and everywhere. For the UI supported by the CI, though recent studies begin to focus on mining a large number of historical data for providing higher quality of services, related researches and developments were mainly oriented to specific applications and data because of lacking effective technologies and strategies to organize, manage, mining and utilize the multi-aspect real-time data and historical data, as well as




Fig. 1.1 The holistic intelligence research in the hyper world

information and knowledge derived from the data. Thus, the holistic intelligence research in the hyper world will present new research challenges to WI, BI, UI and CI.

- The infrastructure of hyper world consists of the Internet and a number of SEAnets. It is possible to continuously and dynamically gather both real-time sensor data and historical Web data in the hyper world by the IoT and the WoT. Moreover, grid computing, cloud computing and transparent computing also make it possible to integrate the powerful storage and computing capabilities on the IoT for effectively storing, managing, mining and utilizing the gathered data, as well as the information and knowledge derived from data. Based on such an infrastructure, the hyper world will provide significant opportunities to the holistic intelligence research. It will integrate the WI, BI, UI and CI to develop a new holistic intelligence methodology for realizing the harmonious symbiosis of humans, computers and things in the hyper world.

In summary, the hyper world makes it possible and necessary to integrate separate intelligence researches into a holistic research. As shown in Fig. 1.1, in this holistic research, WI, BI, UI and CI are independent but promote each other. Finally, a holistic intelligence methodology with its associated mechanisms can be developed to realize the harmonious symbiosis of humans, computers and things in the hyper world.

1.3 Wisdom Web of Things

The Wisdom Web of Things (W2T) is an extension of the Wisdom Web in the IoT age. The “Wisdom” means that each of things in the WoT can be aware of both itself

Table 1.1 A comparison between the Web and W2T

	World Wide Web	W2T
Infrastructure	Internet	Internet of things
Function	A sharing platform and communication space	An environment to provide active, transparent, safe and reliable services for the harmonious symbiosis of humans, computers and things in the hyper world
Storing and computing medium	Different types of computers	All electronic media with the capabilities of storage and computing (including different types of computers, PDAs, mobile telephones, embedded chips, and so on.)
Data characteristic	Reliable data sources and relatively stable data streams	Various data availabilities, data stream modes, and data gathering strategies
Modeling	Data and user preference modeling	Not only data and user preference modeling but also space modeling (including environment modeling, thing modeling, context modeling, user behavior modeling, etc.)
Formal knowledge	Domain knowledge for the data and computing integration	Both domain knowledge and common sense knowledge for guiding the Web and ubiquitous computing
Awareness mode	A human centric mode (i.e., users choose the appropriate services based on individuals' judgments about the current Web environments.)	A ubiquitous awareness mode (i.e., all of humans, computers and things can be aware of themselves and others dynamically for providing active and transparent services.)
Computing mode	Computing on the Internet/Web	Computing in everywhere
Service mode	Passive services	Both active services and passive services

and others to provide the *right service* for the *right object* at a *right time* and *context*. Thus, the W2T is not a copy of the Web on the IoT. As shown in Table 1.1, it is different from the existing Web in many aspects, including infrastructure, function, data characteristic, modeling, and so on. Such a W2T is impossible to construct by using only the existing intelligence technologies that are oriented to specific humans, computers, things.

The nature is based on materials. An effective material cycle ensures the harmonious symbiosis of heterogeneous things in nature. Similarly, the hyper world is based on data. Thus, constructing the W2T for the harmonious symbiosis of humans, computers and things in the hyper world requires a highly effective W2T data cycle:

- **Things to Data:** Various data of things are collected into a distributed integrated data center through the WoT. These data include the real-time data of things coming from the sensors in SEA-nets and measuring equipments (such as MRI, EEG, CT), the Web accessible historic data of things stored on the Web, and the data of Web produced on the Web.
- **Data to Information:** After data cleaning, integration and storage, both sensor data and Web data are analyzed and re-organized to generate multi-aspect and multi-granularity data information by various data mining/ organization methods. The obtained data information is also described and stored in the data center.
- **Information to Knowledge:** The valuable knowledge is extracted from the data information by various modeling. Other related knowledge is also gathered and described using knowledge engineering technologies. All of knowledge is stored in the data center.
- **Knowledge to Wisdom:** Based on the obtained knowledge, the top 10 problems of Wisdom Web mentioned in Sect. 1.2.1 and 7 characteristics of smart u-thing mentioned in Sect. 1.2.2 are studied to develop the key intelligence technologies and strategies.
- **Wisdom to Services:** An active and transparent service platform is constructed on the integrated data center using the developed intelligence technologies and strategies. It can provide active, transparent, safe and reliable services by synthetically utilizing the data, information and knowledge in the data center.
- **Services to Humans:** The service platform provides various active and transparent services to individuals and communities by a variety of sensors and actuators.
- **Humans to Things:** During the process of receiving services, humans continues to influence the things around him/her and brings the changes of things. Finally, the data reflecting these changes are collected into the integrated data center.

As shown in Fig. 1.2, a variety of sensors, storage and computing terminals in the IoT provide a data storage and conversion carrier for implementing the data cycle. The emerging WoT provides a transmission channel of data cycle. Therefore, the core problem of data cycle construction is to develop a highly efficient data cycle system.




Fig. 1.2 A data cycle in the hyper world




Fig. 1.3 A W2T data cycle system

1.4 A W2T Data Cycle System

1.4.1 The System Framework

Figure 1.3 illustrates the system framework of W2T data cycle system. It includes two parts, W2T data conversion mechanism and W2T data/service interface. The W2T data conversion mechanism is the main body of cycle system and used to drive the process of data cycle, as shown in the right of Fig. 1.3. The W2T data/service interface includes two middlewares and is used to connect the cycle system to the WoT, as shown in the center of Fig. 1.3.

1.4.2 The W2T Data Conversion Mechanism

The W2T data conversion mechanism includes a group of information technologies to transform data forms along the process of the W2T data cycle. As shown in the center of Fig. 1.4, it includes the following five levels:

- The *data* level of technologies is involved with various data management and pre-processing technologies, including data collection, cleaning, integration, storage, etc., for completing the “Things-Data” sub-process of the data cycle. Because the objective data include sensor data, Web accessible data and Web data, the data collection is a core issue at this level. It is involved with not only collecting data from the Web and information systems, but also producing data by deploying sensors and embedded chips [23, 54] or designing and implementing cognitive experiments [32, 33, 84]. The data integration is also an important issue because of the differences on data formats, contents and applications.
- The *information* level of technologies is involved with information extraction, information storage and information organization for completing the “Data-Information” sub-process of data cycle. Because of the limited data transmission and computing capabilities, it is necessary to perform the off-line information extraction and organization before services are requested. This is especially important to the hyper world which includes mutable data, computing and network environments. However, the existing technologies cannot meet the requirements of off-line information extraction and organization. Thus, it is necessary to study human information processing and organization mechanisms, such as induction [32, 33], for developing the new information level of technologies, such as granularity division, basic level setting, and starting point setting [69, 70].
- The *knowledge* level of technologies is involved with knowledge extraction and knowledge expression for completing the “Information-Knowledge” sub-process of data cycle. The core issues include model, common sense and knowledge retrieval. The studies of human knowledge expression and storage are also imple-




Fig. 1.4 The W2T data conversion mechanism

mented to develop the more effective technologies of knowledge expression and storage.

- The *wisdom* level of technologies mainly focuses on the top 10 problems of Wisdom Web and 7 characteristics of smart u-thing for completing the “Knowledge-Wisdom” sub-process of data cycle. The autonomy oriented computing [36], granular computing [66, 68], and complex network [57] are three core theories for realizing “Wisdom” on the WoT which includes enormous data and heterogeneous

networks. The results of human intelligence studies are also used to develop new intelligence technologies and strategies.

- The *service* level of technologies is involved with service construction, service publishing and service integration on the Internet/Web and various SEA-nets for completing the “Service-Human” sub-process of data cycle. They are based on grid computing, cloud computing and transparent computing, and oriented to various specific applications in the hyper world, such as pervasive elderly/kid care, active and transparent service platform for depression, etc.

These technologies are realized as an integrated data center and an active and transparent service platform, as shown in the right of Fig. 1.4.

As shown in the left of Fig. 1.4, the five levels of technologies are integrated by a domain driven data conceptual modeling. Such a data conceptual modeling is not the traditional conceptual schema design of databases/metadata or the ontological modeling of data related domain knowledge. It models the whole process of data cycle by different dimensions and has various specifications on the different levels of conversion mechanism:

- At the data level, it can be specified as the conceptual schema designs of databases and data warehouses.
- At the information level, it can be specified as the conceptual descriptions of metadata, cases and data characteristics.
- At the knowledge level, it can be specified as space/user/thing conceptual modeling, domain/common-sense knowledge modeling, and knowledge structure modeling.
- At the wisdom level, it can be specified as intelligent agent modeling, granular knowledge structure modeling, networks and network behavior modeling, as well as the modeling of human higher-level information processing capabilities.
- At the service level, it can be specified as the applications of the different levels of conceptual models.

1.4.3 The W2T Data and Service Interface

The W2T data and service interface includes two middlewares, hyper world data/knowledge application server (Hypw-DKServer) and hyper world transparent service bus (Hypw-TSBus). They are used to connect the data cycle system to the WoT for making it “Wisdom”.

The Hypw-DKServer is a software middleware for the service publishing on the WoT. It can support centralized or distributed data/model/knowledge publishing and respond to data/model/knowledge requests coming from the Internet and various SEA-nets. Different from the existing Web based application servers, such as Weblogic, Tomcat, Jboss, etc., the Hypw-DKServer is an entirely new WoT based application server, as shown in Table 1.2.

Table 1.2 A comparison between Web application servers and the Hypw-DKServer

	Web application servers	Hypw-DKServer
Environment	The Web on the Internet	The WoT on the IoT
Operating system	Operating systems in computers (such as Windows, Unix, Linux, etc.)	New-style network operating systems on various networks
Main function	Supporting the establishment, deployment and management of static and dynamic Web applications	Supporting the establishment, deployment and management of data/model/knowledge services
Protocol	Standard Web protocols (such as HTTP, FTP, SOAP, WSDL, UDDI and so on.)	New-style standardized protocols for data/model/knowledge communications, descriptions and publishing
External interface	Database interfaces for main database systems such as Oracle, SQL Server, DB2, and so on.	Database interfaces for main database systems, and knowledge/model base interfaces for the existing/developed description languages of knowledge/models

The Hypw-TSBus is a software middleware for the service integration on the WoT. It can support dynamic service discovery, service evolution, service composition, and security validation for meeting various service requests on the Internet/Web and SEA-nets. Different from the existing Enterprise Service Bus (ESB), such as WebSphere ESB (WESB), BizTalk Server, etc., the Hypw-TSBus is an entirely new WoT based service bus, as shown in Table 1.3.

1.5 Case Studies

In this section, we present three use cases to demonstrate the usefulness of the proposed W2T methodology.

1.5.1 A W2T Based Kid Care Platform

An interesting survey [50] recently made in Japan reported that 72.5% parents worried about their kids, 82.3% parents felt tired in caring their kids, and 91.9% parents had no enough time well taking care of their kids. Although the survey data may vary from country to country or from region to region, it shows that caring kids is not an

Table 1.3 A comparison between ESB platforms and the Hypw-TSBus

	ESB platforms	Hypw-TSBus
Environment	The Web on the Internet	The WoT on the IoT
Operating system	Operating systems in computers	New-style network operating systems on various networks
Main function	Providing a Web oriented infrastructure for the process-description driven service discovery and integration	Providing a WoT oriented infrastructure for the purpose-driven dynamic service discovery, evolution and integration
Other function	Supporting message routing, message conversion, message expansion, protocol intermediary, security validation, event handling, service scheduling, etc.	Supporting message routing, message expansion, security validation, event handling, etc.

easy work and it does consume a lot of time/energy to many parents. In fact, parents have been putting lot of efforts to ensure their children's safety. However, unexpected matters sometimes still happen. In other words, it is impossible for parents to keep eyes on their kids and give them prompt helps 24 h a day. Fortunately, with the rapid advancing of ICT and ubiquitous computing, not only kids can enjoy the fruits of developments brought by IT like digital games, real time animations, multimedia contents, but also their parents benefit from the advanced technologies. This section presents the W2T based kid care platform on top of which kid care systems are built. With the support of kid care systems, parents benefit from the supporting systems and can be relieved more or less from their various worries regarding to kid cares, especially to those working couples.

The issue of kid care is important to a family but it is also an ordinary and common activity. It has not been receiving much attention from research communities although there have been some research going on [23, 39, 54]. Kids as a specific group of humans, it is necessary to have a thorough study. With the rapid advancing of ubiquitous computing [5, 60, 61] and wireless communication technologies, developing kid care systems with ubiquitous sensors and wireless communications become feasible. This research field has received increasing attention. Based on related research results, we will develop a W2T based kid care platform, as shown in Fig. 1.5, which can be described as follows.

To take care of a kid, the first step is to know the kid. A system has to first record all the kid's activities and get to know the kid by analyzing his/her activities that just like a parent is doing in the process of caring children. A kid's activities are recorded via SEA-nets in the physical world. The recorded data are classified and stored in life-log, space-log, and thing-log, respectively. For example, Bob comes back from school, he watches TV in the living room from 2:30 pm to 3:30 pm, then studies in the study room from 3:30 pm to 5:30 pm. The recorded data are classified according Bob's