

SUSTAINABLE SURFACE WATER MANAGEMENT

A HANDBOOK FOR SUDS

Edited by
Susanne M. Charlesworth
and **Colin A. Booth**

WILEY Blackwell

Sustainable Surface Water Management

Sustainable Surface Water Management

A Handbook for SuDS

Edited by

Susanne M. Charlesworth

Professor, Urban Physical Geography,
Centre for Agroecology, Water and Resilience,
Coventry University, UK

Colin A. Booth

Associate Head of Research and Scholarship
for the School of Architecture and the Built Environment,
and Deputy Director of the Centre for Floods,
Communities and Resilience,
University of the West of England, Bristol, UK

WILEY Blackwell

This edition first published 2017
© 2017 by John Wiley & Sons, Ltd

Registered Office

John Wiley & Sons, Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ,
United Kingdom

Editorial Offices

9600 Garsington Road, Oxford, OX4 2DQ, United Kingdom
The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, United Kingdom

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at www.wiley.com/wiley-blackwell.

The right of the author to be identified as the author of this work has been asserted in accordance with the UK Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book.

Limit of Liability/Disclaimer of Warranty: While the publisher and author(s) have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. It is sold on the understanding that the publisher is not engaged in rendering professional services and neither the publisher nor the author shall be liable for damages arising herefrom. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

Library of Congress Cataloging-in-Publication Data

Names: Charlesworth, Susanne. | Booth, Colin (Colin A.)

Title: Sustainable surface water management : a handbook for SUDS / edited by Susanne M.

Charlesworth, reader in urban physical geography, and director of sustainable drainage applied research, Department of Geography, Environment and Disaster Management Coventry University, Colin A. Booth, associate professor of sustainability, and associate head of research and scholarship, Construction and Property Research Centre, University of the West of England

Description: Chichester, West Sussex, United Kingdom : John Wiley & Sons, Inc., 2016. |

Includes bibliographical references and index.

Identifiers: LCCN 2016023163 (print) | LCCN 2016029925 (ebook) |

ISBN 9781118897706 (cloth) | ISBN 9781118897676 (pdf) | ISBN 9781118897683 (epub)

Subjects: LCSH: Urban runoff. | Watershed management. | Water quality management.

Classification: LCC TD657 .S868 2016 (print) | LCC TD657 (ebook) | DDC 628.1/6-dc23

LC record available at <https://lcn.loc.gov/2016023163>

A catalogue record for this book is available from the British Library.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Cover image: Gettyimages/Mara Palmen/EyeEm

Set in 9/11pt Sabon by SPi Global, Pondicherry, India

May the thrill of jumping up and down in muddy puddles never be replaced by the misery of flooding!

This book is dedicated to

*Douglas Ella-Rose, Aidan and Rónán
Esmée, Edryd and Efren*

Contents

<i>List of Contributors</i>	xv
<i>About the Editors</i>	xix
Section 1 Introduction to the Book	1
Chapter 1 An Overture of Sustainable Surface Water Management	3
<i>Colin A. Booth and Susanne M. Charlesworth</i>	
1.1 Introduction	3
1.2 Surface Water Management	3
1.3 Sustainable Surface Water Management	5
1.4 Organisation of the Book	5
References	9
Section 2 Sustainable Surface Water Management in Context	11
Chapter 2 Back to the Future? History and Contemporary Application of Sustainable Drainage Techniques	13
<i>Susanne M. Charlesworth, Luis Angel Sañudo Fontaneda and Larry W. Mays</i>	
2.1 Introduction	13
2.2 ‘Sustainability’?	14
2.3 Rainwater Harvesting in Antiquity	15
2.4 Water Quality Improvement	19
2.5 Water Quantity Reduction: Sub-Surface Drainage	23
2.6 Water Storage	24
2.7 Reduction in Water Demand: Greywater Recycling	24
2.8 Reducing Water Velocity	25
2.9 Non-Structural Approaches to Sustainable Water Management	26
2.10 Conclusions	28
References	28

Chapter 3 Surface Water Strategy, Policy and Legislation	31
<i>Frank Warwick</i>	
3.1 Introduction	31
3.2 Legislative Hierarchies	32
3.3 Case Study – The United Kingdom	33
3.4 Comparison of UK Approaches with Other Countries	41
3.5 Conclusions	42
References	42
Chapter 4 Sustainable Drainage Systems: Operation and Maintenance	45
<i>Neil Berwick</i>	
4.1 Introduction	45
4.2 What is Operation and Maintenance and Why is it Important?	46
4.3 Inspection, Reporting and Maintenance	47
4.4 Maintenance Schedules and Planned Maintenance	50
4.5 Other Considerations that Will Impact on Maintenance	52
4.6 Conclusions	54
References	55
Section 3 Functions of Sustainable Drainage Systems	57
Chapter 5 Water Quantity: Attenuation of the Storm Peak	59
<i>Craig Lashford, Susanne M. Charlesworth and Frank Warwick</i>	
5.1 Introduction	59
5.2 Conventional Drainage, Water Flow and Volume	59
5.3 Existing Flood Management	60
5.4 Water Quantity	61
5.5 History of SuDS Implementation	62
5.6 The Management Train	65
5.7 Retrofit	70
5.8 New Build	71
5.9 Flow Control	72
5.10 Conclusions	72
References	74
Chapter 6 Urban Water and Sediment Quality	79
<i>Lian Lundy</i>	
6.1 Introduction	79
6.2 Sources of Pollutants Mobilised by Urban Runoff	79
6.3 Quality of Urban Runoff Originating from a Range of Land Use Types	80
6.4 Quality and Behaviour of Sediment in Urban Receiving Water Bodies	82
6.5 Treatment of Urban Runoff Using SuDS	83
6.6 Pollutant Removal Processes that Occur in SuDS	85
6.7 Quality and Behaviour of Sediment in SuDS	87
References	88

Chapter 7 Sustainable Drainage Systems: Delivering Multiple Benefits for People and Wildlife	91
<i>Andy Graham</i>	
7.1 Introduction	91
7.2 Getting Better SuDS	92
7.3 SuDS and How They Support Biodiversity	93
7.4 Involving People	95
7.5 Designing SuDS for People and Wildlife	96
7.6 SuDS Management Trains and Their Wildlife Benefits	98
7.7 Community Managed and Wildlife-Rich SuDS – a Case Study of Springhill Cohousing, Stroud, Gloucestershire	103
References	104
Chapter 8 Amenity: Delivering Value for Society	105
<i>Stella Apostolaki and Alison Duffy</i>	
8.1 Emergence of the Amenity Concept	105
8.2 Amenity, Recreation and Biodiversity in the Built Environment	107
8.3 SuDS Amenity and Sustainable Development	110
8.4 Reviewing the Public Perception of the Concept of Amenity and SuDS	111
8.5 Conclusions	112
References	112
Chapter 9 Biodegradation in Green Infrastructure	115
<i>Alan P. Newman and Stephen J. Coupe</i>	
9.1 Introduction	115
9.2 Environmental Conditions and Requirements for Biodegradation	116
9.3 Biofilms: What They Are, What They Do and How They Work	118
9.4 Biodegradation in Green SuDS	119
9.5 Nitrogen in Green SuDS	122
9.6 Conclusions	123
References	124
Chapter 10 Hydrocarbon Biodegradation in Hard Infrastructure	127
<i>Stephen J. Coupe, Alan P. Newman and Luis Angel Sañudo Fontaneda</i>	
10.1 Introduction	127
10.2 Hard SuDS Structure, Design and Related Technologies	128
10.3 Evidence of Biodegradation in Hard SuDS	130
10.4 Hard SuDS Microbiology and Biofilms	132
10.5 Design and Diversification from Standard Hard SuDS	134
10.6 Other Hard SuDS Biodegradation Studies	135
10.7 Design Optimisation for Catastrophic Pollution Events	136
10.8 Conclusions	138
References	139

Chapter 11 Use of Geosynthetics for Sustainable Drainage	142
<i>Luis Angel Sañudo Fontaneda, Elena Blanco-Fernández, Stephen J. Coupe, Jaime Carpio, Alan P. Newman and Daniel Castro-Fresno</i>	
11.1 Introduction to Geosynthetics	142
11.2 Classifications, Functions and Applications of Geosynthetics	143
11.3 Application of Geotextiles in SuDS	145
11.4 Secondary Uses for Urban Water	150
11.5 Conclusions	151
References	152
Section 4 Multiple Benefits of Sustainable Drainage Systems	157
Chapter 12 Natural Flood Risk Management and its Role in Working with Natural Processes	159
<i>Tom Lavers and Susanne M. Charlesworth</i>	
12.1 Introduction	159
12.2 Defining NFRM	159
12.3 Examples of NFRM Studies	161
12.4 Significance of NFRM in Meeting Policy Agendas	171
12.5 Conclusions	172
References	172
Statuses	176
Chapter 13 Sustainable Drainage Systems and Energy: Generation and Reduction	177
<i>Amal Faraj-Lloyd, Susanne M. Charlesworth and Stephen J. Coupe</i>	
13.1 Introduction	177
13.2 Ground Source Heat Extraction	178
13.3 Pervious Paving Systems	178
13.4 Results of Monitoring the EcoHouse	182
13.5 The Hanson Stewartby Office, Bedford, UK	184
13.6 Reducing Energy Use: The Use of Green and Blue Infrastructure on Buildings	186
13.7 Conclusions	188
References	189
Chapter 14 Carbon Sequestration and Storage: The Case for Green Roofs in Urban Areas	193
<i>Brad Rowe</i>	
14.1 Introduction	193
14.2 The Importance of Carbon Sequestration	193
14.3 Coupling the Stormwater Management Benefits of Green Roofs with Carbon Sequestration	195
14.4 Carbon Sequestration on Green Roofs	197
14.5 Embodied Energy	198

14.6 Improving Carbon Sequestration Potential	199
14.7 Conclusions	201
References	201
Chapter 15 Dual-Purpose Rainwater Harvesting System Design	205
<i>Peter Melville-Shreeve, Sarah Ward and David Butler</i>	
15.1 Introduction	205
15.2 RWH and SuDS in England and Wales	206
15.3 Approaches to Stormwater Source Control Using RWH in England and Wales	207
15.4 Integrating Stormwater Source Control into RWH System Design	209
15.5 Conclusions	215
Acknowledgements	216
References	216
Chapter 16 Progress with Integration of Ecosystem Services in SuDS	218
<i>Mark Everard, Robert J. McInnes and Hazem Gouda</i>	
16.1 Introduction	218
16.2 Potential Contribution of SuDS Types to Ecosystem Services	220
16.3 Analysis of Ecosystem Service Outcomes from SuDS Schemes	221
16.4 Recognising the Multi-Functional Opportunities of SuDS	228
16.5 Conclusions and Recommendations	230
References	230
Section 5 Integrating Sustainable Surface Water Management into the Built Environment	233
Chapter 17 Whole Life Costing and Multiple Benefits of Sustainable Drainage	235
<i>Jessica E. Lamond</i>	
17.1 Introduction	235
17.2 Whole Life Costing	236
17.3 Multiple Benefits of SuDS	238
17.4 Conclusions	241
Acknowledgement	242
References	242
Chapter 18 Green Roof and Permeable Paving Retrofit to Mitigate Pluvial Flooding	245
<i>Sara Wilkinson, David G. Proverbs and Jessica E. Lamond</i>	
18.1 Introduction	245
18.2 Types of Green Roof for Stormwater Management	246
18.3 Building Retrofit Characteristics	247
18.4 Drivers and Barriers to the Uptake of SuDS in Melbourne	253
18.5 Estimation of Runoff Under Different Scenarios	255
18.6 Conclusions and Further Research	255
Acknowledgements	256
References	256

Chapter 19 Contemporary Landscapes and Buildings of Motorway Service Areas	259
<i>Colin A. Booth and Anne-Marie McLaughlin</i>	
19.1 Introduction	259
19.2 Motorway Service Areas in the UK	259
19.3 Exemplar Motorway Service Areas	260
19.4 Conclusions	267
References	267
Chapter 20 Modelling for Design	270
<i>Craig Lashford, Susanne M. Charlesworth and Frank Warwick</i>	
20.1 Introduction	270
20.2 One-Dimensional Modelling	270
20.3 Two-Dimensional Flood Modelling	271
20.4 One-Dimensional and Two-Dimensional Modelling	271
20.5 Three-Dimensional Modelling	271
20.6 Modelling Uncertainty	271
20.7 Validation of Models: Monitoring of SuDS Management Trains	272
20.8 Scale of Drainage Modelling	272
20.9 Issues with SuDS Modelling	274
20.10 Case Study: Modelling the Impacts of a SuDS Management Train at Prior Deram Park, Coventry, UK, Using Microdrainage®	276
20.11 Case Study: Decision Support Tool for Coventry, UK	278
20.12 Site Design	280
20.13 Conclusions	281
References	281
Chapter 21 Public Perceptions of Sustainable Drainage Devices	285
<i>Glyn Everett</i>	
21.1 Introduction	285
21.2 Public Preferences and Understanding of Flood Risk Management	286
21.3 The Sustainability of SuDS	286
21.4 Attitudes and Behaviour: Portland, Oregon, USA	288
21.5 Co-development and Co-ownership	292
21.6 Conclusions	293
References	293
Section 6 Global Sustainable Surface Water Management	299
Chapter 22 Sustainable Drainage Out of the Temperate Zone: The Humid Tropics	301
<i>Susanne M. Charlesworth and Margaret Mezue</i>	
22.1 Introduction	301
22.2 Modification of the Urban Hydrological Cycle by Urbanisation in Tropical Countries	303

22.3	Vegetated Devices	303
22.4	Case Study: Sustainable Drainage in Malaysia	308
22.5	Conclusions	312
	References	313
Chapter 23 Sustainable Drainage Systems in Brazil		315
<i>Marcelo Gomes Miguez and Aline Pires Veról</i>		
23.1	Introduction	315
23.2	The History of SuDS in Brazil – an Academic Perspective	316
23.3	Legal Framework	319
23.4	Case Examples	320
23.5	Concluding Remarks	325
	References	326
Chapter 24 Interim Measures Towards Sustainable Drainage in the Informal Settlements of South Africa		328
<i>Kevin Winter</i>		
24.1	Introduction	328
24.2	Overview of the Development of Informal Settlements in South Africa	330
24.3	Co-Management of Drainage	330
24.4	Langrug: A Case Study of an Informal Settlement	331
24.5	Research-Led Efforts: First Approach	333
24.6	Discussion on Research-Led Approach to Drainage	335
24.7	Building Partnerships: A Second Approach	337
24.8	Provincial Government Intervention	339
24.9	Biomimicry at Work: Greywater Swales	339
24.10	Sustainable Urban Drainage Centre	339
24.11	Discussion	341
24.12	Conclusions	343
	References	343
Chapter 25 Low Impact Development in the USA		345
<i>Bruce K. Ferguson</i>		
25.1	Introduction	345
25.2	Unifying Legislation	345
25.3	Stormwater Management Practices	346
25.4	Low-Impact Development	348
25.5	Stormwater and Urban Agendas	350
25.6	Choices in Challenging Urban Districts	352
	References	354
Chapter 26 Sustainable Drainage Systems in Spain		355
<i>Valerio C. Andrés-Valeri, Sara Perales-Momparler, Luis Angel Sañudo Fontaneda, Ignacio Andrés-Doménech, Daniel Castro-Fresno and Ignacio Escuder-Bueno</i>		
26.1	Introduction	355
26.2	SuDS Case Studies in the Northern Regions of Spain	357

26.3 Integration of SuDS into New Urban Developments	361
26.4 SuDS Retrofitting Case Studies in the Mediterranean Region	362
26.5 Conclusions	366
References	368
Chapter 27 Sustainable Drainage at the City Scale: A Case Study in Glasgow, Scotland	370
<i>Neil McLean</i>	
27.1 Introduction	370
27.2 SuDS and Legislation	371
27.3 The Importance of Multi-Functionality	372
27.4 Design Studies	373
27.5 Nitshill Design Study	375
27.6 City Centre Surface Water Management	376
27.7 Funding	377
27.8 The Future	378
References	378
Chapter 28 Water Sensitive Design in Auckland, New Zealand	380
<i>Robyn Simcock</i>	
28.1 Introduction	380
28.2 WSD in Auckland: Drivers of Design	382
28.3 Case Study: Wynyard Quarter	388
28.4 Conclusions and Parting Thought	389
References	390
Section 7 Summary of the Book	393
Chapter 29 Challenges for the Future: Are Sustainable Drainage Systems Really Sustainable?	395
<i>Susanne M. Charlesworth and Colin A. Booth</i>	
29.1 Introduction	395
29.2 Barriers and Drivers	396
29.3 What is the Future for SuDS?	398
29.4 Conclusions	399
References	399
<i>Index</i>	400

List of Contributors

Valerio C. Andrés-Valeri

Construction Technology Applied Research Group, Department of Transports, Projects and Processes Technology, Universidad de Cantabria, ETSICCP, Avenida de los Castros 44, 39005 Santander, Cantabria, Spain

Ignacio Andrés-Doménech

Instituto Universitario de Investigación de Ingeniería del Agua y Medio Ambiente (IIAMA). Universitat Politècnica de València. Spain

Stella Apostolaki

Department of Science, Technology and Mathematics, The American College of Greece – DERE, 6 Grivas street, GR-153 42 Aghia, Paraskevi, Greece

Neil Berwick

Urban Water Technology Centre, University of Abertay Dundee, DD1 1HG, UK

Elena Blanco-Fernández

Construction Technology Applied Research Group, Department of Transports, Projects and Processes Technology, Universidad de Cantabria, ETSICCP, Avenida de los Castros 44, 39005 Santander, Cantabria, Spain

Colin A. Booth

School of Architecture and the Built Environment, and the Centre for Floods, Communities and Resilience, University of the West of England, Bristol, UK

David Butler

Centre for Water Systems, University of Exeter, North Park Road, Exeter, EX6 7HS, UK

Jaime Carpio-Garcia.

Construction Technology Applied Research Group, Department of Transports, Projects and Processes Technology, Universidad de Cantabria, ETSICCP, Avenida de los Castros 44, 39005 Santander, Cantabria, Spain

Daniel Castro-Fresno

Construction Technology Applied Research Group, Department of Transports, Projects and Processes Technology, Universidad de Cantabria, ETSICCP, Avenida de los Castros 44, 39005 Santander, Cantabria, Spain

Susanne M. Charlesworth

Centre for Agroecology, Water and Resilience, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Stephen J. Coupe

Centre for Agroecology, Water and Resilience, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Alison Duffy

Urban Water Technology Centre, School of Science Engineering and Technology, Abertay University, Dundee, DD1 1HG, UK

Ignacio Escuder-Bueno

Instituto Universitario de Investigación de Ingeniería del Agua y Medio Ambiente (IIAMA). Universitat Politècnica de València. Spain

Mark Everard

Geography and Environmental Management, Faculty of Environment and Technology, University of the West of England, Coldharbour Lane, Bristol, BS16 1QY, UK

Glyn Everett

Centre for Floods, Communities and Resilience, Faculty of Environment and Technology, University of the West of England, Coldharbour Lane, Bristol, BS16 1QY, UK

Amal Faraj-Lloyd

Coventry University, Priory Street, Coventry, CV1 5FB, UK

Bruce K. Ferguson

College of Environment and Design, University of Georgia, 285 Jackson Street, Athens GA 30602, USA

Andy Graham

Wildfowl & Wetlands Trust, Slimbridge, Gloucestershire, GL2 7BT, UK

Hazem Gouda

Geography and Environmental Management, Faculty of Environment and Technology, University of the West of England, Coldharbour Lane, Bristol, BS16 1QY, UK

Jessica E. Lamond

Architecture and the Built Environment, Faculty of Environment and Technology, University of the West of England, Coldharbour Lane, Bristol, BS16 1QY, UK

Craig Lashford

Faculty of Engineering and Computing, School of Energy, Construction and Environment, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Tom Lavers

Centre for Agroecology, Water and Resilience, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Lian Lundy

School of Science and Technology, Natural Sciences, Middlesex University, The Burroughs, London, NW4 4BT, UK

Larry W. Mays

Civil, Environmental, and Sustainable Engineering Group, School of Sustainable Engineering and the Built Environment, Arizona State University, Tempe, Arizona, USA

Robert J. McInnes

RM Wetlands and Environment Ltd., 6 Ladman Villas, Littleworth, Oxfordshire, SN7 8EQ, UK

Anne-Marie McLaughlin

Centre for Agroecology, Water and Resilience, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Neil McLean

MWH, Eastfield House, Associate WSP-Parsons Brinckerhoff, Newbridge, Edinburgh, EH28 8LS, UK

Peter Melville-Shreeve

Centre for Water Systems, University of Exeter, North Park Road, Exeter, EX6 7HS, UK

Margaret Mezue

Centre for Agroecology, Water and Resilience, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Marcelo Gomes Miguez

Polytechnic School and COPPE – Universidade Federal do Rio de Janeiro, Brazil

Alan P. Newman

Faculty of Health and Life Sciences, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Sara Perales-Momparler

Green Blue Management, Avda. del Puerto, 180 pta. 1B, 46023 Valencia, Spain

David G. Proverbs

Faculty of Computing, Engineering and the Built Environment, Birmingham City University, Millennium Point, Curzon Street, Birmingham B4 7XG, UK

Jorge Rodriguez Hernandez

Construction Technology Applied Research Group, Department of Transports, Projects and Processes Technology, Universidad de Cantabria, ETSICCP, Avenida de los Castros 44, 39005 Santander, Cantabria, Spain

Brad Rowe

Michigan State University, Department of Horticulture, A212 Plant and Soil Sciences Building, East Lansing, MI 48824, USA

Luis Angel Sañudo Fontaneda

Centre for Agroecology, Water and Resilience, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Robyn Simcock

Landcare Research, Auckland, Private Bag 92170, Auckland Mail Centre, Auckland 1142, New Zealand

Aline Pires Veról

Faculty of Architecture and Urbanism – Universidade Federal do Rio de Janeiro, Brazil

Sarah Ward

Centre for Water Systems, University of Exeter, North Park Road, Exeter, EX6 7HS, UK

Frank Warwick

Faculty of Engineering and Computing, School of Energy, Construction and Environment, Coventry University, Priory Street, Coventry, CV1 5FB, UK

Sara Wilkinson

Faculty of Design Architecture and Building, University of Technology Sydney, POB 123 Broadway, Ultimo, NSW 2007, Australia

Kevin Winter

University of Cape Town, Environmental and Geographical Science, Cape Town, South Africa.

About the Editors

Susanne M. Charlesworth is Professor of Urban Physical Geography at Coventry University in the Centre for Agroecology, Water and Resilience.

Colin A. Booth is Associate Head of Research and Scholarship for the School of Architecture and the Built Environment and is Deputy Director of the Centre for Floods, Communities and Resilience at the University of the West of England, Bristol.

Section 1

Introduction to the Book

1

An Overture of Sustainable Surface Water Management

Colin A. Booth and Susanne M. Charlesworth

1.1 Introduction

With more than 80% of the global population living on land that is prone to flooding, the devastation and disruption that flooding can cause will undoubtedly worsen with climate change (Lamond *et al.*, 2011). The built environment has become more susceptible to flooding because urbanisation has meant that landscapes, which were once porous and allowed surface water to infiltrate, have been stripped of vegetation and soil and have been covered with impermeable roads, pavements and buildings, as shown in Figure 1.1 (Booth and Charlesworth, 2014).

Surface water policy, to address flooding-related issues, differs widely across various regions and countries. For instance, in the UK, which is made up of four individual countries (England, Scotland, Wales and Northern Ireland), Scotland has policies that have enabled sustainable drainage to be implemented as a surface water management strategy for about the past 20 years; whereas, England, Wales and Northern Ireland have yet to completely embrace sustainable drainage devices in their planning policies and guidance, and hence it is not yet widely implemented (Charlesworth, 2010).

1.2 Surface Water Management

The Victorians (1837–1901 in Britain) undoubtedly made remarkable strides towards innovative approaches to the water resource challenges of their day. Facing the dual contests of addressing rapid population expansion and industrial urbanisation, a need developed for high capacity systems to deal with societal water supply and treatment. Comparable approaches were exported or developed independently across the globe, as



Figure 1.1 An example of a flooded car park where the impermeable asphalt surface is retaining stormwater runoff.

other nations faced similar challenges. In the UK, by a combination of philanthropy, public subscription and corporate vision, the infrastructure that would provide the vastly increased urban areas with sufficient clean water and the ability to discharge the surplus was put in place; and with it came the notion of the management of water as a single problem with one overarching solution: the provision of drains. However, while the solutions created by the Victorian engineers were magnificent in their day, the legacy of putting water underground seems to have created a collective mental block for many (Watkins and Charlesworth, 2014).

Nowadays, as mentioned earlier, urbanisation has had a transforming effect on the water cycle, whereby hard infrastructure (e.g. buildings, paving, roads) has effectively sealed the

urbanised area (Davies and Charlesworth, 2014). As a consequence, excessive surface water runoff now exacerbates river water levels and overloads the capacity of traditional underground ‘piped’ drainage systems; this in turn contributes to unnecessary pluvial flooding. To many people, the solution is simply to replace the existing pipes with higher capacity ones. However, as Water UK (2008) states, bigger pipes are not the solution for bigger storms. Therefore, society should be encouraged to look towards more sustainable solutions.

1.3 Sustainable Surface Water Management

‘Sustainable drainage’ means managing rainwater (including snow and other precipitation) with the aim of: (a) reducing damage from flooding; (b) improving water quality; (c) protecting and improving the environment; (d) protecting health and safety; and (e) ensuring the stability and durability of drainage systems (Flood and Water Management Act, 2010).

Based on an understanding of the movement of water in the natural environment, sustainable drainage systems (SuDS) can be designed to restore or mimic natural infiltration patterns, so that they can reduce the risk of urban flooding by decreasing runoff volumes and attenuating peak flows. The choice of phrase or term that is applied to describe the approaches used can vary between countries, contexts and time. In the UK, for instance, SuDS is the most widely used term; whereas elsewhere in the world other relevant terms include surface water management measures (SWMMs), green infrastructure, green building design, stormwater control measures (SCMs), best management practices (BMPs), low impact development (LID) and water sensitive urban design (WSUD) (Lamond *et al.*, 2015). However, whichever term is used, the benefits and challenges are similar (Tables 1.1 and 1.2).

The typical design of any SuD system follows a step-wise hierarchy of various measures, commonly known as the ‘surface water management train’ (Figure 1.2), which minimises stormwater runoff and pollution via a series of devices/processes that store and convey stormwater at different scales: (i) prevention (e.g. land use planning); (ii) source control (e.g. green roofs, rainwater harvesting, permeable paving); (iii) site control (e.g. vegetation or gravel filtration); and (iv) regional control (e.g. retention ponds, wetlands) (Woods Ballard *et al.*, 2007, 2015). The primary goals of the original SuDS train placed equal emphasis on water quality and water quantity, together with amenity and biodiversity, which enabled the creation of the SuDS triangle (Figure 1.3a) (CIRIA, 2001). Subsequent iterations of the goals has enabled the creation of the SuDS square (Figure 1.3b) and, with much wider recognition of the role that SuDS can play in adapting to climate change challenges, the creation of the SuDS rocket (Figure 1.3c). The flexibility and multi-functional nature of SuDS are the main drivers pursued in the chapters of this book.

1.4 Organisation of the Book

This book emphasises the SuDS philosophy and elaborates the sustainable surface water management agenda with a wealth of insights that are brought together through the experts who have contributed. By integrating physical and environmental sciences, and combining social, economic and political considerations, the book provides a unique resource of interest to a wide range of policy specialists, scientists, engineers and subject enthusiasts.

Table 1.1 Examples of the benefits offered by sustainable drainage systems.

Sustainability	<p>SuDS can provide an important contribution to sustainable development.</p> <p>SuDS are more efficient than conventional drainage systems.</p> <p>SuDS help to control and identify flooding and pollution at source.</p> <p>SuDS help to promote subsidiarity.</p> <p>SuDS can help to minimise the environmental footprint of a development.</p> <p>SuDS are a clear demonstration of commitment to the environment.</p>
Water quantity	<p>SuDS can help to reduce flood risk by reducing and slowing runoff from a catchment.</p> <p>SuDS can help to maintain groundwater levels and help to prevent low river flows in summer.</p> <p>SuDS help to reduce erosion and pollution, as well as attenuating flow rates and temperature by increasing the amount of interflow.</p> <p>SuDS can reduce the need to upgrade sewer systems to meet the demands of new developments.</p> <p>SuDS can help to reduce the use of potable water by harvesting rainwater for some domestic uses.</p>
Water quality	<p>SuDS can reduce pollution in rivers and lakes by reducing the amount of contaminants carried by runoff.</p> <p>SuDS can help to reduce the amount of wastewater produced by urban areas.</p> <p>SuDS can reduce erosion and thus decrease the amount of suspended solids in river water.</p> <p>SuDS can help to improve water quality by reducing the incidence of misconnection to foul sewers.</p> <p>SuDS can help to reduce the need to use chemicals to maintain paved surfaces.</p> <p>SuDS can prevent pollution by reducing overflows from sewers.</p>
Natural environment	<p>SuDS can help to restore the natural complexity of a drainage system and as a result promote ecological diversity.</p> <p>SuDS help to maintain urban trees.</p> <p>SuDS help to conserve and promote biodiversity.</p> <p>SuDS can provide valuable habitats and amenity features.</p> <p>SuDS help to conserve river ecology.</p> <p>SuDS help to maintain natural river morphology.</p> <p>SuDS help to maintain natural resources.</p>
Built environment	<p>SuDS can greatly improve the visual appearance and amenity value of a development.</p> <p>SuDS help to maintain consistent soil moisture levels.</p>
Cost reductions	<p>SuDS can save money in drainage system construction.</p> <p>SuDS can save money in the longer term.</p> <p>SuDS can allow property owners to save money through differential charging.</p> <p>SuDS can help to save money by reducing the need to negotiate wayleaves and easements.</p> <p>SuDS can save money through the use of simpler building techniques.</p>

Source: List of benefits derived from CIRIA (2001).

The book comprises seven sections, which are collated into 29 chapters. Section 1 provides an *introduction to the book* and offers an initial background into surface water management issues and challenges (Chapter 1). Section 2 places *sustainable surface water management in context*, through its historical context, contemporary surface water strategy, policy and legislation and operations and maintenance (Chapters 2–4). Section 3 utilises the facets of the *functions of sustainable drainage systems*, to explore quantity and quality issues,

Table 1.2 Examples of the challenges posed by sustainable drainage systems.

Operational issues	<p>There is no consensus on who benefits from SuDS.</p> <p>There is a belief that SuDS may present maintenance challenges.</p> <p>There may be concerns that the colonisation of SuDS may be too successful.</p> <p>SuDS may present a target for vandals.</p>
Design and standards	<p>SuDS are not promoted by the Building Regulations.</p> <p>There are no standards for the construction of SuDS.</p> <p>SuDS require input from too many specialists.</p> <p>SuDS may be seen as untried technology.</p> <p>The guidance on how to build SuDS is limited or unclear.</p> <p>It is difficult to predict the runoff from a site.</p> <p>SuDS can be difficult to retrofit to an existing development.</p>
Management/operational framework	<p>SuDS require new approaches to enable full participation.</p> <p>Planning, design and construction of SuDS will require better coordination.</p> <p>SuDS can require multi-party agreements that may be difficult to set up.</p> <p>SuDS present challenges in setting up long-term management and ownership agreements.</p> <p>SuDS can be difficult to implement because of the variability of roles and responsibilities within local authorities and other bodies.</p> <p>Sewerage undertakers may be reluctant to adopt foul sewers when they are only sewers serving developments using SuDS.</p>

Source: List of challenges derived from CIRIA (2001).




Figure 1.2 The SuDS surface water management train (adapted from CIRIA, 2001).

together with biodegradation, geosynthetics, biodiversity and amenity, (Chapters 5–11). Section 4 attempts to untangle the complex relationship of the *multiple benefits of surface water drainage systems*, through natural floodwater management, energy generation and reduction, carbon sequestration and storage, plus the use of rainwater harvesting as a water saving device and its use in ecosystem services (Chapters 12–16). Section 5 announces the




Figure 1.3 Goals of the SuDS management train (a) the SuDS triangle (CIRIA, 2001); (b) the SuDS square (Woods Ballard *et al.*, 2015); (c) the SuDS rocket (Charlesworth, 2010).

implementation of *integrating sustainable surface water management into the built environment*, through an interesting scrutiny of the cost benefits that can be derived, the possibility of sustainable drainage retrofit and conversion opportunities, and their use in the landscapes of motorway service areas, alongside human attitudes and behaviours towards sustainable drainage systems (Chapters 17–21). Section 6 contextualises *global sustainable surface water management*, through the use of examples from Brazil, New Zealand, South Africa and the USA, among others (Chapters 22–28). Section 7 congregates various aspects detailed in the earlier chapters by offering a *summary of the book* and propositioning many insights of the teachings that can be learnt for the future of sustainable surface water management (Chapter 29).