

Edited by Thomas Wirth

Microreactors in Organic Chemistry and Catalysis

Second, Completely Revised
and Enlarged Edition



Edited by
Thomas Wirth

Microreactors in
Organic Chemistry and Catalysis

Related Titles

Reschetilowski, W. (ed.)

Microreactors in Preparative Chemistry

Practical Aspects in Bioprocessing, Nanotechnology, Catalysis and more

2013

ISBN: 978-3-527-33282-3

Cornils, B., Herrmann, W. A., Wong, C.-H., Zanthoff, H.-W. (eds.)

Catalysis from A to Z

A Concise Encyclopedia

Fourth, Completely Revised and Enlarged Edition

2013

ISBN: 978-3-527-33307-3

Jess, A., Wasserscheid, P.

Chemical Technology

An Integral Textbook

2013

ISBN: 978-3-527-30446-2

Arpe, H.-J.

Industrial Organic Chemistry

2010

ISBN: 978-3-527-32002-8

Zecchina, A., Bordiga, S., Groppo, E. (eds.)

Selective Nanocatalysts and Nanoscience

Concepts for Heterogeneous and Homogeneous Catalysis

2011

ISBN: 978-3-527-32271-8

Wirth, T. (ed.)

Organoselenium Chemistry

Synthesis and Reactions

2011

ISBN: 978-3-527-32944-1

Edited by Thomas Wirth

Microreactors in Organic Chemistry and Catalysis

Second, Completely Revised and Enlarged Edition



WILEY-VCH Verlag GmbH & Co. KGaA

The Editor

Prof. Dr. Thomas Wirth
Cardiff University
School of Chemistry
Park Place Main Building
Cardiff CF10 3AT
United Kingdom

Cover

The cover image is based on a photo kindly provided by the Institut für Mikrotechnik Mainz, Germany.

All books published by **Wiley-VCH** are carefully produced. Nevertheless, authors, editors, and publisher do not warrant the information contained in these books, including this book, to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

Library of Congress Card No.: applied for

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library.

Bibliographic information published by the Deutsche Nationalbibliothek

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available on the Internet at <<http://dnb.d-nb.de>>.

© 2013 Wiley-VCH Verlag GmbH & Co. KGaA,
Boschstr. 12, 69469 Weinheim, Germany

All rights reserved (including those of translation into other languages). No part of this book may be reproduced in any form – by photoprinting, microfilm, or any other means – nor transmitted or translated into a machine language without written permission from the publishers. Registered names, trademarks, etc. used in this book, even when not specifically marked as such, are not to be considered unprotected by law.

Print ISBN: 978-3-527-33299-1

ePDF ISBN: 978-3-527-65975-3

ePub ISBN: 978-3-527-65974-6

mobi ISBN: 978-3-527-65973-9

oBook ISBN: 978-3-527-65972-2

Cover Design Simone Benjamin, McLeese Lake, Canada

Typesetting Thomson Digital, Noida, India

Printing and Binding Markono Print Media Pte Ltd, Singapore

Printed in Singapore

Printed on acid-free paper

Contents

Preface to the First Edition	<i>XIII</i>
Preface to the Second Edition	<i>XV</i>
List of Contributors	<i>XVII</i>

1	Properties and Use of Microreactors	1
	<i>David Barrow, Shan Taylor, Alex Morgan, and Lily Giles</i>	
1.1	Introduction	1
1.1.1	A Brief History of Microreactors	1
1.1.2	Advantages of Microreactors	6
1.2	Physical Characteristics of Microreactors	7
1.2.1	Geometries	7
1.2.2	Constructional Materials and Their Properties	10
1.3	Fluid Flow and Delivery Regimes	16
1.3.1	Fluid Flow	16
1.3.2	Fluid Delivery	20
1.3.3	Mixing Mechanisms	21
1.4	Multifunctional Integration	23
1.5	Uses of Microreactors	23
1.5.1	Overview	23
1.5.1.1	Fast and Exothermic Reactions	24
1.5.2	Precision Particle Manufacture	25
1.5.3	Wider Industrial Context	27
1.5.3.1	Sustainability Agenda	27
1.5.3.2	Point-of-Demand Synthesis	27
	References	28
2	Fabrication of Microreactors Made from Metals and Ceramic	35
	<i>Juergen J. Brandner</i>	
2.1	Manufacturing Techniques for Metals	35
2.2	Etching	36
2.3	Machining	38
2.4	Generative Method: Selective Laser Melting	41
2.5	Metal Forming Techniques	42

2.6	Assembling and Bonding of Metal Microstructures	43
2.7	Ceramic Devices	46
2.8	Joining and Sealing	48
	References	49

3 Microreactors Made of Glass and Silicon 53

Thomas Frank

3.1	How Microreactors Are Constructed	53
3.1.1	Glass As Material	54
3.1.2	Silicon As Material	57
3.2	The Structuring of Glass and Silicon	58
3.2.1	Structuring by Means of Masked Etching As in Microsystems Technology	58
3.2.2	Etching Technologies	60
3.2.2.1	Anisotropic (Crystallographic) Wet Chemical Etching of Silicon (KOH)	61
3.3	Isotropic Wet Chemical Etching of Silicon	63
3.3.1.1	Isotropic Wet Chemical Etching of Silicon	64
3.3.1.2	Isotropic Wet Chemical Etching of Silicon Glass	65
3.3.2	Other Processes	66
3.3.2.1	Photostructuring of Special Glass	66
3.3.3	Drilling, Diamond Lapping, Ultrasonic Lapping	68
3.3.4	Micro Powder Blasting	69
3.3.5	Summary	71
3.4	Other Processes	72
3.4.1	Sensor Integration	72
3.5	Thin Films	72
3.6	Bonding Methods	73
3.6.1	Anodic Bonding of Glass and Silicon	73
3.6.2	Glass Fusion Bonding	73
3.6.3	Silicon Direct Bonding (Silicon Fusion Bonding)	74
3.6.4	Establishing Fluid Contact	76
3.7	Other Materials	78
	References	79

4 Automation in Microreactor Systems 81

Jason S. Moore and Klavs F. Jensen

4.1	Introduction	81
4.2	Automation System	84
4.3	Automated Optimization with HPLC Sampling	86
4.4	Automated Multi-Trajectory Optimization	89
4.5	Kinetic Model Discrimination and Parameter Fitting	94
4.6	Conclusions and Outlook	97
	References	99

5	Homogeneous Reactions	101
	<i>Takahide Fukuyama, Md. Taifur Rahman, and Ilhyong Ryu</i>	
5.1	Acid-Promoted Reactions	101
5.2	Base-Promoted Reactions	106
5.3	Radical Reactions	108
5.4	Condensation Reactions	110
5.5	Metal-Catalyzed Reactions	117
5.6	High Temperature Reactions	122
5.7	Oxidation Reactions	124
5.8	Reaction with Organometallic Reagents	125
	References	130
6	Homogeneous Reactions II: Photochemistry and Electrochemistry and Radiopharmaceutical Synthesis	133
	<i>Paul Watts and Charlotte Wiles</i>	
6.1	Photochemistry in Flow Reactors	133
6.2	Electrochemistry in Microreactors	137
6.3	Radiopharmaceutical Synthesis in Microreactors	139
6.3.1	Fluorinations in Microreactors	141
6.3.2	Synthesis of ¹¹ C-Labeled PET Radiopharmaceuticals in Microreactors	145
6.4	Conclusion and Outlook	147
	References	147
7	Heterogeneous Reactions	151
	<i>Kiyosei Takasu</i>	
7.1	Arrangement of Reactors in Flow Synthesis	152
7.2	Immobilization of the Reagent/Catalyst	155
7.2.1	A Packed-Bed Reactor	155
7.2.2	Monolith Reactors	156
7.2.3	Miscellaneous	157
7.3	Flow Reactions with an Immobilized Stoichiometric Reagent	159
7.4	Flow Synthesis with Immobilized Catalysts: Solid Acid Catalysts	165
7.5	Flow Reaction with an Immobilized Catalyst: Transition Metal Catalysts Dispersed on Polymer	166
7.5.1	Catalytic Hydrogenation	167
7.5.2	Catalytic Cross-Coupling Reactions and Carbonylation Reactions	171
7.5.3	Miscellaneous	175
7.6	Flow Reaction with an Immobilized Catalyst: Metal Catalysts Coordinated by a Polymer-Supported Ligand	176
7.6.1	Flow Reactions Using Immobilized Ligands with a Transition Metal Catalyst	179
7.7	Organocatalysis in Flow Reactions	183
7.8	Flow Biotransformation Reactions Catalyzed by Immobilized Enzymes	186

7.9	Multistep Synthesis	187
7.10	Conclusion	191
	References	191
8	Liquid–Liquid Biphasic Reactions	197
	<i>Matthew J. Hutchings, Batool Ahmed-Omer, and Thomas Wirth</i>	
8.1	Introduction	197
8.2	Background	198
8.3	Kinetics of Biphasic Systems	199
8.4	Biphasic Flow in Microchannels	200
8.5	Surface and Liquid–Liquid Interaction	202
8.6	Liquid–Liquid Microsystems in Organic Synthesis	207
8.7	Micromixer	209
8.8	Conclusions and Outlook	218
	References	218
9	Gas–Liquid Reactions	221
	<i>Ivana Dencic and Volker Hessel</i>	
9.1	Introduction	221
9.2	Contacting Principles and Microreactors	222
9.2.1	Contacting with Continuous Phases	222
9.2.1.1	Falling Film Microreactor	222
9.2.1.2	Continuous Contactor with Partly Overlapping Channels	226
9.2.1.3	Mesh Microcontactor	227
9.2.1.4	Annular-Flow Microreactors	229
9.2.2	Contacting with Disperse Phases	231
9.2.2.1	Taylor-Flow Microreactors	232
9.2.2.2	Micromixer-Capillary/Tube Reactors	237
9.2.2.3	Micro-packed Bed Reactors	240
9.2.2.4	Membrane Microreactors	242
9.2.2.5	Tube in Tube Microreactor	243
9.2.3	Scaling Up of Microreactor Devices	244
9.3	Gas–Liquid Reactions	245
9.3.1	Direct Fluorination of Aromatics	246
9.3.1.1	Direct Fluorination of Aromatics	246
9.3.1.2	Direct Fluorination of Aliphatics and Non-C-Moieties	249
9.3.1.3	Direct Fluorination of Heterocyclic Aromatics	251
9.3.2	Oxidations of Alcohols, Diols, and Ketones with Fluorine	253
9.3.3	Photochlorination of Aromatic Isocyanates	254
9.3.4	Photoradical Chlorination of Cycloalkenes	255
9.3.5	Mono-Chlorination of Acetic Acid	256
9.3.6	Sulfonation of Toluene	257
9.3.7	Photooxidation Reactions	259
9.3.8	Reactive Carbon Dioxide Absorption	263
9.4	Gas–Liquid–Solid Reactions	265

9.4.1	Hydrogenations	266
9.4.1.1	Cyclohexene Hydrogenation over Pt/Al ₂ O ₃	266
9.4.1.2	Hydrogenation of p-Nitrotoluene and Nitrobenzene over Pd/C and Pd/Al ₂ O ₃	267
9.4.1.3	Hydrogenation of Azide	270
9.4.1.4	Hydrogenation of Pharmaceutical Intermediates	270
9.4.1.5	Selective Hydrogenation of Acetylene Alcohols	271
9.4.1.6	Hydrogenation of α -Methylstyrene over Pd/C	272
9.4.2	Oxidations	273
9.4.2.1	Oxidation of Alcohols	275
9.4.2.2	Oxidation of Sugars	275
9.5	Homogeneously Catalyzed Gas–Liquid Reactions	276
9.5.1	Asymmetric Hydrogenation of Cinnamic Acid Derivatives	276
9.5.2	Asymmetric Hydrogenation of Methylacetamidocynamate	278
9.6	Other Applications	281
9.6.1	Segmented Gas–Liquid Flow for Particle Synthesis	281
9.6.2	Catalyst Screening	281
9.7	Conclusions and Outlook	282
	References	283
10	Bioorganic and Biocatalytic Reactions	289
	<i>Masaya Miyazaki, Maria Portia Briones-Nagata, Takeshi Honda, and Hiroshi Yamaguchi</i>	
10.1	General Introduction	289
10.2	Bioorganic Syntheses Performed in Microreactors	292
10.2.1	Biomolecular Syntheses in Microreactors: Peptide, Sugar and Oligosaccharide, and Oligonucleotide	292
10.2.1.1	Peptide Synthesis	292
10.2.1.2	Sugar and Oligosaccharide Synthesis	296
10.2.1.3	Oligonucleotide Synthesis	302
10.3	Biocatalysis by Enzymatic Microreactors	304
10.3.1	Classification of Enzymatic Microreactors Based on Application	304
10.3.1.1	Applications of Microreactors for Enzymatic Diagnostics and Genetic Analysis	304
10.3.1.2	Application of Microreactors for Enzyme-Linked Immunoassays	308
10.3.1.3	Applications of Microfluidic Enzymatic Microreactors in Proteomics	312
10.3.2	Enzymatic Microreactors for Biocatalysis	347
10.3.3	Advantages of Microreactors in Biocatalysis	347
10.3.4	Biocatalytic Transformations in Microfluidic Systems	348
10.3.4.1	Solution-phase Enzymatic Reactions	348
10.3.4.2	Microfluidic Reactors with Immobilized Enzymes for Biocatalytic Transformations	357

10.4	Multienzyme Catalysis in Microreactors	362
10.5	Conclusions	365
	References	366
11	Industrial Microreactor Process Development up to Production	373
	<i>Ivana Dencic and Volker Hessel</i>	
11.1	Mission Statement from Industry on Impact and Hurdles	373
11.2	Screening Studies in Laboratory	375
11.2.1	Peptide Synthesis	375
11.2.2	Hantzsch Synthesis	378
11.2.3	Knorr Synthesis	379
11.2.4	Enamine Synthesis	381
11.2.5	Aldol Reaction	381
11.2.6	Wittig Reaction	382
11.2.7	Polyethylene Formation	382
11.2.8	Diastereoselective Alkylation	383
11.2.9	Multistep Synthesis of a Radiolabeled Imaging Probe	384
11.3	Process Development at Laboratory Scale	386
11.3.1	Nitration of Substituted Benzene Derivatives	386
11.3.2	Microflow Azide Syntheses	387
11.3.3	Vitamin Precursor Synthesis	389
11.3.4	Ester Hydrolysis to Produce an Alcohol	391
11.3.5	Synthesis of Methylenecyclopentane	391
11.3.6	Condensation of 2-Trimethylsilylethanol	391
11.3.7	Staudinger Hydration	392
11.3.8	(S)-2-Acetyl Tetrahydrofuran Synthesis	392
11.3.9	Synthesis of Intermediate for Quinolone Antibiotic Drug	393
11.3.10	Domino Cycloadditions in Parallel Fashion	394
11.3.11	Phase-Transfer Catalysis-Mediated Knoevenagel Condensation	396
11.3.12	Ciprofloxazin [®] Multistep Synthesis	396
11.3.13	Methyl Carbamate Synthesis	397
11.3.14	Newman–Kwart Rearrangement	398
11.3.15	Ring-Expansion Reaction of N-Boc-4-Piperidone	399
11.3.16	Synthesis of Aldehydes	400
11.3.17	Grignard Reactions and Li–Organic Reactions	402
11.3.18	Continuous Synthesis of Disubstituted Triazoles	404
11.3.19	Production of 6-Hydroxybuspirone	405
11.3.20	Swern–Moffatt Oxidation	406
11.4	Pilot Plants and Production	408
11.4.1	Hydrogen Peroxide Synthesis	408
11.4.2	Phenylboronic Acid Synthesis	410
11.4.3	Diverse Case Studies at Lonza	411
11.4.4	Alkylation Reactions Based on Butyllithium	414
11.4.5	Microprocess Technology in Japan	416
11.4.6	Pilot Plant for Methyl Methacrylate Manufacture	417

11.4.7	Grignard Exchange Reaction	417
11.4.8	Halogen–Lithium Exchange Pilot Plant	419
11.4.9	Swern–Moffatt Oxidation Pilot Plant	420
11.4.10	Yellow Nano Pigment Plant	422
11.4.11	Polycondensation	423
11.4.12	H ₂ O ₂ -Based Oxidation to 2-Methyl-1,4-naphthoquinone	424
11.4.13	Friedel–Crafts Alkylation	425
11.4.14	Diverse Studies from Japanese Project Cluster	426
11.4.14.1	Synthesis of Photochromic Diarylethenes	426
11.4.14.2	Cross-Coupling in a Flow Microreactor	427
11.4.15	Direct Fluorination of Ethyl 3-Oxobutanoate	428
11.4.16	Deoxofluorination of a Steroid	429
11.4.17	Microprocess Technology in the United States	430
11.4.18	Propene Oxide Formation	432
11.4.19	Diverse Industrial Pilot-Oriented Involvements	433
11.4.20	Production of Polymer Intermediates	435
11.4.21	Synthesis of Diazo Pigments	436
11.4.22	Selective Nitration for Pharmaceutical Production	438
11.4.23	Nitroglycerine Production	439
11.4.24	Fine Chemical Production Process	440
11.4.25	Grignard-Based Enolate Formation	441
11.5	Challenges and Concerns	442
	References	444

Index	447
--------------	------------

Preface to the First Edition

Microreactor technology is no longer in its infancy and its applications in many areas of science are emerging. This technology offers advantages to classical approaches by allowing miniaturization of structural features up to the micrometer regime. This book compiles the state of the art in organic synthesis and catalysis performed with microreactor technology. The term “microreactor” has been used in various contexts to describe different equipment, and some examples in this book might not justify this term at all. But most of the reactions and transformations highlighted in this book strongly benefit from the physical properties of microreactors, such as enhanced mass and heat transfer, because of a very large surface-to-volume ratio as well as regular flow profiles leading to improved yields with increased selectivities. Strict control over thermal or concentration gradients within the microreactor allows new methods to provide efficient chemical transformations with high space–time yields. The mixing of substrates and reagents can be performed under highly controlled conditions leading to improved protocols. The generation of hazardous intermediates *in situ* is safe as only small amounts are generated and directly react in a closed system. First reports that show the integration of appropriate analytical devices on the microreactor have appeared, which allow a rapid feedback for optimization.

Therefore, the current needs of organic chemistry can be addressed much more efficiently by providing new protocols for rapid reactions and, hence, fast access to novel compounds. Microreactor technology seems to provide an additional platform for efficient organic synthesis – but not all reactions benefit from this technology. Established chemistry in traditional flasks and vessels has other advantages, and most reactions involving solids are generally difficult to be handled in microreactors, though even the synthesis of solids has been described using microstructured devices.

In the first two chapters, the fabrication of microreactors useful for chemical synthesis is described and opportunities as well as problems arising from the manufacture process for chemical synthesis are highlighted. Chapter 1 deals with the fabrication of metal- and ceramic-based microdevices, and Brandner describes different techniques for their fabrication. In Chapter 2, Frank highlights the microreactors made from glass and silicon. These materials are more known to the organic chemists and have therefore been employed frequently in different

laboratories. In Chapter 3, Barrow summarizes the use and properties of microreactors and also takes a wider view of what microreactors are and what their current and future uses can be.

The remaining chapters in this book deal with different aspects of organic synthesis and catalysis using the microreactor technology. A large number of homogeneous reactions performed in microreactors have been sorted and structured by Ryu *et al.* in Chapter 4.1, starting with very traditional, acid- and base-promoted reactions. They are followed by metal-catalyzed processes and photochemical transformations, which seem to be particularly well suited for microreactor applications. Heterogeneous reactions and the advantage of consecutive processes using reagents and catalysts on solid support are compiled by Ley *et al.* in Chapter 4.2. Flow chemistry is especially advantageous for such reactions, but certain limitations to supported reagents and catalysts still exist. Recent advances in stereoselective transformations and in multi-step syntheses are explained in detail. Other biphasic reactions are dealt with in the following two chapters. In Chapter 4.3, we focus on liquid–liquid biphasic reactions and focus on the advantages that microreactors can offer for intense mixing of immiscible liquids. Organic reactions performed under liquid–liquid biphasic reaction conditions can be accelerated in microreactors, which is demonstrated using selected examples. The larger area of gas–liquid biphasic reactions is dealt with by Hessel *et al.* in Chapter 4.4. After introducing different contacting principles under continuous flow conditions, various examples show clearly the prospects of employing microreactors for such reactions. Aggressive and dangerous gases such as elemental fluorine can be handled and reacted safely in microreactors. The emergence of the bioorganic reactions is described by vanHest *et al.* in Chapter 4.5. Several of the reactions explained in this chapter are targeted toward diagnostic applications. Although on-chip analysis of biologic material is an important area, the results of initial research showing biocatalysis can also now be used efficiently in microreactors are summarized in this chapter. In Chapter 5, Hessel *et al.* explain that microreactor technology is already being used in the industry for the continuous production of chemicals on various scales. Although only few achievements have been published by industry, the insights of the authors into this area allowed a very good overview on current developments. Owing to the relatively easy numbering up of microreactor devices, the process development can be performed at the laboratory scale without major changes for larger production. Impressive examples of current production processes are given, and a rapid development in this area is expected over the next years. I am very grateful to all authors for their contributions and I hope that this compilation of organic chemistry and catalysis in microreactors will lead to new ideas and research efforts in this field.

Cardiff
August 2007

Thomas Wirth

Preface to the Second Edition

The continued and increased research efforts in microreactor and flow chemistry have led to an impressive increase in publications in recent years and even to a translation of the first edition of this book into Chinese. This is reflected not only in an update and expansion of all chapters of the first edition but also in the addition of several new chapters to this second edition.

In the first three chapters, Barrow, Brandner, and Frank, respectively, describe properties and fabrication methods of microreactors. In Chapter 4, Moore and Jensen give detailed insights into current methods of online and offline analyses, the potential of rapid optimization of reactions using flow technology, and the combination of analysis and optimization. For better readability, the material on organic synthesis has been split into five different chapters. Ryu *et al.* have extended their chapter on homogeneous reactions in microreactors, while Watts and Wiles have elaborated the topics of photochemistry, electrochemistry, and radiopharmaceutical synthesis in a new chapter as reactions in these areas are very suitable for being carried out using flow chemistry devices and many publications have recently appeared.

Takasu has written a comprehensive chapter on heterogeneous reactions in microreactors and a many different reactions can be found in this part. We have updated our chapter on liquid–liquid biphasic reactions and Hessel *et al.* have provided an update on the gas–liquid biphasic reactions. The chapter on bioorganic and biocatalytic reactions by Miyazaki *et al.* is a comprehensive overview of the developments in this area and highlights the advantages that flow chemistry can offer for research in bioorganic chemistry.

The final chapter by Hessel *et al.* on industrial microreactor process development up to production has seen a dramatic increase as in many areas industry is now adopting flow chemistry with all its advantages for research and for small- to medium-scale production.

I am again very grateful to all authors for providing updates or completely new contributions and I hope that this compilation of chemistry and catalysis in microreactors will stimulate new ideas and research efforts.

Cardiff
January 2013

Thomas Wirth

List of Contributors

Batool Ahmed-Omer

Cardiff University
School of Chemistry
Main Building
Park Place
Cardiff CF10 3AT
UK

David Barrow

Cardiff University
Cardiff School of Engineering
Laboratory for Applied Microsystems
Cardiff CF24 3TF
UK

Juergen J. Brandner

Karlsruhe Institute of Technology
Institute for Micro Process
Engineering
Campus North
Hermann-von-Helmholtz-Platz 1
76344 Eggenstein-Leopoldshafen
Germany

Maria Portia Briones-Nagata

Measurement Solution Research
Center
National Institute of Advanced
Industrial Science and Technology
807-1 Shuku, Tosu
Saga 841-0052
Japan

Ivana Dencic

Eindhoven University of Technology
Department of Chemical
Engineering and Chemistry
Laboratory for Micro-Flow Chemistry
and Process Technology
STW 1.37
5600 MB, Eindhoven
The Netherlands

Thomas Frank

Porzellanstr. 16
98693 Ilmenau
Germany

Takahide Fukuyama

Osaka Prefecture University
Graduate School of Science
Department of Chemistry
Sakai
Osaka 599-8531
Japan

Lily Giles

Cardiff University
Cardiff School of Engineering
Laboratory for Applied Microsystems
Cardiff CF24 3TF
UK

Volker Hessel

Eindhoven University of Technology
Department of Chemical
Engineering and Chemistry
Laboratory for Micro-Flow Chemistry
and Process Technology
STW 1.37
5600 MB Eindhoven
The Netherlands

Takeshi Honda

Measurement Solution Research
Center
National Institute of Advanced
Industrial Science and Technology
807-1 Shuku, Tosu
Saga 841-0052
Japan

Matthew J. Hutchings

Cardiff University
School of Chemistry
Main Building
Park Place
Cardiff CF10 3AT
UK

Klavs F. Jensen

Massachusetts Institute of
Technology
Department of Chemical
Engineering
Room 66-566
77 Massachusetts Avenue
Cambridge
MA 02139
USA

Masaya Miyazaki

Measurement Solution Research
Center
National Institute of Advanced
Industrial Science and Technology
807-1 Shuku, Tosu
Saga 841-0052
Japan

Jason S. Moore

Massachusetts Institute of
Technology
Department of Chemical
Engineering
Room 66-566
77 Massachusetts Avenue
Cambridge
MA 02139
USA

Alex Morgan

Cardiff University
Cardiff School of Engineering
Laboratory for Applied Microsystems
Cardiff CF24 3TF
UK

Md. Taifur Rahman

Osaka Prefecture University
Graduate School of Science
Department of Chemistry
Sakai
Osaka 599-8531
Japan

and

School of Chemistry and Chemical
Engineering
David Keir Building
Queen's University
Belfast BT9 5AG
Northern Ireland
UK

Ilhyong Ryu

Osaka Prefecture University
Graduate School of Science
Department of Chemistry
Sakai
Osaka 599-8531
Japan

Kiyosei Takasu

Kyoto University
Graduate School of Pharmaceutical
Sciences
Yoshida
Sakyo-ku
Kyoto 606-8501
Japan

Shan Taylor

Cardiff University
Cardiff School of Engineering
Laboratory for Applied Microsystems
Cardiff CF24 3TF
UK

Paul Watts

Research Chair in Microfluidic
Bio/Chemical Processing
InnoVenton: NMMU Institute for
Chemical Technology
Nelson Mandela Metropolitan
University
Port Elizabeth 6031
South Africa

Charlotte Wiles

Chemtrix BV
Burgemeester Lemmensstraat 358
6163 JT Geleen
The Netherlands

Thomas Wirth

Cardiff University
School of Chemistry
Main Building
Park Place
Cardiff CF10 3AT
UK

Hiroshi Yamaguchi

Measurement Solution Research
Center
National Institute of Advanced
Industrial Science and Technology
807-1 Shuku, Tosu
Saga 841-0052
Japan

1

Properties and Use of Microreactors

David Barrow, Shan Taylor, Alex Morgan, and Lily Giles

1.1

Introduction

Microreactors are devices that incorporate at least one three-dimensional duct, with one or more lateral dimensions of <1 mm (typically a few hundred micrometers in diameter), in which chemical reactions take place, usually under liquid-flowing conditions [1]. Such ducts are frequently referred to as microchannels, usually transporting liquids, vapors, and/or gases, sometimes with suspensions of particulate matter, such as catalysts (Figure 1.1) [2]. Often, microreactors are constructed as planar devices, often employing fabrication processes similar to those used in manufacturing of microelectronic and micromechanical chips, with ducts or channels machined into a planar surface (Figure 1.2c and d) [3]. The volume output per unit time from a single microreactor element (Figure 1.2b, c, d and e) is small, but industrial rates can be realized by having many microreactors working in parallel (Figure 1.2f).

However, microreactor research can be conducted on simple microbore tubing fabricated from stainless steel (Figure 1.2a), polytetrafluoroethylene (PTFE), or any material compatible with the chemical processing conditions employed [4]. For instance, inexpensive fluoroelastomeric tubing was employed to prepare a packed-bed microreactor for the catalysis of oxidized primary and secondary alcohols [5]. As such, microreactor technology is related to the much wider field of microfluidics, which involves an extended set of microdevices and device integration strategies for fluid and particle manipulation [6].

1.1.1

A Brief History of Microreactors

In 1883, Reynolds' study on fluid flow was published in the *Philosophical Transactions of the Royal Society* [7]. Reynolds used streams of colored water in glass piping to visually observe fluid flow over a range of parameters. The apparatus used is depicted in a drawing by Reynolds himself (Figure 1.3), which shows flared glass




Figure 1.1 Detailed example of a simple duct-based microreactor fabricated from polytetrafluoroethylene (with perfluoralkoxy capping layer). Reagents 1 and 2 interact by diffusive mixing within the reaction coil. The reaction product becomes the continuous phase for an immiscible discontinuous phase,

which initially forms elongate slugs. When subject to a capillary dimensional expansion, slugs become spheres, which are then coated with a reagent (that is miscible with the continuous phase) fed through numerous narrow, high aspect ratio ducts made with a femtosecond laser.

tubing within a water-filled tank. Using this setup, he discovered that varying velocities, diameters of the piping, and temperatures led to transitions between “streamline” and “sinuous” flow (respectively known as laminar and turbulent flow today). This paper was a landmark, which demonstrated practical and philosophical aspects of fluid mechanics that are still endorsed and used in many fields of science and engineering today, including microreactor technology [8].

An early example for the use of a microreactor was demonstrated in 1977 by the inventor Bollet, working for Elf Union (now part of Total) [9]. The invention involved mixing of two liquids in a micromachined device. In 1989, a microreactor that aimed at reducing the cost of large heat release reactions was designed by Schmid and Caesar working for Messerschmitt-Bölkow-Blohm GmbH. Subsequently, an application for patent was made by the company in 1991 [10]. In 1993, Benson and Ponson published their important paper on how miniature chemical processing plants could redistribute and decentralize production to customer locations [11]. Later, in 1996, Alan Bard filed a US patent (priority 1994) where it is taught how an integrated chemical synthesizer could be constructed from a number of microliter-capacity microreactor modules, most preferably in a chip-like format, which can be used together, or interchangeably, on a motherboard (like electronic chips), and based upon thermal, electrochemical, photochemical, and pressurized principles [12].




Figure 1.2 Examples of modern-day microreactors and other microfluidic components. (a)

Source: Reprinted with permission from Takeshi *et al.* (2006) *Org. Process Res. Dev.*, 10, 1126–1131. Copyright (2006) American Chemical Society.




Figure 1.3 The original apparatus used by Osborne Reynolds to study the motion of water [7]. The apparatus consisted of a tank filled with

water and glass tubing within. Colored water was injected through the glass tubing, so the characteristics of fluid flow could be observed.



Figure 1.4 Fused silica microfluidic chip compared to the size of a €2 coin. The chip was the first example of synthesis, separation and analysis combined on a single device. *Source:* Photograph courtesy of Professor D. Belder with permission.

Following this, a pioneering experiment conducted by Salimi-Moosavi and colleagues (1997) introduced one of the first examples of electrically driven solvent flow in a microreactor used for organic synthesis. An electro-osmotic-controlled flow was used to regulate mixing of reagents, *p*-nitrobenzenediazonium tetrafluoroborate (AZO) and *N,N*-di-methylaniline, to produce a red dye [13]. One of the first microreactor-based manufacturing systems was designed and commissioned by CPC in 2001 for Clariant [14].

Microreactor systems have since evolved from basic, single-step chemical reactions to more complicated multistep processes. Belder *et al.* (2006) claim to have made the first example of a microreactor that integrated synthesis, separation, and analysis on a single device [15]. The microfluidic chip fabricated from fused silica (as seen in Figure 1.4) was used to apply microchip electrophoresis to test the enantioselective biocatalysts that were created. The authors reported a separation of enantiomers within 90 s, highlighting the high throughput of such devices.

Early patents in microreactor engineering have been extensively reviewed by Hessel *et al.* (2008) [16] and then later by Kumar *et al.* (2011) [17]. From 1999 to 2009, the number of research articles published on microreactor technology rose from 61 to 325 per annum (Figure 1.5a) [17]. The United States of America produced the majority of research articles, followed by the People's Republic of China and Germany (Figure 1.5c) [17]. The number of patent publications produced was also highest in the United States of America; the data are given in Figure 1.5b [17]. The number of patent publications is highest in the field of inorganic chemistry, but of particular interest, organic chemistry comes second out 18 fields of chemical applications investigated [16].




Figure 1.5 (a) The number of research articles published on microreactors from the years 1999 to 2009. (b) Distribution of patent publications produced from 10 different countries. (c) Distribution of published research articles from various countries. *Source:* Images reprinted from Ref. [17], with permission from Elsevier.

FR: France; NL: Netherlands; CH: Switzerland; SE: Sweden). (c) Distribution of published research articles from various countries. *Source:* Images reprinted from Ref. [17], with permission from Elsevier.

Microreactor technology has been widely employed in academia and is also beginning to be used in industry where clear benefits arise and are worthy of new financial investment. Companies contributing considerably to the development of microreactors include Merck Patent GmbH, Battelle Memorial Institute, Velocys Inc., Forschungszentrum Karlsruhe, The Institute for Microtechnology Mainz, Chemical Process Systems, Little Things Factory GmbH, Syrris Ltd, Ehrfeld




Figure 1.6 Image of a planar chip chromatograph, microfabricated from wet etched magnesium oxide, described in US patent 3,701,632 filed in 1970 by James Lovelock. Image is a screen capture from a

movie of Dennis Desty talking about innovations in chromatography. *Source:* Courtesy, Prof. Peter Myers, Liverpool University UK.

Mikrotechnik BTC, Micronit BV, Mikrogas chemtech GmbH, Chemtrix BV, Vapourtec Ltd, Microreactor Technologies Inc., Xytel Corporation, and more [16,18].

To place microreactors clearly within an historical context, we can relate the emergence of such devices to their nearest neighbors, these being from the wider field of microfluidics, which includes the flow of gases. With respect to this, we can see that some of the earliest examples of microfluidic devices go back at least to 1970, when James Lovelock filed patent US3,701,632 describing a planar chip-based chromatograph fabricated from wet-etched magnesium oxide (Figure 1.6).

1.1.2

Advantages of Microreactors

Flow chemistry is long established for manufacturing large quantities of materials [19]. However, this can sometimes be time consuming and expensive due to the amount of materials used. Also, scaling up a small process to a much larger industrial sized application can be challenging and often results in batch processing. This type of processing can lead to variances between each batch, ultimately yielding inconclusive and unreproducible results [19]. In contrast, the use of microreactors enables chemical reactions to be run continuously [20], usually in a flowing stream, and from this the topic of microprocess chemistry was born [21]. Microreactors are therefore seen as the modern-day chemists' round-bottom flask [19] and can

potentially revolutionize the practice of chemical synthesis [4]. For instance, using microscale reactors, reactions can be carried out under isothermal conditions with well-defined residence times, so that undesirable side reactions and product degradation are limited. The distinctive fluid-flow and thermal and chemical kinetic behavior observed in microreactors, as well as their size and energy characteristics, lend their use to diverse applications [22,23] including:

- high-purity chemical products [24],
- highly exothermic reactions [25,26],
- screening for potential catalysts [27,28],
- precision particle manufacture [29],
- high-throughput material synthesis [30],
- emulsification and microencapsulation [31],
- fuel cell construction [32],
- point-of-use, miniature, and portable microplants [33].

These new application horizons are enabled by the following advantages: (i) reduced size through microfabrication, (ii) reduced diffusion distances, (iii) enhanced rates of thermal and mass transfer and subsequent processing yields [34,35], (iv) reduced reaction volumes, (v) controlled sealed systems avoiding contamination, (vi) use of solvents at elevated pressures and temperatures, (vii) reduced chemical consumption, (viii) facility for continuous synthesis [36], and (ix) increased atom efficiency [37]. Microreactor research and development has been particularly promoted for high-throughput synthesis in the pharmaceutical industry, where large numbers of potential pharmaceutically beneficial compounds need to be generated, initially, in small quantities, as a component of the drug discovery process [38]. In this chapter, the key functional properties of microreactors are reviewed in the context of use in diverse fields.

1.2

Physical Characteristics of Microreactors

1.2.1

Geometries

- 1) *Size*: Microreactor systems incorporate structures for the directed transport or containment of gases or fluids that have a dimensional property in at least one direction usually measured in micrometers, sometimes up to 1 mm. These structures may comprise microscale ducts (e.g., channels and slots) and pores, larger features (e.g., parallel plates) that cause fluid to flow in thin films, and others that cause fluid to flow in microscale discontinuous multiphase flow (e.g., bubbles and emulsions). More specific details of these types of structure are explained in Chapters 9 and 10. In addition, small containment structures such as microwells have been fabricated in an analogous format to traditional micro-titer plates, rendering potential compatibility with existing robotic handling

systems as used in many high-throughput screening laboratories. Extending the notion of a microreactor, an increasing number of studies are demonstrating how separated droplets may act as nanoscale-based reactors [39]. For instance, the use of solvent droplets resulting from controlled segmented flow has been proposed as individual nanoliter reactors for organic synthesis [40–42]. Similarly, reverse micellar structures have been shown to provide reactors for the controlled synthesis of nanometer-scale particulates [43,44]. Also, giant phospholipid liposomes ($\sim 10\text{ }\mu\text{m}$ diameter) have been utilized as miniature containers of reagents and can be manipulated by various external mechanisms, such as optical, electrical, and mechanical displacement and fusion [45]. Liposome-based microreactors, manipulated in this manner, hold the potential to enable highly controlled and multiplexed microreactions in a very small scale [46].

- 2) *Architecture*: Geometries employed in microreactor design and fabrication may range from simple tubular structures, where perhaps two reagents are introduced to form a product, to more sophisticated multicomponent circuits, where several functionalities may be performed, including reagent injection(s), mixing, incubation, quench addition, solvent exchange, crystallization, thermal management, extraction, encapsulation, or phase separation.
- 3) *Multiplicity*: Microreactors may comprise single-element structures from which small quantities of reaction products may be obtained, or, massively parallel structures where output on an industrial scale can be realized. Examples of numbering-up of microreactors are shown in Figure 1.7. In Figure 1.7a, 10 glass microreactors are placed on top of each other to form one single, multileveled device [47]. The microchannels were produced by photolithography and wet




Figure 1.7 Examples of multiple microreactors used in parallel for higher throughput and yield of products [47,48]. *Source*: Figures reprinted with permission, copyright (2010), American Chemical Society.