Paul Walker · Terence Lovat

Life and Death Decisions in the Clinical Setting Moral Decision Making Through Dialogic Consensus



SpringerBriefs in Ethics

More information about this series at http://www.springer.com/series/10184

Life and Death Decisions in the Clinical Setting

Moral Decision Making Through Dialogic Consensus



Paul Walker School of Medicine and Public Health The University of Newcastle Newcastle, NSW Australia Terence Lovat School of Humanities and Social Science The University of Newcastle Newcastle, NSW Australia

and

University of Oxford Oxford UK

ISSN 2211-8101 SpringerBriefs in Ethics ISBN 978-981-10-4300-0 DOI 10.1007/978-981-10-4301-7

ISSN 2211-811X (electronic)

ISBN 978-981-10-4301-7 (eBook)

Library of Congress Control Number: 2017934630

© The Author(s) 2017

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by Springer Nature The registered company is Springer Nature Singapore Pte Ltd.

The registered company address is: 152 Beach Road, #21-01/04 Gateway East, Singapore 189721, Singapore

Kenneth Edward Walker, RIP 7th August 2015

Preface

Moral decision making in clinical settings, especially around life and death decisions, has never been easy. In our current context, we see life-prolonging technological advancements racing ahead of our reflection on when to employ those advancements. Hence, decision making which aims to truly maximise the good of the patient has become ever more complex. At the same time, societies themselves have become more complex, with the largely homogenous societies of the past giving way to increasingly multicultural, multifaith ones. Hence, the relatively predictable set of values that once might have defined the stakeholders involved in difficult moral decision making has been replaced by value pluralism. As a result, the lines of Western philosophical thought that have determined such decision making in the past need to be reappraised and recalibrated to take account of this new situation. These lines of thought have resulted in the substantive (that is, stand-alone) ethical frameworks of deontology (also known as categorical or teleology (consequentialism, utilitarianism), and virtue ethics. Traditionally, one or other or a combination of these three frameworks has guided ethical decision making in the Western clinical setting.

Deontology argues that some things must not be done. For example, any act that could be described as killing is impermissible because of the intrinsic nature of the act of killing. Teleology argues that what is permissibly done depends upon the consequences of the action. For example, killing might be permissible if it can be shown to be of greater benefit (in terms, for example, of relieving suffering) than not killing. Virtue ethics focus on the character of the person who is doing the act, rather than the act itself; in the clinical setting, moral decision making turns on maximising the good of the patient through empathic, compassionate caring.

Four principles distilled from these frameworks—autonomy, non-maleficence, beneficence and justice—have historically guided ethical decision making in clinical settings. In the context of value pluralism, however, recourse to these frameworks alone has potential to overlook the essential inter-connectedness within the community, which is necessary for moral decision making. Regardless of how one's own ethical values, conceptions of the good or life-choices might be reached, how do they differ from those of others, especially the stakeholders to any life and

viii Preface

death decision? Herein, we propose a *proportionist* approach as a way of balancing out the wisdom to be found in the substantive frameworks and principles above with the realities of the new context of advanced technological potential and value pluralism.

In order to put into practice an approach of proportionate balancing of rules and consequences, a moral decision-making *process* should be followed. This process involves having a conversation, a dialogue or a discourse, with collaboration, amongst all the stakeholders. The aim of the dialogue is to reach consensus in the decision, via mutual understanding of the values held by the patient and the patient's family and others whom they see as significant, set against the concrete reality of the situation at hand. From a virtue ethics' perspective, this process seeks to maximise the various Goods of the patient so as to actualise optimal care for the patient. This process of *dialogic consensus* is inspired in part from the writings of Jürgen Habermas, a continental philosopher, political scientist and sociologist. His concepts of discourse theory of morality and principles of communicative action together underpin a moral decision-making process of inclusive, non-coercive and reflective dialogue.

The central argument of this book is that in our contemporary era, characterised medically by an ever-increasing armamentarium of life-sustaining technology, an active process of moral decision making in clinical situations, rather than mere monological contemplation on the part of a clinician, is required. Reaching unforced consensus amongst the stakeholders of clinician, patient, family and relevant others renders the decision with what is known in moral philosophy as normative force. Normative force means that the decision has a sense of *oughtness* or *shouldness* associated with it. Additionally, if this process of non-coercive dialogic consensus is understood and reflected upon, the patient, family and others are less likely to have lingering doubts about whether the normatively right decision is being made.

Newcastle, Australia Newcastle, Australia/Oxford, UK Paul Walker Terence Lovat