




Submerged Landscapes of the **EUROPEAN** **CONTINENTAL SHELF**

Quaternary Paleoenvironments

Edited by
Nicholas C. Flemming, Jan Harff, Delminda Moura
Anthony Burgess and Geoffrey N. Bailey

SUBMERGED LANDSCAPES OF THE EUROPEAN CONTINENTAL SHELF

Quaternary Paleoenvironments

Cost (European Cooperation in Science and Technology) is a pan-European intergovernmental framework. Its mission is to enable break-through scientific and technological developments leading to new concepts and products and thereby contribute to strengthening Europe's research and innovation capacities.

It allows researchers, engineers and scholars to jointly develop their own ideas and take new initiatives across all fields of science and technology, while promoting multi- and interdisciplinary approaches. COST aims at fostering a better integration of less research intensive countries to the knowledge hubs of the European Research Area. The COST Association, an International not-for-profit Association under Belgian Law, integrates all management, governing and administrative functions necessary for the operation of the framework. The COST Association has currently 36 Member Countries. www.cost.eu.



COST is supported by
the EU Framework Programme
Horizon 2020

SUBMERGED LANDSCAPES OF THE EUROPEAN CONTINENTAL SHELF

Quaternary Paleoenvironments

Edited by

Nicholas C. Flemming

National Oceanography Centre, Southampton, UK

Jan Harff

University of Szczecin, Poland

Delminda Moura

University of Algarve, Portugal

Anthony Burgess

University of Malta, Malta

Geoffrey N. Bailey

University of York, UK

This edition first published 2017
© 2017 John Wiley & Sons Ltd

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by law. Advice on how to obtain permission to reuse material from this title is available at <http://www.wiley.com/go/permissions>.

The right of Nicholas C. Flemming, Jan Harff, Delminda Moura, Anthony Burgess and Geoffrey N. Bailey to be identified as the authors of the editorial material in this work has been asserted in accordance with law.

Registered Offices

John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, USA

John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, UK

Editorial Office

9600 Garsington Road, Oxford, OX4 2DQ, UK

For details of our global editorial offices, customer services, and more information about Wiley products visit us at www.wiley.com.

Wiley also publishes its books in a variety of electronic formats and by print-on-demand. Some content that appears in standard print versions of this book may not be available in other formats.

Limit of Liability/Disclaimer of Warranty

The contents of this work are intended to further general scientific research, understanding, and discussion only and are not intended and should not be relied upon as recommending or promoting scientific method, diagnosis, or treatment by physicians for any particular patient. The publisher and the authors make no representations or warranties with respect to the accuracy and completeness of the contents of this work and specifically disclaim all warranties, including without limitation any implied warranties of fitness for a particular purpose. In view of ongoing research, equipment modifications, changes in governmental regulations, and the constant flow of information relating to the use of medicines, equipment, and devices, the reader is urged to review and evaluate the information provided in the package insert or instructions for each medicine, equipment, or device for, among other things, any changes in the instructions or indication of usage and for added warnings and precautions. Readers should consult with a specialist where appropriate. The fact that an organization or website is referred to in this work as a citation and/or potential source of further information does not mean that the author or the publisher endorses the information the organization or website may provide or recommendations it may make. Further, readers should be aware that websites listed in this work may have changed or disappeared between when this work was written and when it is read. No warranty may be created or extended by any promotional statements for this work. Neither the publisher nor the author shall be liable for any damages arising herefrom.

Library of Congress Cataloging-in-Publication Data

Names: Flemming, N. C. (Nicholas Coit)

Title: Submerged landscapes of the European continental shelf : Quaternary paleoenvironments / edited by Nicholas C. Flemming [and four others].

Description: Hoboken, NJ : John Wiley & Sons, Inc., 2017– | Includes bibliographical references and index.

Identifiers: LCCN 2016053352 | ISBN 9781118922132 (cloth) | ISBN 9781118927717 (epub)

Subjects: LCSH: Paleoclimatology–Quaternary. | Paleoclimatology–Europe. | Submerged lands–Europe. | Continental shelf–Europe. | Archaeology–Europe.

Classification: LCC QC884.5.E87 S83 2017 | DDC 909/.09633–dc23

LC record available at <https://lccn.loc.gov/2016053352>

Cover images: (Top Image) © Berné, S. & Gorini, C./Elsevier; (Bottom Image) © Courtesy of Ehud Galili/Photo: Itamar Grinberg, Israel

Cover design by Wiley

Set in 11/14pt Adobe Garamond by Aptara Inc., New Delhi, India

Printed and bound by CPI Group (UK) Ltd, Croydon, CR0 4YY

10 9 8 7 6 5 4 3 2 1

Contents

CONTRIBUTORS	vii		
FOREWORD	xi		
PREFACE	xv		
ACKNOWLEDGEMENT	xvii		
1 Introduction: Prehistoric Remains on the Continental Shelf — Why do Sites and Landscapes Survive Inundation?	1	8 Northern North Sea and Atlantic Northwest Approaches	187
<i>Nicholas C. Flemming, Jan Harff, Delminda Moura, Anthony Burgess and Geoffrey N. Bailey</i>		<i>Sue Dawson, Richard Bates, Caroline Wickham-Jones and Alastair Dawson</i>	
2 Sea Level and Climate	11	9 Paleolandscapes of the Celtic Sea and the Channel/La Manche	211
<i>Jan Harff, Nicholas C. Flemming, Andreas Groh, Birgit Hünicke, Gilles Lericolais, Martin Meschede, Alar Rosentau, Dimitris Sakellariou, Szymon Uścińowicz, Wenyan Zhang and Eduardo Zorita</i>		<i>R. Helen Farr, Garry Momber, Julie Satchell and Nicholas C. Flemming</i>	
3 Non-Cultural Processes of Site Formation, Preservation and Destruction	51	10 Irish Sea and Atlantic Margin	241
<i>Nicholas C. Flemming, Jan Harff and Delminda Moura</i>		<i>Kieran Westley and Robin Edwards</i>	
4 Standard Core Variables for Continental Shelf Prehistoric Research and Their Availability	83	11 The Iberian Atlantic Margin	281
<i>Nicholas C. Flemming</i>		<i>Delminda Moura, Ana Gomes and João Horta</i>	
5 The Baltic Sea Basin	103	12 The Western Mediterranean Sea	301
<i>Alar Rosentau, Ole Bennike, Szymon Uścińowicz and Grażyna Miotk-Szpiganowicz</i>		<i>Miquel Canals, Isabel Cacho, Laurent Carozza, José Luis Casamor, Galderic Lastras and Anna Sánchez-Vidal</i>	
6 The Northwest Shelf	135	12 Western Mediterranean: Annex Submerged Karst Structures of the French Mediterranean Coast: An Assessment	333
<i>Kieran Westley</i>		<i>Yves Billaud</i>	
7 The North Sea	147	13 The Central Mediterranean	341
<i>Kim M. Cohen, Kieran Westley, Gilles Erkens, Marc P. Hijma and Henk J.T. Weerts</i>		<i>Fabrizio Antonioli, Francesco L. Chiocci, Marco Anzidei, Lucilla Capotondi, Daniele Casalbore, Donatella Magri and Sergio Silenzi</i>	
		14 Physical Characteristics of the Continental Shelves of the East Mediterranean Basin, Submerged Settlements and Landscapes — Actual Finds and Potential Discoveries	377
		<i>Ehud Galili, Yaacov Nir, Dina Vachtman and Yossi Mart</i>	

15	Late Pleistocene Environmental Factors of the Aegean Region (Aegean Sea Including the Hellenic Arc) and the Identification of Potential Areas for Seabed Prehistoric Sites and Landscapes	405	17	Late Pleistocene Environmental Factors defining the Black Sea, and Submerged Landscapes on the Western Continental Shelf	479
	<i>Dimitris Sakellariou, Vasilis Lykousis, Maria Geraga, Grigoris Rousakis and Takvor Soukisian</i>			<i>Gilles Lericolais</i>	
16	Geological and Geomorphological Factors and Marine Conditions of the Azov-Black Sea Basin and Coastal Characteristics as They Determine Prospecting for Seabed Prehistoric Sites on the Continental Shelf	431	18	Submerged Prehistoric Heritage Potential of the Romanian Black Sea Shelf	497
	<i>Valentina Yanko-Hombach, Evgeny Schnyukov, Anatoly Pasyukov, Valentin Sorokin, Pavel Kuprin, Nikolay Maslakov, Irena Motnenko and Olena Smyntyna</i>			<i>Glicherie Caraivan, Valentina Voinea, Daniela Popescu and Corneliu Cerchia</i>	
				GLOSSARY OF ACRONYMS	519
				INDEX	523

Contributors

Fabrizio Antonioli

ENEA, Roma, Italy

Email: fabrizio.antonioli@enea.it

Marco Anzidei

INGV, Rome, Italy

Geoffrey N. Bailey

Department of Archaeology, University of York, UK

Email: geoff.bailey@york.ac.uk

Richard Bates

Department of Earth Sciences and Scottish Oceans Institute, University of St Andrews, Fife, Scotland, UK

Email: crb@st-andrews.ac.uk

Ole Bennike

Geological Survey of Denmark and Greenland, Copenhagen, Denmark

Email: obe@geus.dk

Yves Billaud

Ministère de la Culture/DRASSM, Marseille, France

CNRS, UMR 5204 Edytem, Université de Savoie, Le Bourget-du-Lac, France

Email: yves.billaud@culture.gouv.fr

Anthony Burgess

University of Malta, Department of Classics and Archaeology, Archaeology Centre, Malta

Email: anthony.burgess.13@um.edu.mt

Isabel Cacho

GRC Geociències Marines, Dept. de Dinàmica de la Terra i de l'Oceà, Universitat de Barcelona, Barcelona, Spain

Miquel Canals

GRC Geociències Marines, Dept. de Dinàmica de la Terra i de l'Oceà, Universitat de Barcelona, Barcelona, Spain

Email: miquelcanals@ub.edu

Lucilla Capotondi

CNR, ISMAR, Bologna, Italy

Glicherie Caraivan

National Research and Development Institute for Marine Geology and Geoecology, Constanta Branch, Romania

Email: glicheriecaraivan@yahoo.com

Laurent Carozza

UMR 5602 Géode Géographie de l'Environnement, Maison de la Recherche de l'Université du Mirail, Toulouse, France

Daniele Casalbore

University La Sapienza, Rome, Italy

José Luis Casamor

GRC Geociències Marines, Dept. de Dinàmica de la Terra i de l'Oceà, Universitat de Barcelona, Barcelona, Spain

Corneliu Cerchia

National Research and Development Institute for Marine Geology and Geoecology, Constanta Branch, Romania

Francesco L. Chiocci

Earth Science Dept. University La Sapienza, Rome, Italy

Kim M. Cohen

Utrecht University, Utrecht, The Netherlands
TNO Geological Survey of the Netherlands, Utrecht,
The Netherlands
Email: k.m.cohen@uu.nl
Deltares Research Institute, Utrecht, The Netherlands

Alastair Dawson

Department of Archaeology, School of Geosciences,
University of Aberdeen, St Mary's, Scotland, UK
Email: a.g.dawson@dundee.ac.uk

Sue Dawson

Geography, School of Social Sciences, University of
Dundee, Scotland, UK
Email: s.dawson@dundee.ac.uk

Robin Edwards

School of Natural Sciences, Trinity College Dublin,
Republic of Ireland
Email: Robin.Edwards@tcd.ie

Gilles Erkens

Deltares Research Institute, Utrecht, The Netherlands
Email: gilles.erkens@deltares.nl
Utrecht University, Utrecht, The Netherlands

R. Helen Farr

Southampton Marine and Maritime Institute, Archaeol-
ogy, University of Southampton, Highfield, UK
Email: R.H.Farr@soton.ac.uk

Nicholas C. Flemming

National Oceanography Centre, Southampton, UK
Email: n.flemming@sheetsheath.co.uk

Ehud Galili

Zinman Institute of Archaeology, University of Haifa,
Haifa, Israel
Israel Antiquities Authority, Israel
Email: udi@israntique.org.il

Maria Geraga

Department of Geology & Geoenvironment, University
of Patras, Greece

Ana Gomes

Universidade do Algarve, Faculdade de Ciências e Tec-
nologia, Centro de Investigação Marinha e Ambiental
(CIMA), Faro, Portugal
Email: aisgomes@ualg.pt

Andreas Groh

Helmholtz Centre Potsdam, GFZ German Research
Centre for Geosciences, c/o DLR Oberpfaffenhofen,
Wessling, Germany

Jan Harff

University of Szczecin, Szczecin, Poland
Email: jan.harff@io-warnemuende.de

Marc P. Hijma

Deltares Research Institute, Utrecht, The Netherlands
Email: marc.hijma@deltares.nl

João Horta

Universidade do Algarve, Faculdade de Ciências e Tec-
nologia, Centro de Investigação Marinha e Ambiental
(CIMA), Faro, Portugal

Birgit Hünicke

Helmholtz Centre Geesthacht, Geesthacht, Germany

Pavel Kuprin

Department of Lithology and Marine Geology, M.V.
Lomonosov Moscow State University, Moscow, Russia

Galderic Lastras

GRC Geociències Marines, Dept. de Dinàmica de la
Terra i de l'Oceà, Universitat de Barcelona, Barcelona,
Spain

Gilles Lericolais

IFREMER, DAEI, Issy-les-Moulineaux, France
Email: gilles.lericolais@ifremer.fr

Vasilis Lykousis

Institute of Oceanography, Hellenic Centre for Marine Research, Anavyssos, Greece

Donatella Magri

Plant Biology Dept., University La Sapienza, Rome, Italy

Yossi Mart

Recanati Institute of Maritime Studies, University of Haifa, Haifa, Israel

Nikolay Maslakov

Department of Marine Geology and Mineral Resources of the National Academy of Sciences of Ukraine, Kiev, Ukraine

Email: nikalmas@mail.ru

Martin Meschede

University of Greifswald, Greifswald, Germany

Grazyna Miotk-Szpiganowicz

Polish Geological Institute – National Research Institute, Branch of Marine Geology, Gdańsk, Poland
Email: grazyna.miotk-szpiganowicz@pgi.gov.pl

Garry Momber

Maritime Archaeology Trust, National Oceanography Centre, Southampton, UK
Email: garry.momber@maritimearchaeologytrust.org

Irena Motnenko

Avalon Institute of Applied Science, Winnipeg, Canada
Email: irmot@avalon-institute.org

Delminda Moura

Universidade do Algarve, Faculdade de Ciências e Tecnologia, Centro de Investigação Marinha e Ambiental (CIMA), Faro, Portugal
Email: dmoura@ualg.pt

Yaacov Nir

Rehovot, Israel

Anatoly Pasynkov

Department of Physical Geography and Geomorphology, Geographical faculty, Federal Crimean University named after V.I. Vernadsky, Simferopol, Crimea
Email: anatoly.pasynkov@yandex.ua

Daniela Popescu

Basin Water Administration – Dobrogea Littoral, Constanta, Romania

Alar Rosentau

Department of Geology, University of Tartu, Tartu, Estonia

Email: alar.rosentau@ut.ee

Grigoris Rousakis

Institute of Oceanography, Hellenic Centre for Marine Research, Anavyssos, Greece

Dimitris Sakellariou

Institute of Oceanography, Hellenic Centre for Marine Research, Anavyssos, Greece
Email: sakell@hcmr.gr

Anna Sànchez-Vidal

GRC Geociències Marines, Dept. de Dinàmica de la Terra i de l'Oceà, Universitat de Barcelona, Barcelona, Spain

Julie Satchell

Maritime Archaeology Trust, National Oceanography Centre, Southampton, UK
Email: julie.satchell@maritimearchaeologytrust.org

Evgeny Schnyukov

Department of Marine Geology and Mineral Resources of the National Academy of Sciences of Ukraine, Kiev, Ukraine

Sergio Silenzi

ISPRA, Rome, Italy

Olena Smyntyna

Department of Archaeology and Ethnology, Odessa I.I.
Mechnikov National University, Odessa, Ukraine
Email: smyntyna_olena@onu.edu.ua

Valentin Sorokin

Department of Lithology and Marine Geology, M.V.
Lomonosov Moscow State University, Moscow, Russia
Email: vsorok@rambler.ru

Takvor Soukisian

Institute of Oceanography, Hellenic Centre for Marine
Research, Anavyssos, Greece

Szymon Uścińowicz

Polish Geological Institute - National Research Institute,
Branch of Marine Geology, Gdańsk, Poland
Email: szymon.uscinowicz@pgi.gov.pl

Dina Vachtman

Statoil ASA, Harstad, Norway

Valentina Voinea

National Museum of History and Archaeology of Con-
stanta, Romania
Email: vialia_rahela@yahoo.fr

Henk J.T. Weerts

Cultural Heritage Agency, Amersfoort, The Netherlands
Email: h.weerts@cultureelerfgoed.nl

Kieran Westley

School of Geography and Environmental Sciences, Ulster
University, Coleraine, Northern Ireland, UK
Email: kl.westley@ulster.ac.uk

Caroline Wickham-Jones

Department of Archaeology, School of Geosciences,
University of Aberdeen, St Mary's, Scotland, UK
Email: c.wickham-jones@mesolithic.co.uk

Valentina Yanko-Hombach

Interdisciplinary Scientific and Educational Center of
Geoarchaeology, Marine and Environmental Geology,
Paleontological Museum, Odessa I.I. Mechnikov
National University, Odessa, Ukraine
Email: valyan@onu.edu.ua

Department of Physical and Marine Geology, Odessa I.I.
Mechnikov National University, Odessa, Ukraine

Avalon Institute of Applied Science, Winnipeg, Canada
Email: valyan@avalon-institute.org

Wenyan Zhang

MARUM - Center for Marine Environmental Sciences,
University of Bremen, Bremen, Germany

Eduardo Zorita

Helmholtz Centre Geesthacht, Geesthacht, Germany

Foreword

As little as ten years ago, the idea of producing a systematic and comprehensive examination of the glacial-maximum geomorphology and terrestrial environment of Europe's continental shelf at a pan-continental scale would have seemed either hopelessly fanciful or impossibly ambitious.

For archaeologists, the existence of a vast and now submerged prehistoric territory exposed at lowered sea level had barely entered the professional and academic consciousness. Traditionally, this underwater realm has been regarded as too inaccessible and difficult to deal with, and too ravaged by destructive processes to preserve more than a vestigial record of archaeological sites or landscape features, a record, moreover, considered unlikely to make any difference to the understanding of world prehistory. Such pioneering studies as exist have been focused mainly at local or national level, and sometimes at a regional level, for example in relation to particular sea basins such as the North Sea or the Baltic.

For Earth scientists, more familiar with large-scale collaboration at a continental or global scale, the continental shelf has been extensively studied in the context of plate tectonics, the extension of continental geology under the sea, national resources, coastal zone management, the exploitation of minerals and hydrocarbons, cable and pipeline route surveys and, to a certain extent, Pleistocene sea-level change. It has also been surveyed and mapped topographically at a resolution sufficient for safe navigation. However, analysis and interpretation of seabed data as evidence of a former terrestrial landscape that has been repeatedly exposed and then submerged by sea-level change has remained somewhat peripheral to their concerns.

The idea that the techniques already developed and the large quantities of data obtained piecemeal for many different applications could be synthesized and interpreted to reconstruct and understand the prehistoric occupation of the continental shelf during the various

phases of low sea level was not on anybody's agenda until very recently.

Such is the fate of research questions that fall outside the scope of pre-existing research agendas. Despite boldly expressed aspirations and much protestation of good faith about the virtue of 'interdisciplinarity', successful integration of ideas and methods drawn from many different disciplines remains a formidable challenge; by definition such endeavors lie at the boundaries between more established disciplines and are discounted in consequence, typically falling into the gaps between different conceptual structures, administrative organizations and funding bodies. In turn, the new ideas and agendas required to give momentum to the study of unfamiliar research questions are liable to slow and fitful development. The continental shelf, viewed as a submerged landscape and a former terrestrial environment, is no exception, and has long remained a marginal zone in both a literal and a conceptual sense.

An important recent spur to changing research agendas is the growing importance of understanding sea-level change in a world of climate warming and impending sea-level rise, and the threat this poses to human life and livelihoods on a global scale. The study of Quaternary ice caps, the crustal impact of redistributed masses of ice and water, and the changes of sea level on the continental shelf have been studied in several large global collaborations. But even here, difficulties in the efficient application of standard marine geophysical techniques, compounded by stratigraphic discontinuities and disturbances of seabed sediments, have hampered the study of submerged shoreline features, and more accessible proxy data has often been preferred such as deep-sea sediment cores, shoreline features above modern sea level, or the outputs of Earth-geophysical and climatic modeling. Yet, interpretations based on proxy data and theoretical modeling are only as good as the assumptions that underpin them, and in need of continuous testing and refinement against field data. Since sea level has

been lower than present for most of human history on this Earth and in most regions, it follows that most of the relevant data of past shorelines is now likely to be submerged on the seabed. Moreover, sea-level change is only one part of the history of the continental shelf, being inextricably bound up with the geological history of the Earth's crust and the geomorphological transformations at its surface, as the chapters in this volume make clear.

It was precisely this challenge – the need to bring together a multi-national group of individuals with very different scientific and archaeological skills and interests, but a shared interest in the terrestrial environment of the continental shelf and its potential for the preservation of archaeological data relating to human settlements – that brought into being the idea of “Project Deukalion”, conceived in 2008 by Nicholas C. Flemming and Dimitris Sakellariou. This rapidly led to the formation of the Deukalion planning group with 16 experts from 8 European countries and the goal of drafting the outlines of a multidisciplinary project.

The Deukalion initiative was subsequently expanded and incorporated into the SPLASHCOS network in 2009. SPLASHCOS (Submerged Prehistoric Archaeology and Landscapes of the Continental Shelf) is the outcome of a proposal to the EU COST (Cooperation in Science and Technology) program, designed to stimulate international and interdisciplinary collaboration. As COST Trans-Domain Action TD0902, SPLASHCOS provided sustained support and funding over a four-year period to bring together in regular meetings archaeologists, geoscientists, geophysicists, paleoclimatologists, oceanographers, sea-level experts and representatives of government organizations and offshore industries from 25 European states and over 100 research institutions and agencies in a concerted effort to develop a new research agenda. Funds also included encouragement and training of early-career researchers, and other dissemination activities (see www.splashcos.org for further details). The momentum created by that initiative continues.

This volume is the first major collaborative publication to result directly from the sustained activities of the SPLASHCOS initiative, and is the product of Working Group 2, Environmental Data and Reconstructions, led by Jan Harff. A second volume based on work

initiated by Working Group 1, led by Anders Fischer, on Archaeological Data and Interpretations is in preparation and is intended to examine in detail the evidence of prehistoric archaeology.

In keeping with the nature and aspirations of the SPLASHCOS Action, the authorship of this volume is collaborative, multi-national and multi-disciplinary, and the geographical scope pan-European, dealing with all the major European sea basins, ranging from the Atlantic Ocean and North Sea in the north-west, through the Baltic and the Mediterranean, to the Black Sea in the south-east.

The primary focus is the nature of the continental shelf as it would have existed during periods of lowered sea level as a terrestrial landscape – its variable geographical configuration, topography, sedimentary depositional processes, stratigraphy, climate, ice limits, river drainage, flora and fauna, and its potential and history as a zone of human habitation and a repository of archaeological data. Reconstructing these features is no simple matter, the biggest problem being the multiple ways in which successive cycles of sea-level rise and fall have variously buried, obscured, exposed, eroded or destroyed the material traces of past human activities and their original landscape setting. Hence, a major theme of research and interpretation must be the ways in which sub-sea processes, including commercial activities, have affected the preservation and visibility of formerly terrestrial deposits and their associated archaeological remains.

The problems posed by differential preservation and visibility are not insuperable, nor are they problems unique to the study of submerged land surfaces. Terrestrial archaeologists, too, have increasingly come to realize that the distribution of archaeological sites on land does not reflect in any simple way the distribution of past human activities or past human populations. Rather, such distributions represent a complex interaction between the locations where past peoples left the material traces of their existence, the nature of the activities carried out in these different locations, the manner in which material was discarded, and the various natural and human processes that acted subsequently to transform the land surface.

The term ‘landscape taphonomy’ is sometimes used to describe this field of research, referring to the variable

ways in which the physical features of a past land surface, including land forms, soils and sediments, and the archaeological materials deposited on or in them by successive human generations, have been variously buried, exposed, preserved, mixed, scattered, destroyed or otherwise transformed, whether by processes that are natural in origin or anthropogenic. The problem is especially acute underwater, but no less present on dry land. In both cases, the nature of these transformations remains poorly understood, under-researched, and in need of much greater attention.

The opening four chapters of this volume provide comprehensive overviews at a continental scale of key themes such as geological structure, large-scale tectonic evolution, sea-level change, glacial history, climate, environment and mapping, including the vexed issue of bathymetric maps and databases; these are often assumed to exist already in adequately published or digital form but in reality they are mostly produced for quite different purposes and are too inaccurate or of too coarse a resolution to be of more than limited usefulness for archaeological and paleoenvironmental purposes. The existing accessible and published data provide a broad framework in many regions, but as with so many other examples in the history of science, new research questions will demand the collection of new and more detailed data with methods best adapted to yield the necessary information.

These opening chapters are not confined narrowly to the continental shelf but encompass the continental landmass more widely, and make for illuminating reading, relevant to everyone interested in the natural and human history of the European continent over the past one million years and more.

These themes are followed through in more detail in the subsequent sea-basin chapters, which also include reference to key underwater archaeological finds as examples of preservation mechanisms and the potential for future discoveries. A notable feature is the comprehensive listing of online sources of information. In a digital world, information is increasingly being made available on the internet, either as searchable, accessible and properly maintained databases, or in more ephemeral or inaccessible form, and this is likely to be a growing trend for the future.

Another notable outcome of these chapters is to highlight is the variable nature and extent of the shelf environment in different regions, the variability in geology, oceanographic conditions, geomorphological processes and preservation potential, and the differences of approach best suited to these different conditions. Already the outlines of a more detailed pattern of variability are beginning to emerge more clearly and this will surely provide an important step towards more sharply defined research questions, new field investigations, and improved standards for wide-ranging comparative analysis.

The topics covered in this volume are not only of scientific and intellectual interest, but central to some of the most pressing and practical concerns affecting our collective livelihood, prosperity and sense of common identity in the coming century – understanding of sea-level change and its likely trajectory and human impact, management of a massively increasing volume of digital records, and improved knowledge of how the now-submerged territories of the continental shelf have contributed to the early growth of our civilization.

Much remains to be done, and some of the geophysical knowledge that forms the necessary foundation for new investigation is highly technical. Nevertheless, the interested reader will find this volume an essential starting point for entry into a vast new intellectual, scientific and multidisciplinary territory. It is our hope and expectation that this will create the basis for an expanding field of future research in the coming decades, with improved integration of its multiple sources of information and expertise, an increasing number of participants, a growing investment of resources and funding, a new generation of marine scientists and archaeologists with the proper training to move across the borders of the traditional disciplines, and significant progress in advancing the new discipline of Continental Shelf Prehistoric Research.

Geoffrey N. Bailey

University of York, UK
Chair of SPLASHCOS

Dimitris Sakellariou

Hellenic Centre for Marine Research, Greece
Vice Chair of SPLASHCOS

Preface

This book considers the complex question of how, why, and where prehistoric occupation sites and artifacts on the European continental shelf have survived inundation by the postglacial rise of sea level, and how, why and where in other cases they have been destroyed. It forms an essential prelude to the interpretation of known submerged prehistoric archaeological sites and artifacts on the European continental shelf, which are now known to number in excess of 2600 find spots (see splashcos-viewer.eu).

The seed of the idea for this volume was sown in January 2008, when Dimitris Sakellariou invited Nicholas C. Flemming to present a report on continental shelf prehistoric research to the Hellenic Centre for Marine Research in Athens. In the discussions afterwards the idea emerged of a European-scale project which would be submitted to the European Community Framework-7 grant-awarding system in Brussels, and we hoped to obtain several millions of euros for this work. The sixth World Archaeology Conference (WAC6) was held in Dublin in June 2008, and Dimitris attended that meeting. There was a session on seabed prehistoric research organized by Amanda Evans and Joe Flatman. Less than a month later, in July 2008, the third International Conference on Underwater Archaeology (IKUWA3) was held in London, and Dimitris and Nicholas C. Flemming planned a day's session that started with papers on research already conducted on seabed prehistoric sites, and then devoted half a day to planning an application for research funds to the European Commission. The session was attended by about 80 people, and we created an address contact list, and a core planning group of ten people called the "Deukalion Group", after the hero of the Greek flood myth. At the same conference, Joe Flatman and Amanda Evans started to edit a book illustrating examples of seabed prehistoric sites from all over the world (Evans *et al.* 2014), drawn from the papers presented at WAC6 and IKUWA3.

The Deukalion Group was chaired jointly by Nicholas C. Flemming and Dimitris Sakellariou and successive meetings were held at different European academic research venues during 2008 and 2009. In the event, it proved impractical to plan and manage an integrated research project which could qualify for research funding on the scale that we had originally intended, not least because of a changing emphasis in EU funding towards smaller-scale research projects with a strong policy-relevant theme. Accordingly, Geoffrey N. Bailey proposed that in order to perpetuate and expand the group and provide funds for continued planning meetings and exchange of ideas, an application should be submitted to the COST (Cooperation in Science and Technology) Office in Brussels to fund a four-year Action or research network. Geoffrey N. Bailey chaired special meetings of the Deukalion Group to prepare and submit a proposal, which was approved for funding in 2009, leading to the project known as SPLASHCOS, "Submerged Prehistoric Archaeology and Landscapes of the Continental Shelf", (TD0902), which ran from 2009–2013, with a final conference in Szczecin, Poland in September 2013. The COST funding provided support for meetings, working groups dedicated to advancing thinking on particular themes, websites, publications, communications, data archives, training workshops, and field training schools, but not for the costs of new research projects. In the event, individual research groups working within SPLASHCOS were highly successful in raising financial support for fieldwork during the four years of the project.

Many individual reports and publications have been produced during the SPLASHCOS project. Agencies and research groups from 25 European countries participated, with over 100 individual researchers involved. There were 23 projects funded from various sources, both national and international, amounting to over €20 million in total. Numerous academic articles and reports were published in the refereed literature. The present volume

is a concluding publication within the SPLASHCOS schedule.

The editors thank all the authors for their hard work. This book is not a collection of papers where the authors had free rein. They were required to write chapters which addressed a novel range of problems. The energy, commitment, and spirit shown by the authors, and their willingness to respond to the demands of editorial review, has been very encouraging and rewarding, and many of the ideas in this book are the result of the interactions between experts of many disciplines, nationalities and backgrounds at SPLASHCOS meetings. Special thanks are due to Kieran Westley, who acted as coordinator and sub-editor for the group of chapters on the European Northwest Shelf.

In the editing process, Nicholas C. Flemming has led the primary task of reviewing and editing the contributions, with substantial input of intellectual and scientific expertise and revision from Delminda Moura and Jan Harff. Tony Burgess played a critical role in coordinating and formatting the content of the chapters in all stages of preparing the manuscript and Geoffrey N. Bailey critically reviewed the final text to ensure internal consistency, explanation of technical terms and coordination with the archaeological work of the SPLASHCOS project.

We thank the COST Office for their financial and administrative support, and in particular the successive Science Officers who guided our work; Julia Stamm, Geny Piotti, Andreas Obermaier and Luule Mizera, and the COST Rapporteurs Daniela Koleva and Ipek Erzi who attended meetings and gave invaluable advice. We also thank the institutions that hosted the SPLASHCOS plenary meetings: March 2010, University of York, UK; October 2010, Rhodes, Greece, Hellenic Centre for Maritime Research; April 2011, Berlin, Germany, Museum für Asiatische Kunst; October 2011, Zadar, Croatia, University of Zadar; April 2012, Amersfoort, Netherlands,

National Cultural Heritage Agency; September 2012, Rome, University of Rome “La Sapienza”; March 2013, Esbjerg, Denmark, University of Southern Denmark; September 2013, Szczecin, Poland, University of Szczecin. Finally, we thank Cynthianne DeBono Spiteri, who acted as Grant Holder and administrative secretary of SPLASHCOS, and who provided with unfailing patience and good humor the central coordination of the complex network of communications, paperwork and logistics required in the organization of meetings and progress reports.

Reference

Evans, A., Flemming, N. & Flatman, J. (eds.) 2014. *Prehistoric Archaeology of the Continental Shelf: a Global Review*. Springer: New York.

Nicholas C. Flemming

National Oceanography Centre, Southampton, UK

Jan Harff

University of Szczecin, Szczecin, Poland

Delminda Moura

Universidade do Algarve, Faculdade de Ciências e Tecnologia, Centro de Investigação Marinha e Ambiental (CIMA), Faro, Portugal

Anthony Burgess

University of Malta, Department of Classics and Archaeology, Archaeology Centre, Malta

Geoffrey N. Bailey

University of York, Department of Archaeology, York, UK

Acknowledgement

This book is based upon work from COST Action TD0902 SPLASHCOS (Submerged Prehistoric Archaeology and Landscapes of the Continental Shelf), supported by COST. www.splashcos.org.

Chapter 1

Introduction: Prehistoric Remains on the Continental Shelf — Why do Sites and Landscapes Survive Inundation?

Nicholas C. Flemming,¹ Jan Harff,² Delminda Moura,³ Anthony Burgess⁴ and Geoffrey N. Bailey⁵

¹ National Oceanography Centre, Southampton, UK

² University of Szczecin, Szczecin, Poland

³ Universidade do Algarve, Faculdade de Ciências e Tecnologia, Centro de Investigação Marinha e Ambiental (CIMA), Faro, Portugal

⁴ University of Malta, Department of Classics and Archaeology, Archaeology Centre, Malta

⁵ Department of Archaeology, University of York, UK

The Big Question

This book is designed to provide the best partial answer to an apparently clear-cut and uncomplicated question: “Why do some prehistoric sites, settlements, landscapes, and artifacts survive on the sea floor, after inundation by postglacial sea-level rise, when many others are destroyed or scattered by waves

and currents?” There are over 2600 known submerged prehistoric sites in European seas (Jöns *et al.* 2016). At the glacial maximum when sea level was at its lowest, at about –130 m, an additional increment of land became available on the European continental shelf estimated at about 40% of the present-day European land area, amounting to an estimated 4 million km². The question of what determines the survival or destruction

Submerged Landscapes of the European Continental Shelf: Quaternary Paleoenvironments, First Edition.

Edited by Nicholas C. Flemming, Jan Harff, Delminda Moura, Anthony Burgess and Geoffrey N. Bailey.

© 2017 John Wiley & Sons Ltd. Published 2017 by John Wiley & Sons Ltd.

of archaeological sites and landscape features is therefore a serious one. We have no information on how many sites have already been destroyed, or how many survive and are yet to be discovered, or how much of the original pre-inundation terrestrial landscape has been destroyed beyond recognition.

There is a corollary question: “If we can understand the oceanographic conditions, geological circumstances, changes through time and topographic geometry that most favor the survival of prehistoric settlements during and after marine transgression, can we turn the argument round, and use knowledge of oceanography, ice-cap chronology, and coastal geomorphology to predict where prehistoric sites existed, and where they will be preserved on the sea floor of the continental shelf?”

When people are told that there are thousands of prehistoric sites on the sea floor, human settlements and places of occupation ranging in age from 5000 to more than 100,000 years old, their first reaction is often incredulity or skepticism (Bailey & Flemming 2008). This reaction is usually the case both for expert archaeologists and members of the general public alike. How can it be true that fragile, unconsolidated deposits of cultural remains, charcoal, food debris, scattered stone tools, débitage from flint knapping, wooden hut posts, and bits of bone or fragments of wooden canoes survive first the process of postglacial rising sea level and transit through the surf zone, and then thousands of years submerged under present oceanic and coastal conditions? How and why do they survive, and how can we discover their most probable locations?

In this book we make a beginning on the answers to those questions. The answers are not simple, and it has taken the work of many people from many different academic professions to piece together the whole story so far. There is rapid progress continuing in many of the component sub-disciplines that contribute to this research, and so the present book can only be a snapshot of the present situation. We try to indicate the ways in which changes are taking place.

The aim of the present volume, therefore, is to review the current state of knowledge concerning the environment of the exposed continental shelf during glacial lowering of sea level, the causes of changes of land

and sea level, the processes of inundation, the mechanism of attack by waves and currents on anthropogenic deposits in shallow seas, and the circumstances in which such deposits are most likely to be preserved, or to be destroyed. The primary goal is to use an understanding of these processes to illuminate the reasons for the differential survival or destruction of archaeological sites. Additionally, such an investigation also contributes baseline data for reconstructing the environment as it would have existed on the now-submerged shelf, the sorts of resources of food, water supplies, topography, soils, flora and fauna that would have been available for human exploitation on these extensive tracts of new territory, and ultimately their impact on patterns of site location and human settlement, mobility and dispersal.

Throughout the book we refer to identified and studied archaeological sites only as examples to show how they may have been preserved or partially destroyed by different processes. SPLASHCOS (Submerged Prehistoric Archaeology and Landscapes of the Continental Shelf — www.splashcos.org/) has produced a digital database of over 2600 submerged prehistoric sites (Jöns *et al.* 2016), and a second volume on the archaeological material is currently in preparation. By using practical examples we hope to base the argument on facts in the field, rather than over-reliance on theoretical hypotheses.

The aim of this introductory chapter is to highlight some general issues affecting the survival or destruction of archaeological features, summarize the recent history of collaboration associated with the SPLASHCOS project and its predecessor, the Deukalion Planning Group project, which gave rise to the work underpinning this volume, explain the rationale for the organization of the volume, outline its contents, and set out the conventions and standards used in presenting information.

General Issues

In the early days of Deukalion and SPLASHCOS in 2008–9, the meetings were dominated by archaeologists and prehistorians, and they frequently wanted to know if it was possible to predict the survival and location of seabed prehistoric sites accurately, so that they could do

their work more efficiently and at lower cost. This question could not be answered quickly, and always dropped down the agenda. The oceanographers, sedimentologists, climate experts and technologists felt frustrated by the intractability of the problem, and were not only unable to answer it, but even unable to explain why they could not answer it.

Recently published books on individual sites, or conference volumes (e.g. Flemming 2004; Benjamin *et al.* 2011; Evans *et al.* 2014), confine themselves to the study of prehistoric sites which, by definition, have survived. They do not consider the probable or possible distribution of sites which have not survived or have not been found. A few paragraphs at most may be devoted to considering why particular artifacts have survived at the site being studied. And yet, as scholars from many disciplines start to consider the prehistoric continental shelf as an integrated whole, whether European or global, the same questions recur again and again: where should we search for anthropogenic signals from the periods of glacial-maximum low sea levels? Where would searching be pointless? Where were people living on the continental shelf, and why? What conditions favor survival of anthropogenic deposits and signals? Where will archaeological deposits be buried under tens of meters of modern sediments, and hence difficult to find or excavate? Where will deposits have been eroded away? And where will the overburden of protecting sediments have been eroded away by submarine channels to a sufficient extent to expose material without destroying it? Are there predictable patterns of survival of sites? Where are fragile sites now exposed to erosion so that immediate study or preservation are needed? How can we maximize the efficiency of a search strategy? What instrumental techniques will provide useful environmental data? What geophysical and sedimentary data already exist to help us define favorable conditions for survival of deposits?

The subsidiary questions continue: do we know enough accurately about the positions of the sea level and the land surface at different dates? Can we define the positions of ancient shorelines, river valleys, and shallow coastal lagoons and marshes? Do we know where there are submerged caves or rock shelters that people might have lived in? Can we reconstruct the fine gradations of

landscapes, vegetation and fauna extending away from the edge of the ice sheet through the areas of tundra and temperate forests to the Mediterranean or to tropical climates and vegetation zones on the continental shelf? When we have identified drowned prehistoric deposits in context, can we reconstruct the immediate landscape, fauna and flora in the adjacent foraging and hunting area?

The questions listed above, which are by no means exhaustive, illustrate the fundamental and potentially exciting aspects of continental shelf prehistoric archaeology. The answers are not themselves directly archaeological in nature, but rather paleoenvironmental. Yet archaeologists need the answers to these questions, and those answers in their turn depend on extensive interdisciplinary collaboration.

The survival and discovery of submerged prehistoric sites on the continental shelf implies two distinct defining issues: firstly the nature of the archaeological sites themselves, their age, function, cultural associations and technology, and the choice by ancient peoples of favored locations for settlements, camp sites or more ephemeral locations where materials were discarded; and secondly the circumstances of abandonment of the material, its burial or exposure while on land, followed by the processes of inundation and possible destruction or survival. The process of burial and preservation of sites, deposits, or single artifacts depends on complex interactions between environmental forces, coastal geodynamics, coastal configuration, geochemical processes, and biological interactions as shown throughout the chapters of this book for a wide range of conditions and circumstances. The process of inundation by rising sea level and the traverse of the surf zone across an archaeological site are likely to be destructive, or lead, at the very least, to a local scattering of artifacts and other materials. This is not always so, since in some cases sea-level rise may be accompanied by extreme wave attenuation caused by local topography and accumulation of sediments that can protect and partially or totally bury the archaeological material. Nevertheless the likelihood of destruction must be assumed in the analysis, and we should expect that survival of intact sites is likely to be the minority occurrence in most regions and most geodynamic situations.

As the argument progresses it becomes clear that the conditions for survival depend not only on regional climatic and oceanographic conditions, but critically upon topographic land forms and seabed morphology on a scale of meters to a few kilometers in the immediate vicinity of the stratified deposit during inundation and in the following few millennia (see, for example, Flemming 1963; Gagliano *et al.* 1982; Belknap & Kraft 1981; 1985; Belknap 1983; Flemming 1983; Waters 1992; Flemming 2004; Harff *et al.* 2007; Benjamin 2010; TRC Environmental Corporation 2012; Evans *et al.* 2014). In addition, the exposure to marine forces, waves, currents, erosion, and burial has to be considered. Thus analysis of each situation depends upon quantitative hydrodynamic laws and mechanisms, but is locally site-specific, and success depends on having very accurate topographic data on the paleocoasts and the sea floor throughout the area of the modern continental shelf. This puts a huge demand upon availability of accurate high-resolution seabed data; although much bathymetric data is already available, it is often not adequate for the kind of analysis required. These data problems are reviewed generically in a chapter on the availability of digital data (Chapter 4), and each regional-sea analysis summarizes the available data sources, with a special emphasis on electronically available maps, core data, and displays.

Recent History of Collaboration

The authors and editors of this book have worked for many years on the task of finding and studying submerged prehistoric sites on the continental shelf of Europe (e.g. Flemming 1968; Galili & Weinstein-Evron 1985; Long *et al.* 1986; Galili *et al.* 1993; Antonioli & Ferranti 1994; Fischer 1995; Momber 2000; Harff & Lüth 2007). However, only in the last decade have collaboration and the exchange of information between different research groups resulted in a European-scale collaboration. During the 1980s and 1990s, various regional groups were already combining disciplines and sharing data to integrate knowledge of climate change, sea-level change, sediment movements and the discovery and interpretation of submerged prehistoric settlements.

Particularly strong groups developed to study the Danish archipelago and the straits between Denmark and southern Sweden and Norway, Kattegat and Skagerrak (Andersen 1985; Fischer 1995; Pedersen *et al.* 1997), and the German islands of the southern Baltic (Harff & Lüth 2007; 2011). In the southern North Sea the archaeologists in the Netherlands have a long tradition of working with the fishermen who trawl up Pleistocene megafauna bones and occasional human artifacts (Louwe Kooijmans 1970-71; van Kolfschoten & Vervoort-Kerkhof 1985). In 2002, a conference was held in London bringing together prehistorians from both sides of the North Sea, resulting in a volume on the known finds on the seabed, and outlining national and agency policies (Flemming 2004). This conference in turn led to a joint Anglo-Dutch initiative to promote collaboration between the national cultural heritage agencies in the two countries (Peeters *et al.* 2009), and to further discussion of collaborative initiatives at the IKUWA 3 (International Congress on Underwater Archaeology) held in London in 2008 (www.nauticalarchaeologysociety.org/shop/ikuwa-3-beyond-boundaries-3rd-international-congress-underwater-archaeology) and the subsequent establishment of the Deukalion Planning Group and the SPLASHCOS Action to further consolidate plans for international collaboration.

At the meeting of the SPLASHCOS Working Group 2 in York in April 2010 it was suggested that a review was needed of the environmental conditions in each European sea basin, which would provide prehistorians and other scientists collaborating with them with the background information they required to understand the preservation and destruction of submerged prehistoric sites in their region. From this proposal grew the present book.

Outline of this Book

We start with a series of three thematic chapters analyzing different environmental marine and coastal processes as they may affect the original location and then the survival of submerged prehistoric sites. These conclude with a brief summary of data sources and types.

Europe, the Mediterranean, and the Black Sea constitute a geographical area that is subject to many different types of vertical earth movement and relative sea-level change on time and space scales that overlap with prehistoric archaeological events. Chapter 2 therefore starts by addressing geological and tectonic processes that are controlled by plate tectonic movements on timescales of tens of millions of years. Notwithstanding the relatively slow rates of movement, the vertical changes over tens of hundreds of thousands of years have a profound effect on coastlines, topography, and sedimentary basins or depocenters like the North Sea, or the configuration of the Aegean Sea basin. In the Mediterranean region the convergence of Africa and Eurasia leads to both active mountain building and regions of rapid subsidence on archaeological timescales. The overriding climatic events of the last two million years have been the multiple and recurrent glacial ice caps on the northern continents, associated with growth and decay of more local ice accumulations on mountain ranges such as the Pyrenees, Alps, Apennines and Carpathians. Each phase of increasing ice volume on the land created an equivalent drop of global sea level, and exposure of large areas of what is now the continental shelf. For this reason Chapter 2 provides a thorough overview of the regional tectonics of Europe, the mechanisms of ice cap formation, the driving forces that determine the growth and decay of the ice sheets, the calculation of sea-level change, and the response of the Earth's crust to the redistribution of ice and water.

Chapter 3 starts with a definition of the continental shelf, the shallow flooded margin of the continent, beyond which the sea floor plunges into true oceanic depths of thousands of meters. We then consider how the multiple causes of fluctuating sea level affect the evolution of the continental shelf, and its sediment cover. Special attention is given to the process of sea-level rise transgressing across a prehistoric occupied area. Since the majority of known submerged prehistoric sites have been found in sea water shallower than 5 m, and some have survived in this situation for many thousands of years, it is immediately apparent that the destruction of sites is not inevitable, even when they are potentially exposed to wave action. This empirical fact is used to

examine the coastal geodynamic circumstances which have protected sites. Wave and current actions have the potential to destroy some sites while preserving others separated by a few kilometers along the coast. The effects of sediment burial and chemical changes in the submerged environment provide the final stages of preservation.

Chapter 4 outlines the present sources of data needed to describe the seabed and its composition and subsurface sedimentary stratigraphy. The data demands for reconstructing the paleoenvironment are extreme, even by modern industrial standards. Prehistoric archaeological sites are constrained by significant topographic features which need to be defined to a resolution of a few meters or less, while the hunting and foraging strategy and seasonal migration patterns of a Paleolithic family group extended over a range of tens or hundreds of kilometers. Thus we need very high-resolution seabed data over a very large geographical range. This is not available for all parts of the European continental shelf. Where data are available at sufficiently high resolution the data volumes are so great that electronic media are essential, and modern data management and data-merging techniques are needed.

Chapters 2–4 provide background data on processes that recur to differing extents at a regional and local scale in later regional chapters, where the authors go into more detail.

In order to investigate oceanographic, paleoclimatic and environmental processes in a consistent way, throughout the varying climatic zones of Europe and the Mediterranean, we break the area down into discrete sea basins each of which is examined in a separate chapter. Within each basin the conditions of tectonics, geomorphology, tide, wind strength, water temperature, occurrence of sea ice, wave height and so on can be analyzed in a holistic way from coast to coast. If the same factors were analyzed, for example, by national zones of jurisdiction, each sea basin would be broken into arbitrary sections by lines through the center. Oceanographic conditions do not respect national boundaries. Our approach also serves to integrate the prehistoric archaeology within coherent environmental conditions across exposed areas of the sea floor that are now flooded.

The core of the book follows with 14 chapters describing the regional sea basins of Europe in terms of their past and present geomorphological and oceanographic processes on the continental shelf, with selected examples of known submerged prehistoric sites. We start with a review of the Baltic Sea and its potential to preserve prehistoric sites (Chapter 5), and then work southwards in a counter-clockwise direction round the Atlantic margins of Europe (Chapters 6–11) through to the Mediterranean (Chapters 12–15) and the Black Sea (Chapters 16–18).

The authors for each regional chapter are usually teams combining earth scientists, marine geoscientists and prehistoric archaeologists. Even with this pooling of skills it is obviously not possible to provide a complete or exhaustive coverage or analysis of the complex forces, local conditions, particular regional changes of climate, etc., which would be needed ideally for each sea basin. The complex of processes, regional expression of glacio-eustatic sea-level change and local isostatic response, the regional expression of wind–wave energy, ocean basin currents and wind-driven currents, wave climate and previous wave climates under different environmental conditions, sediment transport, changing river patterns and so on, create a requirement for a large book for each sea basin, not just a chapter.

We have had to compromise. The solution has been to summarize the processes in a high-level aggregated manner, citing a full reference list of the major published integrating studies, and to combine this with access to electronic sources of archived data. The latter point is fundamental. We are trying to help the reader to understand multiple interacting spatial processes at scales from less than one meter up to hundreds of kilometers. Printing maps on a book page would not help, or is not sufficient. Thus the decision was taken early on in preparing this book to cite electronic sources wherever possible. These URL citations are grouped at the end of each section within a chapter, and refer the reader to maps, archives, sediment core data, ice-cap models, and other large datasets. Most of the citations are to major institutions and governmental or international agencies which are not going to disappear, but some of the more exotic projects and data sources, which are still important for this book, may not be active more than a few years

after publication, although all are current as of December 2016. The intention in these chapters is to provide the reader with a rapid guide to the key literature on the major sea basins, and an authoritative summary of up-to-date information, while accepting that it is impossible to go into detail, or consider all nuances.

Conventions and Standards

Each chapter is designed so that it can be accessed electronically as an independent publication. Thus all acronyms are explained within each chapter, and cited references are included at the end of each chapter.

One of the main aims of the chapters on regional sea areas in this volume is to provide the reader with a guide to the sources of data in many different disciplines. Where specimen maps or screen dumps are shown, it is appropriate that they should be shown in their original format. Thus there is considerable variation in the style of graphics.

It may surprise the reader to discover how uncertain some marine geoscience data are regarding different phases of the Late Pleistocene landscape and environment. In attempting to recreate the coastal and continental shelf environment at the human scale we need to consider many different sources of data, geological, glaciological, sedimentary, etc., and combine them. Thus the uncertainty or errors at the end of the research in one discipline become errors in the input to the next stage of integration — they propagate — and the uncertainty may be magnified. Many different consequences may arise if two adjacent ice sheets did or did not actually meet and merge; a large ice lake may or may not have persisted for thousands of years if a particular ridge was eroded or not; a particular river may or may not have been crossable at a particular date, depending on the rate of melting of an upstream ice sheet, and the raft-building technology of the time. There is uncertainty as to the ability of early humans or hominins to adapt to life in a cold climate, and the earliest dates of seafaring and exploitation of marine and coastal resources.

Multiple sources of data can be integrated with some rigor by intensive research at a relatively restricted regional level, as in the SINCOS projects (“Sinking

Coasts: Geosphere, Ecosphere and Anthroposphere of the Holocene Southern Baltic Sea”, Harff & Lüth 2007; 2011), but such a combination of professional skills from prehistoric archaeology to mathematical oceanographic modeling is still rare.

So far as it is possible, we have ensured that the authors of different chapters use similar terminology and conventions regarding symbols, assumed sea-level history, gross European climate changes and sources of European-scale data. The described sea areas have slight overlaps, and there should be no major contradictions at the borders. Authors of the chapters on regional sea areas were provided with an agenda or proforma of topics to be covered, but these are definitely not identical in importance from the icy coasts of the Gulf of Bothnia to the palm-fringed shores of the Middle East. Each team of authors has tended to develop or emphasize additional themes which seemed to them important, or for which they had special skills. This gives an added individuality or color to each chapter, which we have not tried to avoid.

The Last Glacial Maximum is referred to frequently as the LGM, often followed by a bracket of dates such as 21 ka BP to 18 ka BP (Before Present). These dates are not always the same, since the same global cause has different responses depending on the latitude or other regional variables and we have not requested authors to standardize unless precisely the same event is referred to more than once in the same chapter. The so-called LGM can be defined variously as the maximum volume of global ice on land, the time or period of maximum reduction in global sea level, the time of the lowest temperature reached in a region, or the maximum extent of continental and shelf ice in a region. These events may have considerable duration, and local terminology describing the Pleistocene may have adopted a conventional date, or bracket of dates, within the maximum range of about 27 ka BP to 17 ka BP. In general, the initiation of final melting and the start of global sea-level rise is usually quoted in the range 21 ka BP to 18 ka BP.

As explained above, many of the specialized fields summarized in this book have large uncertainties in them, sufficient to cause further problems when used as the input for another level of integration or analysis.

Thus different authors may have used different ice-limit models, and maps showing these differences occur in different chapters. It is not possible at present to decide which model is correct, or the most nearly correct, and some models will be most accurate in certain characteristics, and less accurate in others. This is not a school textbook in which we present the student with a smooth unruffled picture of the best approximation to modern knowledge. Sources are cited which may give different interpretations of the data, and the reader must draw conclusions as to which is most useful. This applies equally to different interpretations of regional relative sea-level curves and to best estimates of shorelines at different dates, such as in the Black Sea, and to models of ice volumes and directions of ice flow. Models of these parameters are evolving continuously and becoming more accurate.

The terms ‘large scale’ and ‘small scale’ should not need explaining, but in recent decades they have become reversed from their original meaning in common parlance in some communities. In this book we use the original meaning as follows. A small scale map is one in which objects and features look small. Thus, a map or chart at a scale of 1:5 million represents 1 km on the ground as 0.2 mm on the map, i.e. very small. It is a small scale map. A local plan at a scale of 1:1,000 represents 1 km on the ground as 1 m on paper, so that features such as houses and roads appear as large recognizable objects with shape and width. It is a large scale map. Notwithstanding this convention, numerical modeling communities describe the process of using the output boundary equations and variables from a small-scale model of a large oceanic area to drive a more local coastal large-scale model with higher resolution as “downscaling” or “downsizing”, when in fact the scale at the local level is being enlarged.

Geological and archaeological terminology used in some regions contains localized and not universally used terms, but these are still the correct form and will be found in the regional literature cited for that area. Such terms are defined in context within each chapter where used. In addition, there may be small differences in spelling and word order between names in the text and embedded in images, an inevitable occurrence when examining such a wide and diverse geographical range. Each chapter on regional sea areas also contains an extensive bibliography

of local literature, sometimes in languages other than English.

Statements regarding dates appear in several formats. The statement that something occurred so many thousand years ago should be interpreted as an estimate in calendar years before the date of publication and can be expressed using 'ka' (or 'Ma' for millions of years). The terms 'kyr/Myr' on the other hand refer to lengths of time measured in thousands/millions of years. There is no implication as to method of dating or calibration errors. Dates throughout the book are frequently cited as having been determined by radiocarbon ^{14}C measurements. The use of the acronym BP (Before Present) necessarily implies that the method of dating has been radiocarbon, and that the date is measured as time before 1950. Authors have been requested to cite whether radiocarbon dates have been calibrated (signified by the use of 'cal BP') or not, and where possible to include the laboratory reference and standard deviation. This additional information is provided in some cases, but not in most cases. Where there is no information on calibration, it must be assumed that the assessment is uncalibrated, and possibly that there is a margin of uncertainty. The fact that a cited date is uncalibrated is sometimes followed by the statement that this correlates roughly with so many years ago, even when accurate calibration data are not cited. Issues of precision and accuracy are often more critical in archaeological studies than in the more general geomorphological subjects discussed in the present volume, since interpretation can be significantly affected by margins of error in the correlation of separate events or the measurement of their duration. Formal agreements on standards of presentation of ^{14}C data are summarized by Stuiver and Pollach (1977) Reimer *et al.* (2013) and Millard (2014).

Physical oceanographers are concerned about the exact concentration of salinity in sea water since, combined with the temperature, it largely determines the density and thus the stratification of layers of water, as well as what species can easily live in it. Until the late 1970s, the standard expression of measured salinity was parts per thousand (per mill), expressed by the symbol ‰. During that decade oceanographers devised and later adopted the new Practical Salinity Scale, and dispensed with the symbol, on the basis that the salinity was expressed as

a pure number in terms of the ratio of weight of salt to the weight of water. The new international standard TEOS-10 (Thermodynamic Equation of Seawater 2010) uses absolute salinity values in g/kg (Millero *et al.* 2008). Although the use of the old salinity symbol ‰ (per mill) has been discouraged since 1978, it has been customary in a large part of the oceanographic and popular literature to use this expression, and readers unaware of the complex theoretical changes in the professional world of marine physics, expect to see such a symbol. The focus on the precise thermodynamic properties of water of different salinities has led to further definitions of different scales based on functions of salinity (Wright *et al.* 2011). For the present work the implications of the different scales and units are not significant, and we have not asked authors to confirm whether they have used one scale convention or another. Where the symbol ‰ appears it is because the authors of that chapter used it, or cited literature that used it. Where salinity is cited purely as a number with no symbol or unit, the same applies.

Conclusion

We hope that the first question, why some sites survive, is answered successfully to a considerable extent by this book. The reverse question, can we predict where the sites are and find them, is much more difficult. The readers of this book should be in a better position to address this question by the time they finish, and future generations of researchers may refine the arguments still further, and achieve more reliable answers. Improvements in technology, and the growth of large accessible archives of digital data, as well as the development of highly sophisticated models, will make it easier to reconstruct accurate paleotopographies, showing drowned river valleys, soil types, vegetation, and coastlines that are at present under the sea. The use of the knowledge in this book enables the prediction of locations of high probability for prehistoric sites, but still usually leaves the researcher with a further stage of detailed field survey and analysis before anthropogenic indicators can be located (e.g. Wessex Archaeology 2011; Weerts *et al.* 2012; Moree & Sier 2014; 2015). This work can be expensive:

hence the incentive to improve the models and their predictive accuracy and reliability.

References

- Andersen, S. H. 1985. Tybrind Vig. A preliminary report on a submerged Ertebølle settlement on the west coast of Fyn. *Journal of Danish Archaeology* 4:52-69.
- Antonoli, F. & Ferranti, L. 1994. La Grotta sommersa di Cala dell'Alabastro (S. Felice Circeo). *Memorie della Società Speleologica Italiana* 6:137-142.
- Bailey, G. N. & Flemming, N. C. 2008. Archaeology of the continental shelf: Marine resources, submerged landscapes and underwater archaeology. *Quaternary Science Reviews* 27:2153-2165.
- Belknap, D. F. 1983. Potentials of discovery of human occupation sites on the continental shelf and nearshore coastal zone. In *Proceedings of the Fourth Annual Gulf of Mexico Information Transfer Meeting*. 15th – 17th November 1983, New Orleans, pp. 382-387.
- Belknap, D. F. & Kraft, J. C. 1981. Preservation potential of transgressive coastal lithosomes on the U.S. Atlantic Shelf. *Marine Geology* 42:429-442.
- Belknap, D. F. & Kraft, J. C. 1985. Influence of antecedent geology on stratigraphic preservation potential and evolution of Delaware's barrier systems. In Oertel, G. F. & Leatherman, S. P. (eds.) *Marine Geology (Special Issue — Barrier Islands)* 63:235-262.
- Benjamin, J. 2010. Submerged prehistoric landscapes and underwater site discovery: Reevaluating the 'Danish Model' for international practice. *Journal of Island & Coastal Archaeology* 5:253-270.
- Benjamin, J., Bonsall, C., Pickard, C. & Fischer, A. (eds.) 2011. *Submerged Prehistory*. Oxbow Books: Oxford.
- Evans, A., Flatman, J. & Flemming, N.C. (eds.) 2014. *Prehistoric Archaeology on the Continental Shelf: a Global Review*. Springer: New York.
- Fischer, A. (ed.) 1995. *Man and Sea in the Mesolithic. Coastal Settlement Above And Below Present Sea Level*. Oxbow Books: Oxford.
- Flemming, N. C. 1963. Underwater caves of Gibraltar. In Eaton, B. (ed.) *Undersea Challenge: a Report of the Proceedings of the Second World Congress of Underwater Activities*. pp. 96-106. British Sub-Aqua Club: London.
- Flemming, N. C. 1968. Holocene earth movements and eustatic sea-level change in the Peloponnese. *Nature* 217:1031-1032.
- Flemming, N. C. 1983. Survival of submerged lithic and Bronze Age artefact sites: a review of case histories. In Masters, P. & Flemming, N. C. (eds.) *Quaternary Coastlines and Marine Archaeology*. pp. 135-174. Academic Press: London and New York.
- Flemming, N. C. (ed.) 2004. *Submarine Prehistoric Archaeology of the North Sea*. CBA Research Report 141. Council of British Archaeology: York.
- Gagliano, S. M., Pearson, C. E., Weinstein, R. A., Wiseman, D. E. & McClendon, C. M. 1982. *Sedimentary Studies Of Prehistoric Archaeological Sites: Criteria For The Identification Of Submerged Archaeological Sites Of The Northern Gulf of Mexico Continental Shelf*. Coastal Environments Inc: Baton Rouge.
- Galili, E. & Weinstein-Evron, M. 1985. Prehistory and paleoenvironments of submerged sites along the Carmel coast of Israel. *Paléorient* 11:37-52.
- Galili, E., Weinstein-Evron, M., Hershkovitz, I. et al. 1993. Atlit-Yam: A prehistoric site on the sea floor off the Israeli coast. *Journal of Field Archaeology* 20:133-157.
- Harff, J. & Lüth, F. (eds.) 2007. *SINCOS — Sinking Coasts: Geosphere, Ecosphere and Anthroposphere of the Holocene Southern Baltic Sea*. Bericht der Römisch-Germanische Kommission: Special Issue 88.
- Harff, J. & Lüth, F. (eds.) 2011. *SINCOS II — Sinking Coasts: Geosphere, Ecosphere and Anthroposphere of the Holocene Southern Baltic Sea II*. Bericht der Römisch-Germanische Kommission: Special Issue 92.
- Harff, J., Lemke, W., Lampe, R. et al. 2007. The Baltic Sea coast — A model of interrelations among geosphere, climate, and anthroposphere. *Geological Society of America Special Papers* 426:133-142.
- Jöns, H., Mennenga, M. & Schaap, D. 2016. *The SPLASHCOS-Viewer. A European Information system about submerged prehistoric sites on the continental shelf. A product of the COST Action TD0902 SPLASHCOS (Submerged Prehistoric Archaeology and Landscapes of the Continental Shelf)*. Accessible at splashcos-viewer.eu/
- Long, D., Wickham-Jones, C. R. & Ruckley, N. A. 1986. A flint artefact from the northern North Sea. In

- Roe, D. A. (ed.) BAR International Series (No. 296) *Studies in the Upper Palaeolithic of Britain and North West Europe*. pp. 55-62. British Archaeological Reports: Oxford.
- Louwe Kooijmans, L. P. 1970-71. Mesolithic bone and antler implements from the North Sea and from the Netherlands. *Berichten van de Rijksdienst voor het Oudheidkundig Bodemonderzoek* 20-21:27-73.
- Millard, A. R. 2014. Conventions for reporting radiocarbon determinations. *Radiocarbon* 56:555-559.
- Millero, F. J., Feistel, R., Wright, D. G. & McDougall, T. J. 2008. The composition of Standard Seawater and the definition of the Reference-Composition Salinity Scale. *Deep-Sea Research Part I: Oceanographic Research Papers* 55:50-72.
- Momber, G. 2000. Drowned and deserted: a submerged prehistoric landscape in the Solent, England. *International Journal of Nautical Archaeology* 29:86-99.
- Moree, J. M. & Sier, M. M. (eds.) 2014. *Twintig meter diep! Mesolithicum in de Yangtzehaven — Maasvlakte te Rotterdam. Landschapontwikkeling en bewoning in het Vroeg Holoceen. BOORrapporten 523*. Bureau Oudheidkundig Onderzoek Rotterdam (BOOR): Rotterdam.
- Moree, J. M. & Sier, M. M. (eds.) 2015. Twenty metres deep! The Mesolithic Period at the Yangtze Harbour site — Rotterdam Maasvlakte, the Netherlands. Early Holocene landscape development and habitation. In Moree, J. M. & Sier, M. M. (eds.) *Interdisciplinary Archaeological Research Programme Maasvlakte 2, Rotterdam. BOORrapporten 566*. pp. 7-350. Gemeente Rotterdam / Rijksdienst voor het Cultureel Erfgoed & Port of Rotterdam: Rotterdam.
- Pedersen, L. D., Fischer, A. & Aaby, B. (eds.) 1997. *The Danish Storebaelt since the Ice Age: Man, Sea and Forest*. Storebaeltsforbindelsen: Copenhagen.
- Peeters, H., Murphy, P. & Flemming, N.C. (eds.) 2009. *North Sea Prehistory Research and Management Framework (NSPRMF) 2009*. English Heritage and RCEM: Amersfoort.
- Reimer, P. J., Bard, E., Bayliss, A. *et al.* 2013. INTCAL13 and MARINE13 Radiocarbon age calibration curves 0-50,000 Cal BP. *Radiocarbon* 55:1869-1887.
- Stuiver, M. & Polach, H. A. 1977. Discussion: Reporting of ^{14}C data. *Radiocarbon* 19:355-363.
- TRC Environmental Corporation 2012. *Inventory and Analysis Of Archaeological Site Occurrence On The Atlantic Outer Continental Shelf*. US Dept. of the Interior: New Orleans.
- van Kolfschoten, T. & Vervoort-Kerkhof, Y. 1985. Nijlpaarden van Nederlandse bodem en uit Noordzee. *Cranium* 2:36-44.
- Waters, M. R. 1992. *Principles of Geoarchaeology: A North American perspective*. University of Arizona Press: Tuscon.
- Weerts, H., Otte, A., Smit, B. *et al.* 2012. Finding the needle in the haystack by using knowledge of Mesolithic human adaptation in a drowning delta. In Bebermeier, W., Hebenstreit, R., Kaiser, E. & Krause, J. (eds.) *Landscape Archaeology — Proceedings of the International Conference (Special Volume 3)*. 6th – 8th June, Berlin, pp. 17-24.
- Wessex Archaeology 2011. *Seabed Prehistory: Site Evaluation Techniques (Area 240) Synthesis*. Wessex Archaeology: Salisbury.
- Wright, D. G., Pawlowicz, R., McDougall, T. J., Feistel, R. & Marion, G. M. 2011. Absolute Salinity, “Density Salinity” and the Reference-Composition Salinity Scale: present and future use in the seawater standard TEOS-10. *Ocean Science* 7:1-26.